

# **Depression in adults: treatment and management**

## **Chapter 16 References**

*Clinical Guideline <...>*

*Methods, evidence and recommendations*

*18 July 2017*

*Draft for Consultation*

*Developed by the National Guideline  
Alliance, hosted by the Royal College of  
Obstetricians and Gynaecologists*



### **Disclaimer**

Healthcare professionals are expected to take NICE clinical guidelines fully into account when exercising their clinical judgement. However, the guidance does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of each patient, in consultation with the patient and/or their guardian or carer.

### **Copyright**

National Institute for Health and Care Excellence [2017]. All rights reserved.

# Contents

<b>15 References.....</b>	<b>5</b>
---------------------------	----------

## 16 References

- 2 AALDEREN, J. R., DONDERIS, A. R., GIOMMI, F., SPINHOVEN, P., BARENDRUGT, H. P.  
3 & SPECKENS, A. E. 2012. The efficacy of mindfulness-based cognitive therapy in recurrent  
4 depressed patients with and without a current depressive episode: a randomized controlled  
5 trial. *Psychological Medicine*, 42, 989-1001.
- 6 AAN HET ROT, M., COLLINS, K. A., MURROUGH, J. W., PEREZ, A. M., REICH, D. L.,  
7 CHARNEY, D. S. & MATHEW, S. J. 2010. Safety and efficacy of repeated-dose intravenous  
8 ketamine for treatment-resistant depression. *Biological Psychiatry*, 67, 139-145.
- 9 AARONSON, S. T., CARPENTER, L. L., CONWAY, C. R., REIMHERR, F. W., LISANBY, S.  
10 H., SCHWARTZ, T. L., MORENO, F. A., DUNNER, D. L., LESEM, M. D., THOMPSON, P.  
11 M., HUSAIN, M., VINE, C. J., BANOV, M. D., BERNSTEIN, L. P., LEHMAN, R. B.,  
12 BRANNON, G. E., KEEPERS, G. A., O'REARDON, J. P., RUDOLPH, R. L. & BUNKER, M.  
13 2013. Vagus nerve stimulation therapy randomized to different amounts of electrical charge  
14 for treatment-resistant depression: Acute and chronic effects. *Brain Stimulation*, 6, 631-640.
- 15 ABAS, M. 1996. Depression and anxiety among older Caribbean people in the UK:  
16 screening, unmet need and the provision of appropriate services. *International Journal of  
17 Geriatric Psychiatry*, 11, 377-382.
- 18 ABAS, M. A., PHILLIPS, C., CARTER, J., WALTER, J., BANERJEE, S. & LEVY, R. 1998.  
19 Culturally sensitive validation of screening questionnaires for depression in older African-  
20 Caribbean people living in south London. *Br J Psychiatry*, 173, 249-54.
- 21 ABBASS, A., TOWN, J. & DRIESSEN, E. 2011. The efficacy of short-term psychodynamic  
22 psychotherapy for depressive disorders with comorbid personality disorder. *Psychiatry*, 74,  
23 58-71.
- 24 ABDALLAH, C. G., FASULA, M., KELMENDI, B., SANACORA, G. & OSTROFF, R. 2012.  
25 Rapid antidepressant effect of ketamine in the electroconvulsive therapy setting. *Journal of  
26 ECT*, 28, 157-61.
- 27 ABDOLLAHI, M. H., IZADI, A., HAJIESMAEILI, M. R., GHANIZADEH, A., DASTJERDI, G.,  
28 HOSSEINI, H. A., GHIAMAT, M. M. & ABBASI, H. R. 2012. Effect of etomidate versus  
29 thiopental on major depressive disorder in electroconvulsive therapy, a randomized double-  
30 blind controlled clinical trial. *Journal of ECT*, 28, 10-3.
- 31 ABERA, M., TESFAY, K., DEJENE, T., KERIE, M. & MORANKAR, S. 2013. Efficacy of  
32 repetitive transcranial magnetic stimulation versus electroconvulsive therapy in the treatment  
33 of medication resistant major depressive disorder: A systematic review protocol. *JBI Library  
34 of Systematic Reviews*, 11, 1-7.
- 35 ADDIS, M. E. 2008. Gender and depression in men. *Clinical Psychology: Science and  
36 Practice*, 15, 153-168.
- 37 ADIS MEDICAL, W. 2014. Consider using lithium to augment antidepressant therapy or as a  
38 preventative maintenance therapy in patients with major depressive disorder. *Drugs and  
39 Therapy Perspectives*, 30, 386-389.
- 40 ADLER, D., BUNGAY, K., WILSON, I., PEI, Y., SUPRAN, S., PECKHAM, E. & AL., E. 2004.  
41 The impact of a pharmacist intervention on 6-month outcomes in depressed primary care  
42 patients. *General Hospital Psychiatry*, 26, 199-209.
- 43 AGREE-COLLABORATION 2003. Development and validation of an international appraisal  
44 instrument for assessing the quality of clinical practice guidelines: the AGREE project.  
45 *Quality and Safety in Health Care*, 12, 18-23.

- 1 AGUGLIA, E., BIGGIO, G., SIGNORELLI, M. S., MENCACCI, C. & STEERING COMMITTEE  
2 ON BEHALF OF THE, S.-D. I. 2014. Italian Study on Depressive Disorders (STudio Italiano  
3 Malattia Depressiva, or STIMA-D): a nationwide snapshot of the status of treatment for major  
4 depression. *Pharmacopsychiatry*, 47, 105-10.
- 5 AKISKAL, H. S. 1986. A developmental perspective on recurrent mood disorders: a review of  
6 studies in man. *Psychopharmacol Bull*, 22, 579-86.
- 7 ALAM, M. Y., JACOBSEN, P. L., CHEN, Y., SERENKO, M. & MAHABLESHWARKAR, A. R.  
8 2014. Safety, tolerability, and efficacy of vortioxetine (Lu AA21004) in major depressive  
9 disorder: Results of an open-label, flexible-dose, 52-week extension study. *International  
10 Clinical Psychopharmacology*, 29, 36-44.
- 11 ALEGRIA, M., LUDMAN, E., KAFALI, E. N., LAPATIN, S., VILA, D., SHROUT, P. E., KEEFE,  
12 K., COOK, B., AULT, A., LI, X., BAUER, A. M., EPELBAUM, C., ALCANTARA, C., PINEDA,  
13 T. I., TEJERA, G. G., SUAU, G., LEON, K., LESSIOS, A. S., RAMIREZ, R. R. & CANINO, G.  
14 2014. Effectiveness of the Engagement and Counseling for Latinos (ECLA) intervention in  
15 low-income Latinos. *Medical Care*, 52, 989-97.
- 16 ALEVIZOS, B., ALEVIZOS, E., LEONARDOU, A. & ZERVAS, I. 2012. Low dosage lithium  
17 augmentation in venlafaxine resistant depression: an open-label study. *Psychiatrike =  
18 Psychiatriki*, 23, 143-148.
- 19 ALEXOPOULOS, G. S., REYNOLDS, C. F., BRUCE, M. L., KATZ, I. R., RAUE, P. J.,  
20 MULSANT, B. H., OSLIN, D. W. & HAVE, T. 2009. Reducing suicidal ideation and  
21 depression in older primary care patients: 24-month outcomes of the PROSPECT study. *The  
22 American Journal of Psychiatry*, 166, 882-90.
- 23 ALLAN, C. L. & EBMEIER, K. P. 2011. The use of ECT and MST in treating depression.  
24 *International Review of Psychiatry*, 23, 400-412.
- 25 ALMEIDA, O. P., FORD, A. H. & FLICKER, L. 2015. Systematic review and meta-analysis of  
26 randomized placebo-controlled trials of folate and vitamin B12 for depression. *International  
27 Psychogeriatrics*, 27, 727-737.
- 28 ALMEIDA, O. P., FORD, A. H., HIRANI, V., SINGH, V., VANBOCKXMEER, F. M., MCCAUL,  
29 K. & FLICKER, L. 2014. B vitamins to enhance treatment response to antidepressants in  
30 middle-aged and older adults: Results from the B-VITAGE randomised, double-blind,  
31 placebo-controlled trial. *British Journal of Psychiatry*, 205, 450-457.
- 32 ALTMAN, D. G. & BLAND, J. M. 1994. Diagnostic tests 2: Predictive values. *BMJ*, 309, 102.
- 33 ALTMAN, D. G. & BLAND, J. M. 1994. Diagnostic tests. 1: Sensitivity and specificity. *BMJ*,  
34 308, 1552.
- 35 AMERICAN PSYCHIATRIC ASSOCIATION 1994. *Diagnostic and statistical manual of  
36 mental disorders : DSM-IV*, Washington, DC, American Psychiatric Association.
- 37 AMERICAN PSYCHIATRIC ASSOCIATION 2000. *Diagnostic and statistical manual of  
38 mental disorders : DSM-IV-TR*, Washington, DC, American Psychiatric Association.
- 39 AMERICAN PSYCHIATRIC ASSOCIATION 2013. *Diagnostic and statistical manual of  
40 mental disorders : DSM-5*, Washington, D.C., American Psychiatric Association.
- 41 AMITAL, D., FOSTICK, L., SILBERMAN, A., CALATI, R., SPINDELECKER, C., SERRETTI,  
42 A., JUVEN-WETZLER, A., SOUERY, D., MENDLEWICZ, J., MONTGOMERY, S., KASPER,  
43 S. & ZOHAR, J. 2013. Physical co-morbidity among treatment resistant vs. treatment  
44 responsive patients with major depressive disorder. *European Neuropsychopharmacology*,  
45 23, 895-901.

- 1 ANAND, A. S. & COCHRANE, R. 2005. The mental health status of South Asian women in Britain. *Psychology and Developing Societies*, 17, 195-214.
- 3 ANDERSON, H. D., PACE, W. D., LIBBY, A. M., WEST, D. R. & VALUCK, R. J. 2012. Rates of 5 common antidepressant side effects among new adult and adolescent cases of depression: a retrospective US claims study. *Clin Ther*, 34, 113-23.
- 6 ANDERSON, I. M. & FERGUSSON, G. 2013. Mechanism of action of ECT. In: WAITE J, E. A. (ed.) *The ECT Handbook*. 3rd edn. 3rd ed.: Royal College of Psychiatrists.
- 8 ANDERSON, I. M., FERRIER, I. N., BALDWIN, R. C., COWEN, P. J., HOWARD, L., LEWIS, G., MATTHEWS, K., MCALLISTER-WILLIAMS, R. H., PEVELER, R. C., SCOTT, J. & TYLEE, A. 2008. Evidence-based guidelines for treating depressive disorders with antidepressants: a revision of the 2000 British Association for Psychopharmacology guidelines. *J Psychopharmacol*, 22, 343-96.
- 13 ANDERSSON, G., BERGSTROM, J., HOLLANDARE, F., CARLBRING, P., KALDO, V. & EKSELIUS, L. 2005. Internet-based self-help for depression: randomised controlled trial. *Br J Psychiatry*, 187, 456-61.
- 16 ANDERSSON, G. & CUIJPERS, P. 2009. Internet-based and other computerized psychological treatments for adult depression: a meta-analysis. *Cogn Behav Ther*, 38, 196-205.
- 19 ANDERSSON, G., HESSER, H., HUMMERDAL, D., BERGMAN-NORDGREN, L. & CARLBRING, P. 2013. A 3.5-year follow-up of Internet-delivered cognitive behavior therapy for major depression. *Journal of Mental Health*, 22, 155-64.
- 22 ANDERSSON, G., HESSER, H., VEILORD, A., SVEDLING, L., ANDERSSON, F., SLEMAN, O., MAURITZSON, L., SARKOHI, A., CLAESSEN, E., ZETTERQVIST, V., LAMMINEN, M., ERIKSSON, T. & CARLBRING, P. 2013. Randomised controlled non-inferiority trial with 3-year follow-up of internet-delivered versus face-to-face group cognitive behavioural therapy for depression. *J Affect Disord*, 151, 986-94.
- 27 ANDRADE, L., CARAVEO-ANDUAGA, J. J., BERGLUND, P., BIJL, R. V., DE GRAAF, R., VOLLEBERGH, W., DRAGOMIRECKA, E., KOHN, R., KELLER, M., KESSLER, R. C., KAWAKAMI, N., KILIC, C., OFFORD, D., USTUN, T. B. & WITTCHEN, H. U. 2003. The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. *Int J Methods Psychiatr Res*, 12, 3-21.
- 32 ANDREESCU, C., GLICK, R. M., EMEREMNI, C. A., HOUCK, P. R. & MULSANT, B. H. 2011. Acupuncture for the treatment of major depressive disorder: a randomized controlled trial. *Journal of Clinical Psychiatry*, 72, 1129-35.
- 35 ANDREESCU, C., MULSANT, B. H., PEASLEY-MIKLUS, C., ROTHSCHILD, A. J., FLINT, A. J., HEO, M., CASWELL, M., WHYTE, E. M., MEYERS, B. S. & GROUP, S.-P. S. 2007. Persisting low use of antipsychotics in the treatment of major depressive disorder with psychotic features. *J Clin Psychiatry*, 68, 194-200.
- 39 ANDREWS, G., ANDERSON, T. M., SLADE, T. & SUNDERLAND, M. 2008. Classification of anxiety and depressive disorders: problems and solutions. *Depression and Anxiety*, 25, 274-281.
- 42 ANDREWS, G., CUIJPERS, P., CRASKE, M. G., MCEVOY, P. & TITOY, N. 2010. Computer therapy for the anxiety and depressive disorders is effective, acceptable and practical health care: a meta-analysis. *PLoS One*, 5, e13196.
- 45 ANDREWS, G. & JENKINS, R. (eds.) 1999. *Management of Mental Disorders* (UK edn, vol. 1), Sydney: WHO Collaborating Centre for Mental Health and Substance Misuse.

- 1 ANGERMEYER, M. C., MATSCHINGER, H. & RIEDEL-HELLER, S. G. 1999. Whom to ask for help in case of a mental disorder? Preferences of the lay public. *Soc Psychiatry Psychiatr Epidemiol*, 34, 202-10.
- 4 ANGLIN, R., YUAN, Y., MOAYYEDI, P., TSE, F., ARMSTRONG, D. & LEONTIADIS, G. I. 2014. Risk of upper gastrointestinal bleeding with selective serotonin reuptake inhibitors with or without concurrent nonsteroidal anti-inflammatory use: a systematic review and meta-analysis. *Am J Gastroenterol*, 109, 811-9.
- 8 ANGUERA, J. A., JORDAN, J. T., CASTANEDA, D., GAZZALEY, A. & AREAN, P. A. 2016. Conducting a fully mobile and randomised clinical trial for depression: Access, engagement and expense. *BMJ Innovations*, 2, 14-21.
- 11 ANNEMANS, L., BRIGNONE, M., DRUAIS, S., DE PAUW, A., GAUTHIER, A. & DEMYTTEAERE, K. 2014. Cost-effectiveness analysis of pharmaceutical treatment options in the first-line management of major depressive disorder in Belgium. *Pharmacoeconomics*, 32, 479-93.
- 15 ANTON, R. F., JR. & BURCH, E. A., JR. 1990. Amoxapine versus amitriptyline combined with perphenazine in the treatment of psychotic depression. *Am J Psychiatry*, 147, 1203-8.
- 17 APIL, S. R., HOENCAMP, E., JUDITH HAFFMANS, P. M. & SPINHOVEN, P. 2012. A stepped care relapse prevention program for depression in older people: a randomized controlled trial. *International Journal of Geriatric Psychiatry*, 27, 583-91.
- 20 APIL, S. R., SPINHOVEN, P., HAFFMANS, P. M. & HOENCAMP, E. 2014. Two-year follow-up of a randomized controlled trial of stepped care cognitive behavioral therapy to prevent recurrence of depression in an older population. *International Journal of Geriatric Psychiatry*, 29, 317-25.
- 24 ARAGONÈS, E., PIÑOL, J. L., CABALLERO, A., LÓPEZ-CORTACANS, G., CASAUS, P., HERNÁNDEZ, J. M., BADIA, W. & FOLCH, S. 2012. Effectiveness of a multi-component programme for managing depression in primary care: a cluster randomized trial. The INDI project. *Journal of Affective Disorders*, 142, 297-305.
- 28 ARAGONES, E., PINOL, J. L. & LABAD, A. 2006. The overdiagnosis of depression in non-depressed patients in primary care. *Fam Pract*, 23, 363-8.
- 30 ARAYA, R., ROJAS, G., FRITSCH, R., GAETE, J., ROJAS, M., SIMON, G. & AL., E. 2003. Treating depression in primary care in low-income women in Santiago, Chile: a randomised controlled trial. *Lancet* 361, 995-1000.
- 33 ARCHER, J., BOWER, P., GILBODY, S., LOVELL, K., RICHARDS, D., GASK, L., DICKENS, C. & COVENTRY, P. 2012. Collaborative care for depression and anxiety problems. *Cochrane Database of Systematic Reviews*.
- 36 ARNETT, J., SWANSON, L., BERTRAM, H., MOONEY, A., HUNTLEY, E., DOPP, R. & ARMITAGE, R. 2013. Repeated partial sleep deprivation to augment ssri response in depression: Preliminary findings from a randomized controlled trial. *Sleep*, 36, A301.
- 39 ARNOW, B. A., BLASEY, C., WILLIAMS, L. M., PALMER, D. M., REKSHAN, W., SCHATZBERG, A. F., ETKIN, A., KULKARNI, J., LUTHER, J. F. & RUSH, A. J. 2015. Depression Subtypes in Predicting Antidepressant Response: A Report From the iSPOT-D Trial. *The American journal of psychiatry*, 172, 743-50.
- 43 ARNOW, B. A. & CONSTANTINO, M. J. 2003. Effectiveness of psychotherapy and combination treatment for chronic depression. *J Clin Psychol*, 59, 893-905.

- 1 ARROLL, B., GOODYEAR-SMITH, F., KERSE, N., FISHMAN, T. & GUNN, J. 2005. Effect of the addition of a "help" question to two screening questions on specificity for diagnosis of depression in general practice: diagnostic validity study. *BMJ*, 331, 884.
- 4 ASHWORTH, D. K., SLETTEN, T., JUNGE, M., CUNNINGTON, D. & RAJARATNAM, S. 2013. Cognitive behavioral therapy for insomnia (CBT-I): An effective adjunct therapy to antidepressants for comorbid insomnia and depression. *Sleep*, 36, A230.
- 7 ASSOCIATION, A. P. 2010. *Practice Guideline for the treatment of patients with major depressive disorder*, Washington, USA, American Psychiatric Association.
- 9 BAKER, R., OKAME, T., PERRY, P., MATSUSHIMA, Y. & WEILLER, E. 2015. Switching from inadequate adjunctive treatments: Open-label study of brexpiprazole effects on depressive symptoms, cognitive and physical functioning. *European Neuropsychopharmacology*, 25, S448-s449.
- 13 BALASUBRAMANIAM, M., TELLES, S. & DORAISWAMY, P. M. 2013. Yoga on our minds: A systematic review of yoga for neuropsychiatric disorders. *Frontiers in Psychiatry*, 3.
- 15 BALDESSARINI, R. J. 2014. Risks in discontinuation trials with antidepressants. *Journal of Clinical Psychiatry*, 75, e1443.
- 17 BALDESSARINI, R. J., LAU, W. K., SIM, J., SUM, M. Y. & SIM, K. 2015. Duration of initial antidepressant treatment and subsequent relapse of major depression. *Journal of Clinical Psychopharmacology*, 35, 75-76.
- 20 BALDWIN, D. S., GREEN, M. & MONTGOMERY, S. A. 2014. Lack of efficacy of moclobemide or imipramine in the treatment of recurrent brief depression: Results from an exploratory randomized, double-blind, placebo-controlled treatment study. *International Clinical Psychopharmacology*, 29, 339-343.
- 24 BALDWIN, D. S. & HANUMANTHAIAH, V. B. 2015. Vortioxetine in the treatment of major depressive disorder. *Future Neurology*, 10, 79-89.
- 26 BALDWIN, D. S., LOFT, H. & DRAGHEIM, M. 2011. A randomised, double-blind, placebo controlled, duloxetine-referenced, fixed-dose study of three dosages of Lu AA21004 in acute treatment of major depressive disorder (MDD) [NCT00635219]. *European Neuropsychopharmacology*, 22, 482-491 [doi:10.1016/j.euroneuro.2011.11.008].
- 30 BALDWIN, D. S., LOFT, H., JACOBSEN, P. L. & FLOREA, I. 2014. The efficacy of vortioxetine in treating patients with severe depression or with depression and high level of anxiety symptoms. *European Neuropsychopharmacology*, 24, S463-S464.
- 33 BALDWIN, D. S., SERENKO, M., PALO, W., LOPHAVEN, S. & MATZ, J. 2013. The safety and tolerability of vortioxetine (Lu AA21004) in the treatment of adults with major depressive disorder (MDD): A pooled analysis. *International Journal of Psychiatry in Clinical Practice*, 17, 16-17.
- 37 BALDWIN, R. 2012. Mood disorders in the elderly. *New Oxford Textbook of Psychiatry*. Oxford University Press (OUP).
- 39 BALLARD, C., BANNISTER, C., SOLIS, M., OYEBODE, F. & WILCOCK, G. 1996. The prevalence, associations and symptoms of depression amongst dementia sufferers. *J Affect Disord*, 36, 135-44.
- 42 BAMBLING, M., PARHAM, S. C., COULSON, S. & VITETTA, L. 2015. S-adenosylmethionine (SAMe) and Magnesium Orotate as adjunctives to SSRIs in sub-optimal treatment response of depression in adults: A pilot study. *Advances in Integrative Medicine*, 2, 56-62.

- 1 BARBER, J. P., BARRETT, M. S., GALLOP, R., RYNN, M. A. & RICKELS, K. 2012. Short-term dynamic psychotherapy versus pharmacotherapy for major depressive disorder: a randomized, placebo-controlled trial. *The Journal of Clinical Psychiatry*, 73, 66-73.
- 4 BARES, M., NOVAK, T., KOPECEK, M., STOPKOVA, P., CERMAK, J., KOZENY, J. & HOSCHL, C. 2013. Antidepressant monotherapy compared with combinations of antidepressants in the treatment of resistant depressive patients: A randomized, open-label study. *International Journal of Psychiatry in Clinical Practice*, 17, 35-43.
- 8 BARNHOFER, T., CRANE, C., HARGUS, E., AMARASINGHE, M., WINDER, R. & WILLIAMS, J. M. 2009. Mindfulness-based cognitive therapy as a treatment for chronic depression: A preliminary study. *Behaviour Research and Therapy*, 47, 366-73.
- 11 BARR, B., TAYLOR-ROBINSON, D., SCOTT-SAMUEL, A., MCKEE, M. & STUCKLER, D. 2012. Suicides associated with the 2008-10 economic recession in England: time trend analysis. *BMJ*, 345, e5142-e5142.
- 14 BARTELS, S. J., COAKLEY, E. H., ZUBRITSKY, C., WARE, J. H., MILES, K. M., AREAN, P. A., CHEN, H., OSLIN, D. W., LLORENTE, M. D., COSTANTINO, G., QUIJANO, L., MCINTYRE, J. S., LINKINS, K. W., OXMAN, T. E., MAXWELL, J., LEVKOFF, S. E. & INVESTIGATORS, P.-E. 2004. Improving access to geriatric mental health services: a randomized trial comparing treatment engagement with integrated versus enhanced referral care for depression, anxiety, and at-risk alcohol use. *Am J Psychiatry*, 161, 1455-62.
- 20 BAUER, M., ADLI, M., RICKEN, R., SEVERUS, E. & PILHATSCH, M. 2014. Role of lithium augmentation in the management of major depressive disorder. *CNS Drugs*, 28, 331-342.
- 22 BAUER, M., MCINTYRE, R. S., SZAMOSI, J. & ERIKSSON, H. 2013. Evaluation of adjunct extended-release quetiapine fumarate on sleep disturbance and quality in patients with major depressive disorder and an inadequate response to on-going antidepressant therapy. *International Journal of Neuropsychopharmacology*, 16, 1755-1765.
- 26 BAUER, M., PFENNIG, A., LINDEN, M., SMOLKA, M. N., NEU, P. & ADLI, M. 2009. Efficacy of an algorithm-guided treatment compared with treatment as usual: a randomized, controlled study of inpatients with depression. *Journal of Clinical Psychopharmacology*, 29, 327-33.
- 30 BAUER, M., PFENNIG, A., SEVERUS, E., WHYBROW, P. C., ANGST, J., MOLLER, H. J., ADLI, M., BENKERT, O., BSCHOR, T., TADIC, A., HOLSBOER-TRACHSLER, E., ANDERSON, I., BALDWIN, D., COOKSON, J. C., GRUNZE, H., KATONA, C., PAYKEL, E. S., TYLEE, A., AYUSO-GUTIERREZ, J. L., VIETA, E., BECH, P., LICHT, R. W., LUBLIN, H., VESTERGAARD, P., BERK, M., BURROWS, G., MITCHELL, P. B., SCHWEITZER, I., BITTER, I., CASSANO, G., CETKOVICH-BAKMAS, M., DA COSTA, D., GHEORGHE, M. D., HEINZE, G., HIGUCHI, T., HIRSCHFELD, R. M. A., KELLER, M. B., KUPFER, D. J., RUSH, A. J., UNUTZER, J., HOSCHL, C., KANG, R. H., LEE, M. S., LIM, S. W., PAIK, J. W., PARK, Y. C., KASPER, S., KIRLI, S., YAZICI, A., KOSTUKOVA, E., KULHARA, P., LEONARD, B., LINGJAERDE, O., LIU, C. Y., MENDLEWICZ, J., PUZYNSKI, S., RYBAKOWSKI, J. K. & YAMADA, K. 2013. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders, Part 1: Update 2013 on the acute and continuation treatment of unipolar depressive disorders. *World Journal of Biological Psychiatry*, 14, 334-385.
- 44 BAUER, M., PRETORIUS, H. W., CONSTANT, E. L., EARLEY, W. R., SZAMOSI, J. & BRECHER, M. 2009. Extended-release quetiapine as adjunct to an antidepressant in patients with major depressive disorder: results of a randomized, placebo-controlled, double-blind study. *Journal of Clinical Psychiatry*, 70, 540-9.
- 48 BAUER, M. S. & DUNNER, D. L. 1993. Validity of seasonal pattern as a modifier for recurrent mood disorders for DSM-IV. *Comprehensive Psychiatry*, 34, 159-170.

- 1 BAY, E., CHAN, R. & LARSON, J. 2014. Mindfulness-based group therapy vs healthy living intervention: A pilot RCT intervention. *Brain Injury*, 28 (5-6), 690.
- 3 BE, D., WHISMAN, M. A. & UEBELACKER, L. A. 2013. Prospective associations between marital adjustment and life satisfaction. *Personal Relationships*, 20, 728-739.
- 5 BEACH, M. C., GARY, T. L., PRICE, E. G., ROBINSON, K., GOZU, A., PALACIO, A., SMARTH, C., JENCKES, M., FEUERSTEIN, C., BASS, E. B., POWE, N. R. & COOPER, L. A. 2006. Improving health care quality for racial/ethnic minorities: a systematic review of the best evidence regarding provider and organization interventions. *BMC Public Health*, 6, 104.
- 9 BEACH, S. R., KOSTIS, W. J., CELANO, C. M., JANUZZI, J. L., RUSKIN, J. N., NOSEWORTHY, P. A. & HUFFMAN, J. C. 2014. Meta-analysis of selective serotonin reuptake inhibitor-associated QTc prolongation. *J Clin Psychiatry*, 75, e441-9.
- 12 BEACH, S. R. H., KATZ, J., KIM, S. & BRODY, G. H. 2003. Prospective effects of marital satisfaction on depressive symptoms in established marriages: a dyadic model. *Journal of Social and Personal Relationships*, 20, 355-371.
- 15 BEACH, S. R. H., KIM, S., CERCONE-KEENEY, J., GUPTA, M., ARIAS, I. & BRODY, G. H. 2004. Physical aggression and depressive symptoms: gender asymmetry in effects? *Journal of Social and Personal Relationships*, 21, 341-360.
- 18 BECK, A. T. 1964. Thinking and depression. *Archives of General Psychiatry*, 10, 561.
- 19 BECK, A. T. 2008. The Evolution of the Cognitive Model of Depression and Its Neurobiological Correlates. *American Journal of Psychiatry*, 165, 969-977.
- 21 BECK, A. T., A., S. R. & BROWN, G. K. 1996. *Manual for the Beck Depression Inventory-II*, San Antonio. Texas, Psychological Corporation.
- 23 BECK, A. T., GUTH, D., STEER, R. A. & BALL, R. 1997. Screening for major depression disorders in medical inpatients with the Beck Depression Inventory for Primary Care. *Behav Res Ther*, 35, 785-91.
- 26 BECK, A. T., RUSH, A. J. & SHAW, B. F. 1979. *Cognitive therapy of depression*, New York, Guilford Press.
- 28 BECK, A. T., WARD, C. H., MENDELSON, M., MOCK, J. & ERBAUGH, J. 1961. An inventory for measuring depression. *Arch Gen Psychiatry*, 4, 561-71.
- 30 BEEKMAN, A. T. F., FELTZ-CORNELIS, C. V. & VAN MARWIJK, H. W. J. 2013. Enhanced care for depression. *Current Opinion in Psychiatry*, 26, 7-12.
- 32 BELL, D. N. F. & BLANCHFLOWER, D. G. 2011. Young people and the Great Recession. *Oxford Review of Economic Policy*, 27, 241-267.
- 34 BELLON, J. A., MORENO-PERAL, P., MOTRICO, E., RODRIGUEZ-MOREJON, A., FERNANDEZ, A., SERRANO-BLANCO, A., ZABAleta-DEL-OLMO, E. & CONEJO-CERON, S. 2015. Effectiveness of psychological and/or educational interventions to prevent the onset of episodes of depression: A systematic review of systematic reviews and meta-analyses. *Preventive Medicine*, 76, S22-S32.
- 39 BELVEDERI MURRI, M., AMORE, M., MENCHETTI, M., TONI, G., NEVIANI, F., CERRI, M., ROCCHI, M. B. L., ZOCCHI, D., BAGNOLI, L., TAM, E., BUFFA, A., FERRARA, S., NERI, M., ALEXOPOULOS, G. S. & ZANETIDOU, S. 2015. Physical exercise for late-life major depression. *British journal of psychiatry*, 207, 235-42.
- 43 BENEDICT, A., ARELLANO, J., DE COCK, E. & BAIRD, J. 2010. Economic evaluation of duloxetine versus serotonin selective reuptake inhibitors and venlafaxine XR in treating major depressive disorder in Scotland. *Journal of Affective Disorders*, 120, 94-104.

- 1 BENNABI, D., NICOLIER, M., MONNIN, J., TIO, G., PAZART, L., VANDEL, P. & HAFFEN, E. 2015. Pilot study of feasibility of the effect of treatment with tDCS in patients suffering from treatment-resistant depression treated with escitalopram. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology*, 126, 1185-9.
- 5 BENNETT-LEVY, J. 2010. *Oxford guide to low intensity CBT interventions*, Oxford, Oxford University Press.
- 7 BENTALL, D. P. R. 1999. The medicalisation of misery: A critical realist analysis of the concept of depression. *Journal of Mental Health*, 8, 261-274.
- 9 BERGER, T., HÄMMERLI, K., GUBSER, N., ANDERSSON, G. & CASPAR, F. 2011. Internet-based treatment of depression: a randomized controlled trial comparing guided with unguided self-help. *Cognitive Behaviour Therapy*, 40, 251-66.
- 12 BERGHÖFER, A., HARTWICH, A., BAUER, M., UNÜTZER, J., WILLICH, S. N. & PFENNIG, A. 2012. Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. *BMC Health Services Research*, 12, 298.
- 15 BERGMAN, J., MIODOWNIK, C., BERSUDSKY, Y., SOKOLIK, S., LERNER, P. P., KREININ, A., POLAKIEWICZ, J. & LERNER, V. 2013. Curcumin as an add-on to antidepressive treatment: A randomized, double-blind, placebo-controlled, pilot clinical study. *Clinical Neuropharmacology*, 36, 73-77.
- 19 BERGMANN, N., BALLEGAARD, S., BECH, S., HJALMARSSON, A., KROGH, J., GYNTELBERG, F. & FABER, J. 2013. The effect of self-measurement of pressure pain sensitivity followed by acupressure on depression and quality of life in IHD. *Psychotherapy and Psychosomatics*, 82, 11-12.
- 23 BERGMANN, R., NUSSNER, J. & DEMLING, J. 1993. Therapy of minor and moderate depressions. *Tz Neurologie Psychiatrie*, 7, 235-40.
- 25 BERLIM, M. T., MCGIRR, A., VAN DEN EYNDE, F., FLECK, M. P. & GIACOBBE, P. 2014. Effectiveness and acceptability of deep brain stimulation (DBS) of the subgenual cingulate cortex for treatment-resistant depression: a systematic review and exploratory meta-analysis. *Journal of Affective Disorders*, 159, 31-8.
- 29 BERLIN, J. A. 1997. Does blinding of readers affect the results of meta-analyses? University of Pennsylvania Meta-analysis Blinding Study Group. *Lancet*, 350, 185-6.
- 31 BERMAN, R. M., FAVA, M., THASE, M. E., TRIVEDI, M. H., SWANINK, R., MCQUADE, R., CARSON, W. H., ADSON, D., TAYLOR, L., HAZEL, J. & MARCUS, R. N. 2009. Aripiprazole augmentation in major depressive disorder: a double-blind, placebo-controlled study in patients with inadequate response to antidepressants. *CNS Spectrums*, 14, 197-206.
- 36 BERRY, S. M., BROGLIO, K., BUNKER, M., JAYEWARDENE, A., OLIN, B. & RUSH, A. J. 2013. A patient-level meta-analysis of studies evaluating vagus nerve stimulation therapy for treatment-resistant depression. *Medical Devices: Evidence and Research*, 6, 17-35.
- 39 BERSANI, G., MECO, G., DENARO, A., LIBERATI, D., COLLETTI, C. & NICOLAI, R. 2013. L-Acetylcarnitine in dysthymic disorder in elderly patients: a double-blind, multicenter, controlled randomized study vs. fluoxetine. *European Neuropsychopharmacology*, 23, 1219-25.
- 43 BERTSCHE, T., LINDNER, S., DAMM, M., FRONTINI, R., EXNER, C. & HIMMERICH, H. 2015. An interdisciplinary concept to optimize patient safety - A pilot study. [German]. *Psychiatrische Praxis*, 42, 216-20.

- 1 BET, P. M., HUGTENBURG, J. G., PENNINX, B. W. & HOOGENDIJK, W. J. 2013. Side effects of antidepressants during long-term use in a naturalistic setting. *Eur Neuropsychopharmacol*, 23, 1443-51.
- 4 BHAGWAGAR, Z., TORBEYNS, A., HENNICKEN, D., ZHENG, M., DUNLOP, B. W., MATHEW, S. J., KHAN, A., WEISLER, R., NELSON, C., SHELTON, R., THASE, M. E. & LANE, R. 2015. Assessment of the Efficacy and Safety of BMS-820836 in Patients with Treatment-Resistant Major Depression: Results from 2 Randomized, Double-Blind Studies. *Journal of clinical psychopharmacology*, 35, 454-9.
- 9 BHARGAVA, J. & KHAN, Z. Y. 2012. Comparative evaluation of the efficacy and side effects of imipramine, sertraline and an ayurvedic formulation in patients of depression. *Journal of Clinical and Diagnostic Research*, 6, 220-5.
- 12 BHUGRA, D. & COCHRANE, R. 2000. Psychiatry in a multi-ethnic context. In: CORPORATION, P. (ed.) *Psychiatry in multicultural Britain*. London, Washington, D.C.: Gaskell.
- 15 BHUI, K., BHUGRA, D. & GOLDBERG, D. 2000. Cross-cultural validity of the Amritsar Depression Inventory and the General Health Questionnaire amongst English and Punjabi primary care attenders. *Soc Psychiatry Psychiatr Epidemiol*, 35, 248-54.
- 18 BHUI, K., BHUGRA, D., GOLDBERG, D., DUNN, G. & DESAI, M. 2001. Cultural influences on the prevalence of common mental disorder, general practitioners' assessments and help-seeking among Punjabi and English people visiting their general practitioner. *Psychol Med*, 31, 815-25.
- 22 BHUI, K., STANSFIELD, S., HULL, S., PRIEBE, S., MOLE, F. & FEDER, G. 2003. Ethnic variations in pathways to and use of specialist mental health services in the UK. Systematic review. *Br J Psychiatry*, 182, 105-16.
- 25 BI, X., BRELAND, J. Y., MOOS, R. H. & CRONKITE, R. C. 2015. Longitudinal changes in somatic symptoms and family disagreements among depression and community groups: a 23-year study. *BMC Psychiatry*, 15.
- 28 BIDDLE, L., DONOVAN, J. L., GUNNELL, D. & SHARP, D. 2006. Young adults' perceptions of GPs as a help source for mental distress: a qualitative study. *Br J Gen Pract*, 56, 924-31.
- 30 BIDDLE, S., FOX, K. & EDMUND, L. 1994. *Physical activity promotion in primary health care in England*, Health Education Authority.
- 32 BIELING, P. J., HAWLEY, L. L., BLOCH, R. T., CORCORAN, K. M., LEVITAN, R. D., YOUNG, L. T., MACQUEEN, G. M. & SEGAL, Z. V. 2012. Treatment-specific changes in decentering following mindfulness-based cognitive therapy versus antidepressant medication or placebo for prevention of depressive relapse. *Journal of Consulting and Clinical Psychology*, 80, 365-72.
- 37 BIESHEUVEL-LELIEFELD, K. E., KOK, G. D., BOCKTING, C. L., CUIJPERS, P., HOLLON, S. D., VAN MARWIJK, H. W. & SMIT, F. 2015. Effectiveness of psychological interventions in preventing recurrence of depressive disorder: Meta-analysis and meta-regression. *Journal of Affective Disorders*, 174, 400-410.
- 41 BIRKENHAGER, T. K., BROEK, W. W., MULDER, P. G., BRUIJN, J. A. & MOLEMAN, P. 2006. [Comparison of two treatment strategies in inpatients with a depressive disorder: A double-blind study of imipramine followed by lithium addition versus fluvoxamine followed by lithium addition]. *Tijdschrift voor Psychiatrie*, 48, 271-81.
- 45 BLANCHARD, M., WATERREUS, A. & MANN, A. 1995. The effect of primary care nurse intervention upon older people screened as depressed. *International Journal of Geriatric Psychiatry* 10, 289-298.

- 1 BLANCO, C., OKUDA, M., MARKOWITZ, J. C., LIU, S.-M., GRANT, B. F. & HASIN, D. S.  
2 2010. The epidemiology of chronic major depressive disorder and dysthymic disorder and  
3 dysthymic disorder: results from the national epidemiologic survey on alcohol and related  
4 conditions. *The Journal of Clinical Psychiatry*, 71, 1645-1656.
- 5 BLANCO, V., ROHDE, P., VAZQUEZ, F. L. & OTERO, P. 2014. Predictors of prevention  
6 failure in college students participating in two indicated depression prevention programs.  
7 *International Journal of Environmental Research and Public Health*, 11, 3803-3821.
- 8 BLANCO, V., ROHDE, P., VAZQUEZ, F. L. & TORRES, A. 2014. Identification of caregivers  
9 at greatest risk of major depression in two prevention studies. *Psychotherapy research : journal of the Society for Psychotherapy Research*, 24, 578-593.
- 10 BLIER, P. 2013. Neurotransmitter targeting in the treatment of depression. *Journal of Clinical Psychiatry*, 74, 19-24.
- 11 BLIER, P. 2014. Combination antidepressant therapy for major depressive disorder: speed  
12 and probability of remission. *Journal of psychiatric research*, 52, 7-14.
- 13 BLIER, P., GOBBI, G., TURCOTTE, J. E., MONTIGNY, C., BOUCHER, N., HÉBERT, C. &  
14 DEBONNEL, G. 2009. Mirtazapine and paroxetine in major depression: a comparison of  
15 monotherapy versus their combination from treatment initiation. *European Neuropsychopharmacology*, 19, 457-65.
- 16 BLIER, P., WARD, H. E., TREMBLAY, P., LABERGE, L., HÉBERT, C. & BERGERON, R.  
17 2010. Combination of antidepressant medications from treatment initiation for major  
18 depressive disorder: a double-blind randomized study. *American Journal of Psychiatry*, 167,  
19 281-8.
- 20 BLOM, K., JERNELÖV, S., KRAEPELIEN, M., BERGDAHL, M. O., JUNGMARKER, K.,  
21 ANKARTJÄRN, L., LINDEFORS, N. & KALDO, V. 2015. Internet treatment addressing either  
22 insomnia or depression, for patients with both diagnoses: a randomized trial. *Sleep*, 38, 267-  
23 77.
- 24 BLOM, K., JERNELOV, S., KRAEPELIEN, M., LINDEFORS, N. & KALDO, V. 2013. Is  
25 insomnia treatment superior to depression treatment for patients with both diagnoses?-  
26 Results of a randomized controlled trial. *Sleep Medicine*, 14, e38-e39.
- 27 BLOM, M. B., HOEK, H. W., SPINHOVEN, P., HOENCAMP, E., JUDITH HAFFMANS, P. M.  
28 & DYCK, R. 2010. Treatment of depression in patients from ethnic minority groups in the  
29 Netherlands. *Transcultural Psychiatry*, 47, 473-90.
- 30 BLUMENTHAL, J. A. & DORAIISWAMY, P. 2014. Exercise to combat depression. *JAMA: Journal of the American Medical Association*, 312, 2166-2167.
- 31 BMA & EMPLOYERS, N. 2006. Revisions to the GMS Contract 2006/07. Delivering  
32 investment in general practice. London: BMA.
- 33 BNF 2016. British National Formulary (BNF). London.
- 34 BOBO, W. V., CHEN, H., TRIVEDI, M. H., STEWART, J. W., NIERENBERG, A. A., FAVA,  
35 M., KURIAN, B. T., WARDEN, D., MORRIS, D. W., LUTHER, J. F., HUSAIN, M. M., COOK,  
36 I. A., LESSER, I. M., KORNSTEIN, S. G., WISNIEWSKI, S. R., RUSH, A. J. & SHELTON, R.  
37 C. 2011. Randomized comparison of selective serotonin reuptake inhibitor (escitalopram)  
38 monotherapy and antidepressant combination pharmacotherapy for major depressive  
39 disorder with melancholic features: a CO-MED report. *Journal of Affective Disorders*, 133,  
40 467-76.
- 41 BOCKTING, C. L., SPINHOVEN, P., KOETER, M. W., WOUTERS, L. F., SCHENE, A. H. &  
42 DEPRESSION EVALUATION LONGITUDINAL THERAPY ASSESSMENT STUDY, G. 2006.

- 1 Prediction of recurrence in recurrent depression and the influence of consecutive episodes  
2 on vulnerability for depression: a 2-year prospective study. *J Clin Psychiatry*, 67, 747-55.
- 3 BOCKTING, C. L., SPINHOVEN, P., WOUTERS, L. F., KOETER, M. W. & SCHENE, A. H.
- 4 2009. Long-term effects of preventive cognitive therapy in recurrent depression: a 5.5-year  
5 follow-up study. *Journal of Clinical Psychiatry*, 70, 1621-8.
- 6 BOCKTING, C. L. H., SMID, N. H., KOETER, M. W. J., SPINHOVEN, P., BECK, A. T. &  
7 SCHENE, A. H. 2015. Enduring effects of Preventive Cognitive Therapy in adults remitted  
8 from recurrent depression: A 10 year follow-up of a randomized controlled trial. *Journal of  
9 affective disorders*, 185, 188-94.
- 10 BOHLMEIJER, E. T., FLEDDERUS, M., ROKX, T. A. & PIETERSE, M. E. 2011. Efficacy of  
11 an early intervention based on acceptance and commitment therapy for adults with  
12 depressive symptomatology: Evaluation in a randomized controlled trial. *Behaviour Research  
13 and Therapy*, 49, 62-7.
- 14 BOLIER, L., HAVERMAN, M., KRAMER, J., WESTERHOF GERBEN, J., RIPER, H. &  
15 WALBURG JAN, A. 2013. An Internet-based intervention to promote mental fitness for mildly  
16 depressed adults: Randomized controlled trial. *Journal of Medical Internet Research*, 15,  
17 e200.
- 18 BONDOLFI, G., JERMANN, F., LINDEN, M. V., GEX-FABRY, M., BIZZINI, L., ROUGET, B.  
19 W., MYERS-ARRAZOLA, L., GONZALEZ, C., SEGAL, Z., AUBRY, J. M. & BERTSCHY, G.  
20 2010. Depression relapse prophylaxis with Mindfulness-Based Cognitive Therapy: replication  
21 and extension in the Swiss health care system. *Journal of Affective Disorders*, 122, 224-31.
- 22 BONDOLFI, G., JERMANN, F., VAN D, L. M., GEX-FABRY, M., BIZZINI, L., WEBER, R. B.,  
23 MYERS-ARRAZOLA, L., GONZALEZ, C., SEGAL, Z., AUBRY, J. M. & BERTSCHY, G.  
24 2009. Depression relapse prophylaxis with mindfulness-based cognitive therapy: a  
25 replication randomized controlled study. *World Psychiatry*, 8, 198.
- 26 BOOTH, A. 2004. Chapter 6: Formulating research questions. In: BOOTH, A. & BRICE, A.  
27 (eds.) *Evidence-based practice for information professionals : a handbook*. London: Facet  
28 Pub.
- 29 BORGES, S., CHEN, Y. F., LAUGHREN, T. P., TEMPLE, R., PATEL, H. D., DAVID, P. A.,  
30 MATHIS, M., UNGER, E., YANG, P. & KHIN, N. 2014. Review of maintenance trials for  
31 major depressive disorder: A 25-year perspective from the US food and drug administration.  
32 *Journal of Clinical Psychiatry*, 75, 205-214.
- 33 BORTOLATO, B., CARVALHO, A. F. & MCINTYRE, R. S. 2014. Cognitive dysfunction in  
34 major depressive disorder: A state-of-the-art clinical review. *CNS and Neurological Disorders  
- Drug Targets*, 13, 1804-1818.
- 36 BOSANQUET, K., ADAMSON, J., ATHERTON, K., BAILEY, D., BAXTER, C., BERESFORD-  
37 DENT, J., BIRTWISTLE, J., CHEW-GRAHAM, C., CLARE, E., DELGADILLO, J., EKERS, D.,  
38 FOSTER, D., GABE, R., GASCOYNE, S., HALEY, L., HAMILTON, J., HARGATE, R.,  
39 HEWITT, C., HOLMES, J., KEDING, A., LEWIS, H., MCMILLAN, D. & AL., E. 2017.  
40 Collaborative care for Screen-Positive EldeRs with major depression (CASPER plus): a  
41 multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness.  
42 University of York.
- 43 BOSANQUET, K., BAILEY, D., GILBODY, S., HARDEN, M., MANEA, L., NUTBROWN, S. &  
44 MCMILLAN, D. 2015. Diagnostic accuracy of the Whooley questions for the identification of  
45 depression: a diagnostic meta-analysis. *BMJ Open*, 5, e008913.
- 46 BOSE, A., TSAI, J. & LI, D. 2012. Early non-response in patients with severe depression:  
47 escitalopram up-titration versus switch to duloxetine. *Clinical Drug Investigation*, 32, 373-85.

- 1 BOSMANS, J., DOZEMAN, E., VAN MARWIJK, H. W., VAN SCHAIK, D. J., STEK, M. L.,  
2 BEEKMAN, A. T. & VAN DER HORST, H. E. 2014. Cost-effectiveness of a stepped care  
3 programme to prevent depression and anxiety in residents in homes for the older people: A  
4 randomised controlled trial. *International Journal of Geriatric Psychiatry*, 29, 182-190.
- 5 BOSMANS, J. E., BROOK, O. H., VAN HOUT, H. P. J., DE BRUIJNE, M. C.,  
6 NIEUWENHUYSE, H., BOUTER, L. M., STALMAN, W. A. B. & VAN TULDER, M. W. 2007.  
7 Cost effectiveness of a pharmacy-based coaching programme to improve adherence to  
8 antidepressants. *PharmacoEconomics*, 25, 25-37.
- 9 BOSTWICK, J. M. & PANKRATZ, V. S. 2000. Affective disorders and suicide risk: A  
10 reexamination. *American Journal of Psychiatry*, 157, 1925-1932.
- 11 BOULENGER, J. P., LOFT, H. & OLSEN, C. K. 2014. Efficacy and safety of vortioxetine (Lu  
12 AA21004), 15 and 20 mg/day: A randomized, double-blind, placebo-controlled, duloxetine-  
13 referenced study in the acute treatment of adult patients with major depressive disorder.  
14 *International Clinical Psychopharmacology*, 29, 138-149.
- 15 BOWEN, R. C., BALBUENA, L. & BAETZ, M. 2014. Lamotrigine reduces affective instability  
16 in depressed patients with mixed mood and anxiety disorders. *Journal of Clinical  
Psychopharmacology*, 34, 747-749.
- 18 BOWER, P. & GILBODY, S. 2005. Stepped care in psychological therapies: access,  
19 effectiveness and efficiency. Narrative literature review. *Br J Psychiatry*, 186, 11-7.
- 20 BOWER, P., KONTOPANTELIS, E., SUTTON, A., KENDRICK, T., RICHARDS, D. A.,  
21 GILBODY, S., KNOWLES, S., CUIJPERS, P., ANDERSSON, G., CHRISTENSEN, H.,  
22 MEYER, B., HUIBERS, M., SMIT, F., VAN STRATEN, A., WARMERDAM, L., BARKHAM,  
23 M., BILICH, L., LOVELL, K. & LIU, E. T. 2013. Influence of initial severity of depression on  
24 effectiveness of low intensity interventions: meta-analysis of individual patient data. *BMJ*,  
25 346, f540.
- 26 BOWER, P., ROWLAND, N. & HARDY, R. 2003. The clinical effectiveness of counselling in  
27 primary care: a systematic review and meta-analysis. *Psychol Med*, 33, 203-15.
- 28 BOWER, P. & SIBBALD, B. 2000. On-site mental health workers in primary care: effects on  
29 professional practice. *Cochrane Database Syst Rev*, CD000532.
- 30 BRABYN, S., ARAYA, R., BARKHAM, M., BOWER, P., COOPER, C., DUARTE, A.,  
31 KESSLER, D., KNOWLES, S., LOVELL, K., LITTLEWOOD, E., MATTOCK, R., PALMER, S.,  
32 PERVIN, J., RICHARDS, D., TALLON, D., WHITE, D., WALKER, S., GILBODY, S. & TEAM,  
33 O. B. O. T. R. 2016. The second Randomised Evaluation of the Effectiveness, cost-  
34 effectiveness and Acceptability of Computerised Therapy trial (REEACT-2): does the  
35 provision of telephone support enhance the effectiveness of computer-delivered cognitive  
36 behaviour therapy? A randomised controlled trial. *Health Technol Assess*.
- 37 BRANDON, A. R., MINHAJUDDIN, A., THASE, M. E. & JARRETT, R. B. 2013. Impact of  
38 reproductive status and age on response of depressed women to cognitive therapy. *Journal  
of Women's Health*, 22, 58-66.
- 40 BRAUN, V. & CLARKE, V. 2006. Using thematic analysis in psychology. *Qualitative  
Research in Psychology*, 3, 77-101.
- 42 BRAZIER, J., ROBERTS, J. & DEVERILL, M. 2002. The estimation of a preference-based  
43 measure of health from the SF-36. *J Health Econ*, 21, 271-92.
- 44 BRECHT, S., DESAI, D., MARECHAL, E. S., SANTINI, A. M., PODHORNA, J. & GUELF, I.,  
45 J. D. 2011. Efficacy and safety of duloxetine 60 mg and 120 mg daily in patients hospitalized  
46 for severe depression: a double-blind randomized trial. *Journal of Clinical Psychiatry*, 72,  
47 1086-94.

- 1 BRETTSCHEIDER, C., DJADRAN, H., HARTER, M., LOWE, B., RIEDEL-HELLER, S. &
- 2 KONIG, H. H. 2015. Cost-utility analyses of cognitive-behavioural therapy of depression: A systematic review. *Psychotherapy and Psychosomatics*, 84, 6-21.
- 4 BRIDGES, K. W. & GOLDBERG, D. P. 1987. Somatic presentations of depressive illness in primary care. In: FREELING, P., DOWNEY, L. J. & MALKIN, J. C. (eds.) *The presentation of depression: Current approaches*. London: Royal College of General Practitioners.
- 7 BRIGGS, A., SCULPHER, M. & CLAXTON, K. 2006. *Decision modelling for health economic evaluation*, New York, NY, Oxford University Press.
- 9 BRITISH-ASSOCIATION-FOR-BEHAVIOURAL-&-COGNITIVE-PSYCHOTHERAPIES 2016.  
10 Criteria and guidelines for re-accreditation as a behavioural and/or cognitive psychotherapist.  
11 Lancashire.
- 12 BROCKMEYER, J. S., ZARATE, C. A., LUCKENBAUGH, D. A., RASIMAS, J. J.,  
13 MATHEWS, D. C., IONESCU, D. F., NICIU, M. J., RICHARDS, E. M. & FUREY, M. L. 2013.  
14 Anti-depressant treatment history as a predictor of response to scopolamine. *Biological Psychiatry*, 73, 158S.
- 16 BRODATTY, H., LUSCOMBE, G., PARKER, G., WILHELM, K., HICKIE, I., AUSTIN, M. P. &  
17 MITCHELL, P. 1997. Increased rate of psychosis and psychomotor change in depression with age. *Psychol Med*, 27, 1205-13.
- 19 BROGDEN, R. N., HEEL, R. C., SPEIGHT, T. M. & AVERY, G. S. 1981. Trazodone: a review of its pharmacological properties and therapeutic use in depression and anxiety. *Drugs*, 21, 401-29.
- 22 BROOK, O. H., VAN HOUT, H. P., STALMAN, M., NIEUWENHUYSEA, H. & AL., E. 2005. A pharmacy-based coaching program to improve adherence to antidepressant treatment among primary care patients. *Psychiatric Services*, 56, 487-489.
- 25 BROWN, E., LEE, H., SCOTT, D. & CUMMINGS, G. G. 2014. Efficacy of continuation/maintenance electroconvulsive therapy for the prevention of recurrence of a major depressive episode in adults with unipolar depression: A systematic review. *The Journal of ECT*, 30, 195-202.
- 29 BROWN, G. W. & HARRIS, T. 1978. *Social origins of depression : a study of psychiatric disorder in women*, London, Routledge, 2001.
- 31 BROWN, J. S., BOARDMAN, J., WHITTINGER, N. & ASHWORTH, M. 2010. Can a self-referral system help improve access to psychological treatments? *Br J Gen Pract*, 60, 365-71.
- 34 BROWN, J. S., CASEY, S. J., BISHOP, A. J., PRYTYS, M., WHITTINGER, N. & WEINMAN, J. 2011. How black African and white British women perceive depression and help-seeking: a pilot vignette study. *Int J Soc Psychiatry*, 57, 362-74.
- 37 BROWN, T. A., CAMPBELL, L. A., LEHMAN, C. L., GRISHAM, J. R. & MANCILL, R. B. 2001. Current and lifetime comorbidity of the DSM-IV anxiety and mood disorders in a large clinical sample. *Journal of Abnormal Psychology*, 110, 585-599.
- 40 BRUCE, M., TEN HAVE, T., REYNOLDS III, C., KATZ, I., SCHULBERG, H., MULSANT, B. & AL, E. 2004. Reducing suicidal ideation and depressive symptoms in depressed older primary care patients. *Journal of the American Medical Association*, 291, 1081-1091.
- 43 BRUCE, M. L. & HOFF, R. A. 1994. Social and physical health risk factors for first-onset major depressive disorder in a community sample. *Soc Psychiatry Psychiatr Epidemiol*, 29, 165-71.

- 1 BRUCE, M. L., RAUE, P. J., REILLY, C. F., GREENBERG, R. L., MEYERS, B. S.,  
2 BANERJEE, S., PICKETT, Y. R., SHEERAN, T. F., GHESQUIERE, A., ZUKOWSKI, D. M.,  
3 ROSAS, V. H., MCLAUGHLIN, J., PLEDGER, L., DOYLE, J., JOACHIM, P. & LEON, A. C.  
4 2015. Clinical effectiveness of integrating depression care management into medicare home  
5 health: the Depression CAREPATH Randomized trial. *JAMA internal medicine*, 175, 55-64.
- 6 BRUIJN, J. A., MOLEMAN, P., MULDER, P. G., VAN DEN BROEK, W. W., VAN HULST, A.  
7 M., VAN DER MAST, R. C. & VAN DE WETERING, B. J. 1996. A double-blind, fixed blood-  
8 level study comparing mirtazapine with imipramine in depressed in-patients.  
9 *Psychopharmacology (Berl)*, 127, 231-7.
- 10 BRUNNER, E., TOHEN, M., OSUNTOKUN, O., LANDRY, J. & THASE, M. E. 2014. Efficacy  
11 and safety of olanzapine/fluoxetine combination vs fluoxetine monotherapy following  
12 successful combination therapy of treatment-resistant major depressive disorder.  
13 *Neuropsychopharmacology : official publication of the American College of*  
14 *Neuropsychopharmacology*, 39, 2549-2559.
- 15 BRUNONI, A. R., SAMPAIO-JUNIOR, B., MOFFA, A. H., BORRIONE, L., NOGUEIRA, B. S.,  
16 APARÍCIO, L. V., VERONEZI, B., MORENO, M., FERNANDES, R. A., TAVARES, D.,  
17 BUENO, P. V., SEIBT, O., BIKSON, M., FRAGUAS, R. & BENSEÑOR, I. M. 2015. The  
18 Escitalopram versus Electric Current Therapy for Treating Depression Clinical Study  
19 (ELECT-TDCS): rationale and study design of a non-inferiority, triple-arm, placebo-controlled  
20 clinical trial. *São Paulo medical journal = Revista paulista de medicina*, 133, 252-63.
- 21 BRUNONI, A. R., TENG, C. T., CORREA, C., IMAMURA, M., BRASIL-NETO, J. P.,  
22 BOECHAT, R., ROSA, M., CARAMELLI, P., COHEN, R., PORTO, J. A. D., BOGGIO, P. S. &  
23 FREGNI, F. 2010. Neuromodulation approaches for the treatment of major depression:  
24 challenges and recommendations from a working group meeting. *Arquivos de Neuro-*  
25 *Psiquiatria*, 68, 433-451.
- 26 BRUNONI, A. R., VALIENGO, L., BACCARO, A., ZANÃO, T. A., OLIVEIRA, J. F.,  
27 GOULART, A., BOGGIO, P. S., LOTUFO, P. A., BENSEÑOR, I. M. & FREGNI, F. 2013. The  
28 sertraline vs. electrical current therapy for treating depression clinical study: results from a  
29 factorial, randomized, controlled trial. *JAMA Psychiatry*, 70, 383-91.
- 30 BSCHOR, T. 2014. Lithium in the treatment of major depressive disorder. *Drugs*, 74, 855-  
31 862.
- 32 BSCHOR, T., UHR, M., BAETHGE, C., LEWITZKA, U., ISING, M., ERBE, S.,  
33 WINKELMANN, P. & RITTER, D. 2013. Acute antidepressive efficacy of lithium  
34 monotherapy, not citalopram, depends on recurrent course of depression. *Journal of Clinical*  
35 *Psychopharmacology*, 33, 38-44.
- 36 BUCKLEY, N. & McMANUS, P. 1998. Fatal toxicity of drugs used in the treatment of  
37 psychotic illnesses. *Br J Psychiatry*, 172, 461-4.
- 38 BUCKLEY, N. A. & McMANUS, P. R. 2002. Fatal toxicity of serotoninergic and other  
39 antidepressant drugs: analysis of United Kingdom mortality data. *BMJ*, 325, 1332-3.
- 40 BUHRMAN, M., SYK, M., BURVALL, O., HARTIG, T., GORDH, T. & ANDERSSON, G. 2015.  
41 Individualized guided internet-delivered cognitive-behavior therapy for chronic pain patients  
42 with comorbid depression and anxiety: A randomized controlled trial. *Clinical Journal of Pain*,  
43 31, 504-516.
- 44 BUKH, J. D., ANDERSEN, P. K. & KESSING, L. V. 2016. Rates and predictors of remission,  
45 recurrence and conversion to bipolar disorder after the first lifetime episode of depression--a  
46 prospective 5-year follow-up study. *Psychol Med*, 46, 1151-61.

- 1 BULL, S. A., HUNKELER, E. M., LEE, J. Y., ROWLAND, C. R., WILLIAMSON, T. E.,  
2 SCHWAB, J. R. & HURT, S. W. 2002. Discontinuing or switching selective serotonin-  
3 reuptake inhibitors. *Ann Pharmacother*, 36, 578-84.
- 4 BUNTROCK, C., EBERT, D., LEHR, D., RIPER, H., SMIT, F., CUIJPERS, P. & BERKING,  
5 M. 2015. Effectiveness of a Web-Based Cognitive Behavioural Intervention for Subthreshold  
6 Depression: Pragmatic Randomised Controlled Trial. *Psychotherapy and psychosomatics*,  
7 84, 348-58.
- 8 BUOLI, M., MELTER, C. C., CALDIROLI, A. & ALTAMURA, A. 2015. Are antidepressants  
9 equally effective in the long-term treatment of major depressive disorder? *Human*  
10 *Psychopharmacology: Clinical and Experimental*, 30, 21-27.
- 11 BURCH, R., PRESKORN, S., BASTIN, L., YU, W., BURGDORF, J. & MOSKAL, J. 2014.  
12 Adjunctive GLYX-13 induces prolonged efficacy in subjects with major depressive disorder  
13 (MDD). *Neuropsychopharmacology*, 39, S335.
- 14 BURROUGHS, H. 2006. 'Justifiable depression': how primary care professionals and  
15 patients view late-life depression? a qualitative study. *Family Practice*, 23, 369-377.
- 16 BURROWS, G. D., NORMAN, T. R. & JUDD, F. K. 1994. Definition and differential diagnosis  
17 of treatment-resistant depression. *Int Clin Psychopharmacol*, 9 Suppl 2, 5-10.
- 18 BURTON, C., ANDERSON, N., WILDE, K. & SIMPSON, C. R. 2012. Factors associated with  
19 duration of new antidepressant treatment: analysis of a large primary care database. *Br J*  
20 *Gen Pract*, 62, e104-12.
- 21 BURTON, C., COCHRAN, A. J. & CAMERON, I. M. 2015. Restarting antidepressant  
22 treatment following early discontinuation--a primary care database study. *Fam Pract*, 32,  
23 520-4.
- 24 BUSZEWCZ, M., GRIFFIN, M., MCMAHON, E. M., BEECHAM, J. & KING, M. 2010.  
25 Evaluation of a system of structured, pro-active care for chronic depression in primary care: a  
26 randomised controlled trial. *BMC Psychiatry*, 10, 61.
- 27 BUSZEWCZ, M., GRIFFIN, M., MCMAHON, E. M., WALTERS, K. & KING, M. 2016.  
28 Practice nurse-led proactive care for chronic depression in primary care: a randomised  
29 controlled trial. *Br J Psychiatry*, 208, 374-80.
- 30 BUTTON, K. S., WILES, N. J., LEWIS, G., PETERS, T. J. & KESSLER, D. 2012. Factors  
31 associated with differential response to online cognitive behavioural therapy. *Soc Psychiatry*  
32 *Psychiatr Epidemiol*, 47, 827-33.
- 33 BYFORD, S., BARRETT, B., DESPIÉGEL, N. & WADE, A. 2011. Impact of treatment  
34 success on health service use and cost in depression. *PharmacoEconomics*, 29, 157-170.
- 35 CALDWELL, D. M., ADES, A. E. & HIGGINS, J. P. 2005. Simultaneous comparison of  
36 multiple treatments: combining direct and indirect evidence. *BMJ*, 331, 897-900.
- 37 CALLAGHAN, P., KHALIL, E., MORRES, I. & CARTER, T. 2011. Pragmatic randomised  
38 controlled trial of preferred intensity exercise in women living with depression. *BMC Public*  
39 *Health*, 11, 465.
- 40 CALLAHAN, C. M., HENDRIE, H. C., DITTUS, R. S., BRATER, D. C., HUI, S. L. &  
41 TIERNEY, W. M. 1994. Improving treatment of late life depression in primary care: a  
42 randomized clinical trial. *J Am Geriatr Soc*, 42, 839-46.
- 43 CAMERON, I. M., CRAWFORD, J. R., LAWTON, K. & REID, I. C. 2008. Psychometric  
44 comparison of PHQ-9 and HADS for measuring depression severity in primary care. *Br J*  
45 *Gen Pract*, 58, 32-6.

- 1 CAMPRODON, J. A., KAUR, N., DECKERSBACH, T., EVANS, K. C., KOPELL, B. H.,  
2 HALVERSON, J., KONDZIOLKA, D., HOWLAND, R., ESKANDAR, E. & DOUGHERTY, D.  
3 2014. Epidural cortical stimulation of the left DLPFC leads to dose-dependent enhancement  
4 of working memory in patients with MDD. *Biological Psychiatry*, 75, 119S.
- 5 CANO, A. & O'LEARY, K. D. 2000. Infidelity and separations precipitate major depressive  
6 episodes and symptoms of nonspecific depression and anxiety. *Journal of Consulting and*  
7 *Clinical Psychology*, 68, 774-781.
- 8 CAPOCCIA, K., BOUDREAU, D., BLOUGH, D., ELLSWORTH, A., CLARK, D., STEVENS,  
9 N. & AL., E. 2004. Randomized trial of pharmacist interventions to improve depression care  
10 and outcomes in primary care. *American Journal of Health-System Pharmacy* 61, 364-372.
- 11 CARNEIRO, L. S. F., FONSECA, A. M., VIEIRA-COELHO, M. A., MOTA, M. P. &  
12 VASCONCELOS-RAPOSO, J. 2015. Effects of structured exercise and pharmacotherapy vs.  
13 pharmacotherapy for adults with depressive symptoms: A randomized clinical trial. *Journal of*  
14 *psychiatric research*, 71, 48-55.
- 15 CARTER, J. D., MCINTOSH, V. V., JORDAN, J., PORTER, R. J., FRAMPTON, C. M. &  
16 JOYCE, P. R. 2013. Psychotherapy for depression: a randomized clinical trial comparing  
17 schema therapy and cognitive behavior therapy. *Journal of Affective Disorders*, 151, 500-5.
- 18 CARTER, J. D., MCINTOSH, V. V., JORDAN, J., PORTER, R. J., FRAMPTON, C. M. &  
19 JOYCE, P. R. 2013. Psychotherapy for depression: A randomized clinical trial comparing  
20 schema therapy and cognitive behavior therapy. *Journal of Affective Disorders*, 151, 500-  
21 505.
- 22 CARTWRIGHT, N. & MUNRO, E. 2010. The limitations of randomized controlled trials in  
23 predicting effectiveness. *Journal of Evaluation in Clinical Practice*, 16, 260-266.
- 24 CARVALHO, A. F., BERK, M., HYPHANTIS, T. N. & MCINTYRE, R. S. 2015. The integrative  
25 management of treatment-resistant depression: A comprehensive review and perspectives.  
26 *Psychotherapy and Psychosomatics*, 83, 70-88.
- 27 CARVALHO, A. F., MISKOWIAK, K. K., HYPHANTIS, T. N., KOHLER, C. A., ALVES, G. S.,  
28 BORTOLATO, B., SALES, P. M. G., MACHADO-VIEIRA, R., BERK, M. & MCINTYRE, R. S.  
29 2014. Cognitive dysfunction in depression - Pathophysiology and novel targets. *CNS and*  
30 *Neurological Disorders - Drug Targets*, 13, 1819-1835.
- 31 CASANAS, R., CATALAN, R., PENADES, R., REAL, J., VALERO, S., MUÑOZ, M.,  
32 LALUCAT-JO, L. & CASAS, M. 2015. Evaluation of the Effectiveness of a Psychoeducational  
33 Intervention in Treatment-Naïve Patients with Antidepressant Medication in Primary Care: A  
34 Randomized Controlled Trial. *Scientific World Journal*.
- 35 CASAÑAS, R., CATALÁN, R., VAL, J. L., REAL, J., VALERO, S. & CASAS, M. 2012.  
36 Effectiveness of a psycho-educational group program for major depression in primary care: a  
37 randomized controlled trial. *BMC Psychiatry*, 12, 230.
- 38 CASPI, A., SUGDEN, K., MOFFITT, T. E., TAYLOR, A., CRAIG, I. W., HARRINGTON, H.,  
39 MCCLAY, J., MILL, J., MARTIN, J., BRAITHWAITE, A. & POULTON, R. 2003. Influence of  
40 life stress on depression: moderation by a polymorphism in the 5-HTT gene. *Science*, 301,  
41 386-9.
- 42 CASSANO, P. & FAVA, M. 2002. Depression and public health. *Journal of Psychosomatic*  
43 *Research*, 53, 849-857.
- 44 CASSIDY, S. & HENRY, J. 1987. Fatal toxicity of antidepressant drugs in overdose. *Br Med*  
45 *J (Clin Res Ed)*, 295, 1021-4.

- 1 CASTONGUAY, L. G. & BEUTLER, L. E. 2006. *Principles of therapeutic change that work*,  
2 New York, Oxford University Press.
- 3 CASTONGUAY, L. G. & BEUTLER, L. E. 2006. Principles of therapeutic change: a task force  
4 on participants, relationships, and techniques factors. *J Clin Psychol*, 62, 631-8.
- 5 CAVERO, M., MORENO, M., MONREAL, J., LABAD, J., CARDONER, N. & PALAO, D.  
6 2015. Adequacy of antidepressant treatment in primary care: Preliminary results after  
7 implementing a computerised guide for major depression. *European*  
8 *neuropsychopharmacology*, 25, S448.
- 9 CERDA, P., CERVELLÓ, E., COCCA, A. & VICIANA, J. 2011. Effect of an aerobic training  
10 program as complementary therapy in patients with moderate depression. *Perceptual and*  
11 *Motor Skills*, 112, 761-9.
- 12 CHAIMANI, A., VASILIADIS, H. S., PANDIS, N., SCHMID, C. H., WELTON, N. J. &  
13 SALANTI, G. 2013. Effects of study precision and risk of bias in networks of interventions: a  
14 network meta-epidemiological study. *Int J Epidemiol*, 42, 1120-31.
- 15 CHALDER, M., WILES, N. J., CAMPBELL, J., HOLLINGHURST, S. P., HAASE, A. M.,  
16 TAYLOR, A. H., FOX, K. R., COSTELLOE, C., SEARLE, A., BAXTER, H., WINDER, R.,  
17 WRIGHT, C., TURNER, K. M., CALNAN, M., LAWLOR, D. A., PETERS, T. J., SHARP, D. J.,  
18 MONTGOMERY, A. A. & LEWIS, G. 2012. Facilitated physical activity as a treatment for  
19 depressed adults: randomised controlled trial. *BMJ*, 344, e2758.
- 20 CHALDER, M., WILES, N. J., CAMPBELL, J., HOLLINGHURST, S. P., SEARLE, A.,  
21 HAASE, A. M., TAYLOR, A. H., FOX, K. R., BAXTER, H., DAVIS, M., THORP, H., WINDER,  
22 R., WRIGHT, C., CALNAN, M., LAWLOR, D. A., PETERS, T. J., SHARP, D. J., TURNER, K.  
23 M., MONTGOMERY, A. A. & LEWIS, G. 2012. A pragmatic randomised controlled trial to  
24 evaluate the cost-effectiveness of a physical activity intervention as a treatment for  
25 depression: The treating depression with physical activity (TREAD) trial. *Health Technology*  
26 *Assessment*, 16.
- 27 CHAN, A. S., WONG, Q. Y., SZE, S. L., KWONG, P. P., HAN, Y. M. & CHEUNG, M. C.  
28 2012. A Chinese Chan-based mind-body intervention for patients with depression. *Journal of*  
29 *Affective Disorders*, 142, 283-9.
- 30 CHAN, H. N., ALONZO, A., MARTIN, D. M., MITCHELL, P. B., SACHDEV, P. & LOO, C. K.  
31 2013. Augmenting transcranial direct current stimulation with D-cycloserine for depression: A  
32 pilot study. *Journal of ECT*, 29, 196-200.
- 33 CHAN, Y.-Y., LO, W.-Y., YANG, S.-N., CHEN, Y.-H. & LIN, J.-G. 2015. The benefit of  
34 combined acupuncture and antidepressant medication for depression: A systematic review  
35 and meta-analysis. *Journal of Affective Disorders*, 176, 106-117.
- 36 CHAU, R. M. W., NG, R. M. K., TSANG, A. W. K., YU, Z. H. S., NG, K. M., LAM, M. M. Y.,  
37 HUI, S. W. C., LO, P. Y. K., LAU, P. W. L. & LAU, P. M. Y. 2015. Effectiveness of a  
38 structured physical rehabilitation program for chinese population with depressive disorders-a  
39 randomised controlled trial. *Physiotherapy (United Kingdom)*, 101, eS218.
- 40 CHEAVENS, J. S., STRUNK, D. R., LAZARUS, S. A. & GOLDSTEIN, L. A. 2012. The  
41 compensation and capitalization models: a test of two approaches to individualizing the  
42 treatment of depression. *Behaviour Research and Therapy*, 50, 699-706.
- 43 CHEN, S., CONWELL, Y., HE, J., LU, N. & WU, J. 2015. Corrections. Depression care  
44 management for adults older than 60 years in primary care clinics in urban China: a cluster-  
45 randomised trial. *Lancet Psychiatry*, 2, 378.

- 1 CHEN, S., CONWELL, Y., HE, J., LU, N. & WU, J. 2015. Depression care management for adults older than 60 years in primary care clinics in urban China: A cluster-randomised trial. *The Lancet Psychiatry*, 2, 332-339.
- 4 CHEN, Y. L., PAN, A. W., HSIUNG, P. C., CHUNG, L., LAI, J. S., SHUR-FEN GAU, S. & CHEN, T. J. 2015. Life Adaptation Skills Training (LAST) for persons with depression: A randomized controlled study. *Journal of affective disorders*, 185, 108-14.
- 7 CHETTY, D. & HOQUE, M. E. 2013. Effectiveness of a nurse facilitated cognitive group intervention among mild to moderately-depressed-women in KwaZulu-Natal, South Africa. *African Journal of Psychiatry*, 16, 29-34.
- 10 CHEW-GRAHAM, C., BASHIR, C., CHANTLER, K., BURMAN, E. & BATSLEER, J. 2002. South Asian women, psychological distress and self-harm: lessons for primary care trusts. *Health Soc Care Community*, 10, 339-47.
- 13 CHEW-GRAHAM, C., CHAMBERLAIN, E., TURNER, K., FOLKES, L., CAULFIELD, L. & SHARP, D. 2008. GPs' and health visitors' views on the diagnosis and management of postnatal depression: a qualitative study. *Br J Gen Pract*, 58, 169-76.
- 16 CHEW-GRAHAM, C., LOVELL, K., ROBERTS, C., BALDWIN, R., MORLEY, M., BURNS, A. & AL., E. 2007. A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. *The British Journal of General Practice* 57, 364-70.
- 20 CHEW-GRAHAM, C. A., MAY, C. R., COLE, H. & HEDLEY, S. 2000. The burden of depression in primary care: a qualitative investigation of general practitioners' constructs of depressed people in the inner city. *International Journal of Psychiatry in Clinical Practice*, 6, 137-141.
- 24 CHIANG, K. J., CHEN, T. H., HSIEH, H. T., TSAI, J. C., OU, K. L. & CHOU, K. R. 2015. One-year follow-up of the effectiveness of cognitive behavioral group therapy for patients' depression: a randomized, single-blinded, controlled study. *Scientific World Journal*.
- 27 CHIESA, A., CASTAGNER, V., ANDRISANO, C., SERRETTI, A., MANDELLI, L., PORCELLI, S. & GIOMMI, F. 2015. Mindfulness-based cognitive therapy vs. psycho-education for patients with major depression who did not achieve remission following antidepressant treatment. *Psychiatry research*, 226, 474-83.
- 31 CHOI, H. & MARKS, N. F. 2008. Marital conflict, depressive symptoms, and functional impairment. *Journal of Marriage and Family*, 70, 377-390.
- 33 CHOI, I., ZOU, J., TITOV, N., DEAR, B. F., LI, S., JOHNSTON, L., ANDREWS, G. & HUNT, C. 2012. Culturally attuned Internet treatment for depression amongst Chinese Australians: a randomised controlled trial. *Journal of Affective Disorders*, 136, 459-68.
- 36 CHOI, N. G., HEGEL, M. T., MARTI, N., MARINUCCI, M. L., SIRRIANNI, L. & BRUCE, M. L. 2014. Telehealth problem-solving therapy for depressed low-income homebound older adults. *The American Journal of Geriatric Psychiatry*, 22, 263-71.
- 39 CHONG, J. & MORENO, F. 2012. Feasibility and acceptability of clinic-based telepsychiatry for low-income Hispanic primary care patients. *Telemedicine Journal and e-Health*, 18, 297-304.
- 42 CHRISTENSEN, H., GRIFFITHS, K. M. & JORM, A. F. 2004. Delivering interventions for depression by using the internet: randomised controlled trial. *BMJ*, 328, 265.
- 44 CHRISTENSEN, H., GRIFFITHS, K. M. & KORTEN, A. 2002. Web-based cognitive behavior therapy: analysis of site usage and changes in depression and anxiety scores. *J Med Internet Res*, 4, e3.

- 1 CHRISTIAN, J. L., O'LEARY, K. D. & VIVIAN, D. 1994. Depressive symptomatology in maritally discordant women and men: The role of individual and relationship variables. *Journal of Family Psychology*, 8, 32-42.
- 4 CHRISTMAS, D., STEELE, J., TOLOMEO, S., ELJAMEL, M. & MATTHEWS, K. 2013. Vagus nerve stimulation for chronic major depressive disorder: 12-month outcomes in highly treatment-refractory patients. *Journal of Affective Disorders*, 150, 1221-1225.
- 7 CHU, I. H., BUCKWORTH, J., KIRBY, T. E. & EMERY, C. F. 2009. Effect of exercise intensity on depressive symptoms in women. *Mental Health and Physical Activity*, 2, 37-43.
- 9 CHUANG, H. Y., CHANG, Y. H., CHENG, L. Y., WANG, Y. S., CHEN, S. L., CHEN, S. H., CHU, C. H., LEE, I. H., CHEN, P. S., YEH, T. L., YANG, Y. K. & LU, R. B. 2014. Venlafaxine, paroxetine and milnacipran for major depressive disorder: a pragmatic 24-week study. *Chinese Journal of Physiology*, 57, 265-70.
- 13 CHUNG, K. F., YEUNG, W. F., KWOK, C. W. & YU, Y. M. 2014. Risk factors associated with adverse events of acupuncture: a prospective study. *Acupuncture in medicine : journal of the British Medical Acupuncture Society*, 32, 455-462.
- 16 CHUNG, W. S. D., HO, C. W. H., CHAN, P. S. C., WONG, M. J. S., CHEUNG, A. W. T. & LAU, T. F. O. 2014. Augmentation with aerobic exercise to pharmacological treatment for Chinese inpatients with moderate to severe depression: A single-blinded randomised controlled study. *International Journal of Neuropsychopharmacology*, 17, 60.
- 20 CIECHANOWSKI, P., WAGNER, E., SCHMALING, K., SCHWARTZ, S., WILLIAMS, B., DIEHR, P. & AL, E. 2004. Community-integrated home-based depression treatment in older adults. *Journal of the American Medical Association*, 291, 1569-1577.
- 23 CIPRIANI, A., FURUKAWA, T. A., SALANTI, G., GEDDES, J. R., HIGGINS, J. P., CHURCHILL, R., WATANABE, N., NAKAGAWA, A., OMORI, I. M., MCGUIRE, H., TANSELLA, M. & BARBUI, C. 2009. Comparative efficacy and acceptability of 12 new-generation antidepressants: a multiple-treatments meta-analysis. *Lancet*, 373, 746-58.
- 27 CIPRIANI, A., HAWTON, K., STOCKTON, S. & GEDDES, J. R. 2013. Lithium in the prevention of suicide in mood disorders: updated systematic review and meta-analysis. *BMJ (Clinical research ed.)*, 346, f3646.
- 30 CITROME, L. 2014. Vortioxetine for major depressive disorder: A systematic review of the efficacy and safety profile for this newly approved antidepressant - What is the number needed to treat, number needed to harm and likelihood to be helped or harmed? *International Journal of Clinical Practice*, 68, 60-82.
- 34 CLARKE, G., KELLEHER, C., HORNBROOK, M., DEBAR, L., DICKERSON, J. & GULLION, C. 2009. Randomized effectiveness trial of an Internet, pure self-help, cognitive behavioral intervention for depressive symptoms in young adults. *Cognitive Behaviour Therapy*, 38, 222-34.
- 38 CLARKE, K., MAYO-WILSON, E., KENNY, J. & PILLING, S. 2015. Can non-pharmacological interventions prevent relapse in adults who have recovered from depression? A systematic review and meta-analysis of randomised controlled trials. *Clinical Psychology Review*, 39, 58-70.
- 42 CLAYTON, A. H., KORNSTEIN, S. G., ROSAS, G., GUICO-PABIA, C. & TOURIAN, K. A. 2009. An integrated analysis of the safety and tolerability of desvenlafaxine compared with placebo in the treatment of major depressive disorder. *CNS Spectrums*, 14, 183-95.
- 45 CLEMENT, S., SCHAUERMAN, O., GRAHAM, T., MAGGIONI, F., EVANS-LACKO, S., BEZBORODOVS, N., MORGAN, C., RUSCH, N., BROWN, J. S. & THORNICROFT, G.

- 1 2015. What is the impact of mental health-related stigma on help-seeking? A systematic review of quantitative and qualitative studies. *Psychol Med*, 45, 11-27.
- 3 COCHRANE COLLABORATION 2008. Review Manager (RevMan) Version 5.0.
- 4 Copenhagen: The Nordic Cochrane Centre, The Cochrane Collaboration.
- 5 COCHRANE COLLABORATION 2014. Review Manager (RevMan) [Computer program].
- 6 Version 5.3. Copenhagen: The Nordic Cochrane Centre: The Cochrane Collaboration.
- 7 COCKAYNE, N. L., CHRISTENSEN, H. M., GRIFFITHS, K. M., NAISMITH, S. L., HICKIE, I. B., THORNDIKE, F. P., RITTERBAND, L. M. & GLOZIER, N. S. 2015. The Sleep Or Mood Novel Adjunctive therapy (SOMNA) trial: A study protocol for a randomised controlled trial evaluating an internet-delivered cognitive behavioural therapy program for insomnia on outcomes of standard treatment for depression in men. *BMC Psychiatry*, 15.
- 12 COELHO, H. F., CANTER, P. H. & ERNST, E. 2013. Mindfulness-based cognitive therapy: Evaluating current evidence and informing future research. *Psychology of Consciousness: Theory, Research, and Practice*, 1, 97-107.
- 15 COLE, M., MCCUSKER, J., ELIE, M., DENDUKURI, N., LATIMER, E. & BELZILE, E. 2006. Systematic detection and multidisciplinary care of depression in older medical inpatients: a randomized trial. *Canadian Medical Association Journal* 174, 38-44.
- 18 COLE, M. G., MCCUSKER, J., YAFFE, M., STRUMPF, E., SEWITCH, M., SUSSMAN, T., CIAMPI, A. & BELZILE, E. 2015. Supported depression self-care may prevent major depression in community-dwelling older adults with chronic physical conditions and co-morbid depressive symptoms. *International Psychogeriatrics*, 27, 1049-1050.
- 22 COLLABORATION, C. 2014. Review Manager (RevMan) [Computer program]. Version 5.3. Copenhagen: The Nordic Cochrane Centre:.
- 24 COMBS, K., SMITH, P. J., SHERWOOD, A., HOFFMAN, B., CARNEY, R. M., FREEDLAND, K., CRAIGHEAD, W. & BLUMENTHAL, J. A. 2014. Impact of sleep complaints and depression outcomes among participants in the standard medical intervention and long-term exercise study of exercise and pharmacotherapy for depression. *Journal of Nervous and Mental Disease*, 202, 167-171.
- 29 COMMANDER, M. J., DHARAN, S. P., ODELL, S. M. & SURTEES, P. G. 1997. Access to mental health care in an inner-city health district. I: Pathways into and within specialist psychiatric services. *Br J Psychiatry*, 170, 312-6.
- 32 COMMITTEE-ON-SAFETY-OF-MEDICINES 2000. Reminder: St John's wort (*hypericum perforatum*) interactions. *Current Problems in Pharmacovigilance*, 26, 6-7.
- 34 CONSTANTINO, M. J., GREENBERG, R. P. & LAWS, H. B. 2014. To prevent depression recurrence, interpersonal psychotherapy is a first-line treatment with long-term benefits. *Current Psychiatry*, 13, 33-41.
- 37 CONWAY, C. R. & NAGELE, P. 2015. Nitrous oxide for TRD: Preliminary findings. *Biological psychiatry*, 77, 321s-322s.
- 39 COOPE, C., GUNNELL, D., HOLLINGWORTH, W., HAWTON, K., KAPUR, N., FEARN, V., WELLS, C. & METCALFE, C. 2014. Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001–2011. *Social Science & Medicine*, 117, 76-85.
- 43 COOPER, C., SPIERS, N., LIVINGSTON, G., JENKINS, R., MELTZER, H., BRUGHA, T., MCMANUS, S., WEICH, S. & BEBBINGTON, P. 2013. Ethnic inequalities in the use of health services for common mental disorders in England. *Soc Psychiatry Psychiatr Epidemiol*, 48, 685-92.

- 1 COOPER, L. A., GHODS DINOSO, B. K., FORD, D. E., ROTER, D. L., PRIMM, A. B.,  
2 LARSON, S. M., GILL, J. M., NORONHA, G. J., SHAYA, E. K. & WANG, N. Y. 2013.  
3 Comparative effectiveness of standard versus patient-centered collaborative care  
4 interventions for depression among African Americans in primary care settings: the BRIDGE  
5 Study. *Health Services Research*, 48, 150-74.
- 6 COOPER-PATRICK, L., POWE, N. R., JENCKES, M. W., GONZALES, J. J., LEVINE, D. M.  
7 & FORD, D. E. 1997. Identification of patient attitudes and preferences regarding treatment  
8 of depression. *J Gen Intern Med*, 12, 431-8.
- 9 COOTE, H. M. & MACLEOD, A. K. 2012. A self-help, positive goal-focused intervention to  
10 increase well-being in people with depression. *Clinical Psychology & Psychotherapy*, 19,  
11 305-15.
- 12 COPLAN, J. D., GOPINATH, S., ABDALLAH, C. G. & BERRY, B. R. 2014. A neurobiological  
13 hypothesis of treatment-resistant depression - mechanisms for selective serotonin reuptake  
14 inhibitor non-efficacy. *Front Behav Neurosci*, 8, 189.
- 15 CORRUBLE, E., BODINAT, C., BELAIDI, C. & GOODWIN, G. M. 2013. Efficacy of  
16 agomelatine and escitalopram on depression, subjective sleep and emotional experiences in  
17 patients with major depressive disorder: a 24-wk randomized, controlled, double-blind trial.  
18 *International Journal of Neuropsychopharmacology*, 16, 2219-34.
- 19 CORRUBLE, E., SWARTZ, H. A., BOTTAI, T., VAIVA, G., BAYLE, F., LLORCA, P. M.,  
20 COURTEL, P., FRANK, E. & GORWOOD, P. 2016. Telephone-administered psychotherapy  
21 in combination with antidepressant medication for the acute treatment of major depressive  
22 disorder. *Journal of affective disorders*, 190, 6-11.
- 23 CORYELL, W., AKISKAL, H. S., LEON, A. C., WINOKUR, G., MASER, J. D., MUELLER, T.  
24 I. & KELLER, M. B. 1994. The time course of nonchronic major depressive disorder.  
25 Uniformity across episodes and samples. National Institute of Mental Health Collaborative  
26 Program on the Psychobiology of Depression--Clinical Studies. *Arch Gen Psychiatry*, 51,  
27 405-10.
- 28 CORYELL, W., ENDICOTT, J. & KELLER, M. B. 1991. Predictors of relapse into major  
29 depressive disorder in a nonclinical population. *Am J Psychiatry*, 148, 1353-8.
- 30 CORYELL, W., LEON, A., WINOKUR, G., ENDICOTT, J., KELLER, M., AKISKAL, H. &  
31 SOLOMON, D. 1996. Importance of psychotic features to long-term course in major  
32 depressive disorder. *Am J Psychiatry*, 153, 483-9.
- 33 COUPLAND, C., DHIMAN, P., MORRISS, R., ARTHUR, A., BARTON, G. & HIPPISLEY-  
34 COX, J. 2011. Antidepressant use and risk of adverse outcomes in older people: population  
35 based cohort study. *BMJ*, 343, d4551.
- 36 COVENTRY, P., HUDSON, J., KONTOPANTELIS, E., ARCHER, J., RICHARDS, D.,  
37 GILBODY, S., LOVELL, K., DICKENS, C., GASK, L., WAHEED, W. & BOWER, P. 2014.  
38 Characteristics of Effective Collaborative Care for Treatment of Depression: A Systematic  
39 Review and Meta-Regression of 74 Randomised Controlled Trials. *PLOS One*, 9, e108114.
- 40 COWEN, P. J. 2012. Phototherapy. In: LOPEZ-IBOR, J. & GEDDES, J. R. (eds.) *New Oxford*  
41 *Textbook of Psychiatry*. 2nd ed.: Oxford University Press (OUP).
- 42 COYNE, J. C., PEPPER, C. M. & FLYNN, H. 1999. Significance of prior episodes of  
43 depression in two patient populations. *J Consult Clin Psychol*, 67, 76-81.
- 44 CRAIG, T. K. J. & BHUGRA, D. 2012. Mental health services for ethnic minorities. *New*  
45 *Oxford Textbook of Psychiatry*. Oxford University Press (OUP).

- 1 CRAMER, H., ANHEYER, D., LAUCHE, R. & DOBOS, G. 2017. A systematic review of yoga for major depressive disorder. *J Affect Disord*, 213, 70-77.
- 3 CRAMER, H., SALISBURY, C., CONRAD, J., ELDRED, J. & ARAYA, R. 2011. Group cognitive behavioural therapy for women with depression: pilot and feasibility study for a randomised controlled trial using mixed methods. *BMC Psychiatry*, 11, 82.
- 6 CRAVEN, M. A. & BLAND, R. 2013. Depression in primary care: Current and future challenges. *Canadian Journal of Psychiatry*, 58, 442-448.
- 8 CRAWFORD, M. J., PRINCE, M., MENEZES, P. & MANN, A. H. 1998. The recognition and treatment of depression in older people in primary care. *Int J Geriatr Psychiatry*, 13, 172-6.
- 10 CREED, F. & MARKS, B. 1989. Liaison psychiatry in general practice: a comparison of the liaison-attachment scheme and shifted outpatient clinic models. *J R Coll Gen Pract*, 39, 514-7.
- 13 CRISP, D., GRIFFITHS, K., MACKINNON, A., BENNETT, K. & CHRISTENSEN, H. 2014. An online intervention for reducing depressive symptoms: Secondary benefits for self-esteem, empowerment and quality of life. *Psychiatry Research*, 216, 60-66.
- 16 CRISTANCHO, M. A. & THASE, M. E. 2014. Drug safety evaluation of olanzapine/fluoxetine combination. *Expert Opinion on Drug Safety*, 13, 1133-1141.
- 18 CROWTHER, R. E., MARSHALL, M., BOND, G. R. & HUXLEY, P. 2001. Helping people with severe mental illness to obtain work: systematic review. *BMJ*, 322, 204-8.
- 20 CRUWYS, T., ALEXANDER HASLAM, S., DINGLE, G. A., JETTEN, J., HORNSEY, M. J., DESDEMONA CHONG, E. M. & OEI, T. P. 2014. Feeling connected again: interventions that increase social identification reduce depression symptoms in community and clinical settings. *Journal of Affective Disorders*, 159, 139-46.
- 24 CUIJPERS, P. 2014. Psychotherapies for adult depression: Recent developments. *Current Opinion in Psychiatry*, 28, 24-29.
- 26 CUIJPERS, P., DONKER, T., VAN STRATEN, A., LI, J. & ANDERSSON, G. 2010. Is guided self-help as effective as face-to-face psychotherapy for depression and anxiety disorders? A systematic review and meta-analysis of comparative outcome studies. *Psychol Med*, 40, 1943-57.
- 30 CUIJPERS, P., SIJBRANDIJ, M., KOOLE, S. L., ANDERSSON, G., BEEKMAN, A. T. & REYNOLDS, C. F., 3RD 2014. Adding psychotherapy to antidepressant medication in depression and anxiety disorders: a meta-analysis. *World Psychiatry*, 13, 56-67.
- 33 CUIJPERS, P., SMIT, F., PATEL, V., DIAS, A., LI, J. & REYNOLDS, C. F., III 2015. Prevention of depressive disorders in older adults: An overview. *PsyCh Journal*, 4, 3-10.
- 35 CUIJPERS, P., SMIT, F. & VAN STRATEN, A. 2007. Psychological treatments of subthreshold depression: a meta-analytic review. *Acta Psychiatrica Scandinavica*, 115, 434-441.
- 38 CUIJPERS, P., VOGELZANGS, N., TWISK, J., KLEIBOER, A., LI, J. & PENNINX, B. W. 2014. Comprehensive meta-analysis of excess mortality in depression in the general community versus patients with specific illnesses. *Am J Psychiatry*, 171, 453-62.
- 41 CUIJPERS, P., WEITZ, E., LAMERS, F., PENNINX, B. W., TWISK, J., DERUBEIS, R. J., DIMIDJIAN, S., DUNLOP, B. W., JARRETT, R. B., SEGAL, Z. V. & HOLLON, S. D. 2017. Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. *Depress Anxiety*, 34, 246-256.

- 1 CULPEPPER, L. 2013. Reducing the burden of difficult-to-treat major depressive disorder: Revisiting monoamine oxidase inhibitor therapy. *Primary Care Companion to the Journal of Clinical Psychiatry*, 15.
- 4 CURTIS, L. 2014. Unit Costs of Health & Social Care 2014. Canterbury: PSSRU, University of Kent.
- 6 CURTIS, L. & BURNS, A. 2016. Unit Costs of Health & Social Care 2016. Canterbury: PSSRU, University of Kent.
- 8 CUSHING, B., JOHNSON, L., HALL, J. & O'BRYANT, S. 2013. A depressive sub group of mild cognitive impairment. *Journal of the American Geriatrics Society*, 61, S221.
- 10 CUTLER, A., GOMMOLL, C., CHEN, C., GREENBERG, W. M., RUTH, A., D'SOUZA, I. & TERNER-ROSENTHAL, J. 2014. Clinical relevance of levomilnacipran ER treatment in major depressive disorder: Improvements in functional impairment categories. *European Neuropsychopharmacology*, 24, S461.
- 14 DAHLGAARD, J., VAN DER VELDEN, A. M., WATTAR, U., KUYKEN, W., CRANES, C., PALLESEN, K. J., ZACHARIAE, R., FJORBACK, L. & PIET, J. 2015. A systematic review of mechanisms of change in mindfulness-based cognitive therapy in the treatment of recurrent major depressive disorder. *Psychosomatic Medicine*, 77 (3), A85.
- 18 DARLING, C. & TYRER, P. 1990. Brief encounters in general practice: liaison in general practice psychiatry clinics. *Psychiatric Bulletin*, 14, 592.
- 20 DATTO, C., THOMPSON, R., HOROWITZ, D., DISBOT, M. & OSLIN, D. 2003. The pilot study of a telephone disease management program for depression. *General Hospital Psychiatry* 25, 169-177.
- 23 DAVID, D., SZENTAGOTAI, A., LUPU, V. & COSMAN, D. 2008. Rational emotive behavior therapy, cognitive therapy, and medication in the treatment of major depressive disorder: a randomized clinical trial, posttreatment outcomes, and six-month follow-up. *J Clin Psychol*, 64, 728-46.
- 27 DAVIDSON, J., GADDE, K., FAIRBANK, J., RAMA KRISHNAN, K. R., CALIFF, R., BINANAY, C., PARKER, C., PUGH, N., HARTWELL, T., VITIELLO, B., RITZ, L., SEVERE, J., COLE, J., DE BATTISTA, C., DORAISWAMY, P., FEIGHNER, J., KECK, P., KELSEY, J., LIN, K.-M., LONDBORG, P., NEMEROFF, C., SCHATZBERG, A., SHEEHAN, D., SRIVASTAVA, R., TAYLOR, L., TRIVEDI, M. & WEISLER, R. 2002. Effect of Hypericum perforatum (St John's wort) in major depressive disorder: a randomized controlled trial. *JAMA*, 287, 1807-14.
- 34 DAVIES, S. J. C., MULSANT, B. H., FLINT, A. J., MEYERS, B. S., ROTHSCHILD, A. J., WHYTE, E. M., KIRSHNER, M. M., SORISIO, D., POLLOCK, B. G. & BIES, R. R. 2015. The Impact of Sertraline Co-Administration on the Pharmacokinetics of Olanzapine: A Population Pharmacokinetic Analysis of the STOP-PD. *Clinical pharmacokinetics*, 54, 1161-8.
- 38 DAVILA, J., KARNEY, B. R., HALL, T. W. & BRADBURY, T. N. 2003. Depressive symptoms and marital satisfaction: Within-subject associations and the moderating effects of gender and neuroticism. *Journal of Family Psychology*, 17, 557-570.
- 41 DAVIS, S. 2015. Vortioxetine: More than just another selective serotonin reuptake inhibitor. *SA Pharmaceutical Journal*, 82, 34-36.
- 43 DAVISON, G. C. 2000. Stepped care: doing more with less? *J Consult Clin Psychol*, 68, 580-5.
- 45 DAY, C. V., RUSH, A. J., HARRIS, A. W. F., BOYCE, P. M., REKSHAN, W., ETKIN, A., DEBATTISTA, C., SCHATZBERG, A. F., ARNOW, B. A. & WILLIAMS, L. M. 2015.

- 1 Impairment and distress patterns distinguishing the melancholic depression subtype: An iSPOT-D report. *Journal of Affective Disorders*, 174, 493-502.
- 3 DAY, V., MCGRATH, P. J. & WOJTOWICZ, M. 2013. Internet-based guided self-help for university students with anxiety, depression and stress: a randomized controlled clinical trial. *Behaviour Research and Therapy*, 51, 344-51.
- 6 DE PICKER, L., VAN DEN EDE, F., DUMONT, G., MOORKENS, G. & SABBE, B. G. 2014. Antidepressants and the risk of hyponatremia: a class-by-class review of literature. *Psychosomatics*, 55, 536-47.
- 9 DEAR, B. F., TITOV, N., PERRY, K. N., JOHNSTON, L., WOOTTON, B. M., TERIDES, M. D., RAPEE, R. M. & HUDSON, J. L. 2013. The Pain Course: A randomised controlled trial of a clinician-guided Internet-delivered cognitive behaviour therapy program for managing chronic pain and emotional well-being. *Pain*, 154, 942-950.
- 13 DEAR, B. F., TITOV, N., SCHWENCKE, G., ANDREWS, G., JOHNSTON, L. & CRASKE, M. G. 2011. An open trial of a brief transdiagnostic internet treatment for anxiety and depression. *Behaviour Research and Therapy*, 49, 830-7.
- 16 DEBATTISTA, C. & HAWKINS, J. 2009. Utility of atypical antipsychotics in the treatment of resistant unipolar depression. *CNS Drugs*, 23, 369-377.
- 18 DEHKORDI SOLATI, K. & MOBASHERI, M. 2012. The efficacy of cognitive behavioral group-therapy alone and plus family psycho-education on the treatment of major depression disorder symptoms in females. *Journal of Kerman University of Medical Sciences*, 19, 490-501.
- 22 DEL PICCOLO, L., SALTINI, A. & ZIMMERMANN, C. 1998. Which patients talk about stressful life events and social problems to the general practitioner? *Psychological Medicine*, 28, 1289-1299.
- 25 DELAVEAU, P., JABOURIAN, M., LEMOGNE, C., ALLAILI, N., CHOUCHE, W., GIRAUT, N., LEHERICY, S., LAREDO, J. & FOSSATI, P. 2016. Antidepressant short-term and long-term brain effects during self-referential processing in major depression. *Psychiatry Research - Neuroimaging*, 247, 17-24.
- 29 DELL'OSO, B., DOBREA, C., ARICI, C., BENATTI, B., FERRUCCI, R., VERGARI, M., PRIORI, A. & ALTAMURA, A. C. 2014. Augmentative transcranial direct current stimulation (tDCS) in poor responder depressed patients: A follow-up study. *CNS Spectrums*, 19, 347-354.
- 33 DEMITRACK, M. A. & BROCK, D. G. 2014. A review of current clinical practice in the treatment of major depression. Humana Press Inc.
- 35 DENKINGER, M. D., LUKAS, A., NIKOLAUS, T., PETER, R., FRANKE, S. & ACTI, F. E. S. G. 2014. Multisite pain, pain frequency and pain severity are associated with depression in older adults: results from the ActiFE Ulm study. *Age & Ageing*, 43, 510-4.
- 38 DENNEHY, E. B., ROBINSON, R. L., STEPHENSON, J. J., FARIES, D., GRABNER, M., PALLI, S. R., STAUFFER, V. L. & MARANGELL, L. B. 2015. Impact of non-remission of depression on costs and resource utilization: from the COmorbidity and symptoms of DEpression (CODE) study. *Current Medical Research and Opinion*, 31, 1165-1177.
- 42 DENTON, W. H., CARMODY, T. J., RUSH, A. J., THASE, M. E., TRIVEDI, M. H., ARNOW, B. A., KLEIN, D. N. & KELLER, M. B. 2009. Dyadic discord at baseline is associated with lack of remission in the acute treatment of chronic depression. *Psychological Medicine*, 40, 415.

- 1 DEPARTMENT OF HEALTH 1999. *National Service Framework for mental health : modern standards and service models; executive summary*, Great Britain, Department of Health.
- 3 DEPARTMENT OF HEALTH 2001. *Exercise referral systems : a national quality assurance framework*, Great Britain, Department of Health.
- 5 DEPARTMENT OF HEALTH 2003. Fast-forwarding primary care mental health: graduate primary care mental healthworkers - best practice guidance. London: Department of Health.
- 7 DEPARTMENT OF HEALTH 2005. *Delivering race equality in mental health care : an action plan for reform inside and outside services : and the Government's response to the independent inquiry into the death of David Bennett*, London, Dept. of Health.
- 10 DEPARTMENT OF HEALTH 2007. Improving access to psychological therapies: specification for the commissioner-led pathfinder programme. London: Department of Health.
- 12 DEPARTMENT OF HEALTH 2008. Report on self reported experience of patients from black and minority ethnic groups. London: Department of Health.
- 14 DEPARTMENT OF HEALTH 2011. Talking therapies: a four-year plan of action. London: Department of Health.
- 16 DEPARTMENT OF HEALTH 2014. Achieving better access to mental health services by 2020. London: Department of Health.
- 18 DEPARTMENT OF HEALTH 2016. NHS Reference Costs 2015-16. London.
- 19 DEPARTMENT OF HEALTH & SOCIAL CARE INSTITUTE FOR EXCELLENCE 2009. Think child, think parent, think family: A guide to parental mental health and child welfare. SCIE Guide. London: Department of Health.
- 22 DEPARTMENT OF HEALTH & SOCIAL CARE INSTITUTE FOR EXCELLENCE & CARE SERVICES IMPROVEMENT PARTNERSHIP 2008. Care programme approach (cpa) briefing: Parents with mental health problems and their children <http://www.cpaa.co.uk/cpa-briefing>.
- 26 DERUBEIS, R. J., COHEN, Z. D., FORAND, N. R., FOURNIER, J. C., GELFAND, L. A. & LORENZO-LUACES, L. 2014. The Personalized Advantage Index: translating research on prediction into individualized treatment recommendations. A demonstration. *PLoS One*, 9, e83875.
- 30 DEVANAND, D. 2014. Dysthymic disorder in the elderly population. *International Psychogeriatrics*, 26, 39-48.
- 32 DEVANAND, D. 2014. Treatment strategies to modify disease course in comorbid depression and cognitive impairment. *Neuropsychopharmacology*, 39, S84-S85.
- 34 DIAS, S., WELTON, N. J., SUTTON, A. J. & ADES, A. E. 2011 [last updated 2013]. NICE DSU Technical support document 2: a generalised linear modelling framework for pairwise and network meta-analysis of randomised controlled trials. available from <http://www.nicedsu.org.uk>.
- 38 DIETRICH, A., OXMAN, T., WILLIAMS, J., SCHULBERG, H., BRUCE, M., LEE, P. & AL., E. 2004. Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. *British Medical Journal*, 329, 602.
- 41 DIMIDJIAN, S., HOLLON, S. D., DOBSON, K. S., SCHMALING, K. B., KOHLENBERG, R. J., ADDIS, M. E., GALLOP, R., MCGLINCHEY, J. B., MARKLEY, D. K., GOLLAN, J. K., ATKINS, D. C., DUNNER, D. L. & JACOBSON, N. S. 2006. Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *J Consult Clin Psychol*, 74, 658-70.

- 1 DINGER, U., KOHLING, J., KLIPSCH, O., EHRENTHAL, J. C., NIKENDEI, C., HERZOG, W. & SCHAUENBURG, H. 2015. Day-clinic and Inpatient Psychotherapy of Depression (DIP-D) - Secondary Outcomes and Follow-up Results of a Randomized-Controlled Pilot Trial. [German]. *PPmP Psychotherapie Psychosomatik Medizinische Psychologie*, 65, 261-7.
- 5 DIXON-WOODS, M., KIRK, D., AGARWAL, S. & AL, E. 2005. Vulnerable groups and access to health care: A critical interpretive review report for the National Coordinating Centre for NHS Service Delivery and Organisation R&D (NCCSDO). London: National Co-ordinating Centre for NHS Service Delivery and Organisation.
- 9 DOBSCHA, S. K., CORSON, K., HICKAM, D. H., PERRIN, N. A., KRAEMER, D. F. & GERRITY, M. S. 2006. Depression decision support in primary care: a cluster randomized trial. *Ann Intern Med*, 145, 477-87.
- 12 DOLBERG, O., LARSSON LÖNN, S. & KVIST, K. 2014. Factors predicting relapse in elderly patients with major depressive disorder treated with escitalopram in an outpatient setting. *Current Medical Research and Opinion*, 30, 1301-1307.
- 15 DONKER, T., BENNETT, K., BENNETT, A., MACKINNON, A., STRATEN, A., CUIJPERS, P., CHRISTENSEN, H. & GRIFFITHS, K. M. 2013. Internet-delivered interpersonal psychotherapy versus internet-delivered cognitive behavioral therapy for adults with depressive symptoms: randomized controlled noninferiority trial. *Journal of Medical Internet Research*, 15, e82.
- 20 DONOGHUE, J., TYLEE, A. & WILDGUST, H. 1996. Cross sectional database analysis of antidepressant prescribing in general practice in the United Kingdom, 1993-5. *BMJ*, 313, 861-2.
- 23 DONOGHUE, J. M. & TYLEE, A. 1996. The treatment of depression: prescribing patterns of antidepressants in primary care in the UK. *The British Journal of Psychiatry*, 168, 164-168.
- 25 DOOSE, M., ZIEGENBEIN, M., HOOS, O., REIM, D., STENGERT, W., HOFFER, N., VOGEL, C., ZIERT, Y. & SIEBERER, M. 2015. Self-selected intensity exercise in the treatment of major depression: A pragmatic RCT. *International journal of psychiatry in clinical practice*, 19, 267-76.
- 29 DORSTYN, D. S., SANIOTIS, A. & SOBHANIAN, F. 2013. A systematic review of telecounselling and its effectiveness in managing depression amongst minority ethnic communities. *Journal of Telemedicine and Telecare*, 19, 338-346.
- 32 DOUGHERTY, D. D., REZAI, A. R., CARPENTER, L. L., HOWLAND, R. H., BHATI, M. T., O'REARDON, J. P., ESKANDAR, E. N., BALUCH, G. H., MACHADO, A. D., KONDZIOLKA, D., CUSIN, C., EVANS, K. C., PRICE, L. H., JACOBS, K., PANDYA, M., DENKO, T., TYRKA, A. R., BRELJE, T., DECKERSBACH, T., KUBU, C. & MALONE, D. A., JR. 2015. A randomized sham-controlled trial of deep brain stimulation of the ventral capsule/ventral striatum for chronic treatment-resistant depression. *Biol Psychiatry*, 78, 240-8.
- 38 DOWLATI, Y., RAVINDRAN, A., SEGAL, Z., STEINER, M. & MEYER, J. H. 2013. Approaches to create dietary supplements to prevent postpartum depression. *European Neuropsychopharmacology*, 23, S235-S236.
- 41 DOWRICK, C. 2004. *Beyond depression : a new approach to understanding and management*, Oxford ; New York, Oxford University Press.
- 43 DOZOIS, D. J., BIELING, P. J., PATELIS-SIOTIS, I., HOAR, L., CHUDZIK, S., MCCABE, K. & WESTRA, H. A. 2009. Changes in self-schema structure in cognitive therapy for major depressive disorder: a randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 77, 1078-88.

- 1 DREVETS, W. C., PRICE, J. L. & FUREY, M. L. 2008. Brain structural and functional abnormalities in mood disorders: implications for neurocircuitry models of depression. *Brain Structure and Function*, 213, 93-118.
- 4 DRIESSEN, E., CUIJPERS, P., DE MAAT, S. C., ABBASS, A. A., DE JONGHE, F. & DEKKER, J. J. 2010. The efficacy of short-term psychodynamic psychotherapy for depression: a meta-analysis. *Clin Psychol Rev*, 30, 25-36.
- 7 DRIESSEN, E., HENRICUS, L., PEEN, J., DON, F. J., KOOL, S., WESTRA, D., HENDRIKSEN, M., CUIJPERS, P., TWISK, J. W. & DEKKER, J. J. 2015. Therapist-rated outcomes in a randomized clinical trial comparing cognitive behavioral therapy and psychodynamic therapy for major depression. *Journal of affective disorders*, 170, 112-8.
- 11 DRIESSEN, E., HOLLON, S. D., BOCKTING, C. L., CUIJPERS, P. & TURNER, E. H. 2015. Does publication bias inflate the apparent efficacy of psychological treatment for major depressive disorder? a systematic review and meta-analysis of US National Institutes of Health-funded trials. *PLoS One*, 10, e0137864.
- 15 DRIESSEN, E., VAN, H. L., DON, F. J., PEEN, J., KOOL, S., WESTRA, D., HENDRIKSEN, M., SCHOEVERS, R. A., CUIJPERS, P., TWISK, J. W. & DEKKER, J. J. 2013. The efficacy of cognitive-behavioral therapy and psychodynamic therapy in the outpatient treatment of major depression: a randomized clinical trial. *The American Journal of Psychiatry*, 170, 1041-50.
- 20 DUAN, D. M., TU, Y., CHEN, L. P. & WU, Z. J. 2009. Efficacy evaluation for depression with somatic symptoms treated by electroacupuncture combined with Fluoxetine. *Journal of Traditional Chinese Medicine / Chung i tsa chih ying wen pan*, 29, 167-73.
- 23 DUBEY, A. K., RAICHANDANI, O. M. & PANDEY, S. P. 2012. Efficacy of duloxetine compared with imipramine in the treatment of major depressive disorder in Indian patients. *International Journal of Pharma And Bio Sciences*, 3, 133-41.
- 26 DUNLOP, B. W. 2013. Depressive recurrence on antidepressant treatment (DRAT): 4 next-step options. *Current Psychiatry*, 12, 54.
- 28 DUNLOP, B. W., REDDY, S., YANG, L., LUBACZEWSKI, S., FOCHT, K. & GUICO-PABIA, C. J. 2011. Symptomatic and functional improvement in employed depressed patients: a double-blind clinical trial of desvenlafaxine versus placebo. *Journal of Clinical Psychopharmacology*, 31, 569-76.
- 32 DUNNER, D. L., AARONSON, S. T., SACKEM, H. A., JANICAK, P. G., CARPENTER, L. L., BOYADJIS, T., BROCK, D. G., BONNEH-BARKAY, D., COOK, I. A., LANOCHA, K., SOLVASON, H. B. & DEMITRACK, M. A. 2014. A multisite, naturalistic, observational study of transcranial magnetic stimulation for patients with pharmacoresistant major depressive disorder: durability of benefit over a 1-year follow-up period. *Journal of Clinical Psychiatry*, 75, 1394-401.
- 38 D'URSO, G., MANTOVANI, A., MICILLO, M., PRIORI, A. & MUSCETTOLA, G. 2013. Transcranial direct current stimulation and cognitive-behavioral therapy: Evidence of a synergistic effect in treatment-resistant depression. *Brain Stimulation*, 6, 465-467.
- 41 DWAMENA, B. 2007. *MIDAS: Stata module for meta-analytical integration of diagnostic test accuracy studies*, Boston, Massachusetts, Boston College Department of Economics.
- 43 DWIGHT-JOHNSON, M., AISENBERG, E., GOLINELLI, D., HONG, S., O'BRIEN, M. & LUDMAN, E. 2011. Telephone-based cognitive-behavioral therapy for Latino patients living in rural areas: a randomized pilot study. *Psychiatric Services*, 62, 936-42.
- 46 EAGLES, J. M., WILEMAN, S. M., CAMERON, I. M., HOWIE, F. L., LAWTON, K., GRAY, D. A., ANDREW, J. E. & NAJI, S. A. 1999. Seasonal affective disorder among primary care

- 1 attenders and a community sample in Aberdeen. *The British Journal of Psychiatry*, 175, 472-  
2 475.
- 3 EATON, W. W., KALAYDJIAN, A., SCHARFSTEIN, D. O., MEZUK, B. & DING, Y. 2007.  
4 Prevalence and incidence of depressive disorder: the Baltimore ECA follow-up, 1981?2004.  
5 *Acta Psychiatrica Scandinavica*, 116, 182-188.
- 6 EATON, W. W., SHAO, H., NESTADT, G., LEE, H. B., BIENVENU, O. J. & ZANDI, P. 2008.  
7 Population-based study of first onset and chronicity in major depressive disorder. *Arch Gen  
Psychiatry*, 65, 513-20.
- 9 ECCLES, M., FREEMANTLE, N. & MASON, J. 1998. North of England evidence based  
10 guidelines development project: methods of developing guidelines for efficient drug use in  
11 primary care. *BMJ*, 316, 1232-5.
- 12 ECHIZENYA, M., SUDA, H., TAKESHIMA, M., INOMATA, Y. & SHIMIZU, T. 2013. Total  
13 sleep deprivation followed by sleep phase advance and bright light therapy in drug-resistant  
14 mood disorders. *Journal of Affective Disorders*, 144, 28-33.
- 15 EDDINGTON, K. M., SILVIA, P. J., FOXWORTH, T. E., HOET, A. & KWAPIL, T. R. 2015.  
16 Motivational deficits differentially predict improvement in a randomized trial of self-system  
17 therapy for depression. *Journal of Consulting and Clinical Psychology*, 83, 602-616.
- 18 EDWARDS, S., HAMILTON, V., NHERERA, L. & TREVOR, N. 2013. Lithium or an atypical  
19 antipsychotic drug in the management of treatment resistant depression: a systematic review  
20 and economic evaluation. *Health Technology Assessment*, 17.
- 21 EDWARDS, S., TINNING, L., BROWN, J. S., BOARDMAN, J. & WEINMAN, J. 2007.  
22 Reluctance to seek help and the perception of anxiety and depression in the United kingdom:  
23 a pilot vignette study. *J Nerv Ment Dis*, 195, 258-61.
- 24 EDWARDS, S. J. 2013. Lithium or an atypical antipsychotic drug in the management of  
25 treatment-resistant depression: A systematic review and economic evaluation. *Health  
Technology Assessment*, 17, 1-34.
- 27 EDWARDS, S. J., WAKEFIELD, V., NHERERA, L. & TREVOR, N. 2014. Systematic review  
28 and mixed treatment comparison of lithium or an atypical anti-psychotic (AAP) used to  
29 augment a selective serotonin reuptake inhibitor (SSRI) in treatment resistant depression  
30 (TRD). *Value in Health*, 17 (7), A455.
- 31 EGAN, G. 1990. *The skilled helper: A systematic approach to effective helping*, Pacific  
32 Grove, California, Brooks/Cole.
- 33 EGEDE, L. E., ACIERNO, R., KNAPP, R. G., LEJUEZ, C., HERNANDEZ-TEJADA, M.,  
34 PAYNE, E. H. & FRUEH, B. C. 2015. Psychotherapy for depression in older veterans via  
35 telemedicine: A randomised, open-label, non-inferiority trial. *The Lancet Psychiatry*, 2, 693-  
36 701.
- 37 EISENDRATH, S. J., GILLUNG, E., DELUCCHI, K. L., SEGAL, Z. V., NELSON, J. C.,  
38 MCINNES, L. A., MATHALON, D. H. & FELDMAN, M. D. 2016. A Randomized Controlled  
39 Trial of Mindfulness-Based Cognitive Therapy for Treatment-Resistant Depression.  
40 *Psychotherapy and psychosomatics*, 85, 99-110.
- 41 EKERS, D., GODFREY, C., GILBODY, S., PARROTT, S., RICHARDS, D. A., HAMMOND,  
42 D. & HAYES, A. 2011. Cost utility of behavioural activation delivered by the non-specialist.  
43 *British Journal of Psychiatry*, 199, 510-1.
- 44 EKERS, D., MURPHY, R., ARCHER, J., EBENEZER, C., KEMP, D. & GILBODY, S. 2013.  
45 Nurse-delivered collaborative care for depression and long-term physical conditions: a  
46 systematic review and meta-analysis. *Journal of Affective Disorders*, 149, 14-22.

- 1 EKERS, D., RICHARDS, D., MCMILLAN, D., BLAND, J. M. & GILBODY, S. 2011.
- 2 Behavioural activation delivered by the non-specialist: phase II randomised controlled trial.
- 3 *British Journal of Psychiatry*, 198, 66-72.
- 4 EKKERS, W., KORRELBOOM, K., HUIJBRECHTS, I., SMITS, N., CUIJPERS, P. & GAAG, M. 2011. Competitive Memory Training for treating depression and rumination in depressed older adults: a randomized controlled trial. *Behaviour Research and Therapy*, 49, 588-96.
- 5 ELGIE, R. 2006. A patient and primary care perspective: a patient's perspective on the treatment of depression. *J Clin Psychiatry*, 67 Suppl 6, 38-40.
- 6 ELI LILLY 2005. The study of olanzapine plus fluoxetine in combination for treatment-resistant depression without psychotic features [NCT00035321]. *ClinicalTrials.gov* [[www.clinicaltrials.gov](http://www.clinicaltrials.gov)].
- 7 EL-KHALILI, N., JOYCE, M., ATKINSON, S., BUYNAK, R. J., DATTO, C., LINDGREN, P. & ERIKSSON, H. 2010. Extended-release quetiapine fumarate (quetiapine XR) as adjunctive therapy in major depressive disorder (MDD) in patients with an inadequate response to ongoing antidepressant treatment: a multicentre, randomized, double-blind, placebo-controlled study. *International Journal of Neuropsychopharmacology*, 13, 917-32.
- 8 ELL, K., UNÜTZER, J., ARANDA, M., GIBBS, N., LEE, P.-J. & XIE, B. 2007. Managing depression in home health care: a randomized clinical trial. *Home Health Care Services Quarterly* 26, 81-104.
- 9 ELLINGROD, V. L. & PERRY, P. J. 1994. Venlafaxine: a heterocyclic antidepressant. *Am J Hosp Pharm*, 51, 3033-46.
- 10 ELLIS, A. 1962. *Reason and emotion in psychotherapy*, New York, Stuart.
- 11 ELLIS, C. G. 1996. Chronic unhappiness. Investigating the phenomenon in family practice. *Can Fam Physician*, 42, 645-51.
- 12 ELLIS, J. S., ZARATE, C. A., JR., LUCKENBAUGH, D. A. & FUREY, M. L. 2014.
- 13 Antidepressant treatment history as a predictor of response to scopolamine: clinical implications. *Journal of Affective Disorders*, 162, 39-42.
- 14 ERKKILÄ, J., PUNKANEN, M., FACHNER, J., ALA-RUONA, E., PÖNTIÖ, I., TERVANIEMI, M., VANHALA, M. & GOLD, C. 2011. Individual music therapy for depression: randomised controlled trial. *British journal of Psychiatry*, 199, 132-9.
- 15 EVANS-LACKO, S., HENDERSON, C. & THORNICROFT, G. 2013. Public knowledge, attitudes and behaviour regarding people with mental illness in England 2009-2012. *Br J Psychiatry Suppl*, 55, s51-7.
- 16 EVERETT, B. 2015. Sexual orientation identity change and depressive symptoms. *Journal of Health and Social Behavior*, 56, 37-58.
- 17 EXECUTIVE, H. A. S. 2008. Self-reported work-related illness and workplace injuries in 2006/07: Results from the labour force survey. Caerphilly: HSE Information Services.
- 18 FALCON, E., SWEENEY, R., FLEITES, V., LEON, R., BERTON, O. & LUCKI, I. 2014.
- 19 Buprenorphine produces antidepressant-like and anxiolytic responses in mice exposed to chronic models of depressive-like behavior. *Neuropsychopharmacology*, 39, S158.
- 20 FAN, L., GONG, J., FU, W., CHEN, Z., XU, N., LIU, J., LU, A., LI, Z., WU, T., OU, A. & XIE, H. 2015. Gender-Related Differences in Outcomes on Acupuncture and Moxibustion Treatment among Depression Patients. *Journal of alternative and complementary medicine (New York, N.Y.)*, 21, 673-80.

- 1 FANG, Y., YUAN, C., XU, Y., CHEN, J., WU, Z., CAO, L., YI, Z., HONG, W., WANG, Y.,  
2 JIANG, K., CUI, X., CALABRESE, J. R. & GAO, K. 2011. A pilot study of the efficacy and  
3 safety of paroxetine augmented with risperidone, valproate, buspirone, trazodone, or thyroid  
4 hormone in adult Chinese patients with treatment-resistant major depression. *Journal of*  
5 *Clinical Psychopharmacology*, 31, 638-42.
- 6 FANG, Y., YUAN, C., XU, Y., CHEN, J., WU, Z., CAO, L., YI, Z., HONG, W., WANG, Y.,  
7 JIANG, K., GAO, K., CUI, X. & NIERENBERG, A. A. 2010. Comparisons of the efficacy and  
8 tolerability of extended-release venlafaxine, mirtazapine, and paroxetine in treatment-  
9 resistant depression: a double-blind, randomized pilot study in a Chinese population. *Journal*  
10 *of Clinical Psychopharmacology*, 30, 357-64.
- 11 FARABAUGH, A., FISHER, L., NYER, M., HOLT, D., COHEN, M., BAER, L., SHAPERO, B.  
12 G., HUZ, I., CARDOOS, A., FAVA, M. & ALPERT, J. E. 2015. Similar changes in cognitions  
13 following cognitive-behavioral therapy or escitalopram for major depressive disorder:  
14 Implications for mechanisms of change. *Annals of clinical psychiatry*, 27, 118-25.
- 15 FARAH, W. H., ALSAWAS, M., MAINOU, M., ALAHDAB, F., FARAH, M. H., AHMED, A. T.,  
16 MOHAMED, E. A., ALMASRI, J., GIONFRIDDO, M. R., CASTANEDA-GUARDERAS, A.,  
17 MOHAMMED, K., WANG, Z., ASI, N., SAWCHUK, C. N., WILLIAMS, M. D., PROKOP, L. J.,  
18 MURAD, M. H. & LEBLANC, A. 2016. Non-pharmacological treatment of depression: a  
19 systematic review and evidence map. *Evid Based Med*, 21, 214-221.
- 20 FARAHANI, A. & CORRELL, C. U. 2012. Are antipsychotics or antidepressants needed for  
21 psychotic depression? A systematic review and meta-analysis of trials comparing  
22 antidepressant or antipsychotic monotherapy with combination treatment. *Journal of Clinical*  
23 *Psychiatry*, 73, 486-496.
- 24 FARRAND, P. & WOODFORD, J. 2013. Impact of support on the effectiveness of written  
25 cognitive behavioural self-help: a systematic review and meta-analysis of randomised  
26 controlled trials. *Clin Psychol Rev*, 33, 182-95.
- 27 FARRER, L., CHRISTENSEN, H., GRIFFITHS, K. M. & MACKINNON, A. 2011. Internet-  
28 based CBT for depression with and without telephone tracking in a national helpline:  
29 randomised controlled trial. *PloS ONE*, 6, e28099.
- 30 FAVA, G. A. 1999. Well-being therapy: conceptual and technical issues. *Psychother*  
31 *Psychosom*, 68, 171-9.
- 32 FAVA, G. A., GATTI, A., BELAISE, C., GUIDI, J. & OFFIDANI, E. 2015. Withdrawal  
33 symptoms after selective serotonin reuptake inhibitor discontinuation: A systematic review.  
34 *Psychotherapy and Psychosomatics*, 84, 72-81.
- 35 FAVA, G. A., RAFANELLI, C., CAZZARO, M., CONTI, S. & GRANDI, S. 1998. Well-being  
36 therapy. A novel psychotherapeutic approach for residual symptoms of affective disorders.  
37 *Psychol Med*, 28, 475-80.
- 38 FAVA, G. A., RAFANELLI, C., GRANDI, S., CONTI, S. & BELLUARDO, P. 1998. Prevention  
39 of recurrent depression with cognitive behavioral therapy: preliminary findings. *Arch Gen*  
40 *Psychiatry*, 55, 816-20.
- 41 FAVA, G. A., RUINI, C., RAFANELLI, C., FINOS, L., CONTI, S. & GRANDI, S. 2004. Six-  
42 year outcome of cognitive behavior therapy for prevention of recurrent depression. *Am J*  
43 *Psychiatry*, 161, 1872-6.
- 44 FAVA, M. 2003. Diagnosis and definition of treatment-resistant depression. *Biol Psychiatry*,  
45 53, 649-59.
- 46 FAVA, M. & KENDLER, K. S. 2000. Major depressive disorder. *Neuron*, 28, 335-341.

- 1 FAVA, M., MISCHOULON, D., IOSIFESCU, D., WITTE, J., PENCINA, M., FLYNN, M., HARPER, L., LEVY, M., RICKELS, K. & POLLACK, M. 2012. A double-blind, placebo-controlled study of aripiprazole adjunctive to antidepressant therapy among depressed outpatients with inadequate response to prior antidepressant therapy (ADAPT-A Study). *Psychotherapy and Psychosomatics*, 81, 87-97.
- 6 FAVA, M. & RANKIN, M. 2002. Sexual functioning and SSRIs. *J Clin Psychiatry*, 63 Suppl 5, 13-6; discussion 23-5.
- 8 FEIGER, A. D., TOURIAN, K. A., ROSAS, G. R. & PADMANABHAN, S. K. 2009. A placebo-controlled study evaluating the efficacy and safety of flexible-dose desvenlafaxine treatment in outpatients with major depressive disorder. *CNS Spectrums*, 14, 41-50.
- 11 FEKADU, A., WOODERSON, S., DONALDSON, C., MARKOPOULOU, K., MASTERSON, B., POON, L. & CLEARE, A. J. 2009. A multidimensional tool to quantify treatment resistance in depression: the Maudsley staging method. *J Clin Psychiatry*, 70, 177-84.
- 14 FENWICK, E., CLAXTON, K. & SCULPHER, M. 2001. Representing uncertainty: the role of cost-effectiveness acceptability curves. *Health Econ*, 10, 779-87.
- 16 FERNANDEZ-PUJALS, A. M., ADAMS, M. J., THOMSON, P., MCKECHANIE, A. G., BLACKWOOD, D. H., SMITH, B. H., DOMINICZAK, A. F., MORRIS, A. D., MATTHEWS, K., CAMPBELL, A., LINKSTED, P., HALEY, C. S., DEARY, I. J., PORTEOUS, D. J., MACINTYRE, D. J. & MCINTOSH, A. M. 2015. Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). *PLoS One*, 10, e0142197.
- 22 FERRARI, A. J., CHARLSON, F. J., NORMAN, R. E., PATTEN, S. B., FREEDMAN, G., MURRAY, C. J. L., VOS, T. & WHITEFORD, H. A. 2013. Burden of depressive disorders by country, sex, age, and year: Findings from the global burden of disease study 2010. *PLoS Medicine*, 10, e1001547.
- 26 FERRIER, I. 2012. Randomised controlled trial of antiglucocorticoid augmentation (metyrapone) of anti-Depressants in Depression (ADD Study). *NIHR Efficacy and Mechanism Evaluation (EME) Programme*, [http://www.nets.nihr.ac.uk/\\_\\_data/assets/pdf\\_file/0019/52921/PRO-08-43-39.pdf](http://www.nets.nihr.ac.uk/__data/assets/pdf_file/0019/52921/PRO-08-43-39.pdf) (accessed 14 Jul 2014).
- 31 FERSTER, C. B. 1973. A functional analysis of depression. *Am Psychol*, 28, 857-70.
- 32 FINK, M. 2012. Electroconvulsive therapy. In: GELDER, M., ANDREASON, N., LOPEZ-IBOR, J. & GEDDES, J. R. (eds.) *New Oxford Textbook of Psychiatry*. 2nd ed.: Oxford University Press (OUP).
- 35 FINLEY, P., RENS, H., PONT, J., GESS, S., LOUIE, C., BULL, S. & AL., E. 2003. Impact of a collaborative care model on depression in a primary care setting: a randomized controlled trial. *Pharmacotherapy*, 23, 1175-1185.
- 38 FISCHER, J. E., BACHMANN, L. M. & JAESCHKE, R. 2003. A readers' guide to the interpretation of diagnostic test properties: clinical example of sepsis. *Intensive Care Med*, 29, 1043-51.
- 41 FITZGERALD, P. B., GRACE, N., HOY, K. E., BAILEY, M. & DASKALAKIS, Z. J. 2013. An open label trial of clustered maintenance rTMS for patients with refractory depression. *Brain Stimulation*, 6, 292-7.
- 44 FLEDDERUS, M., BOHLMEIJER, E. T., PIETERSE, M. E. & SCHREURS, K. M. 2012. Acceptance and commitment therapy as guided self-help for psychological distress and positive mental health: a randomized controlled trial. *Psychological Medicine*, 42, 485-95.

- 1 FLEER, J., SCHROEVERS, M., PANJER, V., GEERTS, E. & MEESTERS, Y. 2014.
- 2 Mindfulness-based cognitive therapy for seasonal affective disorder: A pilot study. *Journal of Affective Disorders*, 168, 205-209.
- 3 FLINT, A. J., MEYERS, B. S., ROTHSCHILD, A. J., WHYTE, E. M., MULSANT, B. H., RUDORFER, M. V. & MARINO, P. 2013. Sustaining remission of psychotic depression: Rationale, design and methodology of STOP-PD II. *BMC Psychiatry*, 13.
- 4 FOLKE, F., PARLING, T. & MELIN, L. 2012. Acceptance and commitment therapy for depression: a preliminary randomized controlled trial for unemployed on long-term sick leave. *Cognitive and Behavioral Practice*, 19, 583-94.
- 5 FORAN, H. M., WHISMAN, M. A. & BEACH, S. R. H. 2015. Intimate partner relationship distress in the DSM-5. *Family Process*, 54, 48-63.
- 6 FORAND, N. R. & DERUBEIS, R. J. 2013. Pretreatment anxiety predicts patterns of change in cognitive behavioral therapy and medications for depression. *Journal of Consulting and Clinical Psychology*, 81, 774-782.
- 7 FOREST LABORATORIES 2004. A double-blind, flexible-dose comparison of escitalopram, sertraline and placebo in the treatment of major depressive disorder [SCT-MD-27]. *Forest Laboratories - Clinical Study Register* [[www.forestclinicaltrials.com](http://www.forestclinicaltrials.com)].
- 8 FOREST LABORATORIES 2005. A randomized double-blind placebo-controlled trial of citalopram in depressed patients at least 75 years of age. <http://www.forestclinicaltrials.com/>.
- 9 FORTNEY, J., PYNE, J., EDLUND, M., WILLIAMS, D., ROBINSON, D., MITTAL, D. & AL., E. 2007. A randomized trial of telemedicine-based collaborative care for depression. *Journal of General Internal Medicine* 22, 1086-93.
- 10 FORTNEY, J. C., MACIEJEWSKI, M. L., TRIPATHI, S. P., DEEN, T. L. & PYNE, J. M. 2011. A budget impact analysis of telemedicine-based collaborative care for depression. *Medical Care*, 49, 872-80.
- 11 FORTNEY, J. C., PYNE, J. M., MOUDEN, S. B., MITTAL, D., HUDSON, T. J., SCHROEDER, G. W., WILLIAMS, D. K., BYNUM, C. A., MATTOX, R. & ROST, K. M. 2013. Practice-based versus telemedicine-based collaborative care for depression in rural federally qualified health centers: a pragmatic randomized comparative effectiveness trial. *The American Journal of Psychiatry*, 170, 414-25.
- 12 FOUNTOULAKIS, K. N. & MÖLLER, H.-J. 2010. Efficacy of antidepressants: a re-analysis and re-interpretation of the Kirsch data. *The International Journal of Neuropsychopharmacology*, 14, 405-412.
- 13 FOURNIER, J. C., DERUBEIS, R. J., HOLLON, S. D., DIMIDJIAN, S., AMSTERDAM, J. D., SHELTON, R. C. & FAWCETT, J. 2010. Antidepressant drug effects and depression severity: a patient-level meta-analysis. *JAMA*, 303, 47.
- 14 FOURNIER, J. C., DERUBEIS, R. J., HOLLON, S. D., GALLOP, R., SHELTON, R. C. & AMSTERDAM, J. D. 2013. Differential change in specific depressive symptoms during antidepressant medication or cognitive therapy. *Behaviour Research and Therapy*, 51, 392-8.
- 15 FRANCOIS, C., NIELSEN, R. Z., DANCHENKO, N., WILLIAMS, V. & LANCON, C. 2015. The effect of vortioxetine on family functioning in adults with major depressive disorder. *Value in health*, 18, A124.
- 16 FRANK, E., CASSANO, G. B., RUCCI, P., THOMPSON, W. K., KRAEMER, H. C., FAGIOLINI, A., MAGGI, L., KUPFER, D. J., SHEAR, M. K., HOUCK, P. R., CALUGI, S., GROCHOCINSKI, V. J., SCOCICO, P., BUTTENFIELD, J. & FORGIONE, R. N. 2011.

- 1 Predictors and moderators of time to remission of major depression with interpersonal psychotherapy and SSRI pharmacotherapy. *Psychological Medicine*, 41, 151-62.
- 3 FRANK, E., KUPFER, D. J., PEREL, J. M., CORNES, C., JARRETT, D. B., MALLINGER, A.
- 4 G., THASE, M. E., MCEACHRAN, A. B. & GROCHOCINSKI, V. J. 1990. Three-year
- 5 outcomes for maintenance therapies in recurrent depression. *Arch Gen Psychiatry*, 47, 1093-6 9.
- 7 FRANK, E., PRIEN, R. F., JARRETT, R. B., KELLER, M. B., KUPFER, D. J., LAVORI, P. W.,
- 8 RUSH, A. J. & WEISSMAN, M. M. 1991. Conceptualization and rationale for consensus
- 9 definitions of terms in major depressive disorder. Remission, recovery, relapse, and
- 10 recurrence. *Arch Gen Psychiatry*, 48, 851-5.
- 11 FREEMAN, C. 2013. Cognitive adverse effects of ECT. In: WAITE, J. & EASTON, A. (eds.)
- 12 *The ECT handbook*. Third edition ed.: RCPsych Publications.
- 13 FREEMAN, M. P., MARSHALL, R., MEMISOGLU, A., LEIGH-PEMBERTON, R., EHRICH, E.
- 14 W., THASE, M. E., TRIVEDI, M., BODKIN, J. A. & FAVA, M. 2013. ALKS 5461, a novel
- 15 opioid modulator, produces remission and decreases core depressive symptoms and
- 16 anhedonia as an adjunctive treatment: A sequential parallel comparison design trial in
- 17 inadequate responders to antidepressants. *Neuropsychopharmacology*, 38, S234-S235.
- 18 FREIRE, E., WILLIAMS, C., MESSOW, C. M., COOPER, M., ELLIOTT, R., MCCONNACHIE,
- 19 A., WALKER, A., HEARD, D. & MORRISON, J. 2015. Counselling versus low-intensity
- 20 cognitive behavioural therapy for persistent sub-threshold and mild depression (CLICD): A
- 21 pilot/feasibility randomised controlled trial. *BMC psychiatry*, 15.
- 22 FREUD, S. 1917 (reprinted). Mourning and melancholia. In: STRACHEY, J. (ed.) *The*
- 23 *standard edition of the complete psychological works of Sigmund Freud*. London: Hogarth
- 24 Press.
- 25 FRICCHIONE PARISE, V., ADDEO, L. & LAZZA, R. 2014. Therapeutic efficacy of generic
- 26 drugs versus branded antipsychotics and antidepressants: Comparative results. *European*
- 27 *Neuropsychopharmacology*, 24, S740-S741.
- 28 FUREY, M. L., DREVETS, W. C., HOFFMAN, E. M., FRANKEL, E., SPEER, A. M. &
- 29 ZARATE, C. A., JR. 2013. Potential of pretreatment neural activity in the visual cortex during
- 30 emotional processing to predict treatment response to scopolamine in major depressive
- 31 disorder. *JAMA Psychiatry*, 70, 280-90.
- 32 FURUKAWA, T. A., BARBUI, C., CIPRIANI, A., BRAMBILLA, P. & WATANABE, N. 2006.
- 33 Imputing missing standard deviations in meta-analyses can provide accurate results. *J Clin*
- 34 *Epidemiol*, 59, 7-10.
- 35 FURUKAWA, T. A., HORIKOSHI, M., KAWAKAMI, N., KADOTA, M., SASAKI, M., SEKIYA,
- 36 Y., HOSOGOSHI, H., KASHIMURA, M., ASANO, K., TERASHIMA, H., IWASA, K.,
- 37 NAGASAKU, M. & GROTHAUS, L. C. 2012. Telephone cognitive-behavioral therapy for
- 38 subthreshold depression and presenteeism in workplace: a randomized controlled trial. *PloS*
- 39 *ONE*, 7, e35330.
- 40 FURUKAWA, T. A., KITAMURA, T. & TAKAHASHI, K. 2000. Time to recovery of an
- 41 inception cohort with hitherto untreated unipolar major depressive episodes. *Br J Psychiatry*,
- 42 177, 331-5.
- 43 FURUKAWA, T. A., NOMA, H., CALDWELL, D. M., HONYASHIKI, M., SHINOHARA, K.,
- 44 IMAI, H., CHEN, P., HUNOT, V. & CHURCHILL, R. 2014. Waiting list may be a nocebo
- 45 condition in psychotherapy trials: a contribution from network meta-analysis. *Acta Psychiatr*
- 46 *Scand*, 130, 181-92.

- 1 GAHR, M. 2014. Agomelatine in the treatment of major depressive disorder: An assessment of benefits and risks. *Current Neuropharmacology*, 12, 387-398.
- 3 GALANTE, J., IRIBARREN, S. J. & PEARCE, P. F. 2013. Effects of mindfulness-based cognitive therapy on mental disorders: A systematic review and meta-analysis of randomised controlled trials. *Journal of Research in Nursing*, 18, 133-155.
- 6 GANSLER, D. A., SUVAK, M., AREAN, P. & ALEXOPOULOS, G. S. 2015. Role of executive dysfunction and dysexecutive behavior in late-life depression and disability. *The American Journal of Geriatric Psychiatry*, 23, 1038-1045.
- 9 GARLOW, S., NINAN, P. & NEMEROFF, C. 2010. The first time is best: Highest remission rate to SSRI antidepressant in first episode of treatment for depression. *Neuropsychopharmacology*, 35, S102-s103.
- 12 GARNOCK-JONES, K. P. 2014. Vortioxetine: A review of its use in major depressive disorder. *CNS Drugs*, 28, 855-874.
- 14 GASK, L., DOWRICK, C., DIXON, C., SUTTON, C., PERRY, R., TORGERSON, D. & USHERWOOD, T. 2004. A pragmatic cluster randomized controlled trial of an educational intervention for GPs in the assessment and management of depression. *Psychological Medicine*, 34, 63-72.
- 18 GASK, L., GOLDBERG, D., LESSER, A. L. & MILLAR, T. 1988. Improving the psychiatric skills of the general practice trainee: an evaluation of a group training course. *Medical Education*, 22, 132-138.
- 21 GASK, L., ROGERS, A., OLIVER, D., MAY, C. & ROLAND, M. 2003. Qualitative study of patients' perceptions of the quality of care for depression in general practice. *Br J Gen Pract*, 53, 278-83.
- 24 GASK, L., SIBBALD, B. & CREED, F. 1997. Evaluating models of working at the interface between mental health services and primary care. *Br J Psychiatry*, 170, 6-11.
- 26 GATER, R., WAHEED, W., HUSAIN, N., TOMENSON, B., ASEEM, S. & CREED, F. 2010. Social intervention for British Pakistani women with depression: randomised controlled trial. *British Journal of Psychiatry*, 197, 227-33.
- 29 GAUDIANO, B. A., BUSCH, A. M., WENZE, S. J., NOWLAN, K., EPSTEIN-LUBOW, G. & MILLER, I. W. 2015. Acceptance-based behavior therapy for depression with psychosis: results from a pilot feasibility randomized controlled trial. *Journal of Psychiatric Practice*, 21, 320-33.
- 33 GAUDIANO, B. A. & MILLER, I. W. 2013. The evidence-based practice of psychotherapy: facing the challenges that lie ahead. *Clin Psychol Rev*, 33, 813-24.
- 35 GAUDIANO, B. A., NOWLAN, K., BROWN, L. A., EPSTEIN-LUBOW, G. & MILLER, I. W. 2013. An open trial of a new acceptance-based behavioral treatment for major depression with psychotic features. *Behavior Modification*, 37, 324-355.
- 38 GAWRYSIAK, M., NICHOLAS, C. & HOPKO, D. R. 2009. Behavioral activation for moderately depressed university students: Randomized controlled trial. *Journal of Counseling Psychology*, 56, 468-75.
- 41 GAYNES, B. N., LLOYD, S. W., LUX, L., GARTLEHNER, G., HANSEN, R. A., BRODE, S., JONAS, D. E., SWINSON EVANS, T., VISWANATHAN, M. & LOHR, K. N. 2014. Repetitive transcranial magnetic stimulation for treatment-resistant depression: a systematic review and meta-analysis. *J Clin Psychiatry*, 75, 477-89; quiz 489.

- 1 GAZEWOOD, J. D., SLAYTON, P. & DE GEORGE, K. 2013. Vilazodone (viibryd) for the treatment of depression. *American Family Physician*, 88, 263-264.
- 3 GEDDES, J. R., CARNEY, S. M., DAVIES, C., FURUKAWA, T. A., KUPFER, D. J., FRANK, E. & GOODWIN, G. M. 2003. Relapse prevention with antidepressant drug treatment in depressive disorders: a systematic review. *Lancet*, 361, 653-61.
- 6 GELENBERG, A. J., DUNNER, D. L., ROTHSCHILD, A. J., PEDERSEN, R., DORRIES, K. M. & NINAN, P. T. 2013. Sexual functioning in patients with recurrent major depressive disorder enrolled in the prevent study. *Journal of Nervous and Mental Disease*, 201, 266-273.
- 10 GELLATLY, J., BOWER, P., HENNESSY, S., RICHARDS, D., GILBODY, S. & LOVELL, K. 2007. What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. *Psychol Med*, 37, 1217-28.
- 13 GELLIS, Z. D., KENALEY, B. L. & HAVE, T. T. 2014. Integrated telehealth care for chronic illness and depression in geriatric home care patients: The integrated telehealth education and activation of mood (I-TEAM) study. *Journal of the American Geriatrics Society*, 62, 889-895.
- 17 GENSCICHEN, J., BEYER, M., MUTH, C., GERLACH, F. M., VON KORFF, M. & ORMEL, J. 2006. Case management to improve major depression in primary health care: a systematic review. *Psychol Med*, 36, 7-14.
- 20 GENSCICHEN, J., VONKORFF, M., PEITZ, M., MUTH, C., BEYER, M., GUTHLIN, C. & AL, E. 2009. Case management for depression by health care assistants in small primary care practices: a cluster randomized trial. *Annals of Internal Medicine* 151, 369-378.
- 23 GERAEDTS ANNA, S., KLEIBOER ANNENET, M., TWISK, J., WIEZER NOORTJE, M., MECHELEN, W. & CUIJPERS, P. 2014. Long-term results of a Web-based guided self-help intervention for employees with depressive symptoms: Randomized controlled trial. *Journal of Medical Internet Research*, 16, 14-28.
- 27 GERBER, P. D., BARRETT, J. E., BARRETT, J. A., OXMAN, T. E., MANHEIMER, E., SMITH, R. & WHITING, R. D. 1992. The relationship of presenting physical complaints to depressive symptoms in primary care patients. *Journal of General Internal Medicine*, 7, 170-173.
- 31 GERHARDS, S. A., GRAAF, L. E., JACOBS, L. E., SEVERENS, J. L., HUIBERS, M. J., ARNTZ, A., RIPER, H., WIDDERSHOVEN, G., METSEMAKERS, J. F. & EVERS, S. M. 2010. Economic evaluation of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. *British Journal of Psychiatry*, 196, 310-8.
- 36 GERRETSEN, P., FLINT, A. J., WHYTE, E. M., ROTHSCHILD, A. J., MEYERS, B. S. & MULSANT, B. H. 2015. Impaired insight into delusions predicts treatment outcome during a randomized controlled trial for psychotic depression (STOP-PD study). *Journal of Clinical Psychiatry*, 76, 427-433.
- 40 GERTSIK, L., POLAND, R. E., BRESEE, C. & RAPAPORT, M. H. 2012. Omega-3 fatty acid augmentation of citalopram treatment for patients with major depressive disorder. *Journal of Clinical Psychopharmacology*, 32, 61-4.
- 43 GESCHWIND, N., PEETERS, F., HUIBERS, M., OS, J. & WICHERS, M. 2012. Efficacy of mindfulness-based cognitive therapy in relation to prior history of depression: randomised controlled trial. *British Journal of Psychiatry*, 201, 320-5.
- 46 GHAREKHANI, A., KHATAMI, M. R., DASHTI-KHAVIDAKI, S., RAZEGHI, E., NOORBALA, A. A., HASHEMI-NAZARI, S. S. & MANSOURNIA, M. A. 2014. The effect of omega-3 fatty

- 1 acids on depressive symptoms and inflammatory markers in maintenance hemodialysis  
2 patients: A randomized, placebo-controlled clinical trial. *European Journal of Clinical  
Pharmacology*, 70, 655-665.
- 4 GHIO, L., GOTELLI, S., MARCENARO, M., AMORE, M. & NATTA, W. 2014. Duration of  
5 untreated illness and outcomes in unipolar depression: A systematic review and meta-  
6 analysis. *Journal of Affective Disorders*, 152-154, 45-51.
- 7 GHOSH, R., GUPTA, R., BHATIA, M. S., TRIPATHI, A. K. & GUPTA, L. K. 2015.  
8 Comparison of efficacy, safety and brain derived neurotrophic factor (BDNF) levels in  
9 patients of major depressive disorder, treated with fluoxetine and desvenlafaxine. *Asian  
journal of psychiatry*, 18, 37-41.
- 11 GIACOBBE, P. 2014. Effectiveness and acceptability of deep brain stimulation (DBS) of the  
12 subgenual cingulate cortex for treatment-resistant depression: a systematic review and  
13 exploratory meta-analysis. *Journal of affective disorders*, 159, 31-38.
- 14 GIBBONS, M. B., THOMPSON, S. M., SCOTT, K., SCHAUBLE, L. A., MOONEY, T.,  
15 THOMPSON, D., GREEN, P., MACARTHUR, M. J. & CRITS-CHRISTOPH, P. 2012.  
16 Supportive-expressive dynamic psychotherapy in the community mental health system: a  
17 pilot effectiveness trial for the treatment of depression. *Psychotherapy*, 49, 303-16.
- 18 GILBODY, S. 2006. Should we screen for depression? *BMJ*, 332, 1027-1030.
- 19 GILBODY, S., BOWER, P., FLETCHER, J., RICHARDS, D. & SUTTON, A. J. 2006.  
20 Collaborative care for depression: a cumulative meta-analysis and review of longer-term  
21 outcomes. *Arch Intern Med*, 166, 2314-21.
- 22 GILBODY, S., LITTLEWOOD, E., HEWITT, C., BRIERLEY, G., THARMANATHAN, P.,  
23 ARAYA, R., BARKHAM, M., BOWER, P., COOPER, C., GASK, L., KESSLER, D., LESTER,  
24 H., LOVELL, K., PARRY, G., RICHARDS, D. A., ANDERSEN, P., BRABYN, S., KNOWLES,  
25 S., SHEPHERD, C., TALLON, D. & WHITE, D. 2015. Computerised cognitive behaviour  
26 therapy (cCBT) as treatment for depression in primary care (REEACT trial): Large scale  
27 pragmatic randomised controlled trial. *BMJ (Online)*, 351.
- 28 GILBODY, S., RICHARDS, D. & BARKHAM, M. 2007. Diagnosing depression in primary  
29 care using self-completed instruments: UK validation of PHQ-9 and CORE-OM. *Br J Gen  
Pract*, 57, 650-2.
- 31 GILBODY, S., RICHARDS, D., BREALEY, S. & HEWITT, C. 2007. Screening for depression  
32 in medical settings with the Patient Health Questionnaire (PHQ): a diagnostic meta-analysis.  
33 *J Gen Intern Med*, 22, 1596-602.
- 34 GILBODY, S., SHELDON, T. & HOUSE, A. 2008. Screening and case-finding instruments for  
35 depression: a meta-analysis. *Canadian Medical Association Journal*, 178, 997-1003.
- 36 GILBODY, S., WHITTY, P., GRIMSHAW, J. & THOMAS, R. 2003. Educational and  
37 organizational interventions to improve the management of depression in primary care.  
38 *JAMA*, 289, 3145.
- 39 GILES, D. E., JARRETT, R. B., BIGGS, M. M., GUZICK, D. S. & RUSH, A. J. 1989. Clinical  
40 predictors of recurrence in depression. *Am J Psychiatry*, 146, 764-7.
- 41 GILI, M., VICENS, C., ROCA, M., ANDERSEN, P. & MCMILLAN, D. 2015. Interventions for  
42 preventing relapse or recurrence of depression in primary health care settings: A systematic  
43 review. *Preventive Medicine*, 76, S16-S21.
- 44 GILLEN, R., TENNEN, H., MCKEE, T. E., GERNERT-DOTT, P. & AFFLECK, G. 2001.  
45 Depressive symptoms and history of depression predict rehabilitation efficiency in stroke  
46 patients. *Arch Phys Med Rehabil*, 82, 1645-9.

- 1 GINTY, A. T. & CONKLIN, S. M. 2015. Short-term supplementation of acute long-chain omega-3 polyunsaturated fatty acids may alter depression status and decrease symptomology among young adults with depression: A preliminary randomized and placebo controlled trial. *Psychiatry research*, 229, 485-9.
- 5 GINZBURG, K., EIN-DOR, T. & SOLOMON, Z. 2010. Comorbidity of posttraumatic stress disorder, anxiety and depression: a 20-year longitudinal study of war veterans. *J Affect Disord*, 123, 249-57.
- 8 GITLIN, L. N., HARRIS, L. F., MCCOY, M. C., CHERNETT, N. L., PIZZI, L. T., JUTKOWITZ, E., HESS, E. & HAUCK, W. W. 2013. A home-based intervention to reduce depressive symptoms and improve quality of life in older African Americans: a randomized trial. *Annals of Internal Medicine*, 159, 243-52.
- 12 GIVI, H. G., IMANI, H., AGH, A., RIK, N. M. & MEHRABADI, S. 2012. Efficiency of computerized cognitive behavioral therapy versus clinical intervention for the treatment of major depression. *Koomesh*, 13, 218-24.
- 15 GLASGOW, R. E. & ROSEN, G. M. 1978. Behavioral bibliotherapy: a review of self-help behavior therapy manuals. *Psychol Bull*, 85, 1-23.
- 17 GLASSMAN, A. H. & BIGGER, J. T., JR. 2001. Antipsychotic drugs: prolonged QTc interval, torsade de pointes, and sudden death. *Am J Psychiatry*, 158, 1774-82.
- 19 GLAUS, J., VANDELEUR, C. L., LASERRE, A. M., STRIPPOLI, M.-P. F., CASTELAO, E., GHOLAM-REZAEE, M., WAEBER, G., AUBRY, J.-M., VOLLENWEIDER, P. & PREISIG, M. 2015. Aspirin and statin use and the subsequent development of depression in men and women: Results from a longitudinal population-based study. *Journal of Affective Disorders*, 182, 126-131.
- 24 GODFRIN, K. A. & HEERINGEN, C. 2010. The effects of mindfulness-based cognitive therapy on recurrence of depressive episodes, mental health and quality of life: A randomized controlled study. *Behaviour Research & Therapy*, 48, 738-46.
- 27 GOETHE, J. W., WOOLLEY, S. B., CARDONI, A. A., WOZNICKI, B. A. & PIEZ, D. A. 2007. Selective serotonin reuptake inhibitor discontinuation: side effects and other factors that influence medication adherence. *J Clin Psychopharmacol*, 27, 451-8.
- 30 GOLDBERG, D., PRIVETT, M., USTUN, B., SIMON, G. & LINDEN, M. 1998. The effects of detection and treatment on the outcome of major depression in primary care: a naturalistic study in 15 cities. *Br J Gen Pract*, 48, 1840-4.
- 33 GOLDBERG, D. & WILLIAMS, P. 1991. *A user's guide to the general health questionnaire*, NFER-Nelson.
- 35 GOLDBERG, D. P. & BRIDGES, K. 1988. Somatic presentations of psychiatric illness in primary care setting. *Journal of Psychosomatic Research*, 32, 137-144.
- 37 GOLDBERG, D. P. & HUXLEY, P. 1980. *Mental illness in the community : the pathway to psychiatric care*, London ; New York, Tavistock Publications.
- 39 GOLDBERG, D. P. & HUXLEY, P. 1992. *Common mental disorders : a bio-social model*, London ; New York, Tavistock/Routledge.
- 41 GOLDBERG, D. P., JENKINS, L., MILLAR, T. & FARAGHER, E. B. 1993. The ability of trainee general practitioners to identify psychological distress among their patients. *Psychological Medicine*, 23, 185.
- 44 GOLDBERG, J. F. 2014. A practical approach to subtyping depression among your patients. *Current Psychiatry*, 13, 41-46.

- 1 GONÇALVES, D. C., ALBUQUERQUE, P. B. & PAUL, C. 2009. Life review with older women: an intervention to reduce depression and improve autobiographical memory. *Aging Clinical and Experimental Research*, 21, 369-71.
- 4 GONZALES, L. R., LEWINSOHN, P. M. & CLARKE, G. N. 1985. Longitudinal follow-up of unipolar depressives: an investigation of predictors of relapse. *J Consult Clin Psychol*, 53, 461-9.
- 7 GOODWIN, G. 2000. Neurobiological aetiology of mood disorders. In: GELDER, M. G., LOPEZ-IBOR, J. J. & ANDREASEN, N. C. (eds.) *New Oxford textbook of psychiatry*. Oxford: Oxford University Press.
- 10 GOODWIN, G. M., BOYER, P., EMSLEY, R., ROUILLON, F. & DE BODINAT, C. 2013. Is it time to shift to better characterization of patients in trials assessing novel antidepressants? An example of two relapse prevention studies with agomelatine. *International Clinical Psychopharmacology*, 28, 20-28.
- 14 GOODWIN, G. M., EMSLEY, R., REMBRY, S. & ROUILLON, F. 2009. Agomelatine prevents relapse in patients with major depressive disorder without evidence of a discontinuation syndrome: a 24-week randomized, double-blind, placebo-controlled trial. *Journal of Clinical Psychiatry*, 70, 1128-37.
- 18 GOORDEN, M., HUIJBREGTS, K. M. L., VAN MARWIJK, H. W. J., BEEKMAN, A. T. F., FELTZ-CORNELIS, C. M. & HAKKAART-VAN ROIJEN, L. 2015. Cost-utility of collaborative care for major depressive disorder in primary care in the Netherlands. *Journal of Psychosomatic Research*, 79, 316-323.
- 22 GOORDEN, M., VLASVELD, M. C., ANEMA, J. R., VAN MECHELEN, W., BEEKMAN, A. T., HOEDEMAN, R., FELTZ-CORNELIS, C. M. & HAKKAART-VAN ROIJEN, L. 2014. Cost-utility analysis of a collaborative care intervention for major depressive disorder in an occupational healthcare setting. *Journal of occupational rehabilitation*, 24, 555-562.
- 26 GOTINK, R. A., CHU, P., BUSSCHBACH, J. J. V., BENSON, H., FRICCHIONE, G. L. & HUNINK, M. G. M. 2015. Standardised mindfulness-based interventions in healthcare: An overview of systematic reviews and meta-analyses of RCTs. *PLoS ONE*, 10.
- 29 GOTTSCHALK, M. G., WESSELING, H., GUEST, P. C. & BAHN, S. 2014. Proteomic enrichment analysis of psychotic and affective disorders reveals common signatures in presynaptic glutamatergic signaling and energy metabolism. *Int J Neuropsychopharmacol*, 18.
- 33 GOYAL, N. & GOMENI, R. 2013. Exposure-Response modeling of anti-depressant treatments: The confounding role of placebo effect. *Journal of Pharmacokinetics and Pharmacodynamics*, 40, 389-399.
- 36 GRAAF, L. E., GERHARDS, S. A., ARNTZ, A., RIPER, H., METSEMAKERS, J. F., EVERS, S. M., SEVERENS, J. L., WIDDERSHOVEN, G. & HUIBERS, M. J. 2009. Clinical effectiveness of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. *British Journal of Psychiatry*, 195, 73-80.
- 40 GRAAF, L. E., GERHARDS, S. A., ARNTZ, A., RIPER, H., METSEMAKERS, J. F., EVERS, S. M., SEVERENS, J. L., WIDDERSHOVEN, G. & HUIBERS, M. J. 2011. One-year follow-up results of unsupported online computerized cognitive behavioural therapy for depression in primary care: A randomized trial. *Journal of Behavior Therapy and Experimental Psychiatry*, 42, 89-95.
- 45 GRAAF, L. E., HOLLON, S. D. & HUIBERS, M. J. 2010. Predicting outcome in computerized cognitive behavioral therapy for depression in primary care: A randomized trial. *Journal of Consulting and Clinical Psychology*, 78, 184-9.

- 1 GRANDE DA SILVA, G., WIENER, C. D., BARBOSA, L. P., GONCALVES ARAUJO, J. M.,  
2 MOLINA, M. L., SAN MARTIN, P., OSES, J. P., JANSEN, K., DIAS DE MATTOS SOUZA, L.  
3 & AZEVEDO DA SILVA, R. 2016. Pro-inflammatory cytokines and psychotherapy in  
4 depression: Results from a randomized clinical trial. *Journal of psychiatric research*, 75, 57-  
5 64.
- 6 GRANT, B. F., CHOU, S. P., GOLDSTEIN, R. B., HUANG, B., STINSON, F. S., SAHA, T. D.,  
7 SMITH, S. M., DAWSON, D. A., PULAY, A. J., PICKERING, R. P. & RUAN, W. J. 2008.  
8 Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder:  
9 results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *J  
10 Clin Psychiatry*, 69, 533-45.
- 11 GRAY, J., HAJI ALI AFZALI, H., BEILBY, J., HOLTON, C., BANHAM, D. & KARNON, J.  
12 2014. Practice nurse involvement in primary care depression management: an observational  
13 cost-effectiveness analysis. *BMC Family Practice*, 15, 10.
- 14 GREEN, C., RICHARDS, D. A., HILL, J. J., GASK, L., LOVELL, K., CHEW-GRAHAM, C.,  
15 BOWER, P., CAPE, J., PILLING, S., ARAYA, R., KESSLER, D., BLAND, J. M., GILBODY,  
16 S., LEWIS, G., MANNING, C., HUGHES-MORLEY, A. & BARKHAM, M. 2014. Cost-  
17 effectiveness of collaborative care for depression in UK primary care: Economic evaluation of  
18 a randomised controlled trial (CADET). *PLoS ONE*, 9, e104225.
- 19 GREENBERG, J. R. & MITCHELL, S. A. 1983. *Object relations in psychoanalytic theory*,  
20 Cambridge, Mass., Harvard University Press.
- 21 GREENBERG, P. E., FOURNIER, A.-A., SISITSKY, T., PIKE, C. T. & KESSLER, R. C. 2015.  
22 The economic burden of adults with major depressive disorder in the United States (2005  
23 and 2010). *The Journal of Clinical Psychiatry*, 155-162.
- 24 GREENE, R., PUGH, R. & ROBERTS, D. 2008. Black and minority ethnic parents with  
25 mental health problems and their children. *Research Briefing*. Social Care Institute for  
26 Excellence.
- 27 GREENHALGH, J., KNIGHT, C., HIND, D., BEVERLEY, C. & WALTERS, S. 2005. Clinical  
28 and cost-effectiveness of electroconvulsive therapy for depressive illness, schizophrenia,  
29 catatonia and mania: Systematic reviews and economic modelling studies. *Health  
30 Technology Assessment*, 9.
- 31 GRIFFITHS, K. M., MACKINNON, A. J., CRISP, D. A., CHRISTENSEN, H., BENNETT, K. &  
32 FARRER, L. 2012. The effectiveness of an online support group for members of the  
33 community with depression: a randomised controlled trial. *PloS ONE*, 7, e53244.
- 34 GRILO, C. M., WHITE, M. A. & MASHEB, R. M. 2009. DSM-IV psychiatric disorder  
35 comorbidity and its correlates in binge eating disorder. *Int J Eat Disord*, 42, 228-34.
- 36 GROUP, M. R. 2005. Do patients want to disclose psychological problems to GPs? *Family  
37 Practice*, 22, 631-637.
- 38 GROUP, M. R. 2005. The effectiveness of case-finding for mental health problems in primary  
39 care. *Br J Gen Pract*, 55, 665-9.
- 40 GROUP, U. E. R. 2003. Efficacy and safety of electroconvulsive therapy in depressive  
41 disorders: a systematic review and meta-analysis. *Lancet*, 361, 799-808.
- 42 GUASP, A. 2010. *Lesbian, gay & bisexual people in later life*, London, Stonewall.
- 43 GUERTZENSTEIN, E. 2013. Electroconvulsive therapy (ECT) versus repetitive transcranial  
44 magnetic stimulation (RTMS) in pharmacoresistant drug-free patients with unipolar non-  
45 psychotic chronic and severe depression. *Neuromodulation*, 16 (5), e115.

- 1 GUICO-PABIA, C. J. 2014. Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with major depressive disorder. *Journal of Affective Disorders*, 166, 307-14.
- 4 GULLIFORD, M., FIGUEROA-MUNOZ, J., MORGAN, M., HUGHES, D., GIBSON, B., BEECH, R. & HUDSON, M. 2002. What does 'access to health care' mean? *J Health Serv Res Policy*, 7, 186-8.
- 7 GULREZ, G., BADYAL, D. K., DESWAL, R. S. & SHARMA, A. 2012. Bupropion as an augmenting agent in patients of depression with partial response. *Basic & Clinical Pharmacology & Toxicology*, 110, 227-30.
- 10 GUNN, J., DIGGENS, J., HEGARTY, K. & BLASHKI, G. 2006. A systematic review of complex system interventions designed to increase recovery from depression in primary care. *BMC Health Serv Res*, 6, 88.
- 13 GUNN, J., ELLIOTT, P., DENSLY, K., MIDDLETON, A., AMBRESIN, G., DOWRICK, C., HERRMAN, H., HEGARTY, K., GILCHRIST, G. & GRIFFITHS, F. 2013. A trajectory-based approach to understand the factors associated with persistent depressive symptoms in primary care. *Journal of Affective Disorders*, 148, 338-46.
- 17 GUO, P., GUO, H. & JIA, J. 2005. Comparison of mirtazapine versus clomipramine in maintenance treatment of depression. *Journal of Clinical Psychological Medicine*, 15, 152-3.
- 19 GUO, T., YA, T., GUO, Z., ZHANG, W., YANG, X., MA, W., YINGGE, A. & HE, X. 2015. Are early interventions beneficial for depressive status? A pragmatic randomized controlled trial. *Integrative Medicine Research*, 4, 25.
- 22 GUY, W. 1976. *Early clinical drug evaluation programme assessment manual for psychopharmacology - Revised*, Rockville, MD, US Department of Health, Education, and Welfare, Public Health Service, Alcohol, Drug Abuse, and Mental Health Administration, NIMH.
- 26 GUYATT, G., OXMAN, A. D., AKL, E. A., KUNZ, R., VIST, G., BROZEK, J., NORRIS, S., FALCK-YTTER, Y., GLASZIOU, P., DEBEER, H., JAESCHKE, R., RIND, D., MEERPOHL, J., DAHM, P. & SCHUNEMANN, H. J. 2011. GRADE guidelines: 1. Introduction-GRADE evidence profiles and summary of findings tables. *J Clin Epidemiol*, 64, 383-94.
- 30 GÜZEL ÖZDEMİR, P., BOYSAN, M., SMOLENSKY, M. H., SELVI, Y., AYDIN, A. & YILMAZ, E. 2015. Comparison of venlafaxine alone versus venlafaxine plus bright light therapy combination for severe major depressive disorder. *The Journal of clinical psychiatry*, 76, e645-54.
- 34 HALE, A., CORRAL, R. M., MENCACCI, C., RUIZ, J. S., SEVERO, C. A. & GENTIL, V. 2010. Superior antidepressant efficacy results of agomelatine versus fluoxetine in severe MDD patients: a randomized, double-blind study. *International Clinical Psychopharmacology*, 25, 305-14.
- 38 HALEY, C. L., SUNG, S. C., RUSH, A., TRIVEDI, M. H., WISNIEWSKI, S. R., LUTHER, J. F. & KORNSTEIN, S. G. 2013. The clinical relevance of self-reported premenstrual worsening of depressive symptoms in the management of depressed outpatients: A STAR\*D report. *Journal of Women's Health*, 22, 219-229.
- 42 HALLGREN, M., KRAEPELIEN, M., OJEHAGEN, A., LINDEFORS, N., ZEEBARI, Z., KALDO, V. & FORSELL, Y. 2015. Physical exercise and internet-based cognitive-behavioural therapy in the treatment of depression: Randomised controlled trial. *British journal of psychiatry*, 207, 227-34.

- 1 HAMMEN, C., HENRY, R. & DALEY, S. E. 2000. Depression and sensitization to stressors among young women as a function of childhood adversity. *Journal of Consulting and Clinical Psychology*, 68, 782-787.
- 4 HAN, C. & PAE, C.-U. 2013. Oral scopolamine augmentation for major depression. *Expert Review of Neurotherapeutics*, 13, 19-21.
- 6 HAN, C., WANG, S. M., KATO, M., LEE, S. J., PATKAR, A. A., MASAND, P. S. & PAE, C. U. 2013. Second-generation antipsychotics in the treatment of major depressive disorder: Current evidence. *Expert Review of Neurotherapeutics*, 13, 851-870.
- 9 HANSEN, D. G., VACH, W., ROSHOLM, J. U., SONDERGAARD, J., GRAM, L. F. & KRAGSTRUP, J. 2004. Early discontinuation of antidepressants in general practice: association with patient and prescriber characteristics. *Fam Pract*, 21, 623-9.
- 12 HANSEN, H. V., CHRISTENSEN, E. M., DAM, H., GLUUD, C., WETTERSLEV, J. & KESSING, L. V. 2012. The effects of centralised and specialised intervention in the early course of severe unipolar depressive disorder: a randomised clinical trial. *PloS ONE*, 7, e32950.
- 16 HANSEN, R., GAYNES, B., THIEDA, P., GARTLEHNER, G., DEVEAUGH-GEISS, A., KREBS, E. & LOHR, K. 2013. Meta-analysis of major depressive disorder relapse and recurrence with second-generation antidepressants. *Major depressive disorder: Maintenance of certification workbook*. Arlington, VA: American Psychiatric Publishing, Inc ; US.
- 20 HANSGEN, K. D. & VESPER, J. 1996. Antidepressive effectiveness of a highly dosed hypericum extract. *Munchener Medizinische Wochenschrift*, 138, 35-39.
- 22 HANSGEN, K. D., VESPER, J. & PLOCH, M. 1993. Multicentre double blind study examining the antidepressant effectiveness of the hypericum extract LI 160. *Nervenheilkunde*, 12, 285-289.
- 25 HANSGEN, K. D., VESPER, J. & PLOCH, M. 1994. Multicenter double-blind study examining the antidepressant effectiveness of the hypericum extract LI 160. *J Geriatr Psychiatry Neurol*, 7 Suppl 1, S15-8.
- 28 HARDEVELD, F., SPIJKER, J., DE GRAAF, R., NOLEN, W. A. & BEEKMAN, A. T. 2010. Prevalence and predictors of recurrence of major depressive disorder in the adult population. *Acta Psychiatr Scand*, 122, 184-91.
- 31 HARDEVELD, F., SPIJKER, J., DE GRAAF, R., NOLEN, W. A. & BEEKMAN, A. T. 2013. Recurrence of major depressive disorder and its predictors in the general population: results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Psychol Med*, 43, 39-48.
- 35 HARDY, G. E., BARKHAM, M., SHAPIRO, D. A., STILES, W. B., REES, A. & REYNOLDS, S. 1995. Impact of Cluster C personality disorders on outcomes of contrasting brief psychotherapies for depression. *J Consult Clin Psychol*, 63, 997-1004.
- 38 HARINGSMA, R., ENGELS, G. I., BEEKMAN, A. T. & SPINHOVEN, P. 2004. The criterion validity of the Center for Epidemiological Studies Depression Scale (CES-D) in a sample of self-referred elders with depressive symptomatology. *Int J Geriatr Psychiatry*, 19, 558-63.
- 41 HARRIS, T. O. 2000. Introduction to the work of George Brown. In: HARRIS, T. O. (ed.) *Where inner and outer worlds meet : psychosocial research in the tradition of George W. Brown*. London, New York: Routledge.
- 44 HARTLEY, S. & QUERA-SALVA, M.-A. 2014. Implication of circadian rhythms and melatonin in major depressive disorder: The evidence base for new antidepressant treatment. *Current Psychiatry Reviews*, 10, 223-234.

- 1 HASHEMI, S. N., GHAFARIAN SHIRAZI, H. R., MOHAMMADI, A., ZADEH-BAGHERI, G. H.,  
2 NOORIAN, K. H. & MALEKZADEH, M. 2012. Nortriptyline versus fluoxetine in the treatment  
3 of major depressive disorder: A six-month, double-blind clinical trial. *Clinical Pharmacology:*  
4 *Advances and Applications*, 4, 1-6.
- 5 HASIN, D. S., GOODWIN, R. D., STINSON, F. S. & GRANT, B. F. 2005. Epidemiology of  
6 major depressive disorder. *Archives of General Psychiatry*, 62, 1097.
- 7 HAWLEY, C. & GALE, T. 2001. St. John's wort was not better than placebo for reducing  
8 depression scores. *ACP Journal Club*, 135, 103.
- 9 HAWLEY, L. L., ZUROFF, D. C., BROZINA, K., HO, M.-H. R. & DOBSON, K. S. 2014. Self-  
10 critical perfectionism and stress reactivity following cognitive behavioral therapy for  
11 depression. *International Journal of Cognitive Therapy*, 7, 287-303.
- 12 HAYHURST, H., COOPER, Z., PAYKEL, E. S., VEARNALS, S. & RAMANA, R. 1997.  
13 Expressed emotion and depression. A longitudinal study. *Br J Psychiatry*, 171, 439-43.
- 14 HEDRICK, S. C., CHANEY, E. F., FELKER, B., LIU, C. F., HASENBERG, N., HEAGERTY,  
15 P., BUCHANAN, J., BAGALA, R., GREENBERG, D., PADEN, G., FIHN, S. D. & KATON, W.  
16 2003. Effectiveness of collaborative care depression treatment in Veterans' Affairs primary  
17 care. *J Gen Intern Med*, 18, 9-16.
- 18 HEES, H. L., VRIES, G., KOETER, M. W. & SCHENE, A. H. 2013. Adjuvant occupational  
19 therapy improves long-term depression recovery and return-to-work in good health in sick-  
20 listed employees with major depression: results of a randomised controlled trial.  
21 *Occupational and Environmental Medicine*, 70, 252-60.
- 22 HEGERL, U., HAUTZINGER, M., MERGL, R., KOHNEN, R., SCHÜTZE, M.,  
23 SCHEUNEMANN, W., ALLGAIER, A. K., COYNE, J. & HENKEL, V. 2010. Effects of  
24 pharmacotherapy and psychotherapy in depressed primary-care patients: a randomized,  
25 controlled trial including a patients' choice arm. *International Journal of  
Neuropsychopharmacology*, 13, 31-44.
- 27 HELEN, L., ALTSTEIN, L., OLMSTEAD, ERCOLI, L., RIPARETTI-BROWN, M. & STCYR, N.  
28 2011. Complementary use of Tai Chi Chih augments escitalopram treatment of geriatric  
29 depression: A randomized controlled trial. *American Journal of Geriatric Psychiatry*, 19, 839-  
30 50.
- 31 HELLERSTEIN, D. J., BATCHELDER, S. T., HYLER, S., ARNAOUT, B., TOBA, C., BENGA,  
32 I. & GANGURE, D. 2010. Escitalopram versus placebo in the treatment of dysthymic  
33 disorder. *International Clinical Psychopharmacology*, 25, 143-8.
- 34 HELLERSTEIN, D. J., ERICKSON, G., STEWART, J. W., MCGRATH, P. J., HUNNICUTT-  
35 FERGUSON, K., REYNOLDS, S. K., O'SHEA, D., CHEN, Y., WITHERS, A. & WANG, Y.  
36 2014. Behavioral activation therapy for return to work in medication-responsive chronic  
37 depression with persistent psychosocial dysfunction. *Comprehensive Psychiatry Nov*, No  
38 Pagination Specified.
- 39 HELLERSTEIN, D. J., ROSENTHAL, R. N., PINSKER, H., SAMSTAG, L. W., MURAN, J. C.  
40 & WINSTON, A. 1998. A randomized prospective study comparing supportive and dynamic  
41 therapies. Outcome and alliance. *J Psychother Pract Res*, 7, 261-71.
- 42 HELLERSTEIN, D. J., STEWART, J. W., MCGRATH, P. J., DELIYANNIDES, D. A.,  
43 BATCHELDER, S. T., BLACK, S. R., WITHERS, A., O'SHEA, D. & CHEN, Y. 2012. A  
44 randomized controlled trial of duloxetine versus placebo in the treatment of nonmajor chronic  
45 depression. *Journal of Clinical Psychiatry*, 73, 984-91.
- 46 HEMERYCK, A. & BELPAIRE, F. M. 2002. Selective serotonin reuptake inhibitors and  
47 cytochrome P-450 mediated drug-drug interactions: an update. *Curr Drug Metab*, 3, 13-37.

- 1 HENRY, J. A., ALEXANDER, C. A. & SENER, E. K. 1995. Relative mortality from overdose of antidepressants. *BMJ*, 310, 221-4.
- 3 HEUN, R., AHOKAS, A., BOYER, P., GIMÉNEZ-MONTESINOS, N., PONTES-SOARES, F. & OLIVIER, V. 2013. The efficacy of agomelatine in elderly patients with recurrent major depressive disorder: a placebo-controlled study. *Journal of Clinical Psychiatry*, 74, 587-94.
- 6 HEWETT, K., CHRZANOWSKI, W., SCHMITZ, M., SAVELA, A., MILANOVA, V., GEE, M., KRISHEN, A., MILLEN, L., LEARY, M. O. & MODELL, J. 2009. Eight-week, placebo-controlled, double-blind comparison of the antidepressant efficacy and tolerability of bupropion XR and venlafaxine XR. *Journal of Psychopharmacology*, 23, 531-8.
- 10 HEWETT, K., GEE, M. D., KRISHEN, A., WUNDERLICH, H. P., CLUS, A., EVONIUK, G. & MODELL, J. G. 2010. Double-blind, placebo-controlled comparison of the antidepressant efficacy and tolerability of bupropion XR and venlafaxine XR. *Journal of Psychopharmacology*, 24, 1209-16.
- 14 HIGGINS, J. & GREEN, S. (eds.) 2011. *Cochrane handbook for systematic reviews of interventions Version 5.1.0 (updated March 2011)*: The Cochrane Collaboration, Available from [www.cochrane-handbook.org](http://www.cochrane-handbook.org).
- 17 HIGUCHI, T., HONG, J. P., JUNG, H. Y., WATANABE, Y., KUNITOMI, T. & KAMIJIMA, K. 2011. Paroxetine controlled-release formulation in the treatment of major depressive disorder: a randomized, double-blind, placebo-controlled study in Japan and Korea. *Psychiatry and Clinical Neurosciences*, 65, 655-63.
- 21 HIGUCHI, T., KAMIJIMA, K., NAKAGOME, K., ITAMURA, R., ASAMI, Y., KURIBAYASHI, K. & IMAEDA, T. 2016. A randomized, double-blinded, placebo-controlled study to evaluate the efficacy and safety of venlafaxine extended release and a long-term extension study for patients with major depressive disorder in Japan. *International clinical psychopharmacology*, 31, 8-19.
- 26 HILLHOUSE, T. M. & PORTER, J. H. 2015. A brief history of the development of antidepressant drugs: From monoamines to glutamate. *Experimental and Clinical Psychopharmacology*, 23, 1-21.
- 29 HIRSCHFELD, R. M. 1999. Personality disorders and depression: comorbidity. *Depress Anxiety*, 10, 142-6.
- 31 HO, F. Y., YEUNG, W. F., NG, T. H. & CHAN, C. S. 2016. The efficacy and cost-effectiveness of stepped care prevention and treatment for depressive and/or anxiety disorders: A systematic review and meta-analysis. *Sci Rep*, 6, 29281.
- 34 HODGE, S. & BULEY, N. 2014. ECTAS Fifth National Report. London: Royal College of Psychiatrists.
- 36 HOFFMAN, B. M., BABYAK, M. A., CRAIGHEAD, W. E., SHERWOOD, A., DORAISWAMY, P. M., COONS, M. J. & BLUMENTHAL, J. A. 2011. Exercise and pharmacotherapy in patients with major depression: one-year follow-up of the SMILE study. *Psychosomatic Medicine*, 73, 127-33.
- 40 HOIFODT, R. S., LILLEVOLL, K. R., GRIFFITHS, K. M., WILSGAARD, T., EISEMANN, M., WATERLOO, K. & KOLSTRUP, N. 2013. The clinical effectiveness of web-based cognitive behavioral therapy with face-to-face therapist support for depressed primary care patients: randomized controlled trial. *Journal of Medical Internet Research*, 15, e153.
- 44 HOLLANDARE, F., ANTHONY, S. A., RANDESTAD, M., TILLFORS, M., CARLBRING, P., ANDERSSON, G. & ENGSTROM, I. 2013. Two-year outcome of internet-based relapse prevention for partially remitted depression. *Behaviour Research & Therapy*, 51, 719-22.

- 1 HOLLÄNDARE, F., JOHNSSON, S., RANDESTAD, M., TILLFORS, M., CARLBRING, P.,  
2 ANDERSSON, G. & ENGSTRÖM, I. 2011. Randomized trial of Internet-based relapse  
3 prevention for partially remitted depression. *Acta Psychiatrica Scandinavica*, 124, 285-94.
- 4 HOLLINGHURST, S., CARROLL, F. E., ABEL, A., CAMPBELL, J., GARLAND, A., JERROM,  
5 B., KESSLER, D., KUYKEN, W., MORRISON, J., RIDGWAY, N., THOMAS, L., TURNER, K.,  
6 WILLIAMS, C., PETERS, T. J., LEWIS, G. & WILES, N. 2014. Cost-effectiveness of  
7 cognitive-behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant  
8 depression in primary care: Economic evaluation of the CoBALT Trial. *British Journal of  
9 Psychiatry*, 204, 69-76.
- 10 HOLLINGHURST, S., PETERS, T. J., KAUR, S., WILES, N., LEWIS, G. & KESSLER, D.  
11 2010. Cost-effectiveness of therapist-delivered online cognitive-behavioural therapy for  
12 depression: Randomised controlled trial. *British Journal of Psychiatry*, 197, 297-304.
- 13 HOLLON, S. D. & CUIJPERS, P. 2013. Reviewing psychological treatments for adult  
14 depression. *The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie*, 58,  
15 373-375.
- 16 HOLLON, S. D., DERUBEIS, R. J., FAWCETT, J., AMSTERDAM, J. D., SHELTON, R. C.,  
17 ZAJECKA, J., YOUNG, P. R. & GALLOP, R. 2014. Effect of cognitive therapy with  
18 antidepressant medications vs antidepressants alone on the rate of recovery in major  
19 depressive disorder: a randomized clinical trial. *JAMA Psychiatry*, 71, 1157-64.
- 20 HOLLON, S. D., STEWART, M. O. & STRUNK, D. 2006. Enduring effects for cognitive  
21 behavior therapy in the treatment of depression and anxiety. *Annu Rev Psychol*, 57, 285-  
22 315.
- 23 HOLMA, K. M., HOLMA, I. A., MELARTIN, T. K., RYTSALA, H. J. & ISOMETSA, E. T. 2008.  
24 Long-term outcome of major depressive disorder in psychiatric patients is variable. *J Clin  
Psychiatry*, 69, 196-205.
- 26 HOLMAN, A. J., SERFATY, M. A., LEURENT, B. E. & KING, M. B. 2011. Cost-effectiveness  
27 of cognitive behaviour therapy versus talking and usual care for depressed older people in  
28 primary care. *BMC Health Services Research*, 11, 33.
- 29 HOLMES, J. 2001. *The search for the secure base : attachment theory and psychotherapy*,  
30 Hove, East Sussex; Philadelphia, PA, Brunner-Routledge;Taylor & Francis.
- 31 HOOLEY, J. M. & TEASDALE, J. D. 1989. Predictors of relapse in unipolar depressives:  
32 expressed emotion, marital distress, and perceived criticism. *J Abnorm Psychol*, 98, 229-35.
- 33 HOPKO, D. R., LEJUEZ, C. W., RUGGIERO, K. J. & EIFERT, G. H. 2003. Contemporary  
34 behavioral activation treatments for depression: procedures, principles, and progress. *Clin  
Psychol Rev*, 23, 699-717.
- 36 HORRELL, L., GOLDSMITH, K. A., TYLEE, A. T., SCHMIDT, U. H., MURPHY, C. L.,  
37 BONIN, E. M., BEECHAM, J., KELLY, J., RAIKUNDALIA, S. & BROWN, J. S. L. 2014. One-  
38 day cognitive-behavioural therapy self-confidence workshops for people with depression:  
39 Randomised controlled trial. *British Journal of Psychiatry*, 204, 222-233.
- 40 HOSSEINI, F., AMINI, F., ARDEKANI, S. M. Y., SHARIAT, N. & NADI, M. 2015. Double-blind  
41 randomized clinical trial of the efficacy of venlafaxine versus citalopram in the treatment of  
42 the acute phase of major depressive disorder. *Iranian Journal of Psychiatry and Behavioral  
Sciences*, 9, 5-9.
- 44 HOULE, J., GASCON-DEPATIE, M., BELANGER-DUMONTIER, G. & CARDINAL, C. 2013.  
45 Depression self-management support: A systematic review. *Patient Education and  
Counseling*, 91, 271-279.

- 1 HOUSE, J., LISTER, M., MARASALI, P. & BROWN, J. Submitted 2017. Male views on help-seeking for depression: a Q methodology study.
- 3 HOWE, D. 1995. *Attachment theory for social work in practice*, Basingstoke, Palgrave.
- 4 HSCIC 2015. Annual report on the use of IAPT services 2014-15. In: COMMUNITY AND MENTAL HEALTH TEAM, H. (ed.). london: Health and Social Care Information Centre.
- 6 HSCIC 2015. Improving access to psychological therapies (IAPT). Health and Social Care Information Centre.
- 8 HSCIC 2016. Annual report on the use of IAPT services 2015-16. In: COMMUNITY AND MENTAL HEALTH TEAM, H. (ed.). london: Health and Social Care Information Centre.
- 10 HSIAO, F. H., JOW, G. M., LAI, Y. M., CHEN, Y. T., WANG, K. C., NG, S. M., HO, R. T., CHAN, C. L. & YANG, T. T. 2011. The long-term effects of psychotherapy added to pharmacotherapy on morning to evening diurnal cortisol patterns in outpatients with major depression. *Psychotherapy and Psychosomatics*, 80, 166-72.
- 14 HSU, J. W., SU, T. P., HUANG, C. Y., CHEN, Y. S. & CHOU, Y. H. 2011. Faster onset of antidepressant effects of citalopram compared with sertraline in drug-naïve first-episode major depressive disorder in a Chinese population: a 6-week double-blind, randomized comparative study. *Journal of Clinical Psychopharmacology*, 31, 577-81.
- 18 HUBER, D., HENRICH, G. & KLUG, G. 2013. Moderators of change in psychoanalytic, psychodynamic, and cognitive-behavioral therapy. *Journal of the American Psychoanalytic Association*, 61, 585-9.
- 21 HUDSON, T. J., FORTNEY, J. C., PYNE, J. M., LU, L. & MITTAL, D. 2015. Reduction of patient-reported antidepressant side effects, by type of collaborative care. *Psychiatric services (Washington, D.C.)*, 66, 272-8.
- 24 HUFFMAN, J. C., CELANO, C. M., BEACH, S. R., MOTIWALA, S. R. & JANUZZI, J. L. 2013. Depression and cardiac disease: epidemiology, mechanisms, and diagnosis. *Cardiovasc Psychiatry Neurol*, 2013, 695925.
- 27 HUIJBERS, M. J., SPINHOVEN, P., SPIJKER, J., RUHE, H. G., SCHAIK, D. J. F., OPPEN, P., NOLEN, W. A., ORMEL, J., KUYKEN, W., WILT, G. J., BLOM, M. B. J., SCHENE, A. H., DONDERS, A. R. T. & SPECKENS, A. E. M. 2015. Adding mindfulness-based cognitive therapy to maintenance antidepressant medication for prevention of relapse/recurrence in major depressive disorder: Randomised controlled trial. *Journal of affective disorders*, 187, 54-61.
- 33 HUIJBREGTS, K. M., JONG, F. J., MARWIJK, H. W., BEEKMAN, A. T., ADÈR, H. J., HAKKAART-VAN ROIJEN, L., UNÜTZER, J. & FELTZ-CORNELIS, C. M. 2013. A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. *Journal of Affective Disorders*, 146, 328-37.
- 38 HUO, Z. J., GUO, J. & LI, D. 2013. Effects of acupuncture with meridian acupoints and three anmian acupoints on insomnia and related depression and anxiety state. *Chinese Journal of Integrative Medicine*, 19, 187-191.
- 41 HUSAIN, N., CREED, F. & TOMENSON, B. 2000. Depression and social stress in Pakistan. *Psychol Med*, 30, 395-402.
- 43 HUSAIN, N., WAHEED, W., TOMENSON, B. & CREED, F. 2007. The validation of personal health questionnaire amongst people of Pakistani family origin living in the United Kingdom. *J Affect Disord*, 97, 261-4.

- 1 HVENEGAARD, M., WATKINS, E. R., GONDAN, M., GRAFTON, B. & MOELLER, S. B.
- 2 2015. Rumination-focused CBT versus CBT for depression (RuCoD-trial): A randomised
- 3 controlled trial. *49th Annual Convention of the Association for Behavioral and Cognitive*
- 4 *Therapies*. Chicago, USA.
- 5 IAPT 2017. Older people. London: NHS England.
- 6 ICICK, R., MILLET, E., CURIS, E., BELLIVIER, F. & LEPINE, J. P. 2014. Predictive value of
- 7 baseline resistance in early response to antidepressants. *Journal of Affective Disorders*, 161,
- 8 127-135.
- 9 INCE BURCIN, U., CUIJPERS, P., T HOF, E., BALLEGOOIJEN, W., CHRISTENSEN, H. &
- 10 RIPER, H. 2013. Internet-based, culturally sensitive, problem-solving therapy for Turkish
- 11 migrants with depression: Randomized controlled trial. *Journal of Medical Internet Research*,
- 12 15, 248-62.
- 13 INGRAM, A., SALING, M. M. & SCHWEITZER, I. 2008. Cognitive side effects of brief pulse
- 14 electroconvulsive therapy: a review. *J ECT*, 24, 3-9.
- 15 INSTITUTE OF MEDICINE (US) 2001. *Neurological, psychiatric, and developmental*
- 16 *disorders: Meeting the challenge in the developing world*, Washington (DC), Institute of
- 17 Medicine (US), Board on Global Health & Committee on Nervous System Disorders in
- 18 Developing Countries.
- 19 IONESCU, D. F., LUCKENBAUGH, D. A., NICIU, M. J., RICHARDS, E. M., SLONENA, E.
- 20 E., VANDE VOORT, J. L., BRUTSCHE, N. E. & ZARATE, C. A. 2014. Effect of baseline
- 21 anxious depression on initial and sustained antidepressant response to ketamine. *The*
- 22 *Journal of clinical psychiatry*, 75, e932-e938.
- 23 IWATA, N., TOURIAN, K. A., HWANG, E., MELE, L. & VIALET, C. 2013. Efficacy and safety
- 24 of desvenlafaxine 25 and 50 Mg/Day in a randomized, placebo-controlled study of depressed
- 25 outpatients. *Journal of Psychiatric Practice*, 19, 5-14.
- 26 JACOBSEN, P. L., MAHABLESHWARKAR, A. R., SERENKO, M., CHAN, S. & TRIVEDI, M.
- 27 H. 2015. A randomized, double-blind, placebo-controlled study of the efficacy and safety of
- 28 vortioxetine 10 mg and 20 mg in adults with major depressive disorder. *Journal of Clinical*
- 29 *Psychiatry*, 76, 575-582.
- 30 JACOBSON, N. S., FRUZZETTI, A. E., DOBSON, K., WHISMAN, M. & HOPS, H. 1993.
- 31 Couple therapy as a treatment for depression: II. The effects of relationship quality and
- 32 therapy on depressive relapse. *J Consult Clin Psychol*, 61, 516-9.
- 33 JACOBSON, N. S., MARTELL, C. R. & DIMIDJIAN, S. 2001. Behavioral activation treatment
- 34 for depression: Returning to contextual roots. *Clinical Psychology: Science and Practice*, 8,
- 35 255-270.
- 36 JADAD, A. R., MOORE, R. A., CARROLL, D., JENKINSON, C., REYNOLDS, D. J.,
- 37 GAVAGHAN, D. J. & MCQUAY, H. J. 1996. Assessing the quality of reports of randomized
- 38 clinical trials: is blinding necessary? *Control Clin Trials*, 17, 1-12.
- 39 JAEGER, J. 2014. Cognitive effects of antidepressants in depression. *European*
- 40 *Neuropsychopharmacology*, 24, S754.
- 41 JAGER, A.-M. & BRAKEMEIER, E.-L. 2014. The Cognitive Behavioral Analysis System of
- 42 Psychotherapy (CBASP) as treatment for chronic depression. *Zeitschrift fur Klinische*
- 43 *Psychologie und Psychotherapie: Forschung und Praxis*, 43, 259-269.
- 44 JAKOBSEN, J. C., KATAKAM, K. K., SCHOU, A., HELLMUTH, S. G., STALLKNECHT, S. E.,
- 45 LETH-MOLLER, K., IVERSEN, M., BANKE, M. B., PETERSEN, I. J., KLINGENBERG, S. L.,
- 46 KROGH, J., EBERT, S. E., TIMM, A., LINDSCHOU, J. & GLUUD, C. 2017. Selective

- 1 serotonin reuptake inhibitors versus placebo in patients with major depressive disorder. A systematic review with meta-analysis and Trial Sequential Analysis. *BMC Psychiatry*, 17, 58.
- 3 JAKOVLJEVIC, M. 2014. The placebo-nocebo response in patients with depression: Do we need to reconsider our treatment approach and clinical trial designs? *Psychiatria Danubina*, 26, 92-95.
- 6 JANG, S., JUNG, S., PAE, C., BLANCHARD PORTLAND, K., NELSON, J. & PATKAR, A. A. 2013. Predictors of relapse in patients with major depressive disorder in a 52-week, fixed dose, double blind, randomized trial of selegiline transdermal system (STS). *Journal of Affective Disorders*, 151, 854-859.
- 10 JARRETT, R. B., KRAFT, D., DOYLE, J., FOSTER, B. M., EAVES, G. G. & SILVER, P. C. 2001. Preventing recurrent depression using cognitive therapy with and without a continuation phase: a randomized clinical trial. *Arch Gen Psychiatry*, 58, 381-8.
- 13 JARRETT, R. B., MINHAJUDDIN, A., GERSHENFELD, H., FRIEDMAN, E. S. & THASE, M. E. 2013. Preventing depressive relapse and recurrence in higher-risk cognitive therapy responders: A randomized trial of continuation phase cognitive therapy, fluoxetine, or matched pill placebo. *JAMA Psychiatry*, 70, 1152-1160.
- 17 JARVENTAUSTA, K., CHRAPEK, W., KAMPMAN, O., TUOHIMAA, K., BJORKQVIST, M., HAKKINEN, H., YLI-HANKALA, A. & LEINONEN, E. 2013. Effects of S-ketamine as anesthetic adjuvant to propofol on treatment response to electroconvulsive therapy in treatment-resistant depression: A randomized pilot study. *Journal of ECT*, 29, 158-161.
- 21 JELOVAC, A., KOLSHUS, E. & MCLOUGHLIN, D. M. 2013. Relapse following successful electroconvulsive therapy for major depression: A meta-analysis. *Neuropsychopharmacology*, 38, 2467-2474.
- 24 JEONG, J. H., BAHK, W. M., WOO, Y. S., LEE, K. U., KIM, D. H., KIM, M. D., KIM, W., YANG, J. C. & LEE, K. H. 2015. Efficacy and safety of generic escitalopram (Lexacure) in patients with major depressive disorder: A 6-week multicenter, randomized, rater-blinded, escitalopram-comparative, non-inferiority study. *Neuropsychiatric disease and treatment*, 11, 2557-64.
- 29 JIANG, H. Y., CHEN, H. Z., HU, X. J., YU, Z. H., YANG, W., DENG, M., ZHANG, Y. H. & RUAN, B. 2015. Use of selective serotonin reuptake inhibitors and risk of upper gastrointestinal bleeding: a systematic review and meta-analysis. *Clin Gastroenterol Hepatol*, 13, 42-50 e3.
- 33 JIMENEZ, D., BARTELS, S., ALEGRIA, M., REYNOLDS, C. & HARVEY, P. 2014. Preventing anxiety and depression in older racial/ethnic minority adults: The case for health promotion. *Neuropsychopharmacology*, 39, S443-S444.
- 36 JOHANSSON, R., EKBLADH, S., HEBERT, A., LINDSTRÖM, M., MÖLLER, S., PETITT, E., POYSTI, S., LARSSON, M. H., ROUSSEAU, A., CARLBRING, P., CUIJPERS, P. & ANDERSSON, G. 2012. Psychodynamic guided self-help for adult depression through the internet: a randomised controlled trial. *PloS ONE*, 7, e38021.
- 40 JOHANSSON, R., SJÖBERG, E., SJÖGREN, M., JOHNSSON, E., CARLBRING, P., ANDERSSON, T., ROUSSEAU, A. & ANDERSSON, G. 2012. Tailored vs. standardized internet-based cognitive behavior therapy for depression and comorbid symptoms: a randomized controlled trial. *PloS One*, 7, e36905.
- 44 JOHNSON, J., HORWATH, E. & WEISSMAN, M. M. 1991. The validity of major depression with psychotic features based on a community study. *Arch Gen Psychiatry*, 48, 1075-81.

- 1 JOHNSTON, O., KUMAR, S., KENDALL, K., PEVELER, R., GABBAY, J. & KENDRICK, T.
- 2 2007. Qualitative study of depression management in primary care: GP and patient goals, 3 and the value of listening. *Br J Gen Pract*, 57, 872-9.
- 4 JOLING, K. J., BOSMANS, J. E., VAN MARWIJK, H. W., VAN DER HORST, H. E.,  
5 SCHELTONS, P., MACNEIL VROOMEN, J. L. & VAN HOUT, H. P. 2013. The cost-  
6 effectiveness of a family meetings intervention to prevent depression and anxiety in family  
7 caregivers of patients with dementia: a randomized trial. *Trials [Electronic Resource]*, 14,  
8 305.
- 9 JOLING, K. J., HOUT, H. P., VAN'T VEER-TAZELAAR, P. J., HORST, H. E., CUIJPERS, P.,  
10 VEN, P. M. & MARWIJK, H. W. 2011. How effective is bibliotherapy for very old adults with  
11 subthreshold depression? A randomized controlled trial. *American Journal of Geriatric  
Psychiatry*, 19, 256-65.
- 13 JONES, E. & ASEN, E. 1999. *Systemic couple therapy and depression*, London, Karnac.
- 14 JORM, A. F. 2000. Mental health literacy. Public knowledge and beliefs about mental  
15 disorders. *Br J Psychiatry*, 177, 396-401.
- 16 JORM, A. F., CHRISTENSEN, H. & GRIFFITHS, K. M. 2005. Public beliefs about causes  
17 and risk factors for mental disorders: changes in Australia over 8 years. *Soc Psychiatry  
Psychiatr Epidemiol*, 40, 764-7.
- 19 JOYCE, P. R., MULDER, R. T., MCKENZIE, J. M., LUTY, S. E. & CLONINGER, C. R. 2004.  
20 Atypical depression, atypical temperament and a differential antidepressant response to  
21 fluoxetine and nortriptyline. *Depression and Anxiety*, 19, 180-6.
- 22 JUDD, L. L., AKISKAL, H. S., MASER, J. D., ZELLER, P. J., ENDICOTT, J., CORYELL, W.,  
23 PAULUS, M. P., KUNOVAC, J. L., LEON, A. C., MUELLER, T. I., RICE, J. A. & KELLER, M.  
24 B. 1998. Major depressive disorder: a prospective study of residual subthreshold depressive  
25 symptoms as predictor of rapid relapse. *J Affect Disord*, 50, 97-108.
- 26 JUDD, L. L., AKISKAL, H. S., MASER, J. D., ZELLER, P. J., ENDICOTT, J., CORYELL, W.,  
27 PAULUS, M. P., KUNOVAC, J. L., LEON, A. C., MUELLER, T. I., RICE, J. A. & KELLER, M.  
28 B. 1998. A prospective 12-year study of subsyndromal and syndromal depressive symptoms  
29 in unipolar major depressive disorders. *Arch Gen Psychiatry*, 55, 694-700.
- 30 JURUENA, M. F., CLEARE, A. J., POON, L., PAPADOPOULOS, A. S., LIGHTMAN, S. &  
31 PARIANTE, C. M. 2014. MR and GR balance predicts treatment outcome in treatment  
32 resistant depression. *European Neuropsychopharmacology*, 24, S402-S403.
- 33 KABAT-ZINN, J. & UNIVERSITY OF MASSACHUSETTS MEDICAL  
34 CENTER/WORCESTER. STRESS REDUCTION CLINIC. 1990. *Full catastrophe living :  
35 using the wisdom of your body and mind to face stress, pain, and illness*, New York, N.Y.,  
36 Delacorte Press.
- 37 KAFALI, N., COOK, B., CANINO, G. & ALEGRIA, M. 2014. Cost-effectiveness of a  
38 randomized trial to treat depression among Latinos. *Journal of Mental Health Policy and  
39 Economics*, 17, 41-50.
- 40 KAHN, E. 1985. Heinz Kohut and Carl Rogers: a timely comparison. *American Psychologist*,  
41 40, 893-904.
- 42 KALB, R., TRAUTMANN-SPONSEL, R. D. & KIESER, M. 2001. Efficacy and tolerability of  
43 hypericum extract WS 5572 versus placebo in mildly to moderately depressed patients. A  
44 randomized double-blind multicenter clinical trial. *Pharmacopsychiatry*, 34, 96-103.
- 45 KALTENTHALER, E., BRAZIER, J., DE NIGRIS, E., TUMUR, I., FERRITER, M.,  
46 BEVERLEY, C., PARRY, G., ROONEY, G. & SUTCLIFFE, P. 2006. Computerised cognitive

- 1 behaviour therapy for depression and anxiety update: a systematic review and economic evaluation. *Health technology assessment (Winchester, England)*, 10, iii, xi-xiv, 1-168.
- 3 KALTENTHALER, E., PARRY, G., BEVERLEY, C. & FERRITER, M. 2008. Computerised cognitive-behavioural therapy for depression: systematic review. *Br J Psychiatry*, 193, 181-4.
- 5 KANAI, T., TAKEUCHI, H., FURUKAWA, T. A., YOSHIMURA, R., IMAIZUMI, T., KITAMURA, T. & TAKAHASHI, K. 2003. Time to recurrence after recovery from major depressive episodes and its predictors. *Psychol Med*, 33, 839-45.
- 8 KANG, E. H., LEE, I. S., CHUNG, S. K., LEE, S. Y., KIM, E. J., HONG, J. P., OH, K. S., WOO, J. M., KIM, S., PARK, J. E. & YU, B. H. 2009. Mirtazapine versus venlafaxine for the treatment of somatic symptoms associated with major depressive disorder: a randomized, open-labeled trial. *Psychiatry Research*, 169, 118-23.
- 12 KANTER, J. W., SANTIAGO-RIVERA, A. L., RUSCH, L. C., BUSCH, A. M. & WEST, P. 2010. Initial outcomes of a culturally adapted behavioral activation for Latinas diagnosed with depression at a community clinic. *Behavior Modification*, 34, 120-44.
- 15 KANTER, J. W., SANTIAGO-RIVERA, A. L., SANTOS, M. M., NAGY, G., LÓPEZ, M., HURTADO, G. D. & WEST, P. 2015. A randomized hybrid efficacy and effectiveness trial of behavioral activation for Latinos with depression. *Behavior therapy*, 46, 177-92.
- 18 KARLSSON, H., STERI, U. & MARKOWITZ, J. C. 2011. Interpersonal psychotherapy for Finnish community patients with moderate to severe major depression and comorbidities: A pilot feasibility study. *Nordic Journal of Psychiatry*, 65, 427-32.
- 21 KASPER, S., GASTPAR, M., MOLLER, H. J., MULLER, W. E., VOLZ, H. P. & DIENEL, A. 2010. Better tolerability of St. John's wort extract WS 5570 compared to treatment with SSRIs: A reanalysis of data from controlled clinical trials in acute major depression. *International Clinical Psychopharmacology*, 25, 204-13.
- 25 KASPER, S., HAJAK, G., WULFF, K., HOOGENDIJK, W. J., MONTEJO, A. L., SMERALDI, E., RYBAKOWSKI, J. K., QUERA-SALVA, M. A., WIRZ-JUSTICE, A. M., PICAREL-BLANCHOT, F. & BAYLÉ, F. J. 2010. Efficacy of the novel antidepressant agomelatine on the circadian rest-activity cycle and depressive and anxiety symptoms in patients with major depressive disorder: a randomized, double-blind comparison with sertraline. *Journal of Clinical Psychiatry*, 71, 109-20.
- 31 KASPER, S., WEHR, T. A., BARTKO, J. J., GAIST, P. A. & ROSENTHAL, N. E. 1989. Epidemiological findings of seasonal changes in mood and behavior. A telephone survey of Montgomery County, Maryland. *Arch Gen Psychiatry*, 46, 823-33.
- 34 KATALINIC, N., LAI, R., SOMOGYI, A., MITCHELL, P. B., GLUE, P. & LOO, C. K. 2013. Ketamine as a new treatment for depression: A review of its efficacy and adverse effects. *Australian and New Zealand Journal of Psychiatry*, 47, 710-727.
- 37 KATON, W., ROBINSON, P., VON KORFF, M., LIN, E., BUSH, T., LUDMAN, E. & AL., E. 1996. A multifaceted intervention to improve treatment of depression in primary care. *Archives of General Psychiatry* 53, 924.
- 40 KATON, W., VON KORFF, M., LIN, E., BUSH, T. & ORMEL, J. 1992. Adequacy and duration of antidepressant treatment in primary care. *Med Care*, 30, 67-76.
- 42 KATON, W., VON KORFF, M., LIN, E. & SIMON, G. 2001. Rethinking practitioner roles in chronic illness: the specialist, primary care physician, and the practice nurse. *Gen Hosp Psychiatry*, 23, 138-44.

- 1 KATON, W., VON KORFF, M., LIN, E., SIMON, G., WALKER, E., UNUTZER, J., BUSH, T., RUSSO, J. & LUDMAN, E. 1999. Stepped collaborative care for primary care patients with persistent symptoms of depression: a randomized trial. *Arch Gen Psychiatry*, 56, 1109-15.
- 4 KATON, W., VON KORFF, M., LIN, E., WALKER, E., SIMON, G., BUSH, T. & AL., E. 1995. Collaborative management to achieve treatment guidelines: impact on depression in primary care. *Journal of the American Medical Association*, 273, 1026-1031.
- 7 KATONA, C. 2013. Does being elderly alter response in MDD? *International Journal of Psychiatry in Clinical Practice*, 17, 10.
- 9 KATONA, C., HANSEN, T. & OLSEN, C. K. 2012. A randomized, double-blind, placebo-controlled, duloxetine-referenced, fixed-dose study comparing the efficacy and safety of Lu AA21004 in elderly patients with major depressive disorder. *International Clinical Psychopharmacology*, 27, 215-23.
- 13 KATONA, C. L. & KATONA, C. P. 2014. New generation multi-modal antidepressants: Focus on vortioxetine for major depressive disorder. *Neuropsychiatric Disease and Treatment*, 10, 349-354.
- 16 KATZELNICK, D., SIMON, G., PEARSON, S., MANNING, W., HELSTAD, C., HENK, H. & AL., E. 2000. Randomized trial of a depression management program in high utilizers of medical care. *Archives of Family Medicine*, 9, 345-51.
- 19 KAUFELER, R., MEIER, B. & BRATTSTROM, A. 2001. Efficacy and tolerability of Ze 117 St. John's wort extract in comparison with placebo, imipramine and fluoxetine for the treatment of mild to moderate depression according to ICD-10. An overview. *Pharmacopsychiatry*, 34 Suppl 1, S49-50.
- 23 KAYSER, S., BEWERNICK, B., MATUSCH, A., HURLEMANN, R., SOEHLE, M. & SCHLAEPPER, T. 2015. Magnetic seizure therapy in treatment-resistant depression: Clinical, neuropsychological and metabolic effects. *Psychological Medicine*, 45, 1073-1092.
- 26 KEHLE, S. M., GREER, N., RUTKS, I. & WILT, T. 2011. Interventions to improve veterans' access to care: a systematic review of the literature. *Journal of general internal medicine*, 26 Suppl 2, 689-696.
- 29 KEITNER, G. I., GARLOW, S. J., RYAN, C. E., NINAN, P. T., SOLOMON, D. A., NEMEROFF, C. B. & KELLER, M. B. 2009. A randomized, placebo-controlled trial of risperidone augmentation for patients with difficult-to-treat unipolar, non-psychotic major depression. *Journal of Psychiatric Research*, 43, 205-14.
- 33 KELDERS, S. M., BOHLMEIJER, E. T., POTS, W. T. M. & GEMERT-PIJNEN, J. 2015. Comparing human and automated support for depression: Fractional factorial randomized controlled trial. *Behaviour research and therapy*, 72, 72-80.
- 36 KELDERS, S. M., BOHLMEIJER, E. T. & VAN GEMERT-PIJNEN, J. E. 2013. Participants, usage, and use patterns of a web-based intervention for the prevention of depression within a randomized controlled trial. *Journal of medical Internet research*, 15, e172.
- 39 KELIN, K., BERK, M., SPANN, M., SAGMAN, D., RASKIN, J., WALKER, D. & PERAHIA, D. 2010. Duloxetine 60 mg/day for the prevention of depressive recurrences: post hoc analyses from a recurrence prevention study. *International Journal of Clinical Practice*, 64, 719-26.
- 42 KELLER, M. 1985. Chronic and recurrent affective disorders: incidence, course and influencing factors. In: KEMALI, D. & RACAGNI, G. (eds.) *Chronic treatments in neuropsychiatry*. New York: Raven Press.
- 45 KELLER, M. B. & BAKER, L. A. 1992. The clinical course of panic disorder and depression. *J Clin Psychiatry*, 53 Suppl, 5-8.

- 1 KELLER, M. B. & BOLAND, R. J. 1998. Implications of failing to achieve successful long-term maintenance treatment of recurrent unipolar major depression. *Biol Psychiatry*, 44, 348-60.
- 4 KELLER, M. B., HARRISON, W., FAWCETT, J. A., GELENBERG, A., HIRSCHFELD, R. M., KLEIN, D., KOCSIS, J. H., MCCULLOUGH, J. P., RUSH, A. J., SCHATZBERG, A. & ET AL. 1995. Treatment of chronic depression with sertraline or imipramine: preliminary blinded response rates and high rates of undertreatment in the community. *Psychopharmacol Bull*, 31, 205-12.
- 9 KELLER, M. B., KLERMAN, G. L., LAVORI, P. W., CORYELL, W., ENDICOTT, J. & TAYLOR, J. 1984. Long-term outcome of episodes of major depression. Clinical and public health significance. *JAMA*, 252, 788-92.
- 12 KELLER, M. B., LAVORI, P. W., MUELLER, T. I., ENDICOTT, J., CORYELL, W., HIRSCHFELD, R. M. & SHEA, T. 1992. Time to recovery, chronicity, and levels of psychopathology in major depression. A 5-year prospective follow-up of 431 subjects. *Arch Gen Psychiatry*, 49, 809-16.
- 16 KELLER, M. B., LAVORI, P. W., RICE, J., CORYELL, W. & HIRSCHFELD, R. M. 1986. The persistent risk of chronicity in recurrent episodes of nonbipolar major depressive disorder: a prospective follow-up. *Am J Psychiatry*, 143, 24-8.
- 19 KELLER, M. B., MCCULLOUGH, J. P., KLEIN, D. N., ARNOW, B., DUNNER, D. L., GELENBERG, A. J., MARKOWITZ, J. C., NEMEROFF, C. B., RUSSELL, J. M., THASE, M. E., TRIVEDI, M. H. & ZAJECKA, J. 2000. A comparison of nefazodone, the cognitive behavioral-analysis system of psychotherapy, and their combination for the treatment of chronic depression. *N Engl J Med*, 342, 1462-70.
- 24 KELLER, M. B. & SHAPIRO, R. W. 1981. Major depressive disorder. Initial results from a one-year prospective naturalistic follow-up study. *J Nerv Ment Dis*, 169, 761-8.
- 26 KELLNER, C. H., GREENBERG, R. M., MURROUGH, J. W., BRYSON, E. O., BRIGGS, M. C. & PASCALLI, R. M. 2012. ECT in treatment-resistant depression. *Am J Psychiatry*, 169, 1238-44.
- 29 KELLNER, C. H., KNAPP, R., HUSAIN, M. M., RASMUSSEN, K., SAMPSON, S., CULLUM, M., MCCLINTOCK, S. M., TOBIAS, K. G., MARTINO, C., MUELLER, M., BAILINE, S. H., FINK, M. & PETRIDES, G. 2010. Bifrontal, bitemporal and right unilateral electrode placement in ECT: randomised trial. *British Journal of Psychiatry*, 196, 226-34.
- 33 KENDLER, K. S., GARDNER, C. O., NEALE, M. C. & PRESCOTT, C. A. 2001. Genetic risk factors for major depression in men and women: similar or different heritabilities and same or partly distinct genes? *Psychological Medicine*, 31.
- 36 KENDLER, K. S. & PRESCOTT, C. A. 1999. A population-based twin study of lifetime major depression in men and women. *Archives of General Psychiatry*, 56, 39.
- 38 KENDRICK, T., CHATWIN, J., DOWRICK, C., TYLEE, A., MORRISS, R., PEVELER, R., LEESE, M., MCCRONE, P., HARRIS, T., MOORE, M., BYNG, R., BROWN, G., BARTHEL, S., MANDER, H., RING, A., KELLY, V., WALLACE, V., GABBAY, M., CRAIG, T. & MANN, A. 2009. Randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of selective serotonin reuptake inhibitors plus supportive care, versus supportive care alone, for mild to moderate depression with somatic symptoms in primary care: the THREAD (THREshold for AntiDepressant response) study. *Health Technology Assessment (Winchester, England)*, 13.
- 46 KENDRICK, T., CHATWIN, J., DOWRICK, C., TYLEE, A., MORRISS, R., PEVELER, R., LEESE, M., MCCRONE, P., HARRIS, T., MOORE, M., BYNG, R., BROWN, G., BARTHEL,

- 1 S., MANDER, H., RING, A., KELLY, V., WALLACE, V., GABBAY, M., CRAIG, T. & MANN, A.  
2 2009. Randomised controlled trial to determine the clinical effectiveness and cost-  
3 effectiveness of selective serotonin reuptake inhibitors plus supportive care, versus  
4 supportive care alone, for mild to moderate depression with somatic symptoms in primary  
5 care: the THREAD (THREhold for AntiDepressant response) study. *Health Technology  
6 Assessment*, 13, iii-iv, ix-xi, 1-159.
- 7 KENDRICK, T., DOWRICK, C., MCBRIDE, A., HOWE, A., CLARKE, P., MAISEY, S.,  
8 MOORE, M. & SMITH, P. W. 2009. Management of depression in UK general practice in  
9 relation to scores on depression severity questionnaires: analysis of medical record data.  
10 *BMJ*, 338, b750-b750.
- 11 KENDRICK, T., KING, F., ALBERTELLA, L. & SMITH, P. W. 2005. GP treatment decisions  
12 for patients with depression: an observational study. *Br J Gen Pract*, 55, 280-6.
- 13 KENDRICK, T., PEVELER, R., LONGWORTH, L., BALDWIN, D., MOORE, M., CHATWIN,  
14 J., THORNETT, A., GODDARD, J., CAMPBELL, M., SMITH, H., BUXTON, M. &  
15 THOMPSON, C. 2006. Cost-effectiveness and cost-utility of tricyclic antidepressants,  
16 selective serotonin reuptake inhibitors and lofepramine: Randomised controlled trial. *British  
17 Journal of Psychiatry*, 188, 337-345.
- 18 KENDRICK, T., SIMONS, L., MYNORS-WALLIS, L., GRAY, A., LATHLEAN, J., PICKERING,  
19 R., HARRIS, S., RIVERO-ARIAS, O., GERARD, K. & THOMPSON, C. 2005. A trial of  
20 problem-solving by community mental health nurses for anxiety, depression and life  
21 difficulties among general practice patients. The CPN-GP study. *Health Technology  
22 Assessment*, 9, iii-59.
- 23 KENDRICK, T., SIMONS, L., MYNORS-WALLIS, L., GRAY, A., LATHLEAN, J., PICKERING,  
24 R., HARRIS, S., RIVERO-ARIAS, O., GERARD, K. & THOMPSON, C. 2006. Cost-  
25 effectiveness of referral for generic care or problem-solving treatment from community  
26 mental health nurses, compared with usual general practitioner care for common mental  
27 disorders: Randomised controlled trial. *British Journal of Psychiatry*, 189, 50-59.
- 28 KENDRICK, T., STEVENS, L., BRYANT, A., GODDARD, J., STEVENS, A., RAFTERY, J. &  
29 THOMPSON, C. 2001. Hampshire depression project: changes in the process of care and  
30 cost consequences. *Br J Gen Pract*, 51, 911-3.
- 31 KENDRICK, T., STUART, B., NEWELL, C., GERAGHTY, A. W. & MOORE, M. 2015. Did  
32 NICE guidelines and the Quality Outcomes Framework change GP antidepressant  
33 prescribing in England? Observational study with time trend analyses 2003-2013. *J Affect  
34 Disord*, 186, 171-7.
- 35 KENDRICK, T., STUART, B., NEWELL, C., GERAGHTY, A. W. A. & MOORE, M. 2015.  
36 Changes in rates of recorded depression in English primary care 2003–2013: Time trend  
37 analyses of effects of the economic recession, and the GP contract quality outcomes  
38 framework (QOF). *Journal of Affective Disorders*, 180, 68-78.
- 39 KENNEDY, N., ABBOTT, R. & PAYKEL, E. S. 2003. Remission and recurrence of  
40 depression in the maintenance era: long-term outcome in a Cambridge cohort. *Psychol Med*,  
41 33, 827-38.
- 42 KENNEDY, N. & FOY, K. 2005. The impact of residual symptoms on outcome of major  
43 depression. *Current Psychiatry Reports*, 7, 441-446.
- 44 KENNEDY, S., AVEDISOVA, A., PICAREL-BLANCHOT, F. & DE BODINAT, C. 2014.  
45 Efficacy of 3 agomelatine dose regimens versus placebo on the core symptoms of  
46 depression and functioning. *European Neuropsychopharmacology*, 24, S405-S406.

- 1 KENNEDY, S. H. 2013. A review of antidepressant therapy in primary care: Current practices and future directions. *Primary Care Companion to the Journal of Clinical Psychiatry*, 15.
- 3 KENNEDY, S. H., AVEDISOVA, A., BELAIDI, C., PICAREL-BLANCHOT, F. & BODINAT, C.
- 4 2016. Sustained efficacy of agomelatine 10 mg, 25 mg, and 25-50 mg on depressive symptoms and functional outcomes in patients with major depressive disorder. A placebo-controlled study over 6 months. *European neuropsychopharmacology*, 26, 378-89.
- 7 KERSE, N., HAYMAN, K. J., MOYES, S. A., PERI, K., ROBINSON, E., DOWELL, A., KOLT, G. S., ELLEY, C. R., HATCHER, S., KIATA, L., WILES, J., KEELING, S., PARSONS, J. & ARROLL, B. 2010. Home-based activity program for older people with depressive symptoms: DeLLITE--a randomized controlled trial. *Annals of Family Medicine*, 8, 214-23.
- 11 KESSING, L. V. 2007. Epidemiology of subtypes of depression. *Acta Psychiatrica Scandinavica*, 115, 85-89.
- 13 KESSING, L. V. & ANDERSEN, P. K. 1999. The effect of episodes on recurrence in affective disorder: a case register study. *J Affect Disord*, 53, 225-31.
- 15 KESSLER, D., BENNEWITH, O., LEWIS, G. & SHARP, D. 2002. Detection of depression and anxiety in primary care: follow up study. *BMJ*, 325, 1016-7.
- 17 KESSLER, D., LEWIS, G., KAUR, S., WILES, N., KING, M., WEICH, S., SHARP, D. J., ARAYA, R., HOLLINGHURST, S. & PETERS, T. J. 2009. Therapist-delivered Internet psychotherapy for depression in primary care: a randomised controlled trial. *Lancet*, 374, 628-34.
- 21 KESSLER, R. C., BERGLUND, P., DEMLER, O., JIN, R., KORETZ, D., MERIKANGAS, K. R., RUSH, A. J., WALTERS, E. E. & WANG, P. S. 2003. The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *JAMA*, 289, 3095.
- 25 KESSLER, R. C., BERGLUND, P., DEMLER, O., JIN, R., KORETZ, D., MERIKANGAS, K. R., RUSH, A. J., WALTERS, E. E., WANG, P. S. & NATIONAL COMORBIDITY SURVEY, R. 2003. The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *JAMA*, 289, 3095-105.
- 29 KESSLER, R. C., BERGLUND, P., DEMLER, O., JIN, R., MERIKANGAS, K. R. & WALTERS, E. E. 2005. Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*, 62, 593-602.
- 32 KESSLER, R. C. & BROMET, E. J. 2013. The epidemiology of depression across cultures. *Annu Rev Public Health*, 34, 119-38.
- 34 KESSLER, R. C., BROWN, R. L. & BROMAN, C. L. 1981. Sex differences in psychiatric help-seeking: evidence from four large-scale surveys. *J Health Soc Behav*, 22, 49-64.
- 36 KESSLER, R. C., DEMLER, O., FRANK, R. G., OLFSON, M., PINCUS, H. A., WALTERS, E. E., WANG, P., WELLS, K. B. & ZASLAVSKY, A. M. 2005. Prevalence and treatment of mental disorders, 1990 to 2003. *New England Journal of Medicine*, 352, 2515-2523.
- 39 KESSLER, R. C., FOSTER, C. L., SAUNDERS, W. B. & STANG, P. E. 1995. Social consequences of psychiatric disorders, I: Educational attainment. *Am J Psychiatry*, 152, 1026-32.
- 42 KESSLER, R. C., GRUBER, M., HETTEMA, J. M., HWANG, I., SAMPSON, N. & YONKERS, K. A. 2008. Co-morbid major depression and generalized anxiety disorders in the National Comorbidity Survey follow-up. *Psychol Med*, 38, 365-74.

- 1 KESSLER, R. C., PETUKHOVA, M., SAMPSON, N. A., ZASLAVSKY, A. M. & WITTCHEN, H. U. 2012. Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *Int J Methods Psychiatr Res*, 21, 169-84.
- 4 KEYLOUN, K. R. & DEVINE, B. 2015. Estimating the cost-effectiveness of vortioxetine versus desvenlafaxine as first line therapy for mild to moderate major depressive disorder in remitted patients. *Value in Health*, 18 (3), A121.
- 7 KHAN AHSAN, Y., CATTERSON MARK, L. & PRESKORN SHELDON, H. 2009. Double-blind crossover study of mirtazapine, amitriptyline and placebo in patients with major depressive disorder. *Directions in Psychiatry*, 29, 125-30.
- 10 KHAN, N., BOWER, P. & ROGERS, A. 2007. Guided self-help in primary care mental health: meta-synthesis of qualitative studies of patient experience. *Br J Psychiatry*, 191, 206-11.
- 12 KHOO, A. L., ZHOU, H. J., TENG, M., LIN, L., ZHAO, Y. J., SOH, L. B., MOK, Y. M., LIM, B. P. & GWEE, K. P. 2015. Network meta-analysis and cost-effectiveness analysis of new generation antidepressants. *CNS Drugs*, 29, 695-712.
- 15 KIERMEIR, J., GASSNER, L. M., SIEBORGER, A., WIETHOFF, K., RICKEN, R. & STAMM, T. 2012. Euthymic therapy to reduce residual symptoms of depression and strengthen self-care a randomised controlled trial. *German Journal of Psychiatry*, 15, 15-22.
- 18 KILBOURNE, A. M., LI, D., LAI, Z., WAXMONSKY, J. & KETTER, T. 2013. Pilot randomized trial of a cross-diagnosis collaborative care program for patients with mood disorders. *Depression & Anxiety*, 30, 116-22.
- 21 KILOH, L. G., ANDREWS, G. & NEILSON, M. 1988. The long-term outcome of depressive illness. *Br J Psychiatry*, 153, 752-7.
- 23 KIM, G. H., KIM, K. & PARK, H. 2011. Outcomes of a program to reduce depression. *Western Journal of Nursing Research*, 33, 560-76.
- 25 KIM, J. E., YOON, S. J., KIM, J., JUNG, J. Y., JEONG, H. S., CHO, H. B., SHIN, E., LYOO, I. K. & KIM, T. S. 2011. Efficacy and tolerability of mirtazapine in treating major depressive disorder with anxiety symptoms: an 8-week open-label randomised paroxetine-controlled trial. *International Journal of Clinical Practice*, 65, 323-9.
- 29 KIM, W., LIM, S. K., CHUNG, E. J. & WOO, J. M. 2009. The effect of cognitive behavior therapy-based psychotherapy applied in a forest environment on physiological changes and remission of major depressive disorder. *Psychiatry Investigation*, 6, 245-54.
- 32 KIND, P., DOLAN, P., GUDEX, C. & WILLIAMS, A. 1998. Variations in population health status: results from a United Kingdom national questionnaire survey. *BMJ*, 316, 736-41.
- 34 KING, M., MARSTON, L. & BOWER, P. 2014. Comparison of non-directive counselling and cognitive behaviour therapy for patients presenting in general practice with an ICD-10 depressive episode: A randomized control trial. *Psychological Medicine*, 44, 1835-44.
- 37 KINSER, P. A. 2013. Feasibility and acceptability of yoga for women with depression. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 73, No Pagination Specified.
- 40 KINSER, P. A., BOURGUIGNON, C., WHALEY, D., HAUENSTEIN, E. & TAYLOR, A. G. 2013. Feasibility, acceptability, and effects of gentle Hatha yoga for women with major depression: findings from a randomized controlled mixed-methods study. *Archives of Psychiatric Nursing*, 27, 137-47.
- 44 KIRMAYER, L. J., ROBBINS, J. M., DWORKIND, M. & YAFFE, M. J. 1993. Somatization and the recognition of depression and anxiety in primary care. *Am J Psychiatry*, 150, 734-41.

- 1 KIRSCH, I., DEACON, B. J., HUEDO-MEDINA, T. B., SCOBORIA, A., MOORE, T. J. &  
2 JOHNSON, B. T. 2008. Initial severity and antidepressant benefits: A meta-analysis of data  
3 submitted to the Food and Drug Administration. *PLoS Medicine*, 5, e45.
- 4 KISELY, S., GATER, R. & GOLDBERG, D. P. 1995. Results from the Manchester Centre. In:  
5 ÜSTÜN, T. B. & SARTORIUS, N. (eds.) *Mental illness in general health care : an  
international study*. Chichester ; New York: Wiley.
- 7 KLASIK, A., KRYSTA, K. & KRZYSTANEK, M. 2012. Impact of psychotherapy and  
8 antidepressive treatment on cognitive functions in patients treated for depression. *Psychiatria  
Danubina*, 24 Suppl 1, S130-4.
- 10 KLEIBOER, A., DONKER, T., SEEKLES, W., STRATEN, A., RIPER, H. & CUIJPERS, P.  
11 2015. A randomized controlled trial on the role of support in Internet-based problem solving  
12 therapy for depression and anxiety. *Behaviour research and therapy*, 72, 63-71.
- 13 KLEIN, D. N., LEON, A. C., LI, C., D'ZURILLA, T. J., BLACK, S. R., VIVIAN, D., DOWLING,  
14 F., ARNOW, B. A., MANBER, R., MARKOWITZ, J. C. & KOCSIS, J. H. 2011. Social problem  
15 solving and depressive symptoms over time: a randomized clinical trial of cognitive-  
16 behavioral analysis system of psychotherapy, brief supportive psychotherapy, and  
17 pharmacotherapy. *Journal of Consulting and Clinical Psychology*, 79, 342-52.
- 18 KLEIN, D. N., SANTIAGO, N. J., VIVIAN, D., BLALOCK, J. A., KOCSIS, J. H., MARKOWITZ,  
19 J. C., MCCULLOUGH JR, J. P., RUSH, A. J., TRivedi, M. H., ARNOW, B. A., DUNNER, D.  
20 L., MANBER, R., ROTHBAUM, B., THASE, M. E., KEITNER, G. I., MILLER, I. W. &  
21 KELLER, M. B. 2004. Cognitive-behavioral analysis system of psychotherapy as a  
22 maintenance treatment for chronic depression. *J Consult Clin Psychol*, 72, 681-8.
- 23 KLERMAN, G. L. 1984. *Interpersonal psychotherapy of depression*, New York, Basic Books.
- 24 KLUG, G., HERMANN, G., FUCHS-NIEDER, B., PANZER, M., HAIDER-STIPACEK, A.,  
25 ZAPOTOCZKY, H. G. & PRIEBE, S. 2010. Effectiveness of home treatment for elderly  
26 people with depression: randomised controlled trial. *British Journal of Psychiatry*, 197, 463-7.
- 27 KNEKT, P., LINDFORS, O., SARES-JÄSKE, L., VIRTALA, E. & HÄRKÄNEN, T. 2013.  
28 Randomized trial on the effectiveness of long- and short-term psychotherapy on psychiatric  
29 symptoms and working ability during a 5-year follow-up. *Nordic Journal of Psychiatry*, 67, 59-  
30 68.
- 31 KOCSIS, J. H., GELENBERG, A. J., ROTHBAUM, B. O., KLEIN, D. N., TRIVEDI, M. H.,  
32 MANBER, R., KELLER, M. B., LEON, A. C., WISNIEWSKI, S. R., ARNOW, B. A.,  
33 MARKOWITZ, J. C. & THASE, M. E. 2009. Cognitive behavioral analysis system of  
34 psychotherapy and brief supportive psychotherapy for augmentation of antidepressant  
35 nonresponse in chronic depression: the REVAMP Trial. *Archives of General Psychiatry*, 66,  
36 1178-88.
- 37 KOCSIS, J. H., LEON, A. C., MARKOWITZ, J. C., MANBER, R., ARNOW, B., KLEIN, D. N.  
38 & THASE, M. E. 2009. Patient preference as a moderator of outcome for chronic forms of  
39 major depressive disorder treated with nefazodone, cognitive behavioral analysis system of  
40 psychotherapy, or their combination. *The Journal of Clinical Psychiatry*, 70, 354-361.
- 41 KOENIG, A. M., BUTTERS, M. A., BEGLEY, A., OGBAGABER, S., WAHED, A. S. &  
42 REYNOLDS, C. F., 3RD 2014. Response to antidepressant medications in late-life  
43 depression across the spectrum of cognitive functioning. *Journal of Clinical Psychiatry*, 75,  
44 e100-7.
- 45 KOENIG, H. G., PEARCE, M. J., NELSON, B., SHAW, S. F., ROBINS, C. J., DAHER, N. S.,  
46 COHEN, H. J., BERK, L. S., BELLINGER, D. L., PARGAMENT, K. I., ROSMARIN, D. H.,  
47 VASEGH, S., KRISTELLER, J., JUTHANI, N., NIES, D. & KING, M. B. 2015. Religious vs.

- 1 conventional cognitive behavioral therapy for major depression in persons with chronic medical illness: A pilot randomized trial. *Journal of Nervous and Mental Disease*, 203, 243-251.
- 4 KOESER, L., DOBBIN, A., ROSS, S. & MCCRONE, P. 2013. Economic evaluation of audio based resilience training for depression in primary care. *Journal of Affective Disorders*, 149, 307-12.
- 7 KOESER, L., DONISI, V., GOLDBERG, D. P. & MCCRONE, P. 2015. Modelling the cost-effectiveness of pharmacotherapy compared with cognitive-behavioural therapy and combination therapy for the treatment of moderate to severe depression in the UK. *Psychological Medicine*, 45, 3019-3031.
- 11 KOESTERS, M., GUAIANA, G., CIPRIANI, A., BECKER, T. & BARBUI, C. 2013. Agomelatine efficacy and acceptability revisited: Systematic review and meta-analysis of published and unpublished randomised trials. *British Journal of Psychiatry*, 203, 179-187.
- 14 KOHLER, S. & BETZLER, F. 2015. Ketamine-A new treatment option for therapy-resistant depression. *Fortschritte der Neurologie, Psychiatrie*, 83, 91-97.
- 16 KOHLER, S., WIETHOFF, K., RICKEN, R., STAMM, T., BAGHAI, T. C., FISHER, R., SEEMULLER, F., BRIEGER, P., CORDES, J., MALEVANI, J., LAUX, G., HAUTH, I., MOLLER, H. J., ZEILER, J., HEINZ, A., BAUER, M. & ADLI, M. 2014. Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. *Journal of Affective Disorders*, 173, 126-133.
- 21 KOHTALA, A., LAPPALAINEN, R., SAVONEN, L., TIMO, E. & TOLVANEN, A. 2015. A four-session acceptance and commitment therapy based intervention for depressive symptoms delivered by masters degree level psychology students: a preliminary study. *Behavioural and cognitive psychotherapy*, 43, 360-73.
- 25 KOK, G., BURGER, H., RIPER, H., CUIJPERS, P., DEKKER, J., MARWIJK, H., SMIT, F., BECK, A. & BOCKTING, C. L. H. 2015. The three-month effect of mobile internet-based cognitive therapy on the course of depressive symptoms in remitted recurrently depressed patients: Results of a randomized controlled trial. *Psychotherapy and psychosomatics*, 84, 90-9.
- 30 KOK, R., HEEREN, T. & NOLEN, W. 2010. Treatment of psychotic depression in the elderly compared with nonpsychotic depression. *Journal of Clinical Psychopharmacology*, 30, 465-467.
- 33 KOMARAM, R. B., SRIKRISHNA, N., PALLA, J., LAKSHMANA RAO, N. & MURTHY, K. 2015. A comparative study of efficacy and safety of agomelatine and escitalopram in major depressive disorder. *Journal of Clinical and Diagnostic Research*, 9, Vc05-vc08.
- 36 KOOL, S., DEKKER, J., DUIJSENS, I. J., DE JONGHE, F. & PUITE, B. 2003. Efficacy of combined therapy and pharmacotherapy for depressed patients with or without personality disorders. *Harv Rev Psychiatry*, 11, 133-41.
- 39 KORDY, H., WOLF, M., AULICH, K., BURGY, M., HEGERL, U., HUSING, J., PUSCHNER, B., RUMMEL-KLUGE, C., VEDDER, H. & BACKENSTRASS, M. 2016. Internet-Delivered Disease Management for Recurrent Depression: A Multicenter Randomized Controlled Trial. *Psychotherapy and psychosomatics*, 85, 91-8.
- 43 KORKEILA, J., VAHTERA, J., KORKEILA, K., KIVIMAKI, M., SUMANEN, M., KOSKENVUO, K. & KOSKENVUO, M. 2010. Childhood adversities as predictors of incident coronary heart disease and cerebrovascular disease. *Heart*, 96, 298-303.

- 1 KORKEILA, J., VAHTERA, J., NABI, H., KIVIMAKI, M., KORKEILA, K., SUMANEN, M.,  
2 KOSKENVUO, K. & KOSKENVUO, M. 2010. Childhood adversities, adulthood life events  
3 and depression. *J Affect Disord*, 127, 130-8.
- 4 KORNSTEIN, S. G., MCINTYRE, R. S., THASE, M. E. & BOUCHER, M. 2014.  
5 Desvenlafaxine for the treatment of major depressive disorder. *Expert Opinion on  
6 Pharmacotherapy*, 15, 1449-1463.
- 7 KORNSTEIN, S. G., PEDERSEN, R. D., HOLLAND, P. J., NEMEROFF, C. B.,  
8 ROTHSCHILD, A. J., THASE, M. E., TRIVEDI, M. H., NINAN, P. T. & KELLER, M. B. 2014.  
9 Influence of sex and menopausal status on response, remission, and recurrence in patients  
10 with recurrent major depressive disorder treated with venlafaxine extended release or  
11 fluoxetine: Analysis of data from the PREVENT study. *Journal of Clinical Psychiatry*, 75, 62-  
12 68.
- 13 KORTE, J., BOHLMEIJER, E. T., CAPPELIEZ, P., SMIT, F. & WESTERHOF, G. J. 2012.  
14 Life review therapy for older adults with moderate depressive symptomatology: a pragmatic  
15 randomized controlled trial. *Psychological Medicine*, 42, 1163-73.
- 16 KOUROS, C. D., PAPP, L. M. & CUMMINGS, E. M. 2008. Interrelations and moderators of  
17 longitudinal links between marital satisfaction and depressive symptoms among couples in  
18 established relationships. *Journal of Family Psychology*, 22, 667-677.
- 19 KOUSHYAR, H., NAJAFI, Z., AZHARI, A. & MAZLOUM, R. 2015. Comparison of the effect of  
20 fun and regular physical activity on the changes in the incidence of depression and cognitive  
21 disorders of elderly women living in nursing homes at Mashhad. [Persian]. *Iranian Journal of  
22 Obstetrics, Gynecology and Infertility*, 17, 1-9.
- 23 KOVACS, M. 1996. Presentation and course of major depressive disorder during childhood  
24 and later years of the life span. *Journal of the American Academy of Child & Adolescent  
25 Psychiatry*, 35, 705-715.
- 26 KRAHN, D., BARTELS, S., COAKLEY, E., OSLIN, D., CHEN, H., MCINTYRE, J. & AL., E.  
27 2006. PRISM-E: comparison of integrated care and enhanced specialty referral models in  
28 depression outcomes. *Psychiatric Services*, 57, 946-953.
- 29 KRAMER, I., SIMONS, C. J. P., HARTMANN, J. A., MENNE-LOTHMANN, C.,  
30 VIECHTBAUER, W., PEETERS, F., SCHRUERS, K., VAN BEMMEL, A. L., INEZ, M.,  
31 DELESPAUL, P., VAN OS, J. & WICHERS, M. 2014. A therapeutic application of the  
32 experience sampling method in the treatment of depression: A randomized controlled trial.  
33 *World Psychiatry*, 13, 68-77.
- 34 KRAMPEN, G. 2015. Progressive relaxation vs. autogenic training in addition to  
35 psychotherapy of depression. *Verhaltenstherapie & Verhaltensmedizin*, 36, 7-24.
- 36 KRAVITZ, R. L., FRANKS, P., FELDMAN, M. D., TANCREDI, D. J., SLEE, C. A., EPSTEIN,  
37 R. M., DUBERSTEIN, P. R., BELL, R. A., JACKSON-TRICHE, M., PATERNITI, D. A., CIPRI,  
38 C., IOSIF, A. M., OLSON, S., KELLY-REIF, S., HUDNUT, A., DVORAK, S., TURNER, C. &  
39 JERANT, A. 2013. Patient engagement programs for recognition and initial treatment of  
40 depression in primary care: a randomized trial. *JAMA*, 310, 1818-28.
- 41 KRISHNA, M., HONAGODU, A., RAJENDRA, R., SUNDARACHAR, R., LANE, S. &  
42 LEPPING, P. 2013. A systematic review and meta-analysis of group psychotherapy for sub-  
43 clinical depression in older adults. *International Journal of Geriatric Psychiatry*, 28, 881-888.
- 44 KRISTON, L., VON WOLFF, A., WESTPHAL, A., HOLZEL, L. P. & HARTER, M. 2014.  
45 Efficacy and acceptability of acute treatments for persistent depressive disorder: A network  
46 meta-analysis. *Depression and Anxiety*, 31, 621-630.

- 1 KROENKE, K., SPITZER, R. L. & WILLIAMS, J. B. 2003. The Patient Health Questionnaire-2: validity of a two-item depression screener. *Med Care*, 41, 1284-92.
- 3 KROGH, J., SALTIN, B., GLUUD, C. & NORDENTOFT, M. 2009. The DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of strength versus aerobic versus relaxation training for patients with mild to moderate depression. *Journal of Clinical Psychiatry*, 70, 790-800.
- 7 KROGH, J., VIDEBECH, P., THOMSEN, C., GLUUD, C. & NORDENTOFT, M. 2012. DEMO-II trial. Aerobic exercise versus stretching exercise in patients with major depression-a randomised clinical trial. *PloS ONE*, 7, e48316.
- 10 KRONSTRÖM, K., SALMINEN, J. K., HIETALA, J., KAJANDER, J., VAHLBERG, T., MARKKULA, J., RASI-HAKALA, H. & KARLSSON, H. 2009. Does defense style or psychological mindedness predict treatment response in major depression? *Depression and Anxiety*, 26, 689-95.
- 14 KRPAN, K. M., KROSS, E., BERMAN, M. G., DELDIN, P. J., ASKREN, M. K. & JONIDES, J. 2013. An everyday activity as a treatment for depression: the benefits of expressive writing for people diagnosed with major depressive disorder. *Journal of Affective Disorders*, 150, 1148-51.
- 18 KUEHNER, C. 2005. An evaluation of the 'Coping with Depression Course' for relapse prevention with unipolar depressed patients. *Psychother Psychosom*, 74, 254-9.
- 20 KUHN, R. 1958. The treatment of depressive states with g 22355 (imipramine hydrochloride). *American Journal of Psychiatry*, 115, 459-464.
- 22 KUMAR, K. & GUPTA, M. 2015. Effectiveness of psycho-educational intervention in improving outcome of unipolar depression: results from a randomised clinical trial. *East Asian archives of psychiatry : official journal of the Hong Kong College of Psychiatrists = Dong Ya jing shen ke xue zhi : Xianggang jing shen ke yi xue yuan qi kan*, 25, 29-34.
- 26 KUNZEL, H. E., ACKL, N., HATZINGER, M., HELD, K., HOLSBOER-TRACHSLER, E., ISING, M., KASCHKA, W., KASPER, S., KONSTANTINIDIS, A., SONNTAG, A., UHR, M., YASSOURIDIS, A., HOLSBOER, F. & STEIGER, A. 2009. Outcome in delusional depression comparing trimipramine monotherapy with a combination of amitriptyline and haloperidol--a double-blind multicenter trial. *J Psychiatr Res*, 43, 702-10.
- 31 KUPFER, D. J. 1991. Long-term treatment of depression. *J Clin Psychiatry*, 52 Suppl, 28-34.
- 32 KURUMAJI, A., NARUSHIMA, K., TAKEDA, M., JITOKU, D., KYONO, H., HOBO, M., MITSUSADA, H., NISHIDA, M., ATSUTA, H., TAMAI, S. I., TAKAGI, D., FUJITA, M., KAWAMATA, K., OKUZUMI, S., HINO, K., TSUTSUI, K. & NISHIKWA, T. 2014. A comparison of pharmacotherapy in inpatients with major depressive disorders between patients with single episodes and patients with recurrent episodes. *Clinical Neuropsychopharmacology and Therapeutics*, 5, 5-10.
- 38 KUT'KO, II & TERESHINA, I. F. 2014. [Effect of immunomodulatory therapy on circulatory immune complexes in patients with recurrent depressive disorders]. *Zhurnal Nevrologii i Psichiatrii Imeni S.S. Korsakova*, 114, 41-5.
- 41 KUYKEN, W., BYFORD, S., TAYLOR, R. S., WATKINS, E., HOLDEN, E., WHITE, K., BARRETT, B., BYNG, R., EVANS, A., MULLAN, E. & TEASDALE, J. D. 2008. Mindfulness-based cognitive therapy to prevent relapse in recurrent depression. *J Consult Clin Psychol*, 76, 966-78.
- 45 KUYKEN, W., HAYES, R., BARRETT, B., BYNG, R., DALGLEISH, T., KESSLER, D., LEWIS, G., WATKINS, E., MORANT, N., TAYLOR, R. S. & BYFORD, S. 2015. The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with

- 1 maintenance antidepressant treatment in the prevention of depressive relapse/recurrence:  
2 results of a randomised controlled trial (the PREVENT study). *Health Technol Assess*, 19, 1-  
3 124.
- 4 LAAKMAN, G., FALTERMAIER-TEMIZEL, M., BOSSERT-ZAUDIG, S., BAGHAI, T. &  
5 LORKOWSKI, G. 1995. Treatment of depressive outpatients with lorazepam, alprazolam,  
6 amitriptyline and placebo. *Psychopharmacology (Berl)*, 120, 109-15.
- 7 LAAKMANN, G., SCHULE, C., BAGHAI, T. & KIESER, M. 1998. St. John's wort in mild to  
8 moderate depression: the relevance of hyperforin for the clinical efficacy.  
9 *Pharmacopsychiatry*, 31 Suppl 1, 54-9.
- 10 LAI, R., KATALINIC, N., GLUE, P., SOMOGYI, A. A., MITCHELL, P. B., LEYDEN, J.,  
11 HARPER, S. & LOO, C. K. 2014. Pilot dose-response trial of I.V. ketamine in treatment-  
12 resistant depression. *World Journal of Biological Psychiatry*, 15, 579-584.
- 13 LAM, R. W., LEVITT, A. J., LEVITAN, R. D., MICHALAK, E. E., CHEUNG, A. H.,  
14 MOREHOUSE, R., RAMASUBBU, R., YATHAM, L. N. & TAM, E. M. 2016. Efficacy of bright  
15 light treatment, fluoxetine, and the combination in patients with nonseasonal major  
16 depressive disorder a randomized clinical trial. *JAMA Psychiatry*, 73, 56-63.
- 17 LAMBREGTSE-VAN DEN BERG, M., BURGER, H., BOCKTING, C. L., BONSEL, G. J.,  
18 DUVEKOT, J. J. & TORIJ, H. W. 2015. Stop or go? Tapering antidepressants in pregnancy:  
19 A pragmatic multicenter RCT to investigate risk and benefits for mother and child. *Archives of  
20 Women's Mental Health*, 18 (2), 403-404.
- 21 LAMERS, S. M., BOHLMEIJER, E. T., KORTE, J. & WESTERHOF, G. J. 2015. The efficacy  
22 of life-review as online-guided self-help for adults: a randomized trial. *The journals of  
23 gerontology. Series B, Psychological sciences and social sciences*, 70, 24-34.
- 24 LAMOUREUX-LAMARCHE, C., VASILIADIS, H. M., GONTIJO-GUERRA, S. & PREVILLE,  
25 M. 2014. Antidepressant adherence in older adults and different quality of life outcome  
26 measures. *Value in Health*, 17 (3), A219.
- 27 LAMPE, L., COULSTON, C. M. & BERK, L. 2013. Psychological management of unipolar  
28 depression. *Acta Psychiatrica Scandinavica*, 127, 24-37.
- 29 LANDIS, S., GAYNES, B., MORRISSEY, J., VINSON, N., ELLIS, A. & DOMINO, M. 2007.  
30 Generalist care managers for the treatment of depressed medicaid patients in North  
31 Carolina: A pilot study. *BMC Family Practice* 8, 7.
- 32 LAU, M. A., SEGAL, Z. V. & WILLIAMS, J. M. 2004. Teasdale's differential activation  
33 hypothesis: implications for mechanisms of depressive relapse and suicidal behaviour.  
34 *Behav Res Ther*, 42, 1001-17.
- 35 LAUBER, C., NORDT, C., FALCATO, L. & ROSSLER, W. 2001. Lay recommendations on  
36 how to treat mental disorders. *Soc Psychiatry Psychiatr Epidemiol*, 36, 553-6.
- 37 LAVRETSKY, H., ALSTEIN, L. L., OLMSTEAD, R. E., ERCOLI, L. M., RIPARETTI-BROWN,  
38 M., CYR, N. S. & IRWIN, M. R. 2011. Complementary use of tai chi chih augments  
39 escitalopram treatment of geriatric depression: a randomized controlled trial. *The American  
40 Journal of Geriatric Psychiatry*, 19, 839-50.
- 41 LAW, D. D. & CRANE, D. R. 2000. The influence of marital and family therapy on health care  
42 utilization in a health-maintenance organization. *Journal of Marital and Family Therapy*, 26,  
43 281-291.
- 44 LAW, D. D., CRANE, D. R. & BERGE, J. M. 2003. The influence of individual, marital, and  
45 family therapy on high utilizers of health care. *Journal of Marital and Family Therapy*, 29,  
46 353-363.

- 1 LAWRENCE, V., BANERJEE, S., BHUGRA, D., SANGHA, K., TURNER, S. & MURRAY, J.
- 2 2006. Coping with depression in later life: a qualitative study of help-seeking in three ethnic groups. *Psychol Med*, 36, 1375-83.
- 3
- 4 LAYARD, R. 2006. The case for psychological treatment centres. *BMJ*, 332, 1030-2.
- 5 LEADHOLM, A. K., ROTHSCHILD, A. J., NOLEN, W. A., BECH, P., MUNK-JORGENSEN,
- 6 P. & OSTERGAARD, S. D. 2013. The treatment of psychotic depression: is there consensus
- 7 among guidelines and psychiatrists? *J Affect Disord*, 145, 214-20.
- 8 LEBLANC, A., HERRIN, J., WILLIAMS, M. D., INSELMAN, J. W., BRANDA, M. E., SHAH, N.
- 9 D., HEIM, E. M., DICK, S. R., LINZER, M., BOEHM, D. H., DALL-WINTHER, K. M.,
- 10 MATTHEWS, M. R., YOST, K. J., SHEPEL, K. K. & MONTORI, V. M. 2015. Shared Decision
- 11 Making for Antidepressants in Primary Care: A Cluster Randomized Trial. *JAMA internal*
- 12 *medicine*, 175, 1761-70.
- 13 LECRUBIER, Y., CLERC, G., DIDI, R. & KIESER, M. 2002. Efficacy of St. John's wort extract
- 14 WS 5570 in major depression: a double-blind, placebo-controlled trial. *Am J Psychiatry*, 159,
- 15 1361-6.
- 16 LECRUBIER, Y., CLERC, G., DIDI, R. & KIESER, M. 2002. Efficacy of St. John's wort extract
- 17 WS(R) 5570 in major depression - a double-blind, placebo-controlled trial. *European*
- 18 *Psychiatry: the Journal of the Association of European Psychiatrists*, 17, 67.
- 19 LEE, A. S. & MURRAY, R. M. 1988. The long-term outcome of Maudsley depressives. *Br J*
- 20 *Psychiatry*, 153, 741-51.
- 21 LEE, M. S., CHOI, J., POSADZKI, P. & ERNST, E. 2012. Aromatherapy for health care: An
- 22 overview of systematic reviews. *Maturitas*, 71, 257-260.
- 23 LEE, R. S. C., MARTIN, D., KAUR, M., HICKIE, I. B. & LAGOPOULOS, J. 2015. The efficacy
- 24 of transcranial direct current stimulation in improving cognitive functioning in depression: A
- 25 meta-analysis. *Brain Stimulation*, 8 (2), 421.
- 26 LEELAHANAJ, T. 2010. The cost-effectiveness of aripiprazole as adjunctive therapy in major
- 27 depressive disorder: Thai economic model. *Chotmaihet thangphaet [Journal of the Medical*
- 28 *Association of Thailand]*, 93 Suppl 6, S43-50.
- 29 LEELAHANAJ, T. 2010. Developing thai economic model to study cost-effectiveness of
- 30 switching to bupropion compared to combination with bupropion after the failure of an SSRI
- 31 for major depressive disorder. *Chotmaihet thangphaet [Journal of the Medical Association of*
- 32 *Thailand]*, 93 Suppl 6, S35-42.
- 33 LEELAHANAJ, T. 2012. Switching to sertraline or venlafaxine after failure of SSRIs treatment
- 34 in major depressive disorder: an economic evaluation of the STAR\*D trial. *Chotmaihet*
- 35 *thangphaet [Journal of the Medical Association of Thailand]*, 95, S29-37.
- 36 LEFF, J., VEARNALS, S., WOLFF, G., ALEXANDER, B., CHISHOLM, D., EVERITT, B.,
- 37 ASENL, E. I. A., JONES, E., BREWIN, C. R. & DAYSON, D. 2000. The London Depression
- 38 Intervention Trial - randomised controlled trial of antidepressants v. Couple therapy in the
- 39 treatment and maintenance of people with depression living with a partner: Clinical outcome
- 40 and costs. *The British Journal of Psychiatry*, 177, 95-100.
- 41 LEHMANN, H. E., FENTON, F. R., DEUTSCH, M., FELDMAN, S. & ENGELSMANN, F.
- 42 1988. An 11-year follow-up study of 110 depressed patients. *Acta Psychiatr Scand*, 78, 57-
- 43 65.
- 44 LEITH, L. M. 1994. *Foundations of exercise and mental health*, Morgantown, WV, Fitness
- 45 Information Technology.

- 1 LEJOYEUX, M., MATHARAN, S. & BODINAT, C. 2015. How to switch to agomelatine after an unsuccessful try with paroxetine or venlafaxine. *CNS spectrums*, 20, 29-38.
- 3 LEMKE, M. & BARTHEL, B. 2013. Results of the German non-interventional study VITAL over 6 months: Effect of agomelatine on depressive symptoms and patients' compliance. *European Neuropsychopharmacology*, 23, S327.
- 6 LEMMENS, L., DERUBEIS, R. J., ARNTZ, A., PEETERS, F. & HUIBERS, M. J. H. 2016. Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. *Behaviour research and therapy*, 77, 170-6.
- 9 LENOX-SMITH, A., CONWAY, P. & KNIGHT, C. 2004. Cost effectiveness of representatives of three classes of antidepressants used in major depression in the UK. *PharmacoEconomics*, 22, 311-319.
- 12 LENOX-SMITH, A., GREENSTREET, L., BURSLEM, K. & KNIGHT, C. 2009. Cost effectiveness of venlafaxine compared with generic fluoxetine or generic amitriptyline in major depressive disorder in the UK. *Clinical Drug Investigation*, 29, 173-184.
- 15 LEPINE, J. P., GASTPAR, M., MENDLEWICZ, J. & TYLEE, A. 1997. Depression in the community: the first pan-European study DEPRES (Depression Research in European Society). *Int Clin Psychopharmacol*, 12, 19-29.
- 18 LEPORE, S. J. 1997. Expressive writing moderates the relation between intrusive thoughts and depressive symptoms. *J Pers Soc Psychol*, 73, 1030-7.
- 20 LERNER, D., ADLER, D., HERMANN, R. C., CHANG, H., LUDMAN, E. J., GREENHILL, A., PERCH, K., MCPECK, W. C. & ROGERS, W. H. 2012. Impact of a work-focused intervention on the productivity and symptoms of employees with depression. *Journal of Occupational and Environmental Medicine*, 54, 128-35.
- 24 LESPRÉANCE, F., FRASURE-SMITH, N., ST-ANDRÉ, E., TURECKI, G., LESPRÉANCE, P. & WISNIEWSKI, S. R. 2011. The efficacy of omega-3 supplementation for major depression: a randomized controlled trial. *Journal of Clinical Psychiatry*, 72, 1054-62.
- 27 LEVIN, F. R., MARIANI, J., BROOKS, D. J., PAVLICOVA, M., NUNES, E. V., AGOSTI, V., BISAGA, A., SULLIVAN, M. A. & CARPENTER, K. M. 2013. A randomized double-blind, placebo-controlled trial of venlafaxine-extended release for co-occurring cannabis dependence and depressive disorders. *Addiction (Abingdon, England)*, 108, 1084-1094.
- 31 LEVIN, M. E. 2014. Evaluating a prototype acceptance and commitment training web-based prevention program for depression and anxiety in college students. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 75, No Pagination Specified.
- 34 LEVIN, W., CAMPBELL, D. R., MCGOVERN, K. B., GAU, J. M., KOSTY, D. B., SEELEY, J. R. & LEWINSOHN, P. M. 2011. A computer-assisted depression intervention in primary care. *Psychological Medicine*, 41, 1373-83.
- 37 LEWINSOHN, P. M. 1975. The behavioural study and treatment of depression. In: HERSEN, M., EISLER, R. M. & MILLER, P. M. (eds.) *Progress in behavior modification*. New York; Newbury Park, CA: Academic Press; Sage Publications.
- 40 LEWINSOHN, P. M. 1984. *The Coping with depression course : a psychoeducational intervention for unipolar depression*, Eugene, OR, Castalia Pub. Co.
- 42 LEWINSOHN, P. M., CLARKE, G. N. & HOBERMAN, H. M. 1989. The Coping with Depression course: review and future directions. *Canadian Journal of Behavioral Science*, 21, 470-493.

- 1 LEWINSOHN, P. M., MUÑOZ, R. F., YOUNGREN, M. A. & AL., E. 1986. *Control your depression*, Englewood Cliffs, New Jersey, Prentice Hall.
- 3 LEWINSOHN, P. M., SOLOMON, A., SEELEY, J. R. & ZEISS, A. 2000. Clinical implications of "subthreshold" depressive symptoms. *Journal of Abnormal Psychology*, 109, 345-351.
- 5 LEWIS, E., MARCUS, S. C., OLFSON, M., DRUSS, B. G. & PINCUS, H. A. 2004. Patients' early discontinuation of antidepressant prescriptions. *Psychiatr Serv*, 55, 494.
- 7 LEWIS, H., ADAMSON, J., ATHERTON, K., BAILEY, D., BIRTWISTLE, J., BOSANQUET, K., CLARE, E., DELGADILLO, J., EKERS, D., FOSTER, D., GABE, R., GASCOYNE, S., HALEY, L., HARGATE, R., HEWITT, C., HOLMES, J., KEDING, A., LILLEY-KELLY, A., MAYA, J., MCMILLAN, D., MEER, S., MEREDITH, J., MITCHELL, N., NUTBROWN, S., OVEREND, K., PASTERFIELD, M., RICHARDS, D., SPILSBURY, K., TORGERSON, D., TRAVISS-TURNER, G., TREPEL, D., WOODHOUSE, R., ZIEGLER, F. & GILBODY, S. 2016. Collaborative care and active surveillance for Screen-Positive Elders with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. *Health Technology Assessment*.
- 16 LEWY, A., SACK, R., MILLER, L. & HOBAN, T. 1987. Antidepressant and circadian phase-shifting effects of light. *Science*, 235, 352-354.
- 18 LEXCHIN, J. 2003. Pharmaceutical industry sponsorship and research outcome and quality: systematic review. *BMJ*, 326, 1167-1170.
- 20 LI, C. T., CHEN, M. H., JUAN, C. H., HUANG, H. H., CHEN, L. F., HSIEH, J. C., TU, P. C., BAI, Y. M., TSAI, S. J., LEE, Y. C. & SU, T. P. 2014. Efficacy of prefrontal theta-burst stimulation in refractory depression: A randomized sham-controlled study. *Brain*, 137, 2088-2098.
- 24 LI, S. X., LIU, L. J., XU, L. Z., GAO, L., WANG, X. F., ZHANG, J. T. & LU, L. 2013. Diurnal alterations in circadian genes and peptides in major depressive disorder before and after escitalopram treatment. *Psychoneuroendocrinology*, 38, 2789-99.
- 27 LI, T., WANG, W., HONG, L., LIN, Y. & WANG, F. 2013. Repetitive transcranial magnetic stimulation enhances sleep quality of patients with comorbid major depressive disorder and insomnia. *Sleep Medicine*, 14, e303-e304.
- 30 LIBERMAN, R. P. & ECKMAN, T. 1981. Behavior therapy vs insight-oriented therapy for repeated suicide attempts. *Arch Gen Psychiatry*, 38, 1126-30.
- 32 LICHT, R. W. 2013. Is it possible to evaluate true prophylactic efficacy of antidepressants in severely ill patients with recurrent depression? Lessons from a placebo-controlled trial. the fifth trial of the Danish University Antidepressant Group (DUAG-5). *Journal of Affective Disorders*, 148, 286-290.
- 36 LIEBOWITZ, M., LAM, R. W., LEPOLA, U., DATTO, C., SWEITZER, D. & ERIKSSON, H. 2010. Efficacy and tolerability of extended release quetiapine fumarate monotherapy as maintenance treatment of major depressive disorder: a randomized, placebo-controlled trial. *Depression and Anxiety*, 27, 964-76.
- 40 LIEBOWITZ, M. R., TOURIAN, K. A., HWANG, E. & MELE, L. 2013. A double-blind, randomized, placebo-controlled study assessing the efficacy and tolerability of desvenlafaxine 10 and 50 mg/day in adult outpatients with major depressive disorder. *BMC Psychiatry*, 13, 94.
- 44 LINDE, K. & MULROW, C. D. 2004. St John's wort for major depression (Cochrane Review). *Cochrane Library*. Chichester: Cochrane Review.

- 1 LINDERT, J., SCHOULER-OCAK, M., HEINZ, A. & PRIEBE, S. 2008. Mental health, health care utilisation of migrants in Europe. *European Psychiatry*, 23, 14-20.
- 3 LINTVEDT, O. K., GRIFFITHS, K. M., EISEMANN, M. & WATERLOO, K. 2013. Evaluating the translation process of an Internet-based self-help intervention for prevention of depression: a cost-effectiveness analysis. *Journal of Medical Internet Research*, 15, e18.
- 6 LINTVEDT, O. K., GRIFFITHS, K. M., SORENSEN, K., OSTVIK, A. R., WANG, C. E., EISEMANN, M. & WATERLOO, K. 2013. Evaluating the effectiveness and efficacy of unguided internet-based self-help intervention for the prevention of depression: a randomized controlled trial. *Clinical psychology & psychotherapy*, 20, 10-27.
- 10 LISANBY, S. H., HUSAIN, M. M., KNAPP, R. G., MUELLER, M., MCCALL, W. V., PETRIEDES, G., YOUNG, R. C., WEINER, R., MCCLINTOCK, S. M., GREENBERG, R. M., SAMPSON, S., PRUDIC, J., RUDORFER, M. V. & KELLNER, C. H. 2014. Ultrabrief right unilateral ect in geriatric depression: Antidepressant and cognitive outcomes. *Biological Psychiatry*, 75, 21S.
- 15 LITTLEWOOD, E., DUARTE, A., HEWITT, C., KNOWLES, S., PALMER, S., WALKER, S., ANDERSEN, P., ARAYA, R., BARKHAM, M., BOWER, P., BRABYN, S., BRIERLEY, G., COOPER, C., GASK, L., KESSLER, D., LESTER, H., LOVELL, K., MUHAMMAD, U., PARRY, G., RICHARDS, D. A., RICHARDSON, R., TALLON, D., THARMANATHAN, P., WHITE, D. & GILBODY, S. 2015. A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. *Health Technol. Assess*, 19, 1-174.
- 23 LIU, E.-H., CHEN, W. L., LI, Y. H., WANG, C. H., MOK, T. J. & HUANG, H. S. 2009. Exploring the efficacy of cognitive bibliotherapy and a potential mechanism of change in the treatment of depressive symptoms among the Chinese: A randomized controlled trial. *Cognitive Therapy and Research*, 33, 449-61.
- 27 LIU, Y., FENG, H., MO, Y. L., LIU, W. J., SONG, M. F., WANG, S. D. & YIN, Y. 2015. Effect of acupuncture on early onset of SSRIs treating depressive disorder and related indicators of neuroimmunology. [Chinese]. *Zhongguo Zhong xi yi jie he za zhi [Chinese journal of integrated traditional and Western medicine]*, 35, 299-303.
- 31 LIU, Y., NIE, Z., LI, Q., NARAYAN, V., MANJI, H., YE, J. & WITTENBERG, G. 2014. Sparse generalized functional linear models for predicting treatment resistance with longitudinal data. *Neuropsychopharmacology*, 39, S440-S441.
- 34 LIU, Y., ZHANG, Y. H., JIN, M. & LIU, W. J. 2013. [Study on clinical effect enhancement of acupuncture for depression with chronic pain treated with SSRI antidepressants]. *Zhongguo Zhenjiu*, 33, 689-91.
- 37 LOBELLO, K., REDDY, S., MUSGNUNG, J., PEDERSEN, R. & NINAN, P. T. 2010. Patient outcomes with education, drug therapy, and support: a study of venlafaxine ER-treated outpatients with major depressive disorder. *Psychopharmacology Bulletin*, 43, 28-44.
- 40 LOHMAN, M., GREENBERG, R. L., RAUE, P. J. & BRUCE, M. 2015. Effect of depression care management on acute hospitalization risk among medicare home health patients: The carepath trial. *American journal of geriatric psychiatry*, 23, S101-s102.
- 43 LOK, A., MOCKING, R., ASSIES, J., KOETER, M., BOCKTING, C., DE VRIES, G., VISSER, I., DERKS, E., KAYSER, M. & SCHENE, A. 2014. The one-carbon-cycle and methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism in recurrent major depressive disorder; influence of antidepressant use and depressive state? *Journal of Affective Disorders*, 166, 115-123.

- 1 LOO, C. 2014. TDCS as a monotherapy for depression: Results from a randomized clinical trial and follow-up study. *Biological Psychiatry*, 75, 3S.
- 3 LOPES, R. T., GONCALVES, M. M., FASSNACHT, D. B., MACHADO, P. P. & SOUSA, I.
- 4 2014. Long-term effects of psychotherapy on moderate depression: a comparative study of narrative therapy and cognitive-behavioral therapy. *Journal of affective disorders*, 167, 64-73.
- 6 LORENTZEN, S., RUUD, T., FJELDSTAD, A. & HØGLEND, P. 2013. Comparison of short- and long-term dynamic group psychotherapy: randomised clinical trial. *British Journal of Psychiatry*, 203, 280-7.
- 9 LU, G. & ADES, A. E. 2004. Combination of direct and indirect evidence in mixed treatment comparisons. *Stat Med*, 23, 3105-24.
- 11 LUDMAN, E., SIMON, G., GROTHAUS, L., LUCE, C., MARKLEY, D. & SCHAEFER, J.
- 12 2007. A pilot study of telephone care management and structured disease self-management groups for chronic depression. *Psychiatric Services* 58, 1065-1072.
- 14 LUDMAN, E. J., PETERSON, D., KATON, W. J., LIN, E. H., VON KORFF, M.,
- 15 CIECHANOWSKI, P., YOUNG, B. & GENSCICHEN, J. 2013. Improving confidence for self care in patients with depression and chronic illnesses. *Behavioral Medicine*, 39, 1-6.
- 17 LUNN, D. J., THOMAS, A., BEST, N. & SPIEGELHALTER, D. 2000. WinBUGS-A Bayesian modelling framework: Concepts, structure, and extensibility. *Stat Comput*, 10, 325-337.
- 19 LY, K. H., TOPOOCO, N., CEDERLUND, H., WALLIN, A., BERGSTROM, J., MOLANDER, O., CARLBRING, P. & ANDERSSON, G. 2015. Smartphone-supported versus full behavioural activation for depression: A randomised controlled trial. *PloS one*, 10.
- 22 LYALL, D. M., INSKIP, H. M., MACKAY, D., DEARY, I. J., MCINTOSH, A. M., HOTOPF, M.,
- 23 KENDRICK, T., PELL, J. P. & SMITH, D. J. 2016. Low birth weight and features of
- 24 neuroticism and mood disorder in 83 545 participants of the UK Biobank cohort. *British Journal of Psychiatry Open*, 2, 38-44.
- 26 LYKOURAS, L. & GOURNELLIS, R. 2009. Psychotic (delusional) major depression: New vistas. *Current Psychiatry Reviews*, 5, 1-28.
- 28 MA, L. & LI, Y. 2014. Investigation of the influence of antidepressant therapy on blood pressure and quality of life in elderly patients both with hypertension and depression. *Cardiology (Switzerland)*, 129, 103-104.
- 31 MACASKILL, N. D. & MACASKILL, A. 1996. Rational-emotive therapy plus pharmacotherapy versus pharmacotherapy alone in the treatment of high cognitive dysfunction depression. *Cognitive Therapy and Research*, 20, 575-592.
- 34 MACKIN, R., NELSON, J., DELUCCHI, K. L., RAUE, P. J., SATRE, D. D., KIOSSES, D. N.,
- 35 ALEXOPOULOS, G. S. & AREAN, P. A. 2014. Association of age at depression onset with cognitive functioning in individuals with late-life depression and executive dysfunction. *The American Journal of Geriatric Psychiatry*, 22, 1633-1641.
- 38 MACMILLAN, H. L., PATTERSON, C. J., WATHEN, C. N., FEIGHTNER, J. W., BESETTE, P., ELFORD, R. W., FEIG, D. S., LANGLEY, J., PALDA, V. A., PATTERSON, C., REEDER, B. A., WALTON, R. & CANADIAN TASK FORCE ON PREVENTIVE HEALTH, C. 2005. Screening for depression in primary care: recommendation statement from the Canadian Task Force on Preventive Health Care. *CMAJ*, 172, 33-5.
- 43 MACPHERSON, H., RICHMOND, S., BLAND, M., BREALEY, S., GABE, R., HOPTON, A.,
- 44 KEDING, A., LANSDOWN, H., PERREN, S., SCULPHER, M., SPACKMAN, E.,
- 45 TORGESSON, D. & WATT, I. 2013. Acupuncture and counselling for depression in primary care: a randomised controlled trial. *PLoS Medicine*, 10, e1001518.

- 1 MAGINN, S., BOARDMAN, A. P., CRAIG, T. K., HADDAD, M., HEATH, G. & STOTT, J.  
2 2004. The detection of psychological problems by General Practitioners--influence of  
3 ethnicity and other demographic variables. *Soc Psychiatry Psychiatr Epidemiol*, 39, 464-71.
- 4 MAGNUSSON, A. & PARTONEN, T. 2005. The diagnosis, symptomatology, and  
5 epidemiology of seasonal affective disorder. *CNS Spectr*, 10, 625-34; quiz 1-14.
- 6 MAINA, G., ROSSO, G. & BOGETTO, F. 2009. Brief dynamic therapy combined with  
7 pharmacotherapy in the treatment of major depressive disorder: long-term results. *Journal of*  
8 *Affective Disorders*, 114, 200-7.
- 9 MAJ, M., VELTRO, F., PIROZZI, R., LOBRACE, S. & MAGLIANO, L. 1992. Pattern of  
10 recurrence of illness after recovery from an episode of major depression: a prospective  
11 study. *Am J Psychiatry*, 149, 795-800.
- 12 MALHI, G. S., PARKER, G. B. & GREENWOOD, J. 2005. Structural and functional models of  
13 depression: from sub-types to substrates. *Acta Psychiatrica Scandinavica*, 111, 94-105.
- 14 MALJANEN, T., PALTTA, P., HARKANEN, T., VIRTALA, E., LINDFORS, O. &  
15 LAAKSONEN, M. A. 2012. The cost-effectiveness of short-term psychodynamic  
16 psychotherapy and solution-focused therapy in the treatment of depressive and anxiety  
17 disorders during a one-year follow-up. *Journal of Mental Health Policy And Economics*, 15,  
18 13-23.
- 19 MALONE, D. C. 2007. A budget-impact and cost-effectiveness model for second-line  
20 treatment of major depression. *Journal of Managed Care Pharmacy*, 13, S8-S18.
- 21 MANBER, R., EDINGER, J. D., KRYSTAL, A., BUYSSE, D., LUTHER, J. F., WISNIEWSKI,  
22 S. R. & PHASE, M. E. 2015. Effect of CBT-I on antidepressant side-effects: A report from the  
23 triad study. *Sleep*, 38, A341.
- 24 MANCINI, M., WADE, A. G., PERUGI, G., LENOX-SMITH, A. & SCHACHT, A. 2014. Impact  
25 of patient selection and study characteristics on signal detection in placebo-controlled trials  
26 with antidepressants. *Journal of Psychiatric Research*, 51, 21-29.
- 27 MANCINO, M. J., MCGAUGH, J., CHOPRA, M. P., GUISE, J. B., CARGILE, C., WILLIAMS,  
28 D., THOSTENSON, J., KOSTEN, T. R., SANDERS, N. & OLIVETO, A. 2014. Clinical efficacy  
29 of sertraline alone and augmented with gabapentin in recently abstinent cocaine-dependent  
30 patients with depressive symptoms. *Journal of Clinical Psychopharmacology*, 34, 234-239.
- 31 MANCUSO, C. A., RINCON, M., MCCULLOCH, C. E. & CHARLSON, M. E. 2001. Self-  
32 efficacy, depressive symptoms, and patients' expectations predict outcomes in asthma. *Med*  
33 *Care*, 39, 1326-38.
- 34 MANICAVASAGAR, V., PERICH, T. & PARKER, G. 2012. Cognitive predictors of change in  
35 cognitive behaviour therapy and mindfulness-based cognitive therapy for depression.  
36 *Behavioural and Cognitive Psychotherapy*, 40, 227-32.
- 37 MANICAVASAGAR, V., PARKER, G. & PERICH, T. 2011. Mindfulness-based cognitive  
38 therapy vs cognitive behaviour therapy as a treatment for non-melancholic depression.  
39 *Journal of Affective Disorders*, 130, 138-44.
- 40 MANN, A., BLIZARD, R., MURRAY, J., SMITH, J., BOTEGA, N., MACDONALD, E. & AL., E.  
41 1998. An evaluation of practice nurses working with general practitioners to treat people with  
42 depression. *British Journal of General Practice*, 48, 875.
- 43 MANN, R., GILBODY, S. & RICHARDS, D. 2009. Putting the 'Q' in depression QALYs: A  
44 comparison of utility measurement using EQ-5D and SF-6D health related quality of life  
45 measures. *Social Psychiatry and Psychiatric Epidemiology*, 44, 569-578.

- 1 MANN, T. 1996. Clinical Guidelines: Using clinical guidelines to improve patient care within  
2 the NHS. London: NHS Executive.
- 3 MANNING, K. J., ALEXOPOULOS, G. S., BANERJEE, S., MORIMOTO, S. S., SEIRUP, J.  
4 K., KLIMSTRA, S. A., YUEN, G., KANELLOPOULOS, T. & GUNNING-DIXON, F. 2015.  
5 Executive functioning complaints and escitalopram treatment response in late-life  
6 depression. *American journal of geriatric psychiatry*, 23, 440-5.
- 7 MARQUES, L. A., GALDUROZ, J. C., FERNANDES, M. R., OLIVEIRA, C. C., BEIJO, L. A. &  
8 NOTO, A. R. 2013. Assessment of the effectiveness of pharmacotherapy follow-up in  
9 patients treated for depression. *Journal of Managed Care Pharmacy*, 19, 218-27.
- 10 MARTEAU, T. M. 1989. Psychological costs of screening. *BMJ*, 299, 527.
- 11 MARTELL, C. R., ADDIS, M. E. & JACOBSON, N. S. 2001. *Depression in context :  
strategies for guided action*, New York, W.W. Norton.
- 12 MARTIN, D. M., ALONZO, A., HO, K. A., PLAYER, M., MITCHELL, P. B., SACHDEV, P. &  
13 LOO, C. K. 2013. Continuation transcranial direct current stimulation for the prevention of  
14 relapse in major depression. *Journal of Affective Disorders*, 144, 274-8.
- 15 MARTIN, L. A., NEIGHBORS, H. W. & GRIFFITH, D. M. 2013. The experience of symptoms  
16 of depression in men vs women: analysis of the National Comorbidity Survey Replication.  
17 *JAMA Psychiatry*, 70, 1100-6.
- 18 MARTIN, P. R. 2013. Co-morbid recurrent headaches and major depressive disorder: An  
19 RCT of cognitive behavior therapy. *Cephalgia*, 33, 95.
- 20 MARTINEZ, J. M., KATON, W., GREIST, J. H., KROENKE, K., THASE, M. E., MEYERS, A.  
21 EDWARDS, S. E., MARANGELL, L. B., SHOEMAKER, S. & SWINDLE, R. 2012. A  
22 pragmatic 12-week, randomized trial of duloxetine versus generic selective serotonin-  
23 reuptake inhibitors in the treatment of adult outpatients in a moderate-to-severe depressive  
24 episode. *International Clinical Psychopharmacology*, 27, 17-26.
- 25 MARTINOTTI, G., SEPEDI, G., GAMBI, F., IORIO, G., BERARDIS, D., NICOLA, M.,  
26 ONOFRJ, M., JANIRI, L. & GIANNANTONIO, M. 2012. Agomelatine versus venlafaxine XR  
27 in the treatment of anhedonia in major depressive disorder: a pilot study. *Journal of Clinical  
Psychopharmacology*, 32, 487-91.
- 28 MARTINS-DE-SOUZA, D., GUEST, P. C., HARRIS, L. W., VANATTOU-SAIFOUDINE, N.,  
29 WEBSTER, M. J., RAHMOUNE, H. & BAHN, S. 2012. Identification of proteomic signatures  
30 associated with depression and psychotic depression in post-mortem brains from major  
31 depression patients. *Transl Psychiatry*, 2, e87.
- 32 MARTINY, K., REFSGAARD, E., LUND, V., LUNDE, M., SORENSEN, L. & THOUGAARD,  
33 B. 2012. A 9-week randomized trial comparing chronotherapeutic intervention (wake and  
34 light therapy) to exercise in major depressive disorder patients treated with duloxetine.  
35 *Journal of Clinical Psychiatry Diseases of the Nervous System*, 73, 1234-42.
- 36 MARTINY, K., REFSGAARD, E., LUND, V., LUNDE, M., SORENSEN, L., THOUGAARD, B.,  
37 LINDBERG, L. & BECH, P. 2013. The Day-to-Day Acute Effect of Wake Therapy in Patients  
38 with Major Depression Using the HAM-D6 as Primary Outcome Measure: Results from a  
39 Randomised Controlled Trial. *PLoS ONE*, 8.
- 40 MARTINY, K., REFSGAARD, E., LUND, V., LUNDE, M., SØRENSEN, L., THOUGAARD, B.,  
41 LINDBERG, L. & BECH, P. 2013. The day-to-day acute effect of wake therapy in patients  
42 with major depression using the HAM-D6 as primary outcome measure: results from a  
43 randomised controlled trial. *PLoS ONE*, 8, e67264.

- 1 MARTINY, K., REFGAARD, E., LUND, V., LUNDE, M., THOUGAARD, B., LINDBERG, L. & BECH, P. 2015. Maintained superiority of chronotherapeutics vs. exercise in a 20-week randomized follow-up trial in major depression. *Acta psychiatica Scandinavica*, 131, 446-57.
- 4 MATTIOLI, F., STAMPATORI, C., BELLOMI, F., DANNI, M., COMPAGNUCCI, L., UCCELLI, A., PARDINI, M., SANTUCCIO, G., FREGONESE, G., PATTINI, M., ALLEGRI, B., CLERICI, R., LATTAUDA, A., MONTOMOLI, C., CORSO, B. & CAPRA, R. 2014. A RCT comparing specific intensive cognitive training to aspecific psychological intervention in RRMS the SMICT study. *Frontiers in Neurology*, 5.
- 9 MATTISSON, C., BOGREN, M., HORSTMANN, V., MUNK-JORGENSEN, P. & NETTELBLADT, P. 2007. The long-term course of depressive disorders in the Lundby Study. *Psychol Med*, 37, 883-91.
- 12 MAVANDADI, S., BENSON, A., DIFILIPPO, S., STREIM, J. E. & OSLIN, D. 2015. A telephone-based program to provide symptom monitoring alone vs symptom monitoring plus care management for late-life depression and anxiety a randomized clinical trial. *JAMA Psychiatry*, 72, 1211-8.
- 16 MAVRIDIS, D., GIANNATSI, M., CIPRIANI, A. & SALANTI, G. 2015. A primer on network meta-analysis with emphasis on mental health. *Evid Based Ment Health*, 18, 40-6.
- 18 MAY, C., ALLISON, G., CHAPPLE, A., CHEW-GRAHAM, C., DIXON, C., GASK, L., GRAHAM, R., ROGERS, A. & ROLAND, M. 2004. Framing the doctor-patient relationship in chronic illness: a comparative study of general practitioners' accounts. *Sociol Health Illn*, 26, 135-58.
- 22 MAYUR, P., BYTH, K. & HARRIS, A. 2013. Acute antidepressant effects of right unilateral ultra-brief ECT: a double-blind randomised controlled trial. *Journal of Affective Disorders*, 149, 426-9.
- 25 MAYUR, P. & HARRIS, A. 2011. Comparison of antidepressant effects between brief and ultrabrief pulse unilateral electroconvulsive therapy: brief report of a randomized double-blind trial. *Journal of ECT*, 27, e59-60.
- 28 MCALLISTER-WILLIAMS, R. H., ANDERSON, I. M., FINKELMEYER, A., GALLAGHER, P., GRUNZE, H. C. R., HADDAD, P. M., HUGHES, T., LLOYD, A. J., MAMASOULA, C., MCCOLL, E., PEARCE, S., SIDDIQI, N., SINHA, B. N. P., STEEN, N., WAINWRIGHT, J., WINTER, F. H., FERRIER, I. N. & WATSON, S. 2016. Antidepressant augmentation with metyrapone for treatment-resistant depression (the ADD study): A double-blind, randomised, placebo-controlled trial. *The Lancet Psychiatry*, 3, 117-27.
- 34 MCCALL, W. V. 2013. Is remission a necessary and sufficient definition of success in electroconvulsive therapy Part 1. *Journal of ECT*, 29, 257.
- 36 MCCALL, W. V., REBOUSSIN, D., PRUDIC, J., HASKETT, R. F., ISENBERG, K., OLFSON, M., ROSENQUIST, P. B. & SACKEIM, H. A. 2013. Near-normalization of health-related quality of life in depressed patients after 6-months of sustained remission post-ECT. *Journal of ECT*, 29 (2), 151.
- 40 MCCALL, W. V., ROSENQUIST, P. B., KIMBALL, J., HASKETT, R., ISENBERG, K., PRUDIC, J., LASATER, B. & SACKEIM, H. A. 2011. Health-related quality of life in a clinical trial of ECT followed by continuation pharmacotherapy: effects immediately after ECT and at 24 weeks. *Journal of ECT*, 27, 97-102.
- 44 MCCLAY, C. A., COLLINS, K., MATTHEWS, L., HAIG, C., MCCONNACHIE, A., MORRISON, J., LYNCH, P., WATERS, L., DAY, I., MCANEE, G. & WILLIAMS, C. 2015. A community-based pilot randomised controlled study of life skills classes for individuals with low mood and depression. *BMC psychiatry*, 15, 17.

- 1 MCCLURE, D. J., LOW, G. L. & GENT, M. 1973. Clomipramine HCL--a double-blind study of 2 a new antidepressant drug. *Can Psychiatr Assoc J*, 18, 403-8.
- 3 MCCRONE, P., DHANASIRI, S., PATEL, A. & KNAPP, M. 2008. Paying the price: the cost of 4 mental health care in England to 2026. London: King's Fund.
- 5 MCCRONE, P., KNAPP, M., PROUDFOOT, J., RYDEN, C., CAVANAGH, K., SHAPIRO, D. 6 A., ILSON, S., GRAY, J. A., GOLDBERG, D., MANN, A., MARKS, I., EVERITT, B. & TYLEE, 7 A. 2004. Cost-effectiveness of computerised cognitive-behavioural therapy for anxiety and 8 depression in primary care: Randomised controlled trial. *British Journal of Psychiatry*, 185, 9 55-62.
- 10 MCCULLOUGH, J. P. 2000. *Treatment for chronic depression : cognitive behavioral analysis 11 system of psychotherapy (CBASP)*, New York, Guilford Press.
- 12 MCCUSKER, J., COLE, M., YAFFE, M., CAPPELIEZ, P., DAWES, M., SEWITCH, M. & AL., 13 E. 2008. Project DIRECT: Pilot study of a collaborative intervention for depressed seniors. 14 *Canadian Journal of Community Mental Health*, 27, 201-218.
- 15 MCCUSKER, J., COLE, M. G., YAFFE, M., STRUMPF, E., SEWITCH, M., SUSSMAN, T., 16 CIAMPI, A., LAVOIE, K., PLATT, R. W. & BELZILE, E. 2015. A randomized trial of a 17 depression self-care toolkit with or without lay telephone coaching for primary care patients 18 with chronic physical conditions. *General Hospital Psychiatry*, 37, 257-265.
- 19 MCGRATH, C. L., KELLEY, M. E., HOLTZHEIMER, P. E., DUNLOP, B. W., CRAIGHEAD, 20 W. E., FRANCO, A. R., CRADDOCK, R. C. & MAYBERG, H. S. 2013. Toward a 21 neuroimaging treatment selection biomarker for major depressive disorder. *JAMA Psychiatry*, 22 70, 821-9.
- 23 MCHUGH, R. K., WHITTON, S. W., PECKHAM, A. D., WELGE, J. A. & OTTO, M. W. 2013. 24 Patient preference for psychological vs pharmacologic treatment of psychiatric disorders: a 25 meta-analytic review. *J Clin Psychiatry*, 74, 595-602.
- 26 MCINDOO, C. C., FILE, A. A., PREDDY, T., CLARK, C. G. & HOPKO, D. R. 2016. 27 Mindfulness-based therapy and behavioral activation: A randomized controlled trial with 28 depressed college students. *Behaviour research and therapy*, 77, 118-28.
- 29 MCINTYRE, R., LOPHAVEN, S. N. & OLSEN, C. K. 2014. The efficacy of vortioxetine in 30 adult patients with a recurrent major depressive episode (MDE): A randomized, double-blind, 31 placebo-controlled study. *International Journal of Neuropsychopharmacology*, 17, 136.
- 32 MCINTYRE, R. S., LOPHAVEN, S. & OLSEN, C. K. 2013. Randomized, double-blind, 33 placebo-controlled study of the efficacy of vortioxetine on cognitive dysfunction in adult 34 patients with major depressive disorder (MDD). *Neuropsychopharmacology*, 38, S380-S381.
- 35 MCINTYRE, R. S., LOPHAVEN, S. & OLSEN, C. K. 2014. A randomized, double-blind, 36 placebo-controlled study of vortioxetine on cognitive function in depressed adults. 37 *International Journal of Neuropsychopharmacology*, 17, 1557-67.
- 38 MCINTYRE, R. S., SOCZYNSKA, J. K., LIAUW, S. S., WOLDEYOHANNES, H. O., 39 BRIETZKE, E., NATHANSON, J., ALSUWAIDAN, M., MUZINA, D. J., TAYLOR, V. H., CHA, 40 D. S. & KENNEDY, S. H. 2012. The association between childhood adversity and 41 components of metabolic syndrome in adults with mood disorders: results from the 42 international mood disorders collaborative project. *Int J Psychiatry Med*, 43, 165-77.
- 43 MCMAHON, L., FORAN, K., FORREST, S., TAYLOR, M., INGRAM, G., RAJWAL, M. & AL., 44 E. 2007. Graduate mental health worker case management of depression in UK primary 45 care: a pilot study. *British Journal of General Practice* 57, 880-5.

- 1 MCMANUS, S. & BEBBINGTON, P. 2009. *Adult psychiatric morbidity in England, 2007 : results of a household survey*, London, National Centre for Social Research.
- 2 MCMANUS, S., BEBBINGTON, P., JENKINS, R. & BRUGHA, T. 2016. Mental health and wellbeing in England: Adult Psychiatric Morbidity Survey 2014. Leeds: NHS Digital.
- 3 MEAD, G. E., MORLEY, W., CAMPBELL, P., GREIG, C. A., MCMURDO, M. & LAWLOR, D. A. 2008. Exercise for depression. *Cochrane Database Syst Rev*, CD004366.
- 4 MEADOWS, G. N., SHAWYER, F., ENTICOTT, J. C., GRAHAM, A. L., JUDD, F., MARTIN, P. R., PITERMAN, L. & SEGAL, Z. 2014. Mindfulness-based cognitive therapy for recurrent depression: A translational research study with 2-year follow-up. *Australian and New Zealand Journal of Psychiatry*, 48, 743-755.
- 5 MEDICINE, A. C. O. S. 1980. *Guidelines for graded exercise testing and exercise prescription*, Philadelphia, Lea & Febiger.
- 6 MEEKS, S., HAITSMA, K., SCHOENBACHLER, B. & LOONEY, S. W. 2015. BE-ACTIV for depression in nursing homes: primary outcomes of a randomized clinical trial. *Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 70, 13-23.
- 7 MEHTA, N., CLEMENT, S., MARCUS, E., STONA, A. C., BEZBORODOVS, N., EVANS-LACKO, S., PALACIOS, J., DOCHERTY, M., BARLEY, E., ROSE, D., KOSCHORKE, M., SHIDHAYE, R., HENDERSON, C. & THORNICROFT, G. 2015. Evidence for effective interventions to reduce mental health-related stigma and discrimination in the medium and long term: systematic review. *Br J Psychiatry*, 207, 377-84.
- 8 MELANDER, H., AHLQVIST-RASTAD, J., MEIJER, G. & BEERMANN, B. 2003. Evidence b(i)ased medicine--selective reporting from studies sponsored by pharmaceutical industry: review of studies in new drug applications. *BMJ*, 326, 1171-3.
- 9 MELARTIN, T. K., RYTSALA, H. J., LESKELA, U. S., LESTELA-MIELONEN, P. S., SOKERO, T. P. & ISOMETSA, E. T. 2004. Severity and comorbidity predict episode duration and recurrence of DSM-IV major depressive disorder. *J Clin Psychiatry*, 65, 810-9.
- 10 MELTZER, H., BEBBINGTON, P., BRUGHA, T., FARRELL, M., JENKINS, R. & LEWIS, G. 2000. The reluctance to seek treatment for neurotic disorders. *Journal of Mental Health*, 9, 319-327.
- 11 MELVILLE, J. L., REED, S. D., RUSSO, J., CROICU, C. A., LUDMAN, E., LAROCCHI-COCKBURN, A. & KATON, W. 2014. Improving care for depression in obstetrics and gynecology: a randomized controlled trial. *Obstetrics and Gynecology*, 123, 1237-1246.
- 12 MEMON, A., TAYLOR, K., MOHEBATI, L. M., SUNDIN, J., COOPER, M., SCANLON, T. & DE VISSER, R. 2016. Perceived barriers to accessing mental health services among black and minority ethnic (BME) communities: a qualitative study in Southeast England. *BMJ Open*, 6, e012337.
- 13 MENCHETTI, M., SIGHINOLFI, C., MICHELE, V., PELOSO, P., NESPECA, C., BANDIERI, P. V., BOLOGNA, M., FIORITTI, A., FRAVEGA, R., GHIO, L., GOTELLI, S., LEVANTESI, P., ORTEGA, M. A., SAVORANI, M., SIMONI, L., TARRICONE, I., MORINI, M., GASK, L. & BERARDI, D. 2013. Effectiveness of collaborative care for depression in Italy. A randomized controlled trial. *General Hospital Psychiatry*, 35, 579-86.
- 14 MENTAL-HEALTH-TASKFORCE 2015. The five year forward view Mental Health Taskforce: public engagement findings. London: NHS England.
- 15 MERCIER, A., AUGER-AUBIN, I., LEBEAU, J. P., SCHUERS, M., BOULET, P., HERMIL, J. L., VAN ROYEN, P. & PEREMANS, L. 2013. Evidence of prescription of antidepressants for

- 1 non-psychiatric conditions in primary care: an analysis of guidelines and systematic reviews.
- 2 *BMC family practice*, 14, 55.
- 3 MEYER, B., BERGER, T., CASPAR, F., BEEVERS, C. G., ANDERSSON, G. & WEISS, M.
- 4 2009. Effectiveness of a novel integrative online treatment for depression (Deprexis):
- 5 randomized controlled trial. *Journal of Medical Internet Research*, 11, e15.
- 6 MEYER, B., BIERBRODT, J., SCHRODER, J., BERGER, T., BEEVERS, C. G., WEISS, M.,
- 7 JACOB, G., SPATH, C., ANDERSSON, G., LUTZ, W., HAUTZINGER, M., LOWE, B., ROSE,
- 8 M., HOHAGEN, F., CASPAR, F., GREINER, W., MORITZ, S. & KLEIN, J. P. 2015. Effects of
- 9 an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled
- 10 trial. *Internet Interventions*, 2, 48-59.
- 11 MEYERS 2011. A doubleblind randomized controlled trial of olanzapine plus sertraline vs
- 12 olanzapine plus placebo for psychotic depression: The study of pharmacotherapy of
- 13 psychotic depression (STOP-PD) (Archives of General Psychiatry (2009) 66, 8, (838-847)).
- 14 *Archives of General Psychiatry*, 68, 626.
- 15 MEYERS, B. S., FLINT, A. J., ROTHSCHILD, A. J., MULSANT, B. H., WHYTE, E. M. &
- 16 PEASLEY-MIKLUS, C. 2011. Errors in Table in: A Double-blind Randomized Controlled Trial
- 17 of Olanzapine Plus Sertraline vs Olanzapine Plus Placebo for Psychotic Depression: the
- 18 Study of Pharmacotherapy of Psychotic Depression (STOP-PD). *Archives of General*
- 19 *Psychiatry*, 68, 625-6.
- 20 MEYERS, B. S., FLINT, A. J., ROTHSCHILD, A. J., MULSANT, B. H., WHYTE, E. M.,
- 21 PEASLEY-MIKLUS, C., PAPADEMETRIOU, E., LEON, A. C. & HEO, M. 2009. A double-
- 22 blind randomized controlled trial of olanzapine plus sertraline vs olanzapine plus placebo for
- 23 psychotic depression: the study of pharmacotherapy of psychotic depression (STOP-PD).
- 24 *Archives of General Psychiatry*, 66, 838-47.
- 25 MEYERS, B. S., FLINT, A. J., ROTHSCHILD, A. J., MULSANT, B. H., WHYTE, E. M.,
- 26 PEASLEY-MIKLUS, C., PAPADEMETRIOU, E., LEON, A. C. & HEO, M. 2011. "A double-
- 27 blind randomized controlled trial of olanzapine plus sertraline vs olanzapine plus placebo for
- 28 psychotic depression: The Study of Pharmacotherapy of Psychotic Depression (STOP-PD)":
- 29 Correction. *Archives of General Psychiatry*, 68, 626.
- 30 MEYERS, B. S., KLIMSTRA, S. A., GABRIELE, M., HAMILTON, M., KAKUMA, T.,
- 31 TIRUMALASETTI, F. & ALEXOPOULOS, G. S. 2001. Continuation treatment of delusional
- 32 depression in older adults. *Am J Geriatr Psychiatry*, 9, 415-22.
- 33 MHRA 2011. Citalopram and escitalopram: QT interval prolongation. Medicines and
- 34 Healthcare Products Regulatory Agency.
- 35 MICHALAK, J., SCHULTZE, M., HEIDENREICH, T. & SCHRAMM, E. 2015. A randomized
- 36 controlled trial on the efficacy of mindfulness-based cognitive therapy and a group version of
- 37 cognitive behavioral analysis system of psychotherapy for chronically depressed patients.
- 38 *Journal of consulting and clinical psychology*, 83, 951-63.
- 39 MILLER, P., CHILVERS, C., DEWEY, M., FIELDING, K., GRETTON, V., PALMER, B.,
- 40 WELLER, D., CHURCHILL, R., WILLIAMS, I., BEDI, N., DUGGAN, C., LEE, A. &
- 41 HARRISON, G. 2003. Counseling versus antidepressant therapy for the treatment of mild to
- 42 moderate depression in primary care economic analysis. *International Journal of Technology*
- 43 *Assessment in Health Care*, 19, 80-90.
- 44 MILLS, E. J., THORLUND, K. & IOANNIDIS, J. P. 2013. Demystifying trial networks and
- 45 network meta-analysis. *BMJ*, 346, f2914.
- 46 MIND 2007. Learning disabilities and mental health problems. MIND.
- 47 MIND 2013. We still need to talk - A report on access to talking therapies London: MIND.

- 1 MINDHAM, R. H. 1982. Tricyclic antidepressants. *Drugs in Psychiatric Practice*. Elsevier BV.
- 2 MISCHOULON, D., NIERENBERG, A. A., SCHETTLER, P. J., KINKEAD, B., FEHLING, K.,
- 3 MARTINSON, M. & RAPAPORT, M. H. 2015. Clinical predictors of response to omega-3
- 4 fatty acids in major depressive disorder. *Biological psychiatry*, 77, 147s.
- 5 MISCHOULON, D., NIERENBERG, A. A., SCHETTLER, P. J., KINKEAD, B. L., FEHLING,
- 6 K., MARTINSON, M. A. & RAPAPORT, M. H. 2015. A double-blind, randomized controlled
- 7 clinical trial comparing eicosapentaenoic acid versus docosahexaenoic acid. *Journal of*
- 8 *clinical psychiatry*, 76, 54-61.
- 9 MISCHOULON, D., PRICE, L. H., CARPENTER, L. L., TYRKA, A. R., PAPAKOSTAS, G. I.,
- 10 BAER, L., DORDING, C. M., CLAIN, A. J., DURHAM, K., WALKER, R., LUDINGTON, E. &
- 11 FAVA, M. 2014. A double-blind, randomized, placebo-controlled clinical trial of S-adenosyl-L-
- 12 methionine (SAMe) versus escitalopram in major depressive disorder. *Journal of Clinical*
- 13 *Psychiatry*, 75, 370-6.
- 14 MITCHELL, A. J. & SUBRAMANIAM, H. 2005. Prognosis of depression in old age compared
- 15 to middle age: A systematic review of comparative studies. *American Journal of Psychiatry*,
- 16 162, 1588-1601.
- 17 MITCHELL, A. J., VAZE, A. & RAO, S. 2009. Clinical diagnosis of depression in primary
- 18 care: a meta-analysis. *Lancet*, 374, 609-19.
- 19 MITTAL, D., CHEKURI, L., LU, L. & FORTNEY, J. C. 2014. Demographic, economic, and
- 20 clinical correlates of depression treatment response in an underserved primary care
- 21 population. *Journal of Clinical Psychiatry*, 75, 848-854.
- 22 MIYAOKA, T. 2011. Clinical potential of minocycline for depression with psychotic features.
- 23 *Asian Journal of Psychiatry*, 4, S15.
- 24 MIYAOKA, T., WAKE, R., FURUYA, M., LIAURY, K., IEDA, M., KAWAKAMI, K., TSUCHIE,
- 25 K., TAKI, M., ISHIHARA, K., ARAKI, T. & HORIGUCHI, J. 2012. Minocycline as adjunctive
- 26 therapy for patients with unipolar psychotic depression: An open-label study. *Progress in*
- 27 *Neuro-Psychopharmacology and Biological Psychiatry*, 37, 222-226.
- 28 MOCKING, R., PELLIKAAN, C., LOK, A., ASSIES, J., RUHE, H., KOETER, M., VISSER, I.,
- 29 BOCKTING, C., OLFF, M. & SCHENE, A. 2015. DHEAS and cortisol/DHEAS-ratio in
- 30 recurrent depression: State, or trait predicting 10-year recurrence?
- 31 *Psychoneuroendocrinology*, 59, 91-101.
- 32 MOCKING, R. J. T., VERBURG, H. F., WESTERINK, A. M., ASSIES, J., VAZ, F. M.,
- 33 KOETER, M. W. J., RUHE, H. G. & SCHENE, A. H. 2015. Fatty acid metabolism and its
- 34 longitudinal relationship with the hypothalamic-pituitary-adrenal axis in major depression:
- 35 Associations with prospective antidepressant response. *Psychoneuroendocrinology*, 59, 1-
- 36 13.
- 37 MOFFITT, T. E., CASPI, A., TAYLOR, A., KOKAUA, J., MILNE, B. J., POLANCZYK, G. &
- 38 POULTON, R. 2010. How common are common mental disorders? Evidence that lifetime
- 39 prevalence rates are doubled by prospective versus retrospective ascertainment. *Psychol*
- 40 *Med*, 40, 899-909.
- 41 MOHR, D. C., CARMODY, T., ERICKSON, L., JIN, L. & LEADER, J. 2011. Telephone-
- 42 administered cognitive behavioral therapy for veterans served by community-based
- 43 outpatient clinics. *Journal of Consulting and Clinical Psychology*, 79, 261-5.
- 44 MOHR, D. C., HO, J., DUFFECY, J., REIFLER, D., SOKOL, L., BURNS, M. N., JIN, L. &
- 45 SIDDIQUE, J. 2012. Effect of telephone-administered vs face-to-face cognitive behavioral
- 46 therapy on adherence to therapy and depression outcomes among primary care patients: a
- 47 randomized trial. *JAMA*, 307, 2278-85.

- 1 MOHR, P., ANDERS, M. & MASOPUST, J. 2014. Vortioxetine in treatment of depressive disorder and potential improvement of cognitive functions. [Czech]
- 3 Vortioxetin v lecbe depresivni poruchy a moznosti zlepensi kognitivnich funkci. *Psychiatrie*, 4 18, 206-211.
- 5 MOJTABAIE, R., OLFSON, M., SAMPSON, N. A., JIN, R., DRUSS, B., WANG, P. S., WELLS, K. B., PINCUS, H. A. & KESSLER, R. C. 2011. Barriers to mental health treatment: results from the National Comorbidity Survey Replication. *Psychol Med*, 41, 1751-61.
- 8 MOKHBER, N. & GHARAVI, M. M. 2007. Comparison of nortriptyline and bupropion in major depressive disorder among elderly patients. *Journal of Pakistan Psychiatric Society*, 4, 83-7.
- 10 MOLDOVAN, R., COBEANU, O. & DAVID, D. 2013. Cognitive bibliotherapy for mild depressive symptomatology: randomized clinical trial of efficacy and mechanisms of change. *Clinical Psychology & Psychotherapy*, 20, 482-93.
- 13 MOLENAAR, P. J., BOOM, Y., PEEN, J., SCHOEVERS, R. A., VAN, R. & DEKKER, J. J. 2011. Is there a dose-effect relationship between the number of psychotherapy sessions and improvement of social functioning? *British Journal of Clinical Psychology*, 50, 268-82.
- 16 MOLLER-LEIMKUHLER, A. M. 2002. Barriers to help-seeking by men: a review of sociocultural and clinical literature with particular reference to depression. *J Affect Disord*, 71, 1-9.
- 19 MONDIN, T. C., CARDOSO, T. D. A., JANSEN, K., SILVA, G., SOUZA, L. & SILVA, R. A. D. 2015. Long-term effects of cognitive therapy on biological rhythms and depressive symptoms: A randomized clinical trial. *Journal of affective disorders*, 187, 1-9.
- 22 MONROE, S. M. & HARKNESS, K. L. 2011. Recurrence in major depression: a conceptual analysis. *Psychol Rev*, 118, 655-74.
- 24 MONTGOMERY, S., GOMMOLL, C., CHEN, C. & GREENBERG, W. M. 2013. Levomilnacipran SR efficacy in major depressive disorder (MDD) across patient subgroups: Pooled analysis of 5 double-blind, placebo-controlled trials. *European Neuropsychopharmacology*, 23, S336.
- 28 MONTGOMERY, S. A., GOMMOLL, C. P., CHEN, C. & GREENBERG, W. M. 2015. Efficacy of levomilnacipran extended-release in major depressive disorder: Pooled analysis of 5 double-blind, placebo-controlled trials. *CNS Spectrums*, 20, 148-156.
- 31 MONTGOMERY, S. A., NIELSEN, R. Z., POULSEN, L. H. & HAGGSTROM, L. 2015. Errata: A randomised, double-blind study in adults with major depressive disorder with an inadequate response to a single course of selective serotonin reuptake inhibitor or serotonin-noradrenaline reuptake inhibitor treatment switched to vortioxetine or agomelatine (Human Psychopharmacology (2015) 29 (470-482) DOI: 10.1002/hup.2424). *Human psychopharmacology*, 30, 327.
- 37 MONTGOMERY STUART, A., NIELSEN REBECCA, Z., POULSEN LIS, H. & HAGGSTROM, L. 2014. A randomised, double-blind study in adults with major depressive disorder with an inadequate response to a single course of selective serotonin reuptake inhibitor or serotonin-noradrenaline reuptake inhibitor treatment switched to vortioxetine or agomelatine. *Human Psychopharmacology: Clinical and Experimental*, 29, 470-82.
- 42 MOORE, R. & GARLAND, A. 2003. *Cognitive therapy for chronic and persistent depression*, Chichester, West Sussex, England ; Hoboken, NJ, Wiley.
- 44 MOOSAVI, S. M., AHMADI, M., AMINI, M. & VAZIRZADEH, B. 2014. The effects of 40 and 80 mg hydro- alcoholic extract of crocus sativus in the treatment of mild to moderate depression. [Persian]. *Journal of Mazandaran University of Medical Sciences*, 24, 47-53.

- 1 MORADVEISI, L., HUIBERS, M. J., RENNER, F., ARASTEH, M. & ARNTZ, A. 2013.
- 2 Behavioural activation v. antidepressant medication for treating depression in Iran: randomised trial. *British Journal of Psychiatry*, 202, 204-11.
- 3 MORADVEISI, L., HUIBERS, M. J., RENNER, F., ARASTEH, M. & ARNTZ, A. 2013. The influence of comorbid personality disorder on the effects of behavioural activation vs. antidepressant medication for major depressive disorder: results from a randomized trial in Iran. *Behaviour Research and Therapy*, 51, 499-506.
- 4 MORENO, F. A., CHONG, J., DUMBAULD, J., HUMKE, M. & BYREDDY, S. 2012. Use of standard Webcam and Internet equipment for telepsychiatry treatment of depression among underserved Hispanics. *Psychiatric Services*, 63, 1213-7.
- 5 MORENO, S. G., SUTTON, A. J., ADES, A. E., COOPER, N. J. & ABRAMS, K. R. 2011.
- 6 Adjusting for publication biases across similar interventions performed well when compared with gold standard data. *J Clin Epidemiol*, 64, 1230-41.
- 7 MORENO, S. G., SUTTON, A. J., TURNER, E. H., ABRAMS, K. R., COOPER, N. J., PALMER, T. M. & ADES, A. E. 2009. Novel methods to deal with publication biases: secondary analysis of antidepressant trials in the FDA trial registry database and related journal publications. *BMJ*, 339, b2981.
- 8 MORGAN, A. J., JORM, A. F. & MACKINNON, A. J. 2012. Email-based promotion of self-help for subthreshold depression: Mood Memos randomised controlled trial. *British Journal of Psychiatry*, 200, 412-8.
- 9 MORGAN, A. J., JORM, A. F. & MACKINNON, A. J. 2013. Internet-based recruitment to a depression prevention intervention: lessons from the Mood Memos study. *Journal of medical Internet research*, 15, e31.
- 10 MORGAN, L. C., GARTLEHNER, G., NUSSBAUMER, B., GAYNES, B. N., FORNERIS, C. A., KAMINSKI-HARTENTHALER, A. & WIPPLINGER, J. 2015. Efficacy and harms of second-generation antidepressants for the prevention of seasonal affective disorder : A systematic review. *European Psychiatry*, 30, 808.
- 11 MORGAN, O., GRIFFITHS, C., BAKER, A. & MAJEED, A. 2004. Fatal toxicity of antidepressants in England and Wales, 1993-2002. *Health Stat Q*, 18-24.
- 12 MORIMOTO, S. S., WEXLER, B. E., HU, W. & ALEXOPOULOS, G. S. 2013. Computerized cognitive remediation for geriatric depression. *Neuropsychopharmacology*, 38, S247-S248.
- 13 MORITZ, S. 2009. A spirituality teaching program for depression: a randomized controlled trial. *Explore: Journal of Science and Healing*, 5, 158.
- 14 MORITZ, S., SCHILLING, L., HAUSCHILD, M., SCHRÖDER, J. & TRESZL, A. 2012. A randomized controlled trial of internet-based therapy in depression. *Behaviour Research & Therapy*, 50, 513-21.
- 15 MOROKUMA, I., SHIMODERA, S., FUJITA, H., HASHIZUME, H., KAMIMURA, N., KAWAMURA, A., NISHIDA, A., FURUKAWA, T. A. & INOUE, S. 2013. Psychoeducation for major depressive disorders: A randomised controlled trial. *Psychiatry Research*, 210, 134-139.
- 16 MORRIS, R. R., SCHUELLER, S. M. & PICARD, R. W. 2015. Efficacy of a Web-based, crowdsourced peer-to-peer cognitive reappraisal platform for depression: randomized controlled trial. *Journal of medical Internet research*, 17, e72.
- 17 MORRISS, R., GARLAND, A., NIXON, N., GUO, B., JAMES, M., KAYLOR-HUGHES, C., MOORE, R., RAMANA, R., SAMPSON, C., SWEENEY, T., DALGLEISH, T. & GROUP, C. S. M. D. S. 2016. Efficacy and cost-effectiveness of a specialist depression service versus

- 1 usual specialist mental health care to manage persistent depression: a randomised controlled trial. *Lancet Psychiatry*, 3, 821-831.
- 3 MORRISS, R., MARTTUNEN, S., GARLAND, A., NIXON, N., MCDONALD, R., SWEENEY, T., FLAMBERT, H., FOX, R., KAYLOR-HUGHES, C., JAMES, M. & YANG, M. 2010.
- 5 Randomised controlled trial of the clinical and cost effectiveness of a specialist team for managing refractory unipolar depressive disorder. *BMC Psychiatry*, 10, 100.
- 7 MOSER, D. K., DEKKER, R. L., MUDD-MARTIN, G., CHUNG, M. L., BIDDLE, M. J., BAILEY, A., CASEY, B., WESTNEAT, S., RAYENS, M. K., NOVAK, M. J. & LENNIE, T. A. 2013. Improving depressive symptoms among rural patients at high risk for cardiovascular disease in the most mentally distressed area in the country. *Circulation*, 128, Abstract 16947.
- 11 MOSS, K., SCOGIN, F., NAPOLI, E. & PRESNELL, A. 2012. A self-help behavioral activation treatment for geriatric depressive symptoms. *Aging & Mental Health*, 16, 625-35.
- 13 MOTA PEREIRA, J. 2015. Financial crisis increases the risk of depression relapse. *Journal of Psychiatric Research*, 61, 235-236.
- 15 MOTA-PEREIRA, J., SILVERIO, J., CARVALHO, S., RIBEIRO, J. C., FONTE, D. & RAMOS, J. 2011. Moderate exercise improves depression parameters in treatment-resistant patients with major depressive disorder. *Journal of Psychiatric Research*, 45, 1005-11.
- 18 MOUSSAVI, S., CHATTERJI, S., VERDES, E., TANDON, A., PATEL, V. & USTUN, B. 2007. Depression, chronic diseases, and decrements in health: results from the World Health Surveys. *The Lancet*, 370, 851-858.
- 21 MOWLA, A., GHANIZADEH, A. & PANI, A. 2006. A comparison of the effects of fluoxetine and nortriptyline on the symptoms of major depressive disorder. *Journal of Clinical Psychopharmacology*, 26, 209-11.
- 24 MRAZEK, D. A., HORNBERGER, J. C., ALTAR, C. A. & DEGTiar, I. 2014. A review of the clinical, economic, and societal burden of treatment-resistant depression: 1996-2013. *Psychiatr Serv*, 65, 977-87.
- 27 MUELLER, T. I., KELLER, M. B., LEON, A. C., SOLOMON, D. A., SHEA, M. T., CORYELL, W. & ENDICOTT, J. 1996. Recovery after 5 years of unremitting major depressive disorder. *Arch Gen Psychiatry*, 53, 794-9.
- 30 MUELLER, T. I., LEON, A. C., KELLER, M. B., SOLOMON, D. A., ENDICOTT, J., CORYELL, W., WARSHAW, M. & MASER, J. D. 1999. Recurrence after recovery from major depressive disorder during 15 years of observational follow-up. *Am J Psychiatry*, 156, 1000-6.
- 34 MUKHTAR, F., OEI, T. P. S. & YAACOB, M. J. M. 2011. Effectiveness of group cognitive behaviour therapy augmentation in reducing negative cognitions in the treatment of depression in Malaysia. *ASEAN Journal of Psychiatry*, 12, 50-65.
- 37 MUKURIA, C., BRAZIER, J., BARKHAM, M., CONNELL, J., HARDY, G., HUTTEN, R., SAXON, D., DENT-BROWN, K. & PARRY, G. 2013. Cost-effectiveness of an improving access to psychological therapies service. *British Journal of Psychiatry*, 202, 220-227.
- 40 MULLIN, A., DEAR, B. F., KARIN, E., WOOTTON, B. M., STAPLES, L. G., JOHNSTON, L., GANDY, M., FOGLIATI, V. & TITOV, N. 2015. The UniWellbeing course: A randomised controlled trial of a transdiagnostic internet-delivered cognitive behavioural therapy (CBT) programme for university students with symptoms of anxiety and depression. *Internet Interventions*, 2, 128-36.
- 45 MULSANT, B. H., SWEET, R. A., ROSEN, J., POLLOCK, B. G., ZUBENKO, G. S., FLYNN, T., BEGLEY, A. E., MAZUMDAR, S. & REYNOLDS, C. F., 3RD 2001. A double-blind

- 1 randomized comparison of nortriptyline plus perphenazine versus nortriptyline plus placebo  
2 in the treatment of psychotic depression in late life. *J Clin Psychiatry*, 62, 597-604.
- 3 MURRAY, C. J., LOPEZ, A. D. & JAMISON, D. T. 1994. The global burden of disease in  
4 1990: summary results, sensitivity analysis and future directions. *Bull World Health Organ*,  
5 72, 495-509.
- 6 MURRAY, C. J., VOS, T., LOZANO, R., NAGHAVI, M., FLAXMAN, A. D., MICHAUD, C.,  
7 EZZATI, M., SHIBUYA, K., SALOMON, J. A., ABDALLA, S., ABOYANS, V., ABRAHAM, J.,  
8 ACKERMAN, I., AGGARWAL, R., AHN, S. Y., ALI, M. K., ALVARADO, M., ANDERSON, H.,  
9 R., ANDERSON, L. M., ANDREWS, K. G., ATKINSON, C., BADDOUR, L. M., BAHALIM, A.,  
10 N., BARKER-COLLO, S., BARRERO, L. H., BARTELS, D. H., BASANEZ, M. G., BAXTER,  
11 A., BELL, M. L., BENJAMIN, E. J., BENNETT, D., BERNABE, E., BHALLA, K., BHANDARI,  
12 B., BIKBOV, B., BIN ABDULHAK, A., BIRBECK, G., BLACK, J. A., BLENCOWE, H., BLORE,  
13 J. D., BLYTH, F., BOLLIGER, I., BONAVENTURE, A., BOUFOUS, S., BOURNE, R.,  
14 BOUSSINESQ, M., BRAITHWAITE, T., BRAYNE, C., BRIDGETT, L., BROOKER, S.,  
15 BROOKS, P., BRUGHA, T. S., BRYAN-HANCOCK, C., BUCELLO, C., BUCHBINDER, R.,  
16 BUCKLE, G., BUDKE, C. M., BURCH, M., BURNET, P., BURSTEIN, R., CALABRIA, B.,  
17 CAMPBELL, B., CANTER, C. E., CARABIN, H., CARAPETIS, J., CARMONA, L., CELLA, C.,  
18 CHARLSON, F., CHEN, H., CHENG, A. T., CHOU, D., CHUGH, S. S., COFFENG, L. E.,  
19 COLAN, S. D., COLQUHOUN, S., COLSON, K. E., CONDON, J., CONNOR, M. D.,  
20 COOPER, L. T., CORRIERE, M., CORTINOVIS, M., DE VACCARO, K. C., COUSER, W.,  
21 COWIE, B. C., CRIQUI, M. H., CROSS, M., DABHADKAR, K. C., DAHIYA, M.,  
22 DAHODWALA, N., DAMSERE-DERRY, J., DANAEI, G., DAVIS, A., DE LEO, D.,  
23 DEGENHARDT, L., DELLAVALLE, R., DELOSSANTOS, A., DENENBERG, J., DERRETT,  
24 S., DES JARLAIS, D. C., DHARMARATNE, S. D., et al. 2012. Disability-adjusted life years  
25 (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for  
26 the Global Burden of Disease Study 2010. *Lancet*, 380, 2197-223.
- 27 MURRAY, G., MICHALAK, E. E., AXLER, A., YAXLEY, D., HAYASHI, B., WESTRIN, A.,  
28 OGRODNICZUK, J. S., TAM, E. M., YATHAM, L. N. & LAM, R. W. 2010. Relief of chronic or  
29 resistant depression (Re-ChORD): a pragmatic, randomized, open-treatment trial of an  
30 integrative program intervention for chronic depression. *Journal of Affective Disorders*, 123,  
31 243-8.
- 32 MURRAY, J., BANERJEE, S., BYNG, R., TYLEE, A., BHUGRA, D. & MACDONALD, A.  
33 2006. Primary care professionals' perceptions of depression in older people: a qualitative  
34 study. *Soc Sci Med*, 63, 1363-73.
- 35 MURROUGH, J. W., IOSIFESCU, D. V., CHANG, L. C., AL JURDI, R. K., GREEN, C. E.,  
36 PEREZ, A. M., IQBAL, S., PILLEMER, S., FOULKES, A., SHAH, A., CHARNEY, D. S. &  
37 MATHEW, S. J. 2013. Antidepressant efficacy of ketamine in treatment-resistant major  
38 depression: A two-site randomized controlled trial. *American Journal of Psychiatry*, 170,  
39 1134-1142.
- 40 MURROUGH, J. W., PEREZ, A. M., PILLEMER, S., STERN, J., PARIDES, M. K., AAN HET  
41 ROT, M., COLLINS, K. A., MATHEW, S. J., CHARNEY, D. S. & IOSIFESCU, D. V. 2013.  
42 Rapid and longer-term antidepressant effects of repeated ketamine infusions in treatment-  
43 resistant major depression. *Biological Psychiatry*, 74, 250-6.
- 44 MUSTAFA, R. A., SANTESSO, N., BROZEK, J., AKL, E. A., WALTER, S. D., NORMAN, G.,  
45 KULASEGARAM, M., CHRISTENSEN, R., GUYATT, G. H., FALCK-YTTER, Y., CHANG, S.,  
46 MURAD, M. H., VIST, G. E., LASSERSON, T., GARTLEHNER, G., SHUKLA, V., SUN, X.,  
47 WHITTINGTON, C., POST, P. N., LANG, E., THALER, K., KUNNAMO, I., ALENIUS, H.,  
48 MEERPOHL, J. J., ALBA, A. C., NEVIS, I. F., GENTLES, S., ETHIER, M. C., CARRASCO-  
49 LABRA, A., KHATIB, R., NESRALLAH, G., KROFT, J., SELK, A., BRIGNARDELLO-  
50 PETERSEN, R. & SCHUNEMANN, H. J. 2013. The GRADE approach is reproducible in

- 1 assessing the quality of evidence of quantitative evidence syntheses. *J Clin Epidemiol*, 66,  
2 736-42; quiz 742 e1-5.
- 3 MYNORS-WALLIS, L. M., GATH, D. H., DAY, A. & BAKER, F. 2000. Randomised controlled  
4 trial of problem solving treatment, antidepressant medication, and combined treatment for  
5 major depression in primary care. *BMJ*, 320, 26-30.
- 6 MYNORS-WALLIS, L. M., GATH, D. H., LLOYD-THOMAS, A. R. & TOMLINSON, D. 1995.  
7 Randomised controlled trial comparing problem solving treatment with amitriptyline and  
8 placebo for major depression in primary care. *BMJ*, 310, 441-5.
- 9 NADERI, Y., HASANI, J., TAGHIZADE, M. & RAMEZANZADEH, F. 2015. Efficacy of  
10 Mindfulness-Based Stress Reduction on cognitive emotional regulation strategies in women  
11 with major depression disorder. [Persian]. *Journal of Mazandaran University of Medical  
12 Sciences*, 24, 53-63.
- 13 NAEEM, F., GUL, M., IRFAN, M., MUNSHI, T., ASIF, A., RASHID, S., KHAN, M. N., GHANI,  
14 S., MALIK, A., ASLAM, M., FAROOQ, S., HUSAIN, N. & AYUB, M. 2015. Brief culturally  
15 adapted CBT (CaCBT) for depression: a randomized controlled trial from Pakistan. *Journal of  
16 affective disorders*, 177, 101-7.
- 17 NAEEM, F., SARHANDI, I., GUL, M., KHALID, M., ASLAM, M. & ANBRIN, A. 2013. A  
18 multicentre randomised controlled trial of a carer supervised culturally adapted cbt (cacbt)  
19 based self-help for depression in pakistan. *Journal of Affective Disorders*, 156, 224-7.
- 20 NAEEM, F., WAHEED, W., GOBBI, M., AYUB, M. & KINGDON, D. 2011. Preliminary  
21 evaluation of culturally sensitive CBT for depression in Pakistan: findings from Developing  
22 Culturally-sensitive CBT Project (DCCP). *Behavioural and Cognitive Psychotherapy*, 39, 165-  
23 73.
- 24 NANNI, V., UHER, R. & DANESE, A. 2012. Childhood maltreatment predicts unfavorable  
25 course of illness and treatment outcome in depression: a meta-analysis. *Am J Psychiatry*,  
26 169, 141-51.
- 27 NAPADOW, V., MAKRIS, N., LIU, J., KETTNER, N. W., KWONG, K. K. & HUI, K. K. 2005.  
28 Effects of electroacupuncture versus manual acupuncture on the human brain as measured  
29 by fMRI. *Hum Brain Mapp*, 24, 193-205.
- 30 NAPT 2013. National audit of psychological therapy services for depression and anxiety  
31 London: College Centre for Quality Improvement & Healthcare Quality Improvement  
32 Partnership.
- 33 NATIONAL COLLEGE FOR TEACHING AND LEADERSHIP 2016. Review of clinical and  
34 educational psychology training arrangements.
- 35 NAUDET, F., MILLET, B., CHARLIER, P., REYMANN, J. M., MARIA, A. S. & FALISSARD,  
36 B. 2013. Which placebo to cure depression? A thought-provoking network meta-analysis.  
37 *BMC Medicine*, 11.
- 38 NAVARRO, V., GASTO, C., TORRES, X., MASANA, G., PENADES, R., GUARCH, J.,  
39 VAZQUEZ, M., SERRA, M., PUJOL, N., PINTOR, L. & CATALAN, R. 2008.  
40 Continuation/maintenance treatment with nortriptyline versus combined nortriptyline and ECT  
41 in late-life psychotic depression: a two-year randomized study. *Am J Geriatr Psychiatry*, 16,  
42 498-505.
- 43 NAYLOR, E. V., ANTONUCCIO, D. O., LITT, M., JOHNSON, G. E., SPOGEN, D. R.,  
44 WILLIAMS, R., MCCARTHY, C., LU, M. M., FIORE, D. C. & HIGGINS, D. L. 2010.  
45 Bibliotherapy as a treatment for depression in primary care. *Journal of Clinical Psychology in  
46 Medical Settings*, 17, 258-71.

- 1 NAZROO, J. Y., EDWARDS, A. C. & BROWN, G. W. 1997. Gender differences in the onset of depression following a shared life event: a study of couples. *Psychol Med*, 27, 9-19.
- 2 NCCMH 2004. Depression: management of depression in primary and secondary care. Leicester & London: National Collaborating Centre for Mental Health
- 3 NCCMH 2010. *Depression in adults with a chronic physical health problem: treatment and management*, London, British Psychological Society : Royal College of Psychiatrists.
- 4 NCCMH 2010. Depression: the NICE guideline on the treatment and management of depression in adults (Updated edition). Leicester & London: British Psychological Society and the Royal College of Psychiatrists.
- 5 NCCMH 2012. Service user experience in adult mental health: NICE guidance on improving the experience of care for people using adult NHS mental health services. Leicester & London: British Psychological Society; Royal College of Psychiatrists.
- 6 NELSON, E. B. 2012. Psychotic depression - Beyond the antidepressant/antipsychotic combination. *Current Psychiatry Reports*, 14, 619-623.
- 7 NELSON, J., DELUCCHI, K. L. & SCHNEIDER, L. S. 2013. Moderators of outcome in late-life depression: A patient-level meta-analysis. *The American Journal of Psychiatry*, 170, 651-659.
- 8 NEWBY, J. M., MACKENZIE, A., WILLIAMS, A. D., MCINTYRE, K., WATTS, S. & WONG, N. 2013. Internet cognitive behavioural therapy for mixed anxiety and depression: a randomized controlled trial and evidence of effectiveness in primary care [Wellbeing 6]. *Psychological Medicine*, 43, 2635-48.
- 9 NEWMAN, M. G., SZKODNY, L. E., LLERA, S. J. & PRZEWORSKI, A. 2011. A review of technology-assisted self-help and minimal contact therapies for anxiety and depression: is human contact necessary for therapeutic efficacy? *Clin Psychol Rev*, 31, 89-103.
- 10 NEWTON-HOWES, G., TYRER, P. & JOHNSON, T. 2006. Personality disorder and the outcome of depression: meta-analysis of published studies. *Br J Psychiatry*, 188, 13-20.
- 11 NEZU, A. M. 1987. A problem-solving formulation of depression: A literature review and proposal of a pluralistic model. *Clinical Psychology Review*, 7, 121-144.
- 12 NEZU, A. M., NEZU, C. M. & PERRI, M. G. 1989. *Problem-solving therapy for depression : theory, research, and clinical guidelines*, New York, Wiley.
- 13 NHS 2017. National Drug Tariff. London: NHS Business Services Authority, NHS Prescription Services.
- 14 NHS ENGLAND 2016. More people than ever receiving psychological therapies and recovering. <https://www.england.nhs.uk/2016/07/psychological-therapies/>.
- 15 NHS THE INFORMATION CENTRE 2007. Prescription Cost Analysis: England 2006.
- 16 NICE 2003. Guidance on the use of electroconvulsive therapy. TA59. *Technology appraisal guidance*. London: NICE.
- 17 NICE 2004. Depression: management of depression in primary and secondary care. CG23. *Clinical guideline*. London: NICE.
- 18 NICE 2005. Depression in children and young people: Identification and management in primary, community and secondary care. CG28. *Clinical guideline*. London: NICE.
- 19 NICE 2006. Computerised cognitive behaviour therapy for depression and anxiety. TA97. *Technology appraisal guidance*. London: NICE.

- 1 NICE 2008. Social value judgements: principles for the development of NICE Guidance (2nd ed.). London: NICE.
- 3 NICE 2009. Borderline personality disorder: recognition and management. CG78. *Clinical guideline*. London: NICE.
- 5 NICE 2009. Depression in adults with a chronic physical health problem : treatment and management. CG91. *Clinical guideline*. London: NICE.
- 7 NICE 2009. Depression in adults: recognition and management. CG90. *Clinical guideline*. London: NICE.
- 9 NICE 2009. Vagus nerve stimulation for treatment-resistant depression. IPG330.
- 10 *Interventional procedural guidance* London: NICE.
- 11 NICE 2011. Common mental health disorders - identification and pathways to care. CG123. *Clinical guideline*. London: NICE.
- 13 NICE 2011. Generalised anxiety disorder and panic disorder in adults: management. CG113. *Clinical guideline*. London: NICE.
- 15 NICE 2011. Service user experience in adult mental health: improving the experience of care for people using adult NHS mental health services. CG136. *Clinical guideline*. London: NICE.
- 17 NICE 2012. *Process and methods guides. The Guidelines Manual.*, London, NICE.
- 18 NICE 2013. Guide to the methods of technology appraisal. *Process and methods*. London: NICE.
- 20 NICE 2014. Antenatal and postnatal mental health: clinical management and service guidance. CG192. *Clinical guideline*. London: NICE.
- 22 NICE 2014. Bipolar disorder: assessment and management. CG185. *Clinical guideline*. London: NICE.
- 24 NICE 2014. *Developing NICE guidelines: the manual*, London.
- 25 NICE 2015. Repetitive direct current stimulation for depression. IPG542. *Interventional procedural guidance*. London: NICE.
- 27 NICE 2015. Transcranial direct current stimulation for depression. IPG530. *Interventional procedural guidance*. London: NICE.
- 29 NICE 2015. Vortioxetine for treating major depressive episodes. TA367. *Technology appraisal guidance*. NICE.
- 31 NICE 2016. Mental health problems in people with learning disabilities: prevention, assessment and management. NG54. *NICE guideline*. London: NICE.
- 33 NICHOLSON, A., KUPER, H. & HEMINGWAY, H. 2006. Depression as an aetiologic and prognostic factor in coronary heart disease: a meta-analysis of 6362 events among 146 538 participants in 54 observational studies. *Eur Heart J*, 27, 2763-74.
- 36 NIEMEGEERS, P., DUMONT, G. J., PATTEET, L., NEELS, H. & SABBE, B. G. 2013. Bupropion for the treatment of seasonal affective disorder. *Expert Opinion on Drug Metabolism and Toxicology*, 9, 1229-1240.
- 39 NISHI, D., MATSUOKA, Y. & SU, K. P. 2015. Are omega-3 PUFAAs effective for depression during pregnancy in countries where fish consumptions are high? *Psychotherapy and psychosomatics*, 84, 52.

- 1 NISHIOKA, G., YASHIMA, H., KIUCHI, Y., NAKAMURA, S., OYAMADA, H., ISHII, M. &
- 2 KUDO, I. 2013. Prediction and structural equation model of sertraline treatment response in
- 3 Japanese patients with major depressive disorder. *Human Psychopharmacology*, 28, 576-85.
- 4 NOLEN-HOEKSEMA, S., WISCO, B. E. & LYUBOMIRSKY, S. 2008. Rethinking Rumination.
- 5 *Perspect Psychol Sci*, 3, 400-24.
- 6 NOORDIK, E., VAN DER KLINK, J. J., GESKUS, R. B., DE BOER, M. R., VAN DIJK, F. J. &
- 7 NIEUWENHUIJSEN, K. 2013. Effectiveness of an exposure-based return-to-work program
- 8 for workers on sick leave due to common mental disorders: A cluster-randomized controlled
- 9 trial. *Scandinavian Journal of Work, Environment & Health*, 39, 144-154.
- 10 NORDENSKJÖLD, A., KNORRING, L., LJUNG, T., CARLBORG, A., BRUS, O. &
- 11 ENGSTRÖM, I. 2013. Continuation electroconvulsive therapy with pharmacotherapy versus
- 12 pharmacotherapy alone for prevention of relapse of depression: a randomized controlled
- 13 trial. *Journal of ECT*, 29, 86-92.
- 14 NORDSTROM, G., DESPIEGEL, N., MARTEAU, F., DANCHENKO, N. & MAMAN, K. 2010.
- 15 Cost effectiveness of escitalopram versus SNRIs in second-step treatment of major
- 16 depressive disorder in Sweden. *Journal of Medical Economics*, 13, 516-526.
- 17 NUTT, D. J. 2010. Rationale for, barriers to, and appropriate medication for the long-term
- 18 treatment of depression. *The Journal of Clinical Psychiatry*, 71.
- 19 NUTTBROCK, L., BOCKTING, W., ROSENBLUM, A., MASON, M., MACRI, M. & BECKER,
- 20 J. 2012. Gender identity conflict/affirmation and major depression across the life course of
- 21 transgender women. *International Journal of Transgenderism*, 13, 91-103.
- 22 OAKES, T. M., DELLVA, M. A., WATERMAN, K., GREENBAUM, M., POPPE, C.,
- 23 GOLDBERGER, C., AHL, J. & PERAHIA, D. G. 2015. Edovoxetine compared to placebo as
- 24 adjunctive therapy to selective serotonin reuptake inhibitors in the prevention of symptom re-
- 25 emergence in major depressive disorder. *Current medical research and opinion*, 31, 1179-
- 26 89.
- 27 OAKES, T. M., MYERS, A. L., MARANGELL, L. B., AHL, J., PRAKASH, A., THASE, M. E. &
- 28 KORNSTEIN, S. G. 2012. Assessment of depressive symptoms and functional outcomes in
- 29 patients with major depressive disorder treated with duloxetine versus placebo: primary
- 30 outcomes from two trials conducted under the same protocol. *Human Psychopharmacology*,
- 31 27, 47-56.
- 32 ODELL, S. M., SURTEES, P. G., WAINWRIGHT, N. W., COMMANDER, M. J. &
- 33 SASHIDHARAN, S. P. 1997. Determinants of general practitioner recognition of
- 34 psychological problems in a multi-ethnic inner-city health district. *Br J Psychiatry*, 171, 537-
- 35 41.
- 36 OEI, T. P. 2014. Feeling connected again: interventions that increase social identification
- 37 reduce depression symptoms in community and clinical settings. *Journal of affective*
- 38 *disorders*, 159, 139-146.
- 39 OKA, Y., OKAMOTO, K., KAWASHITA, N., SHIRAKUNI, Y. & TAKAGI, T. 2014. Meta-
- 40 analysis of the risk of upper gastrointestinal hemorrhage with combination therapy of
- 41 selective serotonin reuptake inhibitors and non-steroidal anti-inflammatory drugs. *Biol Pharm*
- 42 *Bull*, 37, 947-53.
- 43 OKEREKE, O. I. 2015. Selective and universal prevention of late-life depression. *Prevention*
- 44 *of late-life depression: Current clinical challenges and priorities*. New York, NY: Springer
- 45 Science + Business Media; US.
- 46 OKUMURA, Y. & HIGUCHI, T. 2011. Cost of depression among adults in Japan. *The*
- 47 *Primary Care Companion For CNS Disorders*.

- 1 OLADEJI, B. D., KOLA, L., ABIONA, T., MONTGOMERY, A. A., ARAYA, R. & GUREJE, O. 2015. A pilot randomized controlled trial of a stepped care intervention package for depression in primary care in Nigeria. *BMC psychiatry*, 15.
- 4 OLFSON, M., MARCUS, S. C., TEDESCHI, M. & WAN, G. J. 2006. Continuity of antidepressant treatment for adults with depression in the United States. *Am J Psychiatry*, 163, 101-8.
- 7 OLGIATI, P., BAJO, E., BIGELLI, M., MONTGOMERY, S. & SERRETTI, A. 2013. Challenging sequential approach to treatment resistant depression: Cost-utility analysis based on the Sequenced Treatment Alternatives to Relieve Depression (STAR\*D) trial. *European Neuropsychopharmacology*, 23, 1739-1746.
- 11 OMIDI, A., HAMIDIAN, S., MOUSAVINASAB, S. M. & NAZIRI, G. 2013. Comparison of the effect of mindfulness-based cognitive therapy accompanied by pharmacotherapy with pharmacotherapy alone in treating dysthymic patients. *Iranian Red Crescent Medical Journal*, 15.
- 15 OMIDI, A., MOHAMMADKHANI, P., MOHAMMADI, A. & ZARGAR, F. 2013. Comparing mindfulness based cognitive therapy and traditional cognitive behavior therapy with treatments as usual on reduction of major depressive disorder symptoms. *Iranian Red Crescent Medical Journal*, 15, 142-146.
- 19 ONS 2015. General mortality: National Life Tables for years 2012-2014, United Kingdom. London: Office for National Statistics.
- 21 ONS 2016. Suicides in the UK: 2015 registrations. London: Office for National Statistics.
- 22 ORMEL, J., BRINK, W. V. D., KOETER, M. W. J., GIEL, R., MEER, K. V. D., WILLIGE, G. V. D. & WILMINK, F. W. 1990. Recognition, management and outcome of psychological disorders in primary care: a naturalistic follow-up study\*. *Psychological Medicine*, 20, 909.
- 25 ORMEL, J. & COSTA E SILVA, J. A. 1995. The impact of psychopathology on disability and health perceptions. In: ÜSTÜN, T. B. & SARTORIUS, N. (eds.) *Mental illness in general health care : an international study*. Chichester: Wiley.
- 28 ORMEL, J., OLDEHINKEL, T., BRILMAN, E. & VANDEN BRINK, W. 1993. Outcome of depression and anxiety in primary care. A three-wave 3 1/2-year study of psychopathology and disability. *Arch Gen Psychiatry*, 50, 759-66.
- 31 ORMEL, J., RIJSDIJK, F. V., SULLIVAN, M., VAN SONDEREN, E. & KEMPEN, G. I. 2002. Temporal and reciprocal relationship between IADL/ADL disability and depressive symptoms in late life. *J Gerontol B Psychol Sci Soc Sci*, 57, P338-47.
- 34 ORMEL, J., VONKORFF, M., OLDEHINKEL, A. J., SIMON, G., TIEMENS, B. G. & ÜSTÜN, T. B. 1999. Onset of disability in depressed and non-depressed primary care patients. *Psychological Medicine*, 29, 847-853.
- 37 OSGOOD-HYNES, D. J., GREIST, J. H., MARKS, I. M., BAER, L., HENEMAN, S. W., WENZEL, K. W., MANZO, P. A., PARKIN, J. R., SPIERINGS, C. J., DOTTI, S. L. & VITSE, H. M. 1998. Self-administered psychotherapy for depression using a telephone-accessed computer system plus booklets: an open U.S.-U.K. study. *J Clin Psychiatry*, 59, 358-65.
- 41 OSLIN, D. W., SAYERS, S., ROSS, J., KANE, V., TEN HAVE, T., CONIGLIARO, J. & CORNELIUS, J. 2003. Disease management for depression and at-risk drinking via telephone in an older population of veterans. *Psychosom Med*, 65, 931-7.
- 44 OSTERGAARD, S. D., BILLE, J., SOLTOFT-JENSEN, H., LAUGE, N. & BECH, P. 2012. The validity of the severity-psychosis hypothesis in depression. *J Affect Disord*, 140, 48-56.

- 1 ØSTERGAARD, S. D., MEYERS, B. S., FLINT, A. J., MULSANT, B. H., WHYTE, E. M.,  
2 ULRICH, C. M., BECH, P. & ROTHSCHILD, A. J. 2014. Measuring treatment response in  
3 psychotic depression: the Psychotic Depression Assessment Scale (PDAS) takes both  
4 depressive and psychotic symptoms into account. *Journal of Affective Disorders*, 160, 68-73.
- 5 ØSTERGAARD, S. D., ROTHSCHILD, A. J., FLINT, A. J., MULSANT, B. H., WHYTE, E. M.,  
6 VERMEULEN, T., BECH, P. & MEYERS, B. S. 2016. Establishing the cut-off score for  
7 remission and severity-ranges on the Psychotic Depression Assessment Scale (PDAS). *J  
8 Affect Disord*, 190, 111-4.
- 9 OSTLER, K. 2001. Influence of socio-economic deprivation on the prevalence and outcome  
10 of depression in primary care: The Hampshire Depression Project. *The British Journal of  
11 Psychiatry*, 178, 12-17.
- 12 OTERO, P., SMIT, F., CUIJPERS, P., TORRES, A., BLANCO, V. & VAZQUEZ, F. 2015.  
13 Long-term efficacy of indicated prevention of depression in non-professional caregivers:  
14 Randomized controlled trial. *Psychological Medicine*, 45, 1401-1412.
- 15 OTERO, P., VAZQUEZ, F. L., FERRACES, M. J., BLANCO, V. & TORRES, A. 2015.  
16 Prevention of depression in non-professional female caregivers: Relation between problem  
17 solving skills and depressive symptoms. *Clinica y Salud*, 26, 1-7.
- 18 OTTE, C. 2015. Vortioxetine and cognitive function in major depression: Evidence from  
19 preclinical and clinical studies. [German]
- 20 Vortioxetin und kognitive funktion bei der major depression: Evidenz aus praklinischen und  
21 klinischen studien. *Psychopharmakotherapie*, 22, 25-34.
- 22 OU, J. J., XUN, G. L., WU, R. R., LI, L. H., FANG, M. S., ZHANG, H. G., XIE, S. P., SHI, J.  
23 G., DU, B., YUAN, X. Q. & ZHAO, J. P. 2011. Efficacy and safety of escitalopram versus  
24 citalopram in major depressive disorder: a 6-week, multicenter, randomized, double-blind,  
25 flexible-dose study. *Psychopharmacology*, 213, 639-46.
- 26 OWEN, R. T. 2013. Folate augmentation of antidepressant response. *Drugs of Today*, 49,  
27 791-798.
- 28 OXMAN, T. E., HEGEL, M. T., HULL, J. G. & DIETRICH, A. J. 2008. Problem-solving  
29 treatment and coping styles in primary care for minor depression. *J Consult Clin Psychol*, 76,  
30 933-43.
- 31 PACHANKIS, J. E., COCHRAN, S. D. & MAYS, V. M. 2015. The mental health of sexual  
32 minority adults in and out of the closet: A population-based study. *Journal of Consulting and  
33 Clinical Psychology*, 83, 890-901.
- 34 PAE, C. U. 2010. Accelerating response to antidepressant treatment in depression: A  
35 possible role for atypical antipsychotics. *Progress in Neuro-Psychopharmacology and  
36 Biological Psychiatry*, 34, 434.
- 37 PAE, C. U., JEON, H. J., LEE, B. C., SEO, H. J., KIM, S. G., PARK, E. J., KIM, W., KWAK,  
38 K. P., HAN, C., CHO, S. J., HAHN, S. W., JON, D. I., CHOI, J. H. & JUN, T. Y. 2013.  
39 Aripiprazole augmentation for treatment of patients with chronic or recurrent major  
40 depressive disorder: A 12-week prospective open-label multicentre study. *International  
41 Clinical Psychopharmacology*, 28, 322-329.
- 42 PAE, C. U., WANG, S. M., HAN, C., LEE, S. J., PATKAR, A. A., MASAND, P. S. &  
43 SERRETTI, A. 2015. Vortioxetine, a multimodal antidepressant for generalized anxiety  
44 disorder: A systematic review and meta-analysis. *Journal of Psychiatric Research*, 64, 88-98.
- 45 PALMER, S. C. & COYNE, J. C. 2003. Screening for depression in medical care: pitfalls,  
46 alternatives, and revised priorities. *J Psychosom Res*, 54, 279-87.

- 1 PAPADOPOULOS, N. L. & ROHRICHT, F. 2014. An investigation into the application and processes of manualised group body psychotherapy for depressive disorder in a clinical trial. *Body, Movement and Dance in Psychotherapy*, 9, 167-180.
- 4 PAPAKOSTAS, G. I., MISCHOULON, D., SHYU, I., ALPERT, J. E. & FAVA, M. 2010. S-adenosyl methionine (SAMe) augmentation of serotonin reuptake inhibitors for antidepressant nonresponders with major depressive disorder: a double-blind, randomized clinical trial. *American Journal of Psychiatry*, 167, 942-8.
- 8 PAPAKOSTAS, G. I., OSTERGAARD, S. D. & IOVIENO, N. 2015. The nature of placebo response in clinical studies of major depressive disorder. *Journal of Clinical Psychiatry*, 76, 456-466.
- 11 PAPAKOSTAS, G. I., SHELTON, R. C., ZAJECKA, J. M., ETEMAD, B., RICKELS, K., CLAIN, A., BAER, L., DALTON, E. D., SACCO, G. R., SCHOPENFELD, D., PENCINA, M., MEISNER, A., BOTTIGLIERI, T., NELSON, E., MISCHOULON, D., ALPERT, J. E., BARBEE, J. G., ZISOOK, S. & FAVA, M. 2012. L-methylfolate as adjunctive therapy for SSRI-resistant major depression: results of two randomized, double-blind, parallel-sequential trials. *American Journal of Psychiatry*, 169, 1267-74.
- 17 PARK, S. C., CHOI, J., KIM, J. M., JUN, T. Y., LEE, M. S., KIM, J. B., YIM, H. W. & PARK, Y. C. 2014. Is the Psychotic Depression Assessment Scale a useful diagnostic tool? The CRESCEND study. *J Affect Disord*, 166, 79-85.
- 20 PARK, Y., PARK, Y. S., KIM, S. H., OH, D. H. & PARK, Y. C. 2015. Supplementation of n-3 polyunsaturated fatty acids for major depressive disorder: A randomized, double-blind, 12-week, placebo-controlled trial in Korea. *Annals of nutrition & metabolism*, 66, 141-8.
- 23 PARKER, G. 2012. Diagnosis, classification, and differential diagnosis of the mood disorders. In: GELDER, M. G., ANDREASON, N., LOPEZ-IBOR, J. & GEDDES, J. (eds.) *New Oxford textbook of psychiatry*. 2nd ed. ed. Oxford: Oxford University Press.
- 26 PARSAIK, A. K., SINGH, B., HASSAN MURAD, M., SINGH, K., MASCARENHAS, S. S., WILLIAMS, M. D., LAPID, M. I., RICHARDSON, J. W., WEST, C. P. & RUMMANS, T. A. 2014. Statins use and risk of depression: A systematic review and meta-analysis. *Journal of Affective Disorders*, 160, 62-67.
- 30 PATEL, D. M., MEHTA, H. R., SHAH, S. K. & SRIVASTAVA, A. A. 2011. An open label randomized, comparative, parallel group, multicentric clinical trial to evaluate the safety and efficacy of Duloxetine compared to Venlafaxine in patients with major depression. *Pharma Science Monitor: An International Journal of Pharmaceutical Sciences*, 2, 126-40.
- 34 PATEL, V., WEISS, H. A., CHOWDHARY, N., NAIK, S., PEDNEKAR, S., CHATTERJEE, S., SILVA, M. J., BHAT, B., ARAYA, R., KING, M., SIMON, G., VERDELI, H. & KIRKWOOD, B. R. 2010. Effectiveness of an intervention led by lay health counsellors for depressive and anxiety disorders in primary care in Goa, India (MANAS): a cluster randomised controlled trial. *Lancet*, 376, 2086-95.
- 39 PATRICK, K. 2014. Depression deserves better treatment. *Cmaj*, 186, 1043.
- 40 PATTEN, S. B. 1991. Are the Brown and Harris "vulnerability factors" risk factors for depression? *J Psychiatry Neurosci*, 16, 267-71.
- 42 PATTEN, S. B. 2001. Long-term medical conditions and major depression in a Canadian population study at waves 1 and 2. *J Affect Disord*, 63, 35-41.
- 44 PAYKEL, E. S., RAMANA, R., COOPER, Z., HAYHURST, H., KERR, J. & BAROCKA, A. 1995. Residual symptoms after partial remission: an important outcome in depression. *Psychol Med*, 25, 1171-80.

- 1 PAYKEL, E. S., SCOTT, J., TEASDALE, J. D., JOHNSON, A. L., GARLAND, A., MOORE, R., JENAWAY, A., CORNWALL, P. L., HAYHURST, H., ABBOTT, R. & POPE, M. 1999.
- 2 Prevention of relapse in residual depression by cognitive therapy: a controlled trial. *Arch Gen Psychiatry*, 56, 829-35.
- 3 PEARCE, E. F. & MURPHY, J. A. 2014. Vortioxetine for the treatment of depression. *The Annals of pharmacotherapy*, 48, 758-765.
- 4 PECKHAM, C. S. & DEZATEUX, C. 1998. Issues underlying the evaluation of screening programmes. *Br Med Bull*, 54, 767-78.
- 5 PENTECOST, C., FARRAND, P., GREAVES, C. J., TAYLOR, R. S., WARREN, F. C., HILLSDON, M., GREEN, C., WELSMAN, J. R., RAYSON, K., EVANS, P. H. & TAYLOR, A. H. 2015. Combining behavioural activation with physical activity promotion for adults with depression: Findings of a parallel-group pilot randomised controlled trial (BACPAc). *Trials*, 16.
- 6 PERAHIA, D. G., MAINA, G., THASE, M. E., SPANN, M. E., WANG, F., WALKER, D. J. & DETKE, M. J. 2009. Duloxetine in the prevention of depressive recurrences: a randomized, double-blind, placebo-controlled trial. *Journal of Clinical Psychiatry*, 70, 706-16.
- 7 PERAHIA, D. G., QUAIL, D., GANDHI, P., WALKER, D. J. & PEVELER, R. C. 2008. A randomized, controlled trial of duloxetine alone vs. duloxetine plus a telephone intervention in the treatment of depression. *Journal of Affective Disorders*, 108, 33-41.
- 8 PEREZ-CABALLERO, L., PEREZ-EGEA, R., ROMERO-GRIMALDI, C., PUIGDEMONT, D., MOLET, J., CASO, J. R., MICO, J. A., PEREZ, V., LEZA, J. C. & BERROCOSO, E. 2014. Early responses to deep brain stimulation in depression are modulated by anti-inflammatory drugs. *Molecular psychiatry*, 19, 607-614.
- 9 PERINI, S., TITOV, N. & ANDREWS, G. 2009. Clinician-assisted Internet-based treatment is effective for depression: randomized controlled trial. *Australian and New Zealand Journal of Psychiatry*, 43, 571-8.
- 10 PERLIS, R. H. 2013. A clinical risk stratification tool for predicting treatment resistance in major depressive disorder. *Biological Psychiatry*, 74, 7-14.
- 11 PERLIS, R. H. 2014. Pharmacogenomic testing and personalized treatment of depression. *Clin Chem*, 60, 53-9.
- 12 PERROUD, N., UHERR, MARUSIC, A., RIETSCHEL, M., MORS, O., HENIGSBERG, N., HAUSER, J., MAIER, W., SOUERY, D., PLACENTINO, A., SZCZEPANKIEWICZ, A., JORGENSEN, L., STROHMAIER, J., ZOBEL, A., GIOVANNINI, C., ELKIN, A., GUNASINGHE, C., GRAY, J., CAMPBELL, D., GUPTA, B., FARMER, A. E., MCGUFFIN, P. & AITCHISON, K. J. 2009. Suicidal ideation during treatment of depression with escitalopram and nortriptyline in Genome-Based therapeutic Drugs for Depression (GENDEP): a clinical trial [ISRCTN03693000]. *BMC Medicine*, 7, 60.
- 13 PESELOW, E. D., TOBIA, G., KARAMIANS, R., PIZANO, D. & ISHAK, W. W. 2015. Prophylactic efficacy of fluoxetine, escitalopram, sertraline, paroxetine, and concomitant psychotherapy in major depressive disorder: Outcome after long-term follow-up. *Psychiatry Research*, 225, 680-686.
- 14 PETERSEN, T. J., PAVA, J. A., BUCHIN, J., MATTHEWS, J. D., PAPAKOSTAS, G. I., NIERENBERG, A. A., HOLMES, A. J., BOGDAN, R., GRAVES, L. M., HARLEY, R. M. & FAVA, M. 2010. The role of cognitive-behavioral therapy and fluoxetine in prevention of recurrence of major depressive disorder. *Cognitive Therapy and Research*, 34, 13-23.
- 15 PETRIDES, G., FINK, M., KNAPP, R., HUSAIN, M., RUMMANS, T., RASMUSSEN, K., BAILINE, S., MUELLER, M. & KELLNER, C. 2011. Relapse rates in psychotic depression

- 1 are lower than in non-psychotic depression after a successful course of Electroconvulsive
- 2 Therapy (ECT). *Neuropsychopharmacology*, 36, S411.
- 3 PETRIDES, G., KELLNER, C., KNAPP, R., HUSAIN, M., RASMUSSEN, K., SAMPSON, S.,
- 4 BAILINE, S., BRAGA, R., TOBIAS, K., CULLUM, M., MCCLINTOCK, S., MUELLER, M. &
- 5 FINK, M. 2010. The efficacy of three electrode placements in older vs younger patients with
- 6 severe depression treated with electroconvulsive therapy. *Neuropsychopharmacology*, 35,
- 7 S160.
- 8 PEVELER, R., GEORGE, C., KINMONTH, A. L., CAMPBELL, M. & THOMPSON, C. 1999.
- 9 Effect of antidepressant drug counselling and information leaflets on adherence to drug
- 10 treatment in primary care: randomised controlled trial. *BMJ*, 319, 612-5.
- 11 PEVELER, R., KENDRICK, T., BUXTON, M., LONGWORTH, L., BALDWIN, D., MOORE, M.,
- 12 CHATWIN, J., GODDARD, J., THORNETT, A., SMITH, H., CAMPBELL, M. & THOMPSON,
- 13 C. 2005. A randomised controlled trial to compare the cost-effectiveness of tricyclic
- 14 antidepressants, selective serotonin reuptake inhibitors and lofepramine. *Health Technology*
- 15 *Assessment (Winchester, England)*, 9.
- 16 PFAFF, J. J., ALFONSO, H., NEWTON, R. U., SIM, M., FLICKER, L. & ALMEIDA, O. P.
- 17 2014. ACTIVEDEP: a randomised, controlled trial of a home-based exercise intervention to
- 18 alleviate depression in middle-aged and older adults. *British Journal of Sports Medicine*, 48,
- 19 226-32.
- 20 PFIZER 2004. A multicenter randomized, double-blind, parallel-group study of sertraline
- 21 versus venlafaxine XR in the acute treatment of outpatients with major depressive disorder.
- 22 *Pfizer*.
- 23 PHILIPP, M., KOHNEN, R. & HILLER, K. O. 1999. Hypericum extract versus imipramine or
- 24 placebo in patients with moderate depression: randomised multicentre study of treatment for
- 25 eight weeks. *BMJ*, 319, 1534-8.
- 26 PHILLIPS, R., SCHNEIDER, J., MOLOSANKWE, I., LEESE, M., FOROUSHANI, P. S.,
- 27 GRIME, P., MCCRONE, P., MORRISS, R. & THORNICROFT, G. 2014. Randomized
- 28 controlled trial of computerized cognitive behavioural therapy for depressive symptoms:
- 29 effectiveness and costs of a workplace intervention. *Psychological Medicine*, 44, 741-752.
- 30 PICARDI, A. & GAETANO, P. 2014. Psychotherapy of mood disorders. *Clinical Practice and*
- 31 *Epidemiology in Mental Health*, 10, 140-158.
- 32 PICKETT, Y. R., KENNEDY, G. J., FREEMAN, K., CUMMINGS, J. & WOOLIS, W. 2014.
- 33 The effect of telephone-facilitated depression care on older, medically ill patients. *The journal*
- 34 *of behavioral health services & research*, 41, 90-96.
- 35 PIETROWSKY, R. & MIKUTTA, J. 2012. Effects of positive psychology interventions in
- 36 depressive patients-A randomized control study. *Psychology*, 3, 1067-73.
- 37 PIGNONE, M. P., GAYNES, B. N., RUSHTON, J. L., BURCHELL, C. M., ORLEANS, C. T.,
- 38 MULROW, C. D. & LOHR, K. N. 2002. Screening for depression in adults: a summary of the
- 39 evidence for the U.S. Preventive Services Task Force. *Ann Intern Med*, 136, 765-76.
- 40 PILGRIM, D. & DOWRICK, C. 2006. From a diagnostic-therapeutic to a social-existential
- 41 response to 'depression'. *Journal of Public Mental Health*, 5, 6-12.
- 42 PINTO, M. D., HICKMAN, R. L., CLOCHESY, J. & BUCHNER, M. 2013. Avatar-based
- 43 depression self-management technology: promising approach to improve depressive
- 44 symptoms among young adults. *Applied Nursing Research* 26, 45-8.
- 45 PIRMORADI, M. R. & ASADI, F. 2015. TMS therapy and pre-and post-QEEG in recurrent
- 46 major depression disorder. *Brain Stimulation*, 8 (2), 378.

- 1 PITTAWAY, S., CUPITT, C., PALMER, D., AROWOBUSOYE, N., MILNE, R., HOLTTUM, S., PEZET, R. & PATRICK, H. 2010. Comparative, clinical feasibility study of three tools for delivery of cognitive behavioural therapy for mild to moderate depression and anxiety provided on a self-help basis. *Mental Health in Family Medicine*, 6, 145-54.
- 5 PIZZI, L. T., JUTKOWITZ, E., FRICK, K. D., SUH, D. C., PRIOLI, K. M. & GITLIN, L. N. 2014. Cost-effectiveness of a community-integrated home-based depression intervention in older African Americans. *Journal of the American Geriatrics Society*, 62, 2288-95.
- 8 PLESNICAR, B. K. 2014. Efficacy and tolerability of agomelatine in the treatment of depression. *Patient Preference and Adherence*, 8, 603-612.
- 10 POLESHUCK, E. L., GAMBLE, S. A., BELLENGER, K., LU, N., TU, X., SORENSEN, S., GILES, D. E. & TALBOT, N. L. 2014. Randomized controlled trial of interpersonal psychotherapy versus enhanced treatment as usual for women with co-occurring depression and pelvic pain. *Journal of Psychosomatic Research*, 77, 264-272.
- 14 POLLOCK, K. & GRIME, J. 2002. Patients' perceptions of entitlement to time in general practice consultations for depression: qualitative study. *BMJ*, 325, 687.
- 16 POMARA, N., GOMMOLL, C., CHEN, D., NUNEZ, R., MATHEWS, M. & CROFT, H. A. 2013. Efficacy and safety of vilazodone in major depressive disorder: A randomized, double-blind, placebo-controlled trial. *Neuropsychopharmacology*, 38, S378-S379.
- 19 POPAY, J., KOWARZIK, U., MALLINSON, S., MACKIAN, S. & BARKER, J. 2007. Social problems, primary care and pathways to help and support: addressing health inequalities at the individual level. Part I: the GP perspective. *J Epidemiol Community Health*, 61, 966-71.
- 22 PORTER, R. J., DOUGLAS, K., JORDAN, J., BOWIE, C. R., ROISER, J. & MALHI, G. S. 2014. Psychological treatments for cognitive dysfunction in major depressive disorder: Current evidence and perspectives. *CNS and Neurological Disorders - Drug Targets*, 13, 1677-1692.
- 26 PORTER, R. J., DOUGLAS, K. & KNIGHT, R. G. 2008. Monitoring of cognitive effects during a course of electroconvulsive therapy: recommendations for clinical practice. *J ECT*, 24, 25-34.
- 29 POSNER, J., HELLERSTEIN, D. J., GAT, I., MECHLING, A., KLAHR, K., WANG, Z., MCGRATH, P. J., STEWART, J. W. & PETERSON, B. S. 2013. Antidepressants normalize the default mode network in patients with dysthymia. *JAMA Psychiatry*, 70, 373-382.
- 32 POSTERNAK, M. A. & MILLER, I. 2001. Untreated short-term course of major depression: a meta-analysis of outcomes from studies using wait-list control groups. *Journal of Affective Disorders*, 66, 139-146.
- 35 POTS, W. T. M., FLEDDERUS, M., MEULENBEEK, P. A. M., KLOOSTER, P. M., SCHREURS, K. M. G. & BOHLMEIJER, E. T. 2016. Acceptance and commitment therapy as a web-Based intervention for depressive symptoms: Randomised controlled trial. *British journal of psychiatry*, 208, 69-77.
- 39 POTVIN, O., BERGUA, V., SWENDSEN, J., MEILLON, C., TZOURIO, C., RITCHIE, K., DARTIGUES, J. F. & AMIEVA, H. 2013. Anxiety and 10-year risk of incident and recurrent depressive symptomatology in older adults. *Depression and Anxiety*, 30, 554-563.
- 42 POTVIN, O., LORRAIN, D., BELLEVILLE, G., GRENIER, S. & PREVILLE, M. 2013. Subjective sleep characteristics associated with anxiety and depression in older adults: A population-based study. *Sleep Medicine*, 14, e234-e235.
- 45 POUTANEN, O., MATTILA, A., SEPPALA, N. H., GROTH, L., KOIVISTO, A. M. & SALOKANGAS, R. K. 2007. Seven-year outcome of depression in primary and psychiatric

- 1 outpatient care: results of the TADEP (Tampere Depression) II Study. *Nord J Psychiatry*, 61, 2 62-70.
- 3 PRAKASH, S., MANDAL, P. & SAGAR, R. 2013. Paroxetine in the treatment of recurrent 4 brief depressive disorder. *Journal of Pharmacology and Pharmacotherapeutics*, 4, 288-290.
- 5 PRASHER, V. 1999. Presentation and management of depression in people with learning 6 disability. *Advances in Psychiatric Treatment*, 5, 447.
- 7 PRESCHL, B., MAERCKER, A., WAGNER, B., FORSTMEIER, S., BAÑOS, R. M., ALCAÑIZ, 8 M., CASTILLA, D. & BOTELLA, C. 2012. Life-review therapy with computer supplements for 9 depression in the elderly: a randomized controlled trial. *Aging & Mental Health*, 16, 964-74.
- 10 PRESCRIBING & MEDICINES TEAM & HSCIC 2016. Prescription Cost Analysis: England 11 2015.
- 12 PRIBYTKOV, A. A., PANNOVA, N. B., POPOVA, Y. V. & EMTSOV, K. G. 2013. [Efficacy of 13 agomelatine in depressive disorders with anxiety]. *Zhurnal Nevrologii i Psichiatrii Imeni S.S. 14 Korsakova*, 113, 53-8.
- 15 PRIEST, R. G., VIZE, C., ROBERTS, A., ROBERTS, M. & TYLEE, A. 1996. Lay people's 16 attitudes to treatment of depression: results of opinion poll for Defeat Depression Campaign 17 just before its launch. *BMJ*, 313, 858-859.
- 18 PRINGSHEIM, T., GARDNER, D. & PATTEN, S. B. 2015. Adjunctive treatment with 19 quetiapine for major depressive disorder: Are the benefits of treatment worth the risks? *BMJ 20 (Online)*, 350.
- 21 PRINS, M. A., VERHAAK, P. F., BENSING, J. M. & VAN DER MEER, K. 2008. Health beliefs 22 and perceived need for mental health care of anxiety and depression--the patients' 23 perspective explored. *Clin Psychol Rev*, 28, 1038-58.
- 24 PROUDFOOT, J. 2010. Randomised Controlled Trial to evaluate the effect on mental health 25 of a self-monitoring and self-management program delivered by mobile phone and computer 26 for people with mild to moderate depression, anxiety or stress compared against an attention 27 control program, and a waitlist control (ACTRN12610000625077). *Australian New Zealand 28 Clinical Trials Registry* [[www.anzctr.org.au](http://www.anzctr.org.au)].
- 29 PROUDFOOT, J., CLARKE, J., BIRCH, M. R., WHITTON, A. E., PARKER, G., 30 MANICAVASAGAR, V., HARRISON, V., CHRISTENSEN, H. & HADZI-PAVLOVIC, D. 2013. 31 Impact of a mobile phone and web program on symptom and functional outcomes for people 32 with mild-to-moderate depression, anxiety and stress: a randomised controlled trial. *BMC 33 Psychiatry*, 13, 312.
- 34 PROUDFOOT, J., RYDEN, C., EVERITT, B., SHAPIRO, D. A., GOLDBERG, D., MANN, A., 35 TYLEE, A., MARKS, I. & GRAY, J. A. 2004. Clinical efficacy of computerised cognitive- 36 behavioural therapy for anxiety and depression in primary care: randomised controlled trial. 37 *Br J Psychiatry*, 185, 46-54.
- 38 PRUDIC, J., HASKETT, R. F., MCCALL, W. V., ISENBERG, K., COOPER, T., 39 ROSENQUIST, P. B., MULSANT, B. H. & SACKEM, H. A. 2013. Pharmacological strategies 40 in the prevention of relapse after electroconvulsive therapy. *Journal of ECT*, 29, 3-12.
- 41 PUIGDEMONT, D., PORTELLA, M. J., PEREZ-EGEA, R., MOLET, J., GIRONELL, A., DE 42 DIEGO-ADELINO, J., MARTIN, A., RODRIGUEZ, R., ALVAREZ, E., ARTIGAS, F. & PEREZ, 43 V. 2015. A randomized double-blind crossover trial of deep brain stimulation of the 44 subcallosal cingulate gyrus in patients with treatment-resistant depression: A pilot study of 45 relapse prevention. *Journal of Psychiatry and Neuroscience*, 40, 224-231.

- 1 PURTULOGLU, T., ÖZDEMİR, B., ERDEM, M., DENİZ, S., BALKÇ, A., ÜNLÜ, G. & ÖZNUR, T. 2013. Effect of propofol versus sodium thiopental on electroconvulsive therapy in major depressive disorder: a randomized double-blind controlled clinical trial. *Journal of ECT*, 29, 37-40.
- 5 PYNE, J. M., FORTNEY, J. C., MOUDEN, S., LU, L., HUDSON, T. J. & MITTAL, D. 2015. Cost-effectiveness of on-site versus off-site collaborative care for depression in rural FQHCs. *Psychiatric Services*, 66, 491-499.
- 8 PYNE, J. M., FORTNEY, J. C., TRIPATHI, S. P., MACIEJEWSKI, M. L., EDLUND, M. J. & WILLIAMS, D. K. 2010. Cost-effectiveness analysis of a rural telemedicine collaborative care intervention for depression. *Archives of General Psychiatry*, 67, 812-21.
- 11 QIRJAZI, E., MCARTHUR, E., NASH, D. M., DIXON, S. N., WEIR, M. A., VASUDEV, A., JANDOC, R., GULA, L. J., OLIVER, M. J., WALD, R. & GARG, A. X. 2016. Risk of ventricular arrhythmia with citalopram and escitalopram: A population-based study. *PLoS One*, 11, e0160768.
- 15 QU, S. S., HUANG, Y., ZHANG, Z. J., CHEN, J. Q., LIN, R. Y., WANG, C. Q., LI, G. L., WONG, H. K., ZHAO, C. H., PAN, J. Y., GUO, S. C. & ZHANG, Y. C. 2013. A 6-week randomized controlled trial with 4-week follow-up of acupuncture combined with paroxetine in patients with major depressive disorder. *Journal of Psychiatric Research*, 47, 726-32.
- 19 QUAH-SMITH, I., SMITH, C., CRAWFORD, J. D. & RUSSELL, J. 2013. Laser acupuncture for depression: A randomised double blind controlled trial using low intensity laser intervention. *Journal of Affective Disorders*, 148, 179-187.
- 22 QUANTE, A., LUBORZEWSKI, A., BRAKEMEIER, E. L., MERKL, A., DANKER-HOPFE, H. & BAJBOUJ, M. 2011. Effects of 3 different stimulus intensities of ultrabrief stimuli in right unilateral electroconvulsive therapy in major depression: a randomized, double-blind pilot study. *Journal of Psychiatric Research*, 45, 174-8.
- 26 QUINN, G. R., SINGER, D. E., CHANG, Y., GO, A. S., BOROWSKY, L. H., UDALTSOVA, N. & FANG, M. C. 2014. Effect of selective serotonin reuptake inhibitors on bleeding risk in patients with atrial fibrillation taking warfarin. *Am J Cardiol*, 114, 583-6.
- 29 QUITKIN, F. M. 1991. Response to phenelzine and imipramine in placebo nonresponders with atypical depression. *Archives of General Psychiatry*, 48, 319.
- 31 RABINS, P. 1996. Barriers to diagnosis and treatment of depression in elderly patients. *American Journal of Geriatric Psychiatry*, 4, S79-S83.
- 33 RABY, W. N., RUBIN, E. A., GARAWI, F., CHENG, W., MASON, E., SANFILIPPO, L., LORD, S., BISAGA, A., AHARONOVICH, E., LEVIN, F., McDOWELL, D. & NUNES, E. V. 2014. A randomized, double-blind, placebo-controlled trial of venlafaxine for the treatment of depressed cocaine-dependent patients. *American Journal on Addictions*, 23, 68-75.
- 37 RADHAKRISHNAN, M., HAMMOND, G., JONES, P. B., WATSON, A., MCMILLAN-SHIELDS, F. & LAFORTUNE, L. 2013. Cost of improving Access to Psychological Therapies (IAPT) programme: an analysis of cost of session, treatment and recovery in selected Primary Care Trusts in the East of England region. *Behav Res Ther*, 51, 37-45.
- 41 RADLOFF, L. S. 1977. The CES-D scale: a self-report depression scale for research in the general population. *Applied Psychological Measurement*, 1, 385-401.
- 43 RADU, M., PAZIUC, L. & CHIRITA, R. 2013. Treatment adherence in recurrent depression and self-esteem: A correlation study. *European Neuropsychopharmacology*, 23, S350-S351.

- 1 RAINES, R., LEWIS, L., SENSKY, T., HUTCHINGS, A., HIRSCH, S. & BLACK, N. 2000.
- 2 Patient determinants of mental health interventions in primary care. *Br J Gen Pract*, 50, 620-5.
- 4 RAIT, G., BURNS, A., BALDWIN, R., MORLEY, M., CHEW-GRAHAM, C., ST LEGER, A. S.  
5 & ABAS, M. 1999. Screening for depression in African-Caribbean elders. *Fam Pract*, 16,  
6 591-5.
- 7 RAPAPORT, M. H., LYDIARD, R. B., PITTS, C. D., SCHAEFER, D., BARTOLIC, E. I.,  
8 IYENGAR, M., CARFAGNO, M. & LIPSCHITZ, A. 2009. Low doses of controlled-release  
9 paroxetine in the treatment of late-life depression: a randomized, placebo-controlled trial.  
10 *Journal of Clinical Psychiatry*, 70, 46-57.
- 11 RASANEN, P., LAPPALAINEN, P., MUOTKA, J., TOLVANEN, A. & LAPPALAINEN, R.  
12 2016. An online guided ACT intervention for enhancing the psychological wellbeing of  
13 university students: A randomized controlled clinical trial. *Behaviour research and therapy*,  
14 78, 30-42.
- 15 RASHIDI, Z., RASHIDI, A., ROUZBAHANI, R. & REZAEI, F. 2013. Effects of group exercise  
16 on women's depressive symptoms. [Persian]. *Journal of Isfahan Medical School*, 30.
- 17 RAUE, P. J., SIREY, J. A., BERMAN, J., FURST, L., RAEIFAR, E., CHAMBERS, S.,  
18 SEIRUP, J. & BRUCE, M. 2015. Peer to peer behavioral activation for elderly depressed  
19 senior center clients. *American journal of geriatric psychiatry*, 23, S165.
- 20 RAVINDRAN, A. V., CAMERON, C., BHATLA, R., RAVINDRAN, L. N. & SILVA, T. L. 2013.  
21 Paroxetine in the treatment of dysthymic disorder without co-morbidities: A double-blind,  
22 placebo-controlled, flexible-dose study. *Asian Journal of Psychiatry*, 6, 157-61.
- 23 RAYA TENA, A., FALDER SERNA, I., FERNANDEZ LINARES, E. M. & CASANAS  
24 SANCHEZ, R. 2015. Impact of a psychoeducational group intervention for patients with  
25 mild/moderate depression in primary care consultations. [Spanish]. *Revista de enfermeria*  
26 (*Barcelona, Spain*), 38, 58-62.
- 27 REICHSTADT, J., SENGUPTA, G., DEPP, C. A., PALINKAS, L. A. & JESTE, D. V. 2010.  
28 Older adults' perspectives on successful aging: Qualitative interviews. *The American Journal  
of Geriatric Psychiatry*, 18, 567-575.
- 30 REJ, S., DEW, M. A. & KARP, J. F. 2014. Treating Concurrent Chronic Low Back Pain and  
31 Depression with Low-Dose Venlafaxine: An Initial Identification of "Easy-to-Use" Clinical  
32 Predictors of Early Response. *Pain Medicine (United States)*, 15, 1154-1162.
- 33 RETHORST, C., SUNDERAJAN, P., GREER, T., GRANNEMANN, B., NAKONEZNY, P.,  
34 CARMODY, T. & TRIVEDI, M. 2013. Does exercise improve self-reported sleep quality in  
35 non-remitted major depressive disorder? *Psychological Medicine*, 43, 699-709.
- 36 REYNOLDS, C. F., III 2015. Prevention of major depression: A global priority. *Prevention of  
late-life depression: Current clinical challenges and priorities*. New York, NY: Springer  
38 Science + Business Media; US.
- 39 REYNOLDS, C. F., BUTTERS, M. A., LOPEZ, O., POLLOCK, B. G., DEW, M. A.,  
40 MULSANT, B. H., LENZE, E. J., HOLM, M., ROGERS, J. C., MAZUMDAR, S., HOUCK, P.  
41 R., BEGLEY, A., ANDERSON, S., KARP, J. F., MILLER, M. D., WHYTE, E. M., STACK, J.,  
42 GILDENGERS, A., SZANTO, K., BENSASI, S., KAUFER, D. I., KAMBOH, M. I. &  
43 DEKOSKY, S. T. 2011. Maintenance treatment of depression in old age: a randomized,  
44 double-blind, placebo-controlled evaluation of the efficacy and safety of donepezil combined  
45 with antidepressant pharmacotherapy. *Archives of General Psychiatry*, 68, 51-60.
- 46 REYNOLDS, C. F., DEW, M. A., MARTIRE, L. M., MILLER, M. D., CYRANOWSKI, J. M.,  
47 LENZE, E., WHYTE, E. M., MULSANT, B. H., POLLOCK, B. G., KARP, J. F., GILDENGERS,

- 1 A., SZANTO, K., DOMBROVSKI, A. Y., ANDREESCU, C., BUTTERS, M. A., MORSE, J. Q.,  
2 HOUCK, P. R., BENSASI, S., MAZUMDAR, S., STACK, J. A. & FRANK, E. 2010. Treating  
3 depression to remission in older adults: a controlled evaluation of combined escitalopram  
4 with interpersonal psychotherapy versus escitalopram with depression care management.  
5 *International Journal of Geriatric Psychiatry*, 25, 1134-41.
- 6 REYNOLDS, C. F., 3RD, THOMAS, S. B., MORSE, J. Q., ANDERSON, S. J., ALBERT, S.,  
7 DEW, M. A., BEGLEY, A., KARP, J. F., GILDENGERS, A., BUTTERS, M. A., STACK, J. A.,  
8 KASCKOW, J., MILLER, M. D. & QUINN, S. C. 2014. Early intervention to preempt major  
9 depression among older black and white adults. *Psychiatric Services*, 65, 765-73.
- 10 RICE, S. M., GOODALL, J., HETRICK, S. E., PARKER, A. G., GILBERTSON, T.,  
11 AMMINGER, G., DAVEY, C. G., MCGORRY, P. D., GLEESON, J. & ALVAREZ-JIMENEZ,  
12 M. 2014. Online and social networking interventions for the treatment of depression in young  
13 people: A systematic review. *Journal of Medical Internet Research*, Vo 16, 190-200.
- 14 RICHARDS, A., BARKHAM, M., CAHILL, J., RICHARDS, D., WILLIAMS, C. & HEYWOOD,  
15 P. 2003. PHASE: a randomised, controlled trial of supervised self-help cognitive behavioural  
16 therapy in primary care. *Br J Gen Pract*, 53, 764-70.
- 17 RICHARDS, D. & RICHARDSON, T. 2012. Computer-based psychological treatments for  
18 depression: a systematic review and meta-analysis. *Clin Psychol Rev*, 32, 329-42.
- 19 RICHARDS, D., TIMULAK, L., O'BRIEN, E., HAYES, C., VIGANO, N., SHARRY, J. &  
20 DOHERTY, G. 2015. A randomized controlled trial of an internet-delivered treatment: Its  
21 potential as a low-intensity community intervention for adults with symptoms of depression.  
22 *Behaviour research and therapy*, 75, 20-31.
- 23 RICHARDS, D. A., BOWER, P., CHEW-GRAHAM, C., GASK, L., LOVELL, K., CAPE, J.,  
24 PILLING, S., ARAYA, R., KESSLER, D., BARKHAM, M., BLAND, J. M., GILBODY, S.,  
25 GREEN, C., LEWIS, G., MANNING, C., KONTOPANTELIS, E., HILL, J. J., HUGHES-  
26 MORLEY, A. & RUSSELL, A. 2016. Clinical effectiveness and cost-effectiveness of  
27 collaborative care for depression in UK primary care (CADET): A cluster randomised  
28 controlled trial. *Health Technology Assessment*, 20, 1-192.
- 29 RICHARDS, D. A., EKERS, D., MCMILLAN, D., TAYLOR, R. S., BYFORD, S., WARREN, F.  
30 C., BARRETT, B., FARRAND, P. A., GILBODY, S., KUYKEN, W., O'MAHEN, H., WATKINS,  
31 E. R., WRIGHT, K. A., HOLLON, S. D., REED, N., RHODES, S., FLETCHER, E. & FINNING,  
32 K. 2016. Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy  
33 for Depression (COBRA): a randomised, controlled, non-inferiority trial. *Lancet*, 388, 871-  
34 880.
- 35 RICHARDS, D. A., HILL, J. J., GASK, L., LOVELL, K., CHEW-GRAHAM, C., BOWER, P.,  
36 CAPE, J., PILLING, S., ARAYA, R., KESSLER, D., BLAND, J. M., GREEN, C., GILBODY,  
37 S., LEWIS, G., MANNING, C., HUGHES-MORLEY, A. & BARKHAM, M. 2013. Clinical  
38 effectiveness of collaborative care for depression in UK primary care (CADET): cluster  
39 randomised controlled trial. *BMJ*, 347, f4913.
- 40 RICHARDS, D. A., LOVELL, K., GILBODY, S., GASK, L., TORGERTON, D., BARKHAM, M.,  
41 BLAND, M., BOWER, P., LANKSHEAR, A. J., SIMPSON, A., FLETCHER, J., ESCOTT, D.,  
42 HENNESSY, S. & RICHARDSON, R. 2008. Collaborative care for depression in UK primary  
43 care: a randomized controlled trial. *Psychol Med*, 38, 279-87.
- 44 RICHIERI, R., GUEDJ, E., MICHEL, P., LOUNDOU, A., AUQUIER, P., LANCON, C. &  
45 BOYER, L. 2013. Maintenance transcranial magnetic stimulation reduces depression  
46 relapse: A propensity-adjusted analysis. *Journal of Affective Disorders*, 151, 129-135.
- 47 RICHMOND, S. J., KEDING, A., HOVER, M., GABE, R., CROSS, B., TORGERTON, D. &  
48 MACPHERSON, H. 2015. Feasibility, acceptability and validity of SMS text messaging for

- 1 measuring change in depression during a randomised controlled trial. *BMC psychiatry*, 15, 68.
- 3 RICKEN, R., WIETHOFF, K., REINHOLD, T., SCHIETSCH, K., STAMM, T., KIERMEIR, J., NEU, P., HEINZ, A., BAUER, M. & ADLI, M. 2011. Algorithm-guided treatment of depression reduces treatment costs--results from the randomized controlled German Algorithm Project (GAPII). *Journal of Affective Disorders*, 134, 249-56.
- 7 RICKHI, B., MORITZ, S., REESAL, R., XU, T. J., PACCAGNAN, P., URBANSKA, B., LIU, M. F., EWING, H., TOEWS, J., GORDON, J. & QUAN, H. 2011. A spirituality teaching program for depression: a randomized controlled trial. *International Journal of Psychiatry In Medicine*, 42, 315-29.
- 11 RICKLES, N. M., SVARSTAD, B. L., STATZ-PAYNTER, J. L., TAYLOR, L. V. & KOBAK, K. A. 2005. Pharmacist telemonitoring of antidepressant use: effects on pharmacist-patient collaboration. *Journal of the American Pharmacists Association*, 45, 344-353.
- 14 RIDGE, D. & ZIEBLAND, S. 2006. "The old me could never have done that": how people give meaning to recovery following depression. *Qual Health Res*, 16, 1038-53.
- 16 RIEU, J., BUI, E., ROUCH, V., FAURE, K., BIRMES, P. & SCHMITT, L. 2011. Efficacy of ultrabrief cognitive and behavioural therapy performed by psychiatric residents on depressed inpatients. *Psychotherapy and Psychosomatics*, 80, 374-6.
- 19 RIIHIMAKI, K. A., VUORILEHTO, M. S., MELARTIN, T. K. & ISOMETSA, E. T. 2014. Five-year outcome of major depressive disorder in primary health care. *Psychol Med*, 44, 1369-79.
- 22 RINALDI, M., PERKINS, R., GLYNN, E., MONTIBELLER, T., CLENAGHAN, M. & RUTHERFORD, J. 2007. Individual placement and support: from research to practice. *Advances in Psychiatric Treatment*, 14, 50.
- 25 RIZVI, S. J., ZARETSKY, A., SCHAFFER, A. & LEVITT, A. 2015. Is immediate adjunctive CBT more beneficial than delayed CBT in treating depression?: A Pilot Study. *Journal of psychiatric practice*, 21, 107-13.
- 28 ROBERTS, D., BERNARD, M., MISCA, G. & AL., E. 2008. Experiences of children and young people caring for a parent with a mental health problem. *Research Briefing*. London: Social Care Institute for Excellence.
- 31 RODIN, I. & THOMPSON, C. 1997. Seasonal affective disorder. *Advances in Psychiatric Treatment*, 3, 352-359.
- 33 RODRIGUEZ, R., MOLET, J., PUERTA, P., PEREZ, V., PUIGDEMONT, D. & GIRONELL, A. 2013. Deep brain stimulation for severe treatment-resistant depression. *Stereotactic and Functional Neurosurgery*, 91, 140.
- 36 ROEPKE, S., LUBORZEWSKI, A., SCHINDLER, F., QUANTE, A., ANGHELESCU, I., HEUSER, I. & BAJBOUJ, M. 2011. Stimulus pulse-frequency-dependent efficacy and cognitive adverse effects of ultrabrief-pulse electroconvulsive therapy in patients with major depression. *Journal of ECT*, 27, 109-13.
- 40 ROGERS, C. M. D. O. A. 2001. Experiencing depression, experiencing the depressed: The separate worlds of patients and doctors. *Journal of Mental Health*, 10, 317-333.
- 42 ROGERS, C. R. 1951. *Client-centered therapy; its current practice, implications, and theory, with chapters*, Boston,, Houghton Mifflin.
- 44 ROGERS, C. R. 1957. The necessary and sufficient conditions of therapeutic personality change. *J Consult Psychol*, 21, 95-103.

- 1 ROGERS, C. R. 1986. Rogers, Kohut, and Erickson: A personal perspective on some similarities and differences. *Person-Centered Review*, 1, 125-140.
- 3 ROGOZ, Z. 2013. Combined treatment with atypical antipsychotics and antidepressants in treatment-resistant depression: Preclinical and clinical efficacy. *Pharmacological Reports*, 65, 1535-1544.
- 6 ROHDE, P., STICE, E., SHAW, H. & GAU, J. M. 2014. Cognitive-behavioral group depression prevention compared to bibliotherapy and brochure control: Nonsignificant effects in pilot effectiveness trial with college students. *Behaviour Research and Therapy*, 55, 48-53.
- 9 ROHRICHT, F., PAPADOPoulos, N. & PRIEBE, S. 2013. An exploratory randomized controlled trial for patients with chronic depression of body psychotherapy. *Journal of Affective Disorders*, 151, 85-91.
- 12 ROHRICHT, F., PAPADOPoulos, N. & PRIEBE, S. 2013. An exploratory randomized controlled trial of body psychotherapy for patients with chronic depression. *Journal of Affective Disorders*, 151, 85-91.
- 15 ROMERA, I., PÉREZ, V., MENCHÓN, J. M., SCHACHT, A., PAPEN, R., NEUHAUSER, D., ABBAR, M., SVANBORG, P. & GILABERTE, I. 2012. Early switch strategy in patients with major depressive disorder: a double-blind, randomized study. *Journal of Clinical Psychopharmacology*, 32, 479-86.
- 19 RONDANELLI, M., GIACOSA, A., OPIZZI, A., PELUCCHI, C., VECCHIA, C., MONTORFANO, G., NEGRONI, M., BERRA, B., POLITI, P. & RIZZO, A. M. 2010. Effect of omega-3 fatty acids supplementation on depressive symptoms and on health-related quality of life in the treatment of elderly women with depression: a double-blind, placebo-controlled, randomized clinical trial. *Journal of the American College of Nutrition*, 29, 55-64.
- 24 ROSE, D., FLEISCHMANN, P., WYKES, T., LEESE, M. & BINDMAN, J. 2003. Patients' perspectives on electroconvulsive therapy: systematic review. *BMJ*, 326, 1363.
- 26 ROSENTHAL, N. E. 1984. Seasonal Affective Disorder. *Archives of General Psychiatry*, 41, 72.
- 28 ROSENTHAL, N. E., SACK, D. A., GILLIN, J. C., LEWY, A. J., GOODWIN, F. K., DAVENPORT, Y., MUELLER, P. S., NEWSOME, D. A. & WEHR, T. A. 1984. Seasonal affective disorder. A description of the syndrome and preliminary findings with light therapy. *Arch Gen Psychiatry*, 41, 72-80.
- 32 ROSS, J. T., TENHAVE, T., EAKIN, A. C., DIFILIPPO, S. & OSLIN, D. W. 2008. A randomized controlled trial of a close monitoring program for minor depression and distress. *J Gen Intern Med*, 23, 1379-85.
- 35 ROSSO, G., MARTINI, B. & MAINA, G. 2013. Brief dynamic therapy and depression severity: A single-blind, randomized study. *Journal of Affective Disorders*, 147, 101-106.
- 37 ROSSO, G., RIGARDETTO, S., BOGETTO, F. & MAINA, G. 2012. A randomized, single-blind, comparison of duloxetine with bupropion in the treatment of SSRI-resistant major depression. *Journal of Affective Disorders*, 136, 172-6.
- 40 ROST, K., HUMPHREY, J. & KELLEHER, K. 1994. Physician management preferences and barriers to care for rural patients with depression. *Arch Fam Med*, 3, 409-14.
- 42 ROST, K., NUTTING, P., SMITH, J., ELLIOTT, C. & DICKINSON, M. 2002. Managing depression as a chronic disease: a randomised trial of ongoing treatment in primary care. *British Medical Journal*, 325, 934.

- 1 ROST, K., NUTTING, P., SMITH, J., WERNER, J. & DUAN, N. 2001. Improving depression outcomes in community primary care practices: a randomized trial of the QuEST intervention. *Journal of General Internal Medicine*, 16, 143-149.
- 4 ROST, K., WILLIAMS, C., WHERRY, J. & JR, G. R. S. 1995. The process and outcomes of care for major depression in rural family practice settings. *The Journal of Rural Health*, 11, 6 114-121.
- 7 ROTELLA, F. & MANNUCCI, E. 2013. Depression as a risk factor for diabetes: a meta-analysis of longitudinal studies. *J Clin Psychiatry*, 74, 31-7.
- 9 ROTEN, Y., AMBRESIN, G., HERRERA, F., FASSASSI, S. & DESPLAND, J. N. 2015. Brief psychoanalytic psychotherapy for depressed inpatient: Best predictors of response. *European psychiatry*, 30, 626.
- 12 ROTER, D. L., HALL, J. A., KERN, D. E., BARKER, L. R., COLE, K. A. & ROCA, R. P. 1995. Improving physicians' interviewing skills and reducing patients' emotional distress. A randomized clinical trial. *Arch Intern Med*, 155, 1877-84.
- 15 ROTH, A. & FONAGY, P. 2005. *What works for whom? : a critical review of psychotherapy research*, New York, Guilford Press.
- 17 ROTHSCHILD, A. J. 2003. Challenges in the treatment of depression with psychotic features. *Biol Psychiatry*, 53, 680-90.
- 19 ROTHSCHILD, A. J., WILLIAMSON, D. J., TOHEN, M. F., SCHATZBERG, A., ANDERSEN, S. W., VAN CAMPEN, L. E., SANGER, T. M. & TOLLEFSON, G. D. 2004. A double-blind, randomized study of olanzapine and olanzapine/fluoxetine combination for major depression with psychotic features. *J Clin Psychopharmacol*, 24, 365-73.
- 23 ROTHSCHILD, A. J., WINER, J., FLINT, A. J., MULSANT, B. H., WHYTE, E. M., HEO, M., FRATONI, S., GABRIELE, M., KASAPINOVIC, S., MEYERS, B. S. & STUDY OF PHARMACOTHERAPY OF PSYCHOTIC DEPRESSION COLLABORATIVE STUDY, G. 2008. Missed diagnosis of psychotic depression at 4 academic medical centers. *J Clin Psychiatry*, 69, 1293-6.
- 28 ROWE, S. K. & RAPAPORT, M. H. 2006. Classification and treatment of sub-threshold depression. *Current Opinion in Psychiatry*, 19, 9-13.
- 30 ROYAL COLLEGE OF PSYCHIATRISTS 2008. Mental health and work. London: Royal College of Psychiatrists.
- 32 RUBENSTEIN, L., PARKER, L., MEREDITH, L., ALTSCHULER, A., DEPILLIS, E., HERNANDEZ, J. & AL., E. 2002. Understanding team-based quality improvement for depression in primary care. *Health Services Research*, 37, 1009-29.
- 35 RUBIO-VALERA, M., BOSMANS, J., FERNANDEZ, A., PENARRUBIA-MARIA, M., MARCH, M., TRAVE, P., BELLON, J. A. & SERRANO-BLANCO, A. 2013. Cost-Effectiveness of a Community Pharmacist Intervention in Patients with Depression: A Randomized Controlled Trial (PRODEFAR Study). *PLoS ONE*, 8, e70588.
- 39 RUCCI, P., FRANK, E., SCOCCO, P., CALUGI, S., MINIATI, M., FAGIOLINI, A. & CASSANO, G. B. 2011. Treatment-emergent suicidal ideation during 4 months of acute management of unipolar major depression with SSRI pharmacotherapy or interpersonal psychotherapy in a randomized clinical trial. *Depression and Anxiety*, 28, 303-9.
- 43 RUHE, H. G., KHOENKHOEN, S. J., OTTENHOF, K. W., KOETER, M. W., MOCKING, R. J. T. & SCHENE, A. H. 2015. Longitudinal effects of the SSRI paroxetine on salivary cortisol in Major Depressive Disorder. *Psychoneuroendocrinology*, 52, 261-71.

- 1 RUHE, H. G., VAN ROOIJEN, G., SPIJKER, J., PEETERS, F. P. & SCHENE, A. H. 2012.
- 2 Staging methods for treatment resistant depression. A systematic review. *J Affect Disord*, 137, 35-45.
- 4 RUSCIO, A. M., STEIN, D. J., CHIU, W. T. & KESSLER, R. C. 2010. The epidemiology of obsessive-compulsive disorder in the National Comorbidity Survey Replication. *Mol Psychiatry*, 15, 53-63.
- 7 RUSH, A. J., TRIVEDI, M. H., STEWART, J. W., NIERENBERG, A. A., FAVA, M., KURIAN, B. T. & ET AL. 2012. Combining medications to enhance depression outcomes (CO-MED): Acute and long-term outcomes of a single-blind randomized study. *FOCUS*, 10, 492-505.
- 11 RUSH, A. J., TRIVEDI, M. H., STEWART, J. W., NIERENBERG, A. A., FAVA, M., KURIAN, B. T., WARDEN, D., MORRIS, D. W., LUTHER, J. F., HUSAIN, M. M., COOK, I. A., SHELTON, R. C. & LESSER, I. M. 2013. Combining medications to enhance depression outcomes (CO-MED): Acute and long-term outcomes of a single-blind randomized study. *Major depressive disorder: Maintenance of certification workbook*. Arlington, VA: American Psychiatric Publishing, Inc ; US.
- 17 RUSH, A. J., TRIVEDI, M. H., STEWART, J. W., NIERENBERG, A. A., FAVA, M., KURIAN, B. T., WARDEN, D., MORRIS, D. W., LUTHER, J. F., HUSAIN, M. M., COOK, I. A., SHELTON, R. C., LESSER, I. M., KORNSTEIN, S. G. & WISNIEWSKI, S. R. 2011. Combining medications to enhance depression outcomes (CO-MED): acute and long-term outcomes of a single-blind randomized study. *American Journal of Psychiatry*, 168, 689-701.
- 22 RUSH, A. J., TRIVEDI, M. H., WISNIEWSKI, S. R., NIERENBERG, A. A., STEWART, J. W., WARDEN, D., NIEDEREHE, G., THASE, M. E., LAVORI, P. W., LEBOWITZ, B. D., MCGRATH, P. J., ROSENBAUM, J. F., SACKEIM, H. A., KUPFER, D. J., LUTHER, J. & FAVA, M. 2006. Acute and longer-term outcomes in depressed outpatients requiring one or several treatment steps: a STAR\*D report. *Am J Psychiatry*, 163, 1905-17.
- 27 RUWAARD, J., SCHRIEKEN, B., SCHRIJVER, M., BROEKSTEEG, J., DEKKER, J., VERMEULEN, H. & LANGE, A. 2009. Standardized web-based cognitive behavioural therapy of mild to moderate depression: a randomized controlled trial with a long-term follow-up. *Cognitive Behaviour Therapy*, 38, 206-21.
- 31 SACKEIM, H. A., DILLINGHAM, E. M., PRUDIC, J., COOPER, T., MCCALL, W. V., ROSENQUIST, P., ISENBERG, K., GARCIA, K., MULSANT, B. H. & HASKEET, R. F. 2009. Effect of concomitant pharmacotherapy on electroconvulsive therapy outcomes: short-term efficacy and adverse effects. *Archives of General Psychiatry*, 66, 729-37.
- 35 SAINSBURY CENTRE FOR MENTAL HEALTH 2007. Mental health at work: Developing the business case. *Policy Paper*. London: Sainsbury Centre for Mental Health.
- 37 SALDIVIA, S., VICENTE, B., MARSTON, L., MELIPILLAN, R., NAZARETH, I., BELLON-SAAMENO, J., XAVIER, M., MAAROOS, H. I., SVAB, I., GEERLINGS, M. I. & KING, M. 2014. [Development of an algorithm to predict the incidence of major depression among primary care consultants]. *Revista Medica de Chile*, 142, 323-9.
- 41 SAMBUNARIS, A., GOMMOL, C., CHEN, C. & GREENBERG, W. M. 2014. Efficacy of levomilnacipran extended-release in improving functional impairment associated with major depressive disorder: Pooled analyses of five double-blind, placebo-controlled trials. *International Clinical Psychopharmacology*, 29, 197-205.
- 45 SANCHEZ, C., ASIN, K. E. & ARTIGAS, F. 2015. Vortioxetine, a novel antidepressant with multimodal activity: Review of preclinical and clinical data. *Pharmacology and Therapeutics*, 145, 43-47.

- 1 SANCHEZ-VILLEGAS, A. & MARTINEZ-GONZALEZ, M. A. 2013. Diet, a new target to prevent depression? *BMC Medicine*, 11.
- 3 SANDAHL, C., LUNDBERG, U., LINDGREN, A., RYLANDER, G., HERLOFSON, J., NYGREN, A. & ASBERG, M. 2011. Two forms of group therapy and individual treatment of work-related depression: a one-year follow-up study. *International Journal of Group Psychotherapy*, 61, 539-55.
- 7 SANTOS, V., PAES, F., PEREIRA, V., ARIAS-CARRION, O., SILVA, A. C., CARTA, M. G., NARDI, A. E. & MACHADO, S. 2013. The role of positive emotion and contributions of positive psychology in depression treatment: Systematic review. *Clinical Practice and Epidemiology in Mental Health*, 9, 221-237.
- 11 SAPIN, C., FANTINO, B., NOWICKI, M. L. & KIND, P. 2004. Usefulness of EQ-5D in assessing health status in primary care patients with major depressive disorder. *Health and Quality of Life Outcomes*, 2.
- 14 SARRIS, J., FAVA, M., SCHWEITZER, I. & MISCHOULON, D. 2012. St John's wort (*Hypericum perforatum*) versus sertraline and placebo in major depressive disorder: continuation data from a 26-week RCT. *Pharmacopsychiatry*, 45, 275-8.
- 17 SARTORIUS, N. 2001. The economic and social burden of depression. *J Clin Psychiatry*, 62 Suppl 15, 8-11.
- 19 SARTORIUS, N. 2002. Eines der letzten Hindernisse einer verbesserten psychiatrischen Versorgung: das Stigma psychischer Erkrankung [One of the last obstacles to better mental health care: the stigma of mental illness]. *Neuropsychiatrie*, 16, 5-10.
- 22 SATRA, T. & NGAMTHIPWATTHANA, T. 2013. Cost-effectiveness of antidepressant after 24 months of treatment based on discrete event simulation modeling (DESM): Ag omelatine versus matrix comparator of escitalopram, sertraline and venlafaxine in a thai setting. *Value in Health*, 16 (7), A547.
- 26 SATYANARAYANA, S., ENNS, M. W., COX, B. J. & SAREEN, J. 2009. Prevalence and correlates of chronic depression in the canadian community health survey: mental health and well-being. *Can J Psychiatry*, 54, 389-98.
- 29 SAVA, F. A., YATES, B. T., LUPU, V., SZENTAGOTAI, A. & DAVID, D. 2009. Cost-effectiveness and cost-utility of cognitive therapy, rational emotive behavioral therapy, and fluoxetine (Prozac) in treating depression: a randomized clinical trial. *Journal of Clinical Psychology*, 65, 36-52.
- 33 SAVER, B. G., VAN-NGUYEN, V., KEPPEL, G. & DOESCHER, M. P. 2007. A qualitative study of depression in primary care: missed opportunities for diagnosis and education. *J Am Board Fam Med*, 20, 28-35.
- 36 SCHATZBERG, A. F. 2014. ABCB-1: Antidepressant response in geriatric depression and chronic depression. *Biological Psychiatry*, 75, 23S.
- 38 SCHATZBERG, A. F., BLIER, P., CULPEPPER, L., JAIN, R., PAPAKOSTAS, G. I. & THASE, M. E. 2014. An overview of vortioxetine. *The Journal of clinical psychiatry*, 75, 1411-1418.
- 41 SCHATZBERG, A. F., BLIER, P., DELGADO, P. L., FAVA, M., HADDAD, P. M. & SHELTON, R. C. 2006. Antidepressant discontinuation syndrome: consensus panel recommendations for clinical management and additional research. *J Clin Psychiatry*, 67 Suppl 4, 27-30.
- 45 SCHLOGELHOFER, M., WILLINGER, U., WIESEGGER, G., EDER, H., PRIESCH, M. & ITZLINGER, U. 2014. Clinical study results from a randomized controlled trial of cognitive

- 1 behavioural guided self-help in patients with partially remitted depressive disorder.
- 2 *Psychology and Psychotherapy: Theory, Research and Practice*, 87, 178-90.
- 3 SCHOMERUS, G., SCHWAHN, C., HOLZINGER, A., CORRIGAN, P. W., GRABE, H. J.,
- 4 CARTA, M. G. & ANGERMEYER, M. C. 2012. Evolution of public attitudes about mental
- 5 illness: a systematic review and meta-analysis. *Acta Psychiatr Scand*, 125, 440-52.
- 6 SCHRADER, E., MEIER, B. & BRATTSTROM, A. 1998. Hypericum treatment of mild-
- 7 moderate depression in a placebo-controlled study. A prospective, double-blind, randomized,
- 8 placebo-controlled, multicentre study. *Human Psychopharmacology-Clinical and*
- 9 *Experimental*, 13, 163-169.
- 10 SCHRAMM, E., ZOBEL, I., DYKIEREK, P., KECH, S., BRAKEMEIER, E. L., KÜLZ, A. &
- 11 BERGER, M. 2011. Cognitive behavioral analysis system of psychotherapy versus
- 12 interpersonal psychotherapy for early-onset chronic depression: a randomized pilot study.
- 13 *Journal of Affective Disorders*, 129, 109-16.
- 14 SCHRAMM, E., ZOBEL, I., SCHOEPF, D., FANGMEIER, T., SCHNELL, K., WALTER, H.,
- 15 DROST, S., SCHMIDT, P., BRAKEMEIER, E. L., BERGER, M. & NORMANN, C. 2015.
- 16 Cognitive behavioral analysis system of psychotherapy versus escitalopram in chronic major
- 17 depression. *Psychotherapy and Psychosomatics*, 84, 227-240.
- 18 SCHUCH, F. B., VASCONCELOS-MORENO, M. P., BOROWSKY, C. & FLECK, M. P. 2011.
- 19 Exercise and severe depression: preliminary results of an add-on study. *Journal of Affective*
- 20 *Disorders*, 133, 615-8.
- 21 SCHUCH, F. B., VASCONCELOS-MORENO, M. P., BOROWSKY, C., ZIMMERMANN, A.
- 22 B., ROCHA, N. S. & FLECK, M. P. 2015. Exercise and severe major depression: effect on
- 23 symptom severity and quality of life at discharge in an inpatient cohort. *Journal of psychiatric*
- 24 *research*, 61, 25-32.
- 25 SCHUELLER, S. M., PEREZ-STABLE, E. J. & MUÑOZ, R. F. 2013. A mood management
- 26 intervention in an internet stop smoking randomized controlled trial does not prevent
- 27 depression: A cautionary tale. *Clinical Psychological Science*, 1, 401-412.
- 28 SCHULTE, S. & HOLLAND, M. 2008. Dual diagnosis in Manchester, UK: practitioners'
- 29 estimates of prevalence rates in mental health and substance misuse services. *Mental*
- 30 *Health and Substance Use*, 1, 118-124.
- 31 SCHÜNEMANN, H., BROŽEK, J., GUYATT, G. & OXMAN, A. (eds.) 2013. *GRADE*
- 32 *Handbook for grading the quality of evidence and strength of recommendations using the*
- 33 *GRADE approach*: The GRADE Working Group. Available from <http://www.cc-ims.net/gradepro>.
- 35 SCHÜNEMANN, H. J., BEST, D., VIST, G., OXMAN, A. & GROUP, G. W. 2003. Letters,
- 36 numbers, symbols and words: how to communicate grades of evidence and
- 37 recommendations. . *Canadian Medical Association Journal*, 169, 677-80.
- 38 SCHUNEMANN, H. J., BROZEK, J., GUYATT, G. & OXMAN, A. D. (eds.) 2013. *GRADE*
- 39 *Handbook for grading the quality of evidence and strength of recommendations using the*
- 40 *GRADE approach*: The GRADE Working Group. Available from <http://www.cc-ims.net/gradepro>.
- 42 SCOTT, J., PALMER, S., PAYKEL, E., TEASDALE, J. & HAYHURST, H. 2003. Use of
- 43 cognitive therapy for relapse prevention in chronic depression: Cost-effectiveness study.
- 44 *British Journal of Psychiatry*, 182, 221-227.
- 45 SEEKLES, W., STRATEN, A., BEEKMAN, A., MARWIJK, H. & CUIJPERS, P. 2011.
- 46 Effectiveness of guided self-help for depression and anxiety disorders in primary care: a
- 47 pragmatic randomized controlled trial. *Psychiatry Research*, 187, 113-20.

- 1 SEEMAN, M. V. 2014. Depression treatment by withdrawal of short-term low-dose antipsychotic, a proof-of-concept randomized double-blind study. *Journal of affective disorders*, 166, 139-143.
- 4 SEEMULLER, F., MEIER, S., OBERMEIER, M., MUSIL, R., BAUER, M., ADLI, M., KRONMULLER, K., HOLSBOER, F., BRIEGER, P., LAUX, G., BENDER, W., HEUSER, I., ZEILER, J., GAEBEL, W., RIEDEL, M., FALKAI, P. & MOLLER, H.-J. 2014. Three-year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: Severe relapse rates and risk factors. *European Archives of Psychiatry and Clinical Neuroscience*, 264, 567-575.
- 10 SEGAL, Z. V., WILLIAMS, J. M. G. & TEASDALE, J. D. 2002. *Mindfulness-based cognitive therapy for depression : a new approach to preventing relapse*, New York, Guilford Press.
- 12 SEGRE, L. S., BROCK, R. L. & O'HARA, M. W. 2015. Depression treatment for impoverished mothers by point-of-care providers: A randomized controlled trial. *Journal of consulting and clinical psychology*, 83, 314-24.
- 15 SEGRIN, C. 2000. Social skills deficits associated with depression. *Clinical Psychology Review*, 20, 379-403.
- 17 SEIDLER, Z. E., DAWES, A. J., RICE, S. M., OLIFFE, J. L. & DHILLON, H. M. 2016. The role of masculinity in men's help-seeking for depression: A systematic review. *Clin Psychol Rev*, 49, 106-118.
- 20 SELMI, P. M., KLEIN, M. H., GREIST, J. H., SORRELL, S. P. & ERDMAN, H. P. 1990. Computer-administered cognitive-behavioral therapy for depression. *Am J Psychiatry*, 147, 51-6.
- 23 SERBY, M. & YU, M. 2003. Overview: depression in the elderly. *Mt Sinai J Med*, 70, 38-44.
- 24 SERRANO SELVA, J. P., LATORRE POSTIGO, J. M., ROS SEGURA, L., NAVARRO BRAVO, B., AGUILAR CÓRCOLES, M. J., NIETO LÓPEZ, M., RICARTE TRIVES, J. J. & GATZ, M. 2012. Life review therapy using autobiographical retrieval practice for older adults with clinical depression. *Psicothema*, 24, 224-9.
- 28 SERRANO-BLANCO, A., SUÁREZ, D., PINTO-MEZA, A., PEÑARRUBIA, M. T. & HARO, J. M. 2009. Fluoxetine and imipramine: are there differences in cost-utility for depression in primary care? *Journal of Evaluation in Clinical Practice*, 15, 195-203.
- 31 SEVERUS, E., LIPKOVICH, I., SEEMULLER, F., OBERMEIER, M., GRUNZE, H., BERNHARD, B., DITTMANN, S., RIEDEL, M. & MOLLER, H.-J. 2013. The potential role of Marginal Structural Models (MSMs) in testing the effectiveness of antidepressants in the treatment of patients with major depression in everyday clinical practice. *The World Journal of Biological Psychiatry*, 14, 386-395.
- 36 SHAH, A. 2011. Efficacy of an audio-based cognitive behavioral therapy for older adults with depression. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 72, 2446.
- 39 SHAMSI, A., CICHON, D., OBEY, J., MURALEE, S., WILLIAMSON, D., AZIZ, R. & TAMPI, R. R. 2010. Pharmacotherapy for late-life depression with psychotic features: A review of literature of randomized control trials. *Current Psychiatry Reviews*, 6, 219-222.
- 42 SHANKMAN, S. A., CAMPBELL, M. L., KLEIN, D. N., LEON, A. C., ARNOW, B. A., MANBER, R., KELLER, M. B., MARKOWITZ, J. C., ROTHBAUM, B. O., THASE, M. E. & KOCSIS, J. H. 2013. Dysfunctional attitudes as a moderator of pharmacotherapy and psychotherapy for chronic depression. *Journal of Psychiatric Research*, 47, 113-121.

- 1 SHAPIRA, B., ZISLIN, J., GELFIN, Y., OSHER, Y., GORFINE, M., SOUERY, D.,
- 2 MENDLEWICZ, J. & LERER, B. 1999. Social adjustment and self-esteem in remitted patients
- 3 with unipolar and bipolar affective disorder: A case-control study. *Comprehensive Psychiatry*,
- 4 40, 24-30.
- 5 SHARP, J., HOLLY, D. & BROOMFIELD, N. 2013. Computerized cognitive behaviour
- 6 therapy for depression in people with a chronic physical illness. *British journal of health*
- 7 *psychology*, 18, 729-744.
- 8 SHAW, C. M., CREED, F., TOMENSON, B., RISTE, L. & CRUICKSHANK, J. K. 1999.
- 9 Prevalence of anxiety and depressive illness and help seeking behaviour in African
- 10 Caribbeans and white Europeans: two phase general population survey. *BMJ*, 318, 302-5.
- 11 SHEEHAN, D. V., CROFT, H. A., GOSSEN, E. R., LEVITT, R. J., BRULLE, C., BOUCHARD,
- 12 S. & ROZOVA, A. 2009. Extended-release trazodone in major depressive disorder: A
- 13 randomized, double-blind, placebo-controlled study [NCT00775203]. *Psychiatry*, 6, 20-33.
- 14 SHEEHAN, D. V., NEMEROFF, C. B., THASE, M. E. & ENTSUAH, R. 2009. Placebo-
- 15 controlled inpatient comparison of venlafaxine and fluoxetine for the treatment of major
- 16 depression with melancholic features. *International Clinical Psychopharmacology*, 24, 61-86.
- 17 SHEEHAN, D. V., ROZOVA, A., GOSSEN, E. R. & GIBERTINI, M. 2009. The efficacy and
- 18 tolerability of once-daily controlled-release trazodone for depressed mood, anxiety, insomnia,
- 19 and suicidality in major depressive disorder. *Psychopharmacology Bulletin*, 42, 5-22.
- 20 SHEFFRIN, M., DRISCOLL, H. C., LENZE, E. J., MULSANT, B. H., POLLOCK, B. G.,
- 21 MILLER, M. D., BUTTERS, M. A., DEW, M. A. & REYNOLDS, C. F. 2009. Pilot study of
- 22 augmentation with aripiprazole for incomplete response in late-life depression: getting to
- 23 remission. *Journal of Clinical Psychiatry*, 70, 208-13.
- 24 SHELTON, R. C., KELLER, M. B. & GELENBERG, A. 2001. St John's wort was no better
- 25 than placebo for reducing depression scores. *Evidence Based Medicine*, 6, 185.
- 26 SHELTON, R. C., KELLER, M. B., GELENBERG, A., DUNNER, D. L., HIRSCHFELD, R.,
- 27 THASE, M. E., RUSSELL, J., LYDIARD, R. B., CRITS-CRISTOPH, P., GALLOP, R., TODD,
- 28 L., HELLERSTEIN, D., GOODNICK, P., KEITNER, G., STAHL, S. M. & HALBREICH, U.
- 29 2001. Effectiveness of St John's wort in major depression: a randomized controlled trial.
- 30 *Jama*, 285, 1978-86.
- 31 SHIELS, C., GABBAY, M., DOWRICK, C. & HULBERT, C. 2004. Depression in men
- 32 attending a rural general practice: factors associated with prevalence of depressive
- 33 symptoms and diagnosis. *Br J Psychiatry*, 185, 239-44.
- 34 SHIOVITZ, T., GREENBERG, W. M., CHEN, C., FORERO, G. & GOMMOLL, C. P. 2014. A
- 35 randomized, double-blind, placebo-controlled trial of the efficacy and safety of
- 36 levomilnacipran ER 40-120mg/day for prevention of relapse in patients with major depressive
- 37 disorder. *Innovations in Clinical Neuroscience*, 11, 10-22.
- 38 SHIOZAWA, P., CORDEIRO, Q., FREGNI, F. & BRUNONI, A. R. 2013. Is sertraline plus
- 39 transcranial direct current stimulation the future of effective depression treatment? *Journal of*
- 40 *Comparative Effectiveness Research*, 2, 213-215.
- 41 SHIOZAWA, P., FREGNI, F., BENENSON, I. M., LOTUFO, P. A., BERLIM, M. T.,
- 42 DASKALAKIS, J. Z., CORDEIRO, Q. & BRUNONI, A. R. 2014. Transcranial direct current
- 43 stimulation for major depression: An updated systematic review and meta-analysis.
- 44 *International Journal of Neuropsychopharmacology*, 17, 1443-1452.
- 45 SHIROMA, P. R., JOHNS, B., KUSKOWSKI, M., THURAS, P. & LIM, K. O. 2013.
- 46 Trajectories of response to repeat dose of intravenous subanesthetic ketamine in treatment
- 47 resistant depression. *Neuropsychopharmacology*, 38, S523-S524.

- 1 SHIROMA, P. R., JOHNS, B., KUSKOWSKI, M., WELS, J., THURAS, P., ALBOTT, C. &
- 2 LIM, K. O. 2014. Augmentation of response and remission to serial intravenous
- 3 subanesthetic ketamine in treatment resistant depression. *Journal of Affective Disorders*,
- 4 155, 123-129.
- 5 SHORTER, E. & HEALY, D. 2007. *Shock therapy : a history of electroconvulsive treatment in mental illness*, New Brunswick, N.J., Rutgers University Press.
- 6 SIDDWAY, A. P. & WOOD, A. M. 2013. Recommendations for conducting mindfulness based cognitive therapy trials. *Psychiatry Research*, 207, 229-231.
- 7 SIDDIQUE, J., CHUNG, J. Y., BROWN, C. H. & MIRANDA, J. 2012. Comparative effectiveness of medication versus cognitive-behavioral therapy in a randomized controlled trial of low-income young minority women with depression. *Journal of Consulting and Clinical Psychology*, 80, 995-1006.
- 8 SIENAERT, P., VANSTEELANDT, K., DEMYTTEENAERE, K. & PEUSKENS, J. 2009.
- 9 Randomized comparison of ultra-brief bifrontal and unilateral electroconvulsive therapy for major depression: clinical efficacy. *Journal of Affective Disorders*, 116, 106-12.
- 10 SIENAERT, P., VANSTEELANDT, K., DEMYTTEENAERE, K. & PEUSKENS, J. 2010.
- 11 Randomized comparison of ultra-brief bifrontal and unilateral electroconvulsive therapy for major depression: cognitive side-effects. *Journal of Affective Disorders*, 122, 60-7.
- 12 SIGNOROVITCH, J., RAMAKRISHNAN, K., BEN-HAMADI, R., YU, A. P., WU, E. Q., DWORAK, H. & ERDER, M. H. 2011. Remission of major depressive disorder without adverse events: a comparison of escitalopram versus serotonin norepinephrine reuptake inhibitors. *Current Medical Research and Opinion*, 27, 1089-96.
- 13 SIMON, G. 2006. Collaborative care for depression. *BMJ*, 332, 249-50.
- 14 SIMON, G., LUDMAN, E., TUTTY, S., OPERSKALSKI, B. & VON KORFF, M. 2004.
- 15 Telephone psychotherapy and telephone care management for primary care patients starting
- 16 antidepressant treatment: a randomized controlled trial. *Journal of the American Medical Association*, 292, 935-942.
- 17 SIMON, G., VONKORFF, M., RUTTER, C. & WAGNER, E. 2000. Randomised trial of monitoring, feedback, and management of care by telephone to improve treatment of depression in primary care. *British Medical Journal*, 320, 550-4.
- 18 SIMON, G. E., GOLDBERG, D., TIEMENS, B. G. & USTUN, T. B. 1999. Outcomes of recognized and unrecognized depression in an international primary care study. *Gen Hosp Psychiatry*, 21, 97-105.
- 19 SIMON, G. E., GOLDBERG, D. P., VON KORFF, M. & ÜSTÜN, T. B. 2002. Understanding cross-national differences in depression prevalence. *Psychological Medicine*, 32.
- 20 SIMON, G. E., LUDMAN, E. J. & RUTTER, C. M. 2009. Incremental benefit and cost of telephone care management and telephone psychotherapy for depression in primary care. *Archives of General Psychiatry*, 66, 1081-9.
- 21 SIMON, G. E., RALSTON, J. D., SAVARINO, J., PABINIAK, C., WENTZEL, C. & OPERSKALSKI, B. H. 2011. Randomized trial of depression follow-up care by online messaging. *Journal of General Internal Medicine*, 26, 698-704.
- 22 SIMON, G. E., VON KORFF, M., LUDMAN, E. J., KATON, W. J., RUTTER, C., UNUTZER, J., LIN, E. H., BUSH, T. & WALKER, E. 2002. Cost-effectiveness of a program to prevent depression relapse in primary care. *Medical care*, 40, 941-950.

- 1 SIMON, J., PILLING, S., BURBECK, R. & GOLDBERG, D. 2006. Treatment options in moderate and severe depression: Decision analysis supporting a clinical guideline. *British Journal of Psychiatry*, 189, 494-501.
- 4 SIMPSON, K. N., WELCH, M. J., KOZEL, F. A., DEMITRACK, M. A. & NAHAS, Z. 2009. Cost-effectiveness of transcranial magnetic stimulation in the treatment of major depression: a health economics analysis. *Advances in Therapy*, 26, 346-68.
- 7 SIMPSON, S., CORNEY, R. & BEECHAM, J. 2003. A randomized controlled trial to evaluate the effectiveness and cost-effectiveness of psychodynamic counselling for general practice patients with chronic depression. *Psychological Medicine*, 33, 229-239.
- 10 SINGH, A. P., TRIVEDI, M. & KUSHWAH, D. S. 2014. Comparative study of safety and efficacy of desvenlaflexine versus sertraline: A randomised control trial. *International Journal of Pharma and Bio Sciences*, 5, P762-P769.
- 13 SINGH, J., FEDGCHIN, M., DALY, E., DE BOER, P., COOPER, K., LIM, P., PINTER, C., MURROUGH, J., SANACORA, G., SHELTON, R., KURIAN, B., WINOKUR, A., FAVA, M., MANJI, H., DREVETS, W. & VAN NUETEN, L. 2014. Onset of efficacy of ketamine in treatmentresistant depression: A double-blind, randomised, placebo-controlled, dose frequency study. *European Neuropsychopharmacology*, 24, S387-S388.
- 18 SINGH, J., FEDGCHIN, M., DALY, E., XI, L., MELMAN, C., DE BRUECKER, G., TADIC, A., SIENAERT, P., WIEGAND, F., MANJI, H. K., DREVETS, W. & VAN NUETEN, L. 2013. Efficacy and safety of intravenous esketamine in patients with treatment-resistant depression: A double-blind, double-randomization, placebocontrolled phase 2a study. *Neuropsychopharmacology*, 38, S369-S370.
- 23 SINGH, V., BOWDEN, C. L. & MINTZ, J. 2013. Relative effectiveness of adjunctive risperidone on manic and depressive symptoms in mixed mania. *International Clinical Psychopharmacology*, 28, 91-5.
- 26 SINGLETON, N., BUMPSTEAD, R. & O'BRIEN, M. 2001. *Psychiatric morbidity among adults living in private households*, 2000, The Stationery Office.
- 28 SINGLETON, N., MELTZER, H. & JENKINS, R. 2003. Building a picture of psychiatric morbidity in a nation: a decade of epidemiological surveys in Great Britain. *International Review of Psychiatry*, 15, 19-28.
- 31 SIREY, J. A., BRUCE, M. L. & KALES, H. C. 2010. Improving antidepressant adherence and depression outcomes in primary care: the treatment initiation and participation (TIP) program. *American Journal of Geriatric Psychiatry*, 18, 554-62.
- 34 SKODOL, A. E., GRILO, C. M., KEYES, K. M., GEIER, T., GRANT, B. F. & HASIN, D. S. 2011. Relationship of personality disorders to the course of major depressive disorder in a nationally representative sample. *Am J Psychiatry*, 168, 257-64.
- 37 SKODOL, A. E., OLDHAM, J. M. & GALLAHER, P. E. 1999. Axis II comorbidity of substance use disorders among patients referred for treatment of personality disorders. *Am J Psychiatry*, 156, 733-8.
- 40 SMITH, C. A., HAY, P. P. & MACPHERSON, H. 2010. Acupuncture for depression. *Cochrane Database Syst Rev*, CD004046.
- 42 SMITH, D., DEMPSTER, C., GLANVILLE, J., FREEMANTLE, N. & ANDERSON, I. 2002. Efficacy and tolerability of venlafaxine compared with selective serotonin reuptake inhibitors and other antidepressants: a meta-analysis. *Br J Psychiatry*, 180, 396-404.
- 45 SNIEZEK, D. P. & SIDDIQUI, I. J. 2013. Acupuncture for treating anxiety and depression in women: A clinical systematic review. *Medical Acupuncture*, 25, 164-172.

- 1 SOBIN, C., SACKEIM, H. A., PRUDIC, J., DEVANAND, D. P., MOODY, B. J. &
- 2 MCELHINEY, M. C. 1995. Predictors of retrograde amnesia following ECT. *Am J Psychiatry*, 152, 995-1001.
- 4 SOBOCKI, P., EKMAN, M., AGRENN, H., KRAKAU, I., RUNESON, B., MARTENSSON, B. &
- 5 JONSSON, B. 2007. Health-related quality of life measured with EQ-5D in patients treated
- 6 for depression in primary care. *Value in Health*, 10, 153-160.
- 7 SOBOCKI, P., EKMAN, M., AGRENN, H., RUNESON, B. & JONSSON, B. 2006. The mission
- 8 is remission: Health economic consequences of achieving full remission with antidepressant
- 9 treatment for depression. *International Journal of Clinical Practice*, 60, 791-798.
- 10 SOHAIR, Z. & MACALUSO, M. 2015. Fatigue after depression responds to therapy. What are
- 11 the next steps? A sufficient base of evidence is often lacking to guide pharmacotherapy for
- 12 fatigue. *Current Psychiatry*, 14, 17 and 28-32.
- 13 SOLOMON, D., ADAMS, J. & GRAVES, N. 2013. Economic evaluation of St. John's wort
- 14 (Hypericum perforatum) for the treatment of mild to moderate depression. *Journal of*
- 15 *Affective Disorders*, 148, 228-234.
- 16 SOLOMON, D. A., KELLER, M. B., LEON, A. C., MUELLER, T. I., LAVORI, P. W., SHEA, M.
- 17 T., CORYELL, W., WARSHAW, M., TURVEY, C., MASER, J. D. & ENDICOTT, J. 2000.
- 18 Multiple recurrences of major depressive disorder. *Am J Psychiatry*, 157, 229-33.
- 19 SONG, Y., ZHOU, D., FAN, J., LUO, H. & HALBREICH, U. 2007. Effects of
- 20 electroacupuncture and fluoxetine on the density of GTP-binding-proteins in platelet
- 21 membrane in patients with major depressive disorder. *Journal of Affective Disorders*, 98,
- 22 253-7.
- 23 SONGPRAKUN, W. & MCCANN, T. V. 2012. Evaluation of a cognitive behavioural self-help
- 24 manual for reducing depression: a randomized controlled trial. *Journal of Psychiatric and*
- 25 *Mental Health Nursing*, 19, 647-53.
- 26 SOTSKY, S. M., GLASS, D. R., SHEA, M. T., PILKONIS, P. A., COLLINS, J. F., ELKIN, I.,
- 27 WATKINS, J. T., IMBER, S. D., LEBER, W. R., MOYER, J. & ET AL. 1991. Patient predictors
- 28 of response to psychotherapy and pharmacotherapy: findings in the NIMH Treatment of
- 29 Depression Collaborative Research Program. *Am J Psychiatry*, 148, 997-1008.
- 30 SOUERY, D., AMSTERDAM, J., DE MONTIGNY, C., LECRUBIER, Y., MONTGOMERY, S.,
- 31 LIPP, O., RACAGNI, G., ZOHAR, J. & MENDLEWICZ, J. 1999. Treatment resistant
- 32 depression: methodological overview and operational criteria. *Eur Neuropsychopharmacol*, 9,
- 33 83-91.
- 34 SOUERY, D., PAPAKOSTAS, G. I. & TRIVEDI, M. H. 2006. Treatment-resistant depression.
- 35 *J Clin Psychiatry*, 67 Suppl 6, 16-22.
- 36 SOUERY, D., SERRETTI, A., CALATI, R., OSWALD, P., MASSAT, I., KONSTANTINIDIS,
- 37 A., LINOTTE, S., KASPER, S., MONTGOMERY, S., ZOHAR, J. & MENDLEWICZ, J. 2011.
- 38 Citalopram versus desipramine in treatment resistant depression: effect of continuation or
- 39 switching strategies: a randomized open study. *World Journal of Biological Psychiatry*, 12,
- 40 364-75.
- 41 SOUMET-LEMAN, C., JOUVENT, R. & PLAGNOL, A. 2015. Use of digital and therapeutic
- 42 relationship in telemedicine: The example of computer assisted cognitive remediation applied
- 43 to depression. [French]
- 44 Utilisation du numerique et relation therapeutique en telemedecine: l'exemple de la
- 45 remediation cognitive assistee par ordinateur appliquee a la depression. *European Research*
- 46 *in Telemedicine*, 4, 45-52.

- 1 SOUZA, L. H., SALUM, G. A., MOSQUEIRO, B. P., CALDIERARO, M. A., GUERRA, T. A. & FLECK, M. P. 2016. Interpersonal psychotherapy as add-on for treatment-resistant depression: A pragmatic randomized controlled trial. *Journal of affective disorders*, 193, 373-80.
- 5 SPAANS, H. P., KHO, K. H., VERWIJK, E., KOK, R. M. & STEK, M. L. 2013. Efficacy of ultrabrief pulse electroconvulsive therapy for depression: A systematic review. *Journal of Affective Disorders*, 150, 720-726.
- 8 SPAANS, H. P., SIENAERT, P., BOUCKAERT, F., BERG, J. F., VERWIJK, E., KHO, K. H., STEK, M. L. & KOK, R. M. 2015. Speed of remission in elderly patients with depression: electroconvulsive therapy v. medication. *The British journal of psychiatry : the journal of mental science*, 206, 67-71.
- 12 SPAANS, H. P., VERWIJK, E., COMIJS, H. C., KOK, R. M., SIENAERT, P., BOUCKAERT, F., FANNES, K., VANDEPOEL, K., SCHERDER, E. J., STEK, M. L. & KHO, K. H. 2013. Efficacy and cognitive side effects after brief pulse and ultrabrief pulse right unilateral electroconvulsive therapy for major depression: a randomized, double-blind, controlled study. *Journal of Clinical Psychiatry*, 74, e1029-36.
- 17 SPAANS, H. P., VERWIJK, E., COMIJS, H. C., KOK, R. M., SIENAERT, P., BOUCKAERT, F., FANNES, K., VANDEPOEL, K., SCHERDER, E. J. A., STEK, M. L. & KHO, K. H. 2015. Efficacy, relaps and cognitive side effects after brief pulse and ultrabrief pulse right unilateral electroconvulsive the for major depression: A randomised double blind controlled study. *Brain Stimulation*, 8 (2), 316-317.
- 22 SPACKMAN, E., RICHMOND, S., SCULPHER, M., BLAND, M., BREALEY, S., GABE, R., HOPTON, A., KEDING, A., LANSDOWN, H., PERREN, S., TORGERSON, D., WATT, I. & MACPHERSON, H. 2014. Cost-effectiveness analysis of acupuncture, counselling and usual care in treating patients with depression: The results of the ACUDep trial. *PLoS ONE*, 9.
- 26 SPAMPINATO, C., AGUGLIA, E., CONCERTO, C., PENNISI, M., LANZA, G., BELLA, R., CANTONE, M., PENNISI, G., KAVASIDIS, I. & GIORDANO, D. 2013. Transcranial magnetic stimulation in the assessment of motor cortex excitability and treatment of drug-resistant major depression. *IEEE Transactions on Neural Systems & Rehabilitation Engineering*, 21, 391-403.
- 31 SPARSHATT, A., MCALLISTER WILLIAMS, R. H., BALDWIN, D. S., HADDAD, P. M., BAZIRE, S., WESTON, E., TAYLOR, P. & TAYLOR, D. 2013. A naturalistic evaluation and audit database of agomelatine: clinical outcome at 12 weeks. *Acta Psychiatrica Scandinavica*, 128, 203-11.
- 35 SPEK, V., CUIJPERS, P., NYKLICEK, I., RIPER, H., KEYZER, J. & POP, V. 2007. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychol Med*, 37, 319-28.
- 38 SPENCE, S. H., SAWYER, M. G., SHEFFIELD, J., PATTON, G., BOND, L., GRAETZ, B. & KAY, D. 2014. Does the absence of a supportive family environment influence the outcome of a universal intervention for the prevention of depression? *International Journal of Environmental Research and Public Health*, 11, 5113-5132.
- 42 SPIEGELHALTER, D., THOMAS, A., BEST, N. & LUNN, D. 2003. WinBUGS user manual: version 1.4. Cambridge.
- 44 SPIELMANS, G. I., BERMAN, M. I., LINARDATOS, E., ROSENLIGHT, N. Z., PERRY, A. & TSAI, A. C. 2013. Adjunctive Atypical Antipsychotic Treatment for Major Depressive Disorder: A Meta-Analysis of Depression, Quality of Life, and Safety Outcomes. *PLoS Medicine*, 10.

- 1 SPIERS, N., BRUGHA, T. S., BEBBINGTON, P., MCMANUS, S., JENKINS, R. & MELTZER, H. 2012. Age and birth cohort differences in depression in repeated cross-sectional surveys in England: the National Psychiatric Morbidity Surveys, 1993 to 2007. *Psychological Medicine*, 42, 2047-2055.
- 5 SPIJKER, J., DE GRAAF, R., BIJL, R. V., BEEKMAN, A. T., ORMEL, J. & NOLEN, W. A. 2002. Duration of major depressive episodes in the general population: results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). *Br J Psychiatry*, 181, 208-13.
- 9 SPIJKER, J., VAN STRATEN, A., BOCKTING, C. L., MEEUWISSEN, J. A. & VAN BALKOM, A. J. 2013. Psychotherapy, antidepressants, and their combination for chronic major depressive disorder: a systematic review. *Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie*, 58, 386-92.
- 13 SPIKER, D. G. & KUPFER, D. J. 1988. Placebo response rates in psychotic and nonpsychotic depression. *J Affect Disord*, 14, 21-3.
- 15 SPIKER, D. G., WEISS, J. C., DEALY, R. S., GRIFFIN, S. J., HANIN, I., NEIL, J. F., PEREL, J. M., ROSSI, A. J. & SOLOFF, P. H. 1985. The pharmacological treatment of delusional depression. *Am J Psychiatry*, 142, 430-6.
- 18 SPOONER, D. 2011. Cognitive-behavioural self-help for depressed and anxious adults; a randomised controlled trial comparing computer based interactive self-help versus a self-help treatment manual [ISRCTN32111346]. *Controlled-trials.com* [[www.controlled-trials.com](http://www.controlled-trials.com)].
- 21 SREEVANI, R., REDDEMMA, K., CHAN, C. L., LEUNG, P. P., WONG, V. & CHAN, C. H. 2013. Effectiveness of integrated body-mind-spirit group intervention on the well-being of Indian patients with depression: a pilot study. *The journal of nursing research : JNR*, 21, 179-186.
- 25 STAHL, S. M., FAVA, M., TRIVEDI, M. H., CAPUTO, A., SHAH, A. & POST, A. 2010. Agomelatine in the treatment of major depressive disorder: an 8-week, multicenter, randomized, placebo-controlled trial. *Journal of Clinical Psychiatry*, 71, 616-26.
- 28 STAHL, S. T., ALBERT, S. M., DEW, M. A., LOCKOVICH, M. H. & REYNOLDS, C. F. 2014. Coaching in healthy dietary practices in at-risk older adults: A case of indicated depression prevention. *American Journal of Psychiatry*, 171, 499-505.
- 31 STANGIER, U., HILLING, C., HEIDENREICH, T., RISCH, A. K., BAROCKA, A., SCHLOSSER, R., KRONFELD, K., RUCKES, C., BERGER, H., ROSCHKE, J., WECK, F., VOLK, S., HAMBRECHT, M., SERFLING, R., ERKWOH, R., STIRN, A., SOBANSKI, T. & HAUTZINGER, M. 2013. Maintenance cognitive-behavioral therapy and manualized psychoeducation in the treatment of recurrent depression: A multicenter prospective randomized controlled trial. *American Journal of Psychiatry*, 170, 624-632.
- 37 STANGIER, U., HILLING, C., HEIDENREICH, T., RISCH, A. K., BAROCKA, A., SCHLÖSSER, R., KRONFELD, K., RUCKES, C., BERGER, H., RÖSCHKE, J., WECK, F., VOLK, S., HAMBRECHT, M., SERFLING, R., ERKWOH, R., STIRN, A., SOBANSKI, T. & HAUTZINGER, M. 2013. Maintenance cognitive-behavioral therapy and manualized psychoeducation in the treatment of recurrent depression: a multicenter prospective randomized controlled trial. *American Journal of Psychiatry*, 170, 624-32.
- 43 STANSFIELD, S., CLARK, C., BEBBINGTON, P., KING, M., JENKINS, R. & HINCHLIFFE, S. 2016. Common mental disorders. In: MCMANUS, S., BEBBINGTON, P., JENKINS, R. & BRUGHA, T. (eds.) *Mental health and wellbeing in England: Adult Psychiatric Morbidity Survey 2014*. Leeds: NHS Digital.

- 1 STANT, A. D., TENVERGERT, E. M., KLUITER, H., CONRADI, H. J., SMIT, A. & ORMEL, J.  
2 2009. Cost-effectiveness of a psychoeducational relapse prevention program for depression  
3 in primary care. *Journal of Mental Health Policy and Economics*, 12, 195-204.
- 4 STEGENGA, B. T., KAMPHUIS, M. H., KING, M., NAZARETH, I. & GEERLINGS, M. I. 2012.  
5 The natural course and outcome of major depressive disorder in primary care: the PREDICT-  
6 NL study. *Soc Psychiatry Psychiatr Epidemiol*, 47, 87-95.
- 7 STEIN, D. J., PICAREL-BLANCHOT, F. & KENNEDY, S. H. 2013. Efficacy of the novel  
8 antidepressant agomelatine for anxiety symptoms in major depression. *Human*  
9 *Psychopharmacology*, 28, 151-9.
- 10 STEINERT, C., HOFMANN, M., KRUSE, J. & LEICHSENRING, F. 2014. The prospective  
11 long-term course of adult depression in general practice and the community. A systematic  
12 literature review. *J Affect Disord*, 152-154, 65-75.
- 13 STEINERT, C., HOFMANN, M., KRUSE, J. & LEICHSENRING, F. 2014. Relapse rates after  
14 psychotherapy for depression - Stable long-term effects? A meta-analysis. *Journal of*  
15 *Affective Disorders*, 168, 107-118.
- 16 STERGAARD SO, D., ROTHSCHILD, A. J., FLINT, A. J., MULSANT, B. H., WHYTE, E. M.,  
17 VERMEULEN, T., BECH, P. & MEYERS, B. S. 2016. Establishing the cut-off score for  
18 remission and severity-ranges on the Psychotic Depression Assessment Scale (PDAS).  
19 *Journal of affective disorders*, 190, 111-4.
- 20 STEWART, J. C., PERKINS, A. J. & CALLAHAN, C. M. 2014. Effect of collaborative care for  
21 depression on risk of cardiovascular events: data from the IMPACT randomized controlled  
22 trial. *Psychosomatic Medicine*, 76, 29-37.
- 23 STEWART, J. W., MCGRATH, P. J., BLONDEAU, C., DELIYANNIDES, D. A.,  
24 HELLERSTEIN, D., NORRIS, S., AMAT, J., PILOWSKY, D. J., TESSIER, P., LABERGE, L.,  
25 O'SHEA, D., CHEN, Y., WITHERS, A., BERGERON, R. & BLIER, P. 2014. Combination  
26 antidepressant therapy for major depressive disorder: speed and probability of remission.  
27 *Journal of Psychiatric Research*, 52, 7-14.
- 28 STONE, L., COFIELD, S., GUSTAFSON, T., SALTER, A., CUTTER, G., NELSON, F.,  
29 NARAYANA, P., LUBLIN, F. & WOLINSKY, J. 2015. Depression and MRI metrics in the  
30 combiRx trial. *Neurology*, 84.
- 31 STOTTER, A., MITSCHE, M., ENDLER, P. C., OLEKSY, P., KAMENSCHEK, D.,  
32 MOSGOELLER, W. & HARING, C. 2013. Mindfulness-based touch therapy and mindfulness  
33 practice in persons with moderate depression. *Body, Movement and Dance in*  
34 *Psychotherapy*, 8, 183-198.
- 35 STRAUSS, C., CAVANAGH, K., OLIVER, A. & PETTMAN, D. 2014. Mindfulness-based  
36 interventions for people diagnosed with a current episode of an anxiety or depressive  
37 disorder: A meta-analysis of randomised controlled trials. *PLoS ONE*, 9.
- 38 STRAUSS, C., HAYWARD, M. & CHADWICK, P. 2012. Group person-based cognitive  
39 therapy for chronic depression: a pilot randomized controlled trial. *British Journal of Clinical*  
40 *Psychology*, 51, 345-50.
- 41 SU, K. P., LAI, H. C., YANG, H. T., SU, W. P., PENG, C. Y., CHANG, J. P., CHANG, H. C. &  
42 PARIANTE, C. M. 2014. Omega-3 fatty acids in the prevention of interferon-alpha-induced  
43 depression: results from a randomized, controlled trial. *Biological Psychiatry*, 76, 559-66.
- 44 SULLIVAN, P. W., VALUCK, R., SASEEN, J. & MACFALL, H. M. 2004. A comparison of the  
45 direct costs and cost effectiveness of serotonin reuptake inhibitors and associated adverse  
46 drug reactions. *CNS Drugs*, 18, 911-932.

- 1 SUN, H., ZHAO, H., MA, C., BAO, F., ZHANG, J., WANG, D. H., ZHANG, Y. X. & HE, W.  
2 2013. Effects of electroacupuncture on depression and the production of glial cell line-  
3 derived neurotrophic factor compared with fluoxetine: a randomized controlled pilot study.  
4 *Journal of Alternative and Complementary Medicine*, 19, 733-9.
- 5 SUN, P., SONG, L. & SUN, F. 2006. Comparative study of fluoxetine vs venlafaxine in  
6 treatment of depressive patients who cured by fluoxetine but had no obvious effect. *Medical*  
7 *Journal of Chinese People Health*, 28, 545-6.
- 8 SUN, Q., ZEN, D. & LUO, S. 2004. Comparative study of citalopram combined with  
9 buspirone for treatment of refractory depression. *Journal of Clinical Psychological Medicine*,  
10 14, 221-2.
- 11 SUNDQUIST, J., LILJA, Å., PALMÉR, K., MEMON, A. A., WANG, X., JOHANSSON, L. M. &  
12 SUNDQUIST, K. 2015. Mindfulness group therapy in primary care patients with depression,  
13 anxiety and stress and adjustment disorders: randomised controlled trial. *The British journal*  
14 *of psychiatry : the journal of mental science*, 206, 128-35.
- 15 SUNG, S., WISNIEWSKI, S., BALASUBRAMANI, G., ZISOOK, S., KURIAN, B., WARDEN,  
16 D., TRIVEDI, M. & RUSH, A. 2013. Does early-onset chronic or recurrent major depression  
17 impact outcomes with antidepressant medications? A CO-MED trial report. *Psychological*  
18 *Medicine*, 43, 945-960.
- 19 SUNG, S. C., WISNIEWSKI, S. R., LUTHER, J. F., TRIVEDI, M. H. & RUSH, A. 2015. Pre-  
20 treatment insomnia as a predictor of single and combination antidepressant outcomes: A  
21 CO-MED report. *Journal of Affective Disorders*, 174, 157-164.
- 22 SUOMINEN, K., HAUKKA, J., VALTONEN, H. M. & LONNQVIST, J. 2009. Outcome of  
23 patients with major depressive disorder after serious suicide attempt. *J Clin Psychiatry*, 70,  
24 1372-8.
- 25 SURESH, K. & BHUI, K. 2006. Ethnic minority patients' access to mental health services.  
26 *Psychiatry*, 5, 413-416.
- 27 SWAN, J. S., MACVICAR, R., CHRISTMAS, D., DURHAM, R., RAUCHHAUS, P.,  
28 MCCULLOUGH, J. P., JR. & MATTHEWS, K. 2014. Cognitive Behavioural Analysis System  
29 of Psychotherapy (CBASP) for chronic depression: clinical characteristics and six month  
30 clinical outcomes in an open case series. *Journal of Affective Disorders*, 152-154, 268-76.
- 31 SWARDFAGER, W., HERRMANN, N., MCINTYRE, R. S., MAZEREEUW, G.,  
32 GOLDBERGER, K., CHA, D. S., SCHWARTZ, Y. & LANCTOT, K. L. 2013. Potential roles of  
33 zinc in the pathophysiology and treatment of major depressive disorder. *Neuroscience and*  
34 *Biobehavioral Reviews*, 37, 911-929.
- 35 SWIFT, J. K. & CALLAHAN, J. L. 2009. The impact of client treatment preferences on  
36 outcome: a meta-analysis. *Journal of Clinical Psychology*, 65, 368-381.
- 37 SWINDLE, R., RAO, J., HELMY, A., PLUE, L., ZHOU, X., ECKERT, G. & AL., E. 2003.  
38 Integrating clinical nurse specialists into the treatment of primary care patients with  
39 depression. *International Journal of Psychiatry in Medicine* 33, 17-37.
- 40 TAN, L., WANG, M. J., MODINI, M., JOYCE, S., MYKLETUN, A., CHRISTENSEN, H. &  
41 HARVEY, S. B. 2014. Preventing the development of depression at work: a systematic  
42 review and meta-analysis of universal interventions in the workplace. *BMC medicine*, 12, 74.
- 43 TANEJA, C., PAPAKOSTAS, G. I., JING, Y., BAKER, R. A., FORBES, R. A. & OSTER, G.  
44 2012. Cost-effectiveness of adjunctive therapy with atypical antipsychotics for acute  
45 treatment of major depressive disorder. *Annals of Pharmacotherapy*, 46, 642-649.

- 1 TAYLOR, D., SPARSHATT, A., VARMA, S. & OLOFINJANA, O. 2014. Antidepressant efficacy of agomelatine: meta-analysis of published and unpublished studies. *BMJ*, 348, g1888.
- 4 TAYLOR, D., STEWART, S. & CONNOLLY, A. 2006. Antidepressant withdrawal symptoms—telephone calls to a national medication helpline. *J Affect Disord*, 95, 129-33.
- 6 TAYLOR, R., BROWN, J. S. & WEINMAN, J. 2013. A comparison of the illness perceptions of North Indian and white British women. *J Ment Health*, 22, 22-32.
- 8 TEISMANN, T., BRACHEL, R., HANNING, S., GRILLENBERGER, M., HEBERMEHL, L. & HORNSTEIN, I. 2014. A randomized controlled trial on the effectiveness of a rumination-focused group treatment for residual depression. *Psychotherapy Research*, 24, 80-90.
- 11 TEISMANN, T., DYMEL, W., SCHULTE, D. & WILLUTZKI, U. 2011. [Resource-focused treatment for unipolar depression: a randomized controlled psychotherapy study]. *Psychotherapie, Psychosomatik, medizinische Psychologie*, 61, 295-302.
- 14 TEISMANN, T., VON BRACHEL, R., HANNING, S., GRILLENBERGER, M., HEBERMEHL, L., HORNSTEIN, I. & WILLUTZKI, U. 2014. A randomized controlled trial on the effectiveness of a rumination-focused group treatment for residual depression. *Psychother Res*, 24, 80-90.
- 18 TEO, A. R., CHOI, H. & VALENSTEIN, M. 2013. Social relationships and depression: Ten-year follow-up from a nationally representative study. *PLoS ONE*, 8, e62396.
- 20 TEODORCZUK, A., FIRBANK, M. J., PANTONI, L., POGGESI, A., ERKINJUNTTI, T., WALLIN, A., WAHLUND, L. O., SCHELTENS, P., WALDEMAR, G., SCHROTTER, G., FERRO, J. M., CHABRIAT, H., BAZNER, H., VISSER, M., INZITARI, D. & O'BRIEN, J. T. 2009. Relationship between baseline white-matter changes and development of late-life depressive symptoms: 3-year results from the LADIS study. *Psychological Medicine*, 40, 603.
- 25 THASE, M. E. 2014. Large-scale study suggests specific indicators for combined cognitive therapy and pharmacotherapy in major depressive disorder. *JAMA Psychiatry*, 71, 1101-1102.
- 28 THASE, M. E., FRIEDMAN, E. S., BIGGS, M. M., WISNIEWSKI, S. R., TRIVEDI, M. H., LUTHER, J. F., FAVA, M., NIERENBERG, A. A., MCGRATH, P. J., WARDEN, D., NIEDEREHE, G., HOLLON, S. D. & RUSH, A. J. 2007. Cognitive therapy versus medication in augmentation and switch strategies as second-step treatments: a STAR\*D report. *Am J Psychiatry*, 164, 739-52.
- 33 THASE, M. E., GELENBERG, A., KORNSTEIN, S. G., KOCSIS, J. H., TRIVEDI, M. H., NINAN, P., LI, T., PEDERSEN, R. & KELLER, M. 2011. Comparing venlafaxine extended release and fluoxetine for preventing the recurrence of major depression: Results from the PREVENT study. *Journal of Psychiatric Research*, 45, 412-20.
- 37 THASE, M. E., NINAN, P. T., MUSGNUNG, J. J. & TRIVEDI, M. H. 2011. Remission with venlafaxine extended release or selective serotonin reuptake inhibitors in depressed patients: A randomized, open-label study. *Primary Care Companion to the Journal of Clinical Psychiatry*, 13, e1-e9.
- 41 THASE, M. E. & RUSH, A. J. 1997. When at first you don't succeed: sequential strategies for antidepressant nonresponders. *J Clin Psychiatry*, 58 Suppl 13, 23-9.
- 43 THIBODEAU, M. A., QUILTY, L. C., FRUYT, F., BOLLE, M., ROUILLON, F. & BAGBY, R. M. 2015. Latent classes of nonresponders, rapid responders, and gradual responders in depressed outpatients receiving antidepressant medication and psychotherapy. *Depression and anxiety*, 32, 213-20.

- 1 THIELKE, S., CORSON, K. & DOBSCHA, S. K. 2015. Collaborative care for pain results in both symptom improvement and sustained reduction of pain and depression. *General Hospital Psychiatry*, 37, 139-143.
- 4 THOMAS, C. M. & MORRIS, S. 2003. Cost of depression among adults in England in 2000. *The British Journal of Psychiatry*, 183, 514-519.
- 6 THOMPSON, C., KINMONTH, A. L., STEVENS, L., PEVELE, R. C., STEVENS, A.,  
7 OSTLER, K. J., PICKERING, R. M., BAKER, N. G., HENSON, A., PREECE, J., COOPER, D.  
8 & CAMPBELL, M. J. 2000. Effects of a clinical-practice guideline and practice-based  
9 education on detection and outcome of depression in primary care: Hampshire Depression  
10 Project randomised controlled trial. *The Lancet*, 355, 185-191.
- 11 THOMPSON, C., OSTLER, K., PEVELER, R. C., BAKER, N. & KINMONTH, A. L. 2001.  
12 Dimensional perspective on the recognition of depressive symptoms in primary care: The  
13 Hampshire Depression Project 3. *Br J Psychiatry*, 179, 317-23.
- 14 THOMPSON, C., THOMPSON, S. & SMITH, R. 2004. Prevalence of seasonal affective  
15 disorder in primary care; a comparison of the seasonal health questionnaire and the  
16 seasonal pattern assessment questionnaire. *Journal of Affective Disorders*, 78, 219-226.
- 17 THOREN, P., FLORAS, J. S., HOFFMANN, P. & SEALS, D. R. 1990. Endorphins and  
18 exercise: physiological mechanisms and clinical implications. *Med Sci Sports Exerc*, 22, 417-  
19 28.
- 20 TIEMENS, B. G., ORMEL, J., JENNER, J. A., VAN DER MEER, K., VAN OS, T. W., VAN  
21 DEN BRINK, R. H., SMIT, A. & VAN DEN BRINK, W. 1999. Training primary-care physicians  
22 to recognize, diagnose and manage depression: does it improve patient outcomes? *Psychol  
23 Med*, 29, 833-45.
- 24 TITOV, N. 2013. A randomized controlled trial of the effects of self-guided vs. guided  
25 Internet-administered treatment on symptoms of anxiety and depression in Australian young  
26 adults (18-24). [Http://www.anzctr.org.au/ACTRN12613000915752.aspx](http://www.anzctr.org.au/ACTRN12613000915752.aspx).
- 27 TITOV, N., ANDREWS, G., DAVIES, M., MCINTYRE, K., ROBINSON, E. & SOLLEY, K.  
28 2010. Internet treatment for depression: a randomized controlled trial comparing clinician vs.  
29 technician assistance. *PLoS One*, 5, e10939.
- 30 TITOV, N., DEAR, B. F., ALI, S., ZOU, J. B., LORIAN, C. N., JOHNSTON, L., TERIDES, M.  
31 D., KAYROUZ, R., KLEIN, B., GANDY, M. & FOGLIATI, V. J. 2015. Clinical and cost-  
32 effectiveness of therapist-guided internet-delivered cognitive behavior therapy for older  
33 adults with symptoms of depression: a randomized controlled trial. *Behavior therapy*, 46,  
34 193-205.
- 35 TOKUOKA, H., TAKAHASHI, H., OZEKI, A., KUGA, A., YOSHIKAWA, A., TSUJI, T. &  
36 WOHLREICH, M. M. 2016. Trajectories of depression symptom improvement and associated  
37 predictor analysis: An analysis of duloxetine in double-blind placebo-controlled trials. *Journal  
38 of affective disorders*, 196, 171-80.
- 39 TOPIWALA, A., CHOULIARAS, L. & EBMEIER, K. P. 2014. Prescribing selective serotonin  
40 reuptake inhibitors in older age. *Maturitas*, 77, 118-123.
- 41 TOR, P.-C., BAUTOVICH, A., WANG, M.-J., MARTIN, D., HARVEY, S. B. & LOO, C. 2015.  
42 A systematic review and meta-analysis of brief versus ultrabrief right unilateral  
43 electroconvulsive therapy for depression. *The Journal of Clinical Psychiatry*, 8, e1092-e1098.
- 44 TOURIAN, K. A., PADMANABHAN, S. K., GROARK, J., BRISARD, C. & FARRINGTON, D.  
45 2009. Desvenlafaxine 50 and 100 mg/d in the treatment of major depressive disorder: an 8-  
46 week, phase III, multicenter, randomized, double-blind, placebo-controlled, parallel-group  
47 trial and a post hoc pooled analysis of three studies. *Clinical Therapeutics*, 31 Pt 1, 1405-23.

- 1 TOWN, J. M., ABBASS, A. & HARDY, G. 2011. Short-term psychodynamic psychotherapy for personality disorders: a critical review of randomized controlled trials. *J Pers Disord*, 25, 723-40.
- 4 TRAFFANSTEDT, M. K., MEHTA, S. & LOBELLO, S. G. 2016. Major depression with seasonal variation. *Clinical Psychological Science*, 4, 825-834.
- 6 TRAVIS, J., ROEDER, K., WALTERS, H., PIETTE, J., HEISLER, M., GANOCZY, D., VALENSTEIN, M. & PFEIFFER, P. 2010. Telephone-based mutual peer support for depression: a pilot study. *Chronic Illness*, 6, 183-91.
- 9 TRINQUART, L., CHATELLIER, G. & RAVAUD, P. 2012. Adjustment for reporting bias in network meta-analysis of antidepressant trials. *BMC Med Res Methodol*, 12, 150.
- 11 TRIVEDI, M. H., CUTLER, A. J., RICHARDS, C., LASSER, R., GEIBEL, B. B., GAO, J., SAMBUNARIS, A. & PATKAR, A. A. 2013. A randomized controlled trial of the efficacy and safety of lisdexamfetamine dimesylate as augmentation therapy in adults with residual symptoms of major depressive disorder after treatment with escitalopram. *Journal of Clinical Psychiatry*, 74, 802-9.
- 16 TRIVEDI, M. H., DUNNER, D. L., KORNSTEIN, S. G., THASE, M. E., ZAJECKA, J. M., ROTHSCHILD, A. J., FRIEDMAN, E. S., SHELTON, R. C., KELLER, M. B., KOCSIS, J. H. & GELENBERG, A. 2010. Psychosocial outcomes in patients with recurrent major depressive disorder during 2 years of maintenance treatment with venlafaxine extended release. *Journal of Affective Disorders*, 126, 420-9.
- 21 TRIVEDI, M. H., GREER, T. L., CHURCH, T. S., CARMODY, T. J., GRANNEMANN, B. D., GALPER, D. I., DUNN, A. L., EARNEST, C. P., SUNDERAJAN, P., HENLEY, S. S. & BLAIR, S. N. 2011. Exercise as an augmentation treatment for nonremitting major depressive disorder: a randomized, parallel dose comparison. *Journal of Clinical Psychiatry*, 72, 677-84.
- 25 TRIVEDI, M. H., MORRIS, D. W., WISNIEWSKI, S. R., LESSER, I., NIERENBERG, A. A., DALY, E., KURIAN, B. T., GAYNES, B. N., BALASUBRAMANI, G. K. & RUSH, A. J. 2013. Increase in work productivity of depressed individuals with improvement in depressive symptom severity. *American Journal of Psychiatry*, 170, 633-41.
- 29 TRIVEDI, M. H., RUSH, A. J., WISNIEWSKI, S. R., NIERENBERG, A. A., WARDEN, D., RITZ, L., NORQUIST, G., HOWLAND, R. H., LEBOWITZ, B., MCGRATH, P. J., SHORES-WILSON, K., BIGGS, M. M., BALASUBRAMANI, G. K., FAVA, M. & TEAM, S. D. S. 2006. Evaluation of outcomes with citalopram for depression using measurement-based care in STAR\*D: implications for clinical practice. *Am J Psychiatry*, 163, 28-40.
- 34 TRUAX, C. B. & CARKHUFF, R. R. 1967. *Toward effective counseling and psychotherapy; training and practice*, by Charles B. Truax and Robert R. Carkhuff, Chicago,, Aldine.
- 36 TSANG, H. W., TSANG, W. W., JONES, A. Y., FUNG, K. M., CHAN, A. H., CHAN, E. P. & AU, D. W. 2013. Psycho-physical and neurophysiological effects of qigong on depressed elders with chronic illness. *Aging & mental health*, 17, 336-348.
- 39 TUMMALA, R., DESAI, D., SZAMOSI, J., WILSON, E., HOSFORD, D., DUNBAR, G. & ERIKSSON, H. 2015. Safety and tolerability of dexmecamylamine (TC-5214) adjunct to ongoing antidepressant therapy in patients with major depressive disorder and an inadequate response to antidepressant therapy: results of a long-term study. *Journal of clinical psychopharmacology*, 35, 77-81.
- 44 TURNER, E. H., MATTHEWS, A. M., LINARDATOS, E., TELL, R. A. & ROSENTHAL, R. 2008. Selective publication of antidepressant trials and its influence on apparent efficacy. *New England Journal of Medicine*, 358, 252-260.

- 1 TURPIN, G., CLARKE, J., DUFFY, R. & HOPE, R. 2009. A new workforce to deliver IAPT: a case study. *The Journal of Mental Health Training, Education and Practice*, 4, 37-46.
- 3 TURSI, M. F. D. S., BAES, C. V. W., CAMACHO, F. R. D. B., TOFOLI, S. M. D. C. &
- 4 JURUENA, M. F. 2013. Effectiveness of psychoeducation for depression: A systematic review. *Australian and New Zealand Journal of Psychiatry*, 47, 1019-1031.
- 6 TYLEE, A., FREELING, P., KERRY, S. & BURNS, T. 1995. How does the content of consultations affect the recognition by general practitioners of major depression in women? *Br J Gen Pract*, 45, 575-8.
- 9 UDINA, M., MORENO-ESPAÑA, J., CAPURON, L., NAVINES, R., FARRE, M., VIETA, E. &
- 10 MARTIN-SANTOS, R. 2014. Cytokine-induced depression: Current status and novel targets for depression therapy. *CNS and Neurological Disorders - Drug Targets*, 13, 1066-1074.
- 12 UEBELACKER, L., MAROOTIAN, B., TIGUE, P., HAGGARTY, R., PRIMACK, J. & MILLER, I. 2011. Telephone Depression Care Management for Latino Medicaid Health Plan Members: A Pilot Randomized Controlled Trial. *Journal of Nervous and Mental Disease* 199, 678-683.
- 15 UENO, F., NAKAJIMA, S., SUZUKI, T., ABE, T., SATO, Y., MIMURA, M. & UCHIDA, H. 2015. Whether to increase or maintain dosage of mirtazapine in early nonimprovers with depression. *The Journal of clinical psychiatry*, 76, 434-9.
- 18 UHER, R., MAIER, W., HAUSER, J., MARUSIC, A., SCHMAEL, C., MORS, O., HENIGSBERG, N., SOUERY, D., PLACENTINO, A., RIETSCHEL, M., ZOBEL, A., DMITRZAK-WEGLARZ, M., PETROVIC, A., JORGENSEN, L., KALEMBER, P., GIOVANNINI, C., BARRETO, M., ELKIN, A., LANDAU, S., FARMER, A., AITCHISON, K. J. & MCGUFFIN, P. 2009. Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. *British Journal of Psychiatry*, 194, 252-9.
- 24 UMBRECHT, D., NIGGLI, M., SANWALD-DUCRAY, P., DEPTULA, D., MOORE, R., GRUNBAUER, W., BOAK, L., GATTI, S. & FONTOURA, P. 2015. A double-blind placebo-controlled study of the antidepressant effects of the mGlu2 negative allosteric modulator RG1578 in patients with inadequate response to antidepressant therapy. *Biological psychiatry*, 77, 305s-306s.
- 29 UNDERWOOD, M., LAMB, S. E., ELDRIDGE, S., SHEEHAN, B., SLOWTHER, A., SPENCER, A., THOROGOOD, M., ATHERTON, N., BREMNER, S. A., DEVINE, A., DIAZ-ORDAZ, K., ELLARD, D. R., POTTER, R., SPANJERS, K. & TAYLOR, S. J. 2013. Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). *Health Technology Assessment (Winchester, England)*, 17, 1-281.
- 34 UNLU INCE, B., CUIJPERS, P., T HOF, E., BALLEGOOIJEN, W., CHRISTENSEN, H. & RIPER, H. 2013. Internet-based, culturally sensitive, problem-solving therapy for Turkish migrants with depression: randomized controlled trial. *Journal of Medical Internet Research*, 15, e227.
- 38 UNUTZER, J., KATON, W., CALLAHAN, C. M., WILLIAMS, J. W., JR., HUNKELER, E., HARPOLE, L., HOFFING, M., DELLA PENNA, R. D., NOEL, P. H., LIN, E. H., AREAN, P. A., HEGEL, M. T., TANG, L., BELIN, T. R., OISHI, S., LANGSTON, C. & TREATMENT, I. I. I. M.-P. A. T. C. 2002. Collaborative care management of late-life depression in the primary care setting: a randomized controlled trial. *JAMA*, 288, 2836-45.
- 43 URADE, C. S., MAHAKALKAR, S. M. & TIPLE, P. G. 2015. A comparative study of the clinical efficacy and safety of agomelatine with escitalopram in major depressive disorder patients: A randomized, parallel-group, phase IV study. *Journal of pharmacology & pharmacotherapeutics*, 6, 198-203.

- 1 URRETA VIZCAYA SARACHAGA, M. & MARTÍNEZ AMORÓS, E. 2011. Continuation  
2 electroconvulsive therapy associated with pharmacotherapy versus pharmacotherapy alone  
3 for relapse prevention in major depression. A clinical, controlled, prospective and randomized  
4 trial [NCT01305707]. *Clinicaltrials.gov* [www.clinicaltrials.gov].
- 5 USTOHAL, L., PRIKRYLOVA KUCEROVA, H., PRIKRYL, R., STEHNOVA, I., HUBLOVA, V.,  
6 MAYEROVA, M., VENCLIKOVA, S., CESKOVA, E. & KASparek, T. 2014. Repetitive  
7 transcranial magnetic stimulation in the treatment of depressive disorder - A randomized,  
8 single-blind, antidepressants-controlled study. [Slovene]
- 9 Repetitivni transkraniálni magnetická stimulace v lečbe deprezívni poruchy - randomizovaná,  
10 jednoduše slepá, antidepresív kontrolovaná studie. *Ceska a Slovenska Neurologie a  
11 Neurochirurgie*, 77, 602-607.
- 12 VALENSTEIN, M., PFEIFFER, P. N., BRANDFON, S., WALTERS, H., GANOCZY, D., KIM,  
13 H. M., COHEN, J. L., BENN-BURTON, W., CARROLL, E., HENRY, J., GARCIA, E., RISK,  
14 B., KALES, H. C., PIETTE, J. D. & HEISLER, M. 2016. Augmenting ongoing depression care  
15 with a mutual peer support intervention versus self-help materials alone: A randomized trial.  
16 *Psychiatric services (Washington, D.C.)*, 67, 236-9.
- 17 VALIENGO, L., BENSENOR, I. M., GOULART, A. C., DE OLIVEIRA, J. F., ZANAO, T. A.,  
18 BOGGIO, P. S., LOTUFO, P. A., FREGNI, F. & BRUNONI, A. R. 2013. The sertraline versus  
19 electrical current therapy for treating depression clinical study (SELECT-TDCS): Results of  
20 the crossover and follow-up phases. *Depression and Anxiety*, 30, 646-653.
- 21 VALKANOVA, V. & EBMEIER, K. P. 2013. Vascular risk factors and depression in later life:  
22 A systematic review and meta-analysis. *Biological Psychiatry*, 73, 406-413.
- 23 VALTONEN, M., RAISKILA, T., VEIJOLA, J., LAKSY, K., KAUHANEN, M. L., KIUTTU, J.,  
24 JOUKAMAA, M., HINTSA, T. & TUULIO-HENRIKSSON, A. 2015. Enhancing sense of  
25 coherence via early intervention among depressed occupational health care clients. *Nordic  
26 journal of psychiatry*, 69, 515-22.
- 27 VAN BELJOUW, I. M., LAURANT, M. G., HEERINGS, M., STEK, M. L., VAN MARWIJK, H.  
28 W. & VAN EXEL, E. 2014. Implementing an outreach, preference-led stepped care  
29 intervention programme to reduce late life depressive symptoms: results of a mixed-methods  
30 study. *Implementation science : IS*, 9, 107.
- 31 VAN DEN BROEK, W. W., BIRKENHAGER, T. K., MULDER, P. G., BRUIJN, J. A. &  
32 MOLEMAN, P. 2004. A double-blind randomized study comparing imipramine with  
33 fluvoxamine in depressed inpatients. *Psychopharmacology (Berl)*, 175, 481-6.
- 34 VAN DER VELDEN, A. M., KUYKEN, W., WATTAR, U., CRANE, C., PALLESEN, K. J.,  
35 DAHLGAARD, J., FJORBACK, L. O. & PIET, J. 2015. A systematic review of mechanisms of  
36 change in mindfulness-based cognitive therapy in the treatment of recurrent major  
37 depressive disorder. *Clinical Psychology Review*, 37, 26-39.
- 38 VAN DER WAERDEN, J. E., HOEFNAGELS, C., HOSMAN, C. M., SOUREN, P. M. &  
39 JANSEN, M. W. 2013. A randomized controlled trial of combined exercise and psycho-  
40 education for low-SES women: short- and long-term outcomes in the reduction of stress and  
41 depressive symptoms. *Social Science & Medicine*, 91, 84-93.
- 42 VAN OS, T. W. D. P., VAN DEN BRINK, R. H. S., TIEMENS, B. G., JENNER, J. A., VAN  
43 DER MEER, K. & ORMEL, J. 2004. Are effects of depression management training for  
44 General Practitioners on patient outcomes mediated by improvements in the process of  
45 care? *Journal of Affective Disorders*, 80, 173-179.

- 1 VAN SCHAIK, D. J. F., KLIJN, A. F. J., VAN HOUT, H. P. J., VAN MARWIJK, H. W. J.,  
2 BEEKMAN, A. T. F., DE HAAN, M. & VAN DYCK, R. 2004. Patients' preferences in the  
3 treatment of depressive disorder in primary care. *General Hospital Psychiatry*, 26, 184-189.
- 4 VAN STRATEN, A., HILL, J., RICHARDS, D. & CUIJPERS, P. 2015. Stepped care treatment  
5 delivery for depression: a systematic review and meta-analysis. *Psychological medicine*, 45,  
6 231-246.
- 7 VAN STRATEN, A., TIEMENS, B., HAKKAART, L., NOLEN, W. A. & DONKER, M. C. 2006.  
8 Stepped care vs. matched care for mood and anxiety disorders: a randomized trial in routine  
9 practice. *Acta Psychiatr Scand*, 113, 468-76.
- 10 VAN VOORHEES, B. W., FOGEL, J., HOUSTON, T. K., COOPER, L. A., WANG, N. Y. &  
11 FORD, D. E. 2006. Attitudes and illness factors associated with low perceived need for  
12 depression treatment among young adults. *Soc Psychiatry Psychiatr Epidemiol*, 41, 746-54.
- 13 VAN WEEL-BAUMGARTEN, E., VAN DEN BOSCH, W., VAN DEN HOOGEN, H. & ZITMAN,  
14 F. G. 1998. Ten year follow-up of depression after diagnosis in general practice. *Br J Gen  
Pract*, 48.
- 15 VAN WEEL-BAUMGARTEN, E. M., SCHERS, H. J., VAN DEN BOSCH, W. J., VAN DEN  
16 HOOGEN, H. J. & ZITMAN, F. G. 2000. Long-term follow-up of depression among patients in  
17 the community and in family practice settings. A systematic review. *J Fam Pract*, 49.
- 18 VAN ZOONEN, K., BUNTROCK, C., EBERT, D. D., SMIT, F., REYNOLDS, C. F., 3RD,  
19 BEEKMAN, A. T. & CUIJPERS, P. 2014. Preventing the onset of major depressive disorder:  
20 a meta-analytic review of psychological interventions. *International Journal of Epidemiology*,  
21 43, 318-29.
- 22 VANDERBURG, D. G., BATZAR, E., FOGEL, I. & KREMER, C. M. 2009. A pooled analysis  
23 of suicidality in double-blind, placebo-controlled studies of sertraline in adults. *Journal of  
Clinical Psychiatry*, 70, 674-83.
- 24 VAN'T VEER-TAZELAAR, P., SMIT, F., HOUT, H., OPPEN, P., HORST, H., BEEKMAN, A.  
25 & MARWIJK, H. 2010. Cost-effectiveness of a stepped care intervention to prevent  
depression and anxiety in late life: randomised trial. *British Journal of Psychiatry*, 196, 319-  
25.
- 26 VAN'T VEER-TAZELAAR, P. J., CUIJPERS, P. & BEEKMAN, A. J. 2011. [Prevention of  
depression and anxiety in older people]. *Tijdschrift voor Psychiatrie*, 53, 579-84.
- 27 VASILE, D., VASILIU, O., MANGALAGIU, A. G., SOPTEREAN, G. A. & BRATU, R. E. 2013.  
28 Mirtazapine versus sertraline in the treatment of post-psychotic depression. *European  
Neuropsychopharmacology*, 23, S320.
- 29 VAZQUEZ, F. L., BLANCO, V., TORRES, A., OTERO, P. & HERMIDA, E. 2014. The efficacy  
30 of indicated prevention of depression: A review. *Anales de Psicología*, 30, 9-24.
- 31 VAZQUEZ, F. L., HERMIDA, E., TORRES, A., OTERO, P., BLANCO, V. & DIAZ, O. 2014.  
32 Efficacy of a brief cognitive- behavioral intervention in caregivers with high depressive  
33 symptoms. *Behavioral Psychology / Psicología Conductual: Revista Internacional Clínica y  
de la Salud*, 22, 79-96.
- 34 VAZQUEZ GONZALEZ, F. L., OTERO OTERO, P., TORRES IGLESIAS, A., HERMIDA  
35 GARCIA, E., BLANCO SEOANE, V. & DIAZ FERNANDEZ, O. 2013. A brief problem-solving  
36 indicated-prevention intervention for prevention of depression in nonprofessional caregivers.  
*Psicothema*, 25, 87-92.
- 37 VENDITTI, E. M., MARCUS, M. D., MILLER, R. G., ARENA, V. C., GREENSPAN, S. L. &  
38 CWENAR, B. 2015. Weight and well-being improves in older obese adults with mild

- 1 depressive symptoms: Two-for-one benefit of group lifestyle intervention. *Diabetes*, 64,  
2 A219.
- 3 VERMA, D. K. & DAS, B. 2015. Effect of zinc supplementation on antidepressant therapy  
4 and serum zinc level in unipolar depression: A randomized double blind controlled study.  
5 *Indian Journal of Psychiatry*, 57, S39.
- 6 VERMEIRE, E. 2000. Hypericum extract was better than placebo and equivalent to  
7 imipramine for moderate depression. *ACP Journal Club*, 133, 12.
- 8 VERNMARK, K., LENNDIN, J., BJÄREHED, J., CARLSSON, M., KARLSSON, J., OBERG,  
9 J., CARLBRING, P., ERIKSSON, T. & ANDERSSON, G. 2010. Internet administered guided  
10 self-help versus individualized e-mail therapy: A randomized trial of two versions of CBT for  
11 major depression. *Behaviour Research and Therapy*, 48, 368-76.
- 12 VITTENL, J., CLARK, L., THASE, M. & JARRETT, R. 2015. Improved cognitive content  
13 endures for 2 years among unstable responders to acute-phase cognitive therapy for  
14 recurrent major depressive disorder. *Psychological Medicine Jun*, No Pagination Specified.
- 15 VITTENL, J. R., CLARK, L. A. & JARRETT, R. B. 2009. Continuation-phase cognitive  
16 therapy's effects on remission and recovery from depression. *Journal of Consulting and*  
17 *Clinical Psychology*, 77, 367-71.
- 18 VITTENL, J. R., CLARK, L. A., THASE, M. E. & JARRETT, R. B. 2015. Predictors of  
19 longitudinal outcomes after unstable response to acute-phase cognitive therapy for major  
20 depressive disorder. *Psychotherapy*, 52, 268-277.
- 21 VITTENL, J. R., CLARK, L. A., THASE, M. E. & JARRETT, R. B. 2015. Stable remission  
22 and recovery after acute-phase cognitive therapy for recurrent major depressive disorder.  
23 *Journal of consulting and clinical psychology*, 82, 1049-59.
- 24 VLASVELD, M. C., FELTZ-CORNELIS, C. M., ADÈR, H. J., ANEMA, J. R., HOEDEMAN, R.,  
25 MECHELEN, W. & BEEKMAN, A. T. 2012. Collaborative care for major depressive disorder  
26 in an occupational healthcare setting. *British Journal of Psychiatry*, 200, 510-1.
- 27 VLASVELD, M. C., FELTZ-CORNELIS, C. M., ADÈR, H. J., ANEMA, J. R., HOEDEMAN, R.,  
28 MECHELEN, W. & BEEKMAN, A. T. 2013. Collaborative care for sick-listed workers with  
29 major depressive disorder: a randomised controlled trial from the Netherlands Depression  
30 Initiative aimed at return to work and depressive symptoms. *Occupational and Environmental*  
31 *Medicine*, 70, 223-30.
- 32 VOLZ, H.-P., EBERHARD, R. & GRILL, G. 2000. Wirksamkeit und Verträglichkeit des  
33 Johanniskrautextraktes D-0496 bei leichten bis mittelschweren depressiven Episoden - eine  
34 placebokontrollierte Doppelblindstudie über 6 Wochen. *Nervenheilkunde*, 19, 401-405.
- 35 VON KORFF, M. & GOLDBERG, D. 2001. Improving outcomes in depression. *BMJ*, 323,  
36 948-9.
- 37 VON KORFF, M., GRUMAN, J., SCHAEFER, J., CURRY, S. J. & WAGNER, E. H. 1997.  
38 Collaborative management of chronic illness. *Ann Intern Med*, 127, 1097-102.
- 39 VON WOLFF, A., HOLZEL, L., WESTPHAL, A., HARTER, M. & KRISTON, L. 2013.  
40 Selective serotonin reuptake inhibitors and tricyclic antidepressants in the acute treatment of  
41 chronic depression and dysthymia: A systematic review and meta-analysis. *Journal of*  
42 *Affective Disorders*, 144, 7-15.
- 43 VYTHILINGAM, M., CHEN, J., BREMNER, J. D., MAZURE, C. M., MACIEJEWSKI, P. K. &  
44 NELSON, J. C. 2003. Psychotic depression and mortality. *Am J Psychiatry*, 160, 574-6.
- 45 WADDELL, G. & BURTON, A. K. 2006. Is work good for your health and well-being? London.

- 1 WADE, A. G., TOUMI, I. & HEMELS, M. E. H. 2005. A pharmacoeconomic evaluation of escitalopram versus citalopram in the treatment of severe depression in the United Kingdom. *Clinical Therapeutics*, 27, 486-496.
- 4 WADE, A. G., TOUMI, I. & HEMELS, M. E. H. 2005. A probabilistic cost-effectiveness analysis of escitalopram, generic citalopram and venlafaxine as a first-line treatment of major depressive disorder in the UK. *Current Medical Research and Opinion*, 21, 631-641.
- 7 WAGNER, B., HORN, A. B. & MAERCKER, A. 2014. Internet-based versus face-to-face cognitive-behavioral intervention for depression: a randomized controlled non-inferiority trial. *J Affect Disord*, 152-154, 113-21.
- 10 WAGNER, E. H. 1997. Managed care and chronic illness: health services research needs. *Health Serv Res*, 32, 702-14.
- 12 WAGNER, E. H. & GROVES, T. 2002. Care for chronic diseases. *BMJ*, 325, 913-4.
- 13 WAGNER, H. & BLADT, S. 1994. Pharmaceutical quality of hypericum extracts. *J Geriatr Psychiatry Neurol*, 7 Suppl 1, S65-8.
- 15 WALLER, R. & GILBODY, S. 2009. Barriers to the uptake of computerized cognitive behavioural therapy: a systematic review of the quantitative and qualitative evidence. *Psychol Med*, 39, 705-12.
- 18 WALSH, A. E. L. & HARMER, C. J. 2015. The cognitive neuropsychological model of antidepressant response. *Current Opinion in Psychology*, 4, 124-130.
- 20 WANG, E. J., BARECKI-ROACH, M. & JOHNSON, W. W. 2004. Quantitative characterization of direct P-glycoprotein inhibition by St John's wort constituents hypericin and hyperforin. *J Pharm Pharmacol*, 56, 123-8.
- 23 WANG, G., GISLUM, M., FILIPPOV, G. & MONTGOMERY, S. 2015. Comparison of vortioxetine versus venlafaxine XR in adults in Asia with major depressive disorder: A randomized, double-blind study. *Current Medical Research and Opinion*, 31, 785-794.
- 26 WANG, X., CHEN, Y., ZHOU, X., LIU, F., ZHANG, T. & ZHANG, C. 2012. Effects of propofol and ketamine as combined anesthesia for electroconvulsive therapy in patients with depressive disorder. *Journal of ECT*, 28, 128-32.
- 29 WANG, Z. J., LIN, S. M. & HU, M. L. 2004. Contents of hypericin and pseudohypericin in five commercial products of St John's wort (*Hypericum perforatum*). *Journal of the Science of Food and Agriculture*, 84, 395-397.
- 32 WARAIKH, P., GOLDNER, E. M., SOMERS, J. M. & HSU, L. 2004. Prevalence and incidence studies of mood disorders: A systematic review of the literature. *The Canadian Journal of Psychiatry*, 49, 124-138.
- 35 WARDEN, D., TRIVEDI, M. H., CARMODY, T., TOUPS, M., ZISOOK, S., LESSER, I., MYERS, A., KURIAN, K. R., MORRIS, D. & RUSH, A. J. 2014. Adherence to antidepressant combinations and monotherapy for major depressive disorder: a CO-MED report of measurement-based care. *Journal of Psychiatric Practice*, 20, 118-32.
- 39 WARDENAAR, K. J., CONRADI, H. J. & DE JONGE, P. 2014. Data-driven course trajectories in primary care patients with major depressive disorder. *Depression and Anxiety*, 31, 778-786.
- 42 WARMERDAM, L., SMIT, F., STRATEN, A., RIPER, H. & CUIJPERS, P. 2010. Cost-utility and cost-effectiveness of internet-based treatment for adults with depressive symptoms: randomized trial. *Journal of Medical Internet Research*, 12, e53.

- 1 WARMERDAM, L., STRATEN, A. & CUIJPERS, P. 2009. Internet-based treatment for adults with depressive symptoms: A randomized controlled trial. *Psychologie en Gezondheid*, 37, 202-12.
- 4 WATANABE, N., OMORI, I. M., NAKAGAWA, A., CIPRIANI, A., BARBUI, C., CHURCHILL, R. & FURUKAWA, T. A. 2011. Mirtazapine versus other antidepressive agents for depression. *Cochrane Database Syst Rev*, CD006528.
- 7 WATKINS, E. 2016. *Rumination-focused cognitive-behavioral therapy for depression*, New York, The Guilford Press.
- 9 WATKINS, E. R. 2008. Constructive and unconstructive repetitive thought. *Psychol Bull*, 134, 163-206.
- 11 WATKINS, E. R., MULLAN, E., WINGROVE, J., RIMES, K., STEINER, H., BATHURST, N., EASTMAN, R. & SCOTT, J. 2011. Rumination-focused cognitive-behavioural therapy for residual depression: phase II randomised controlled trial. *British Journal of Psychiatry*, 199, 317-22.
- 15 WATKINS, E. R. & NOLEN-HOEKSEMA, S. 2014. A habit-goal framework of depressive rumination. *J Abnorm Psychol*, 123, 24-34.
- 17 WATKINS, E. R., TAYLOR, R. S., BYNG, R., BAEYENS, C., READ, R., PEARSON, K. & WATSON, L. 2012. Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. *Psychological Medicine*, 42, 1359-71.
- 21 WATTS, S., MACKENZIE, A., THOMAS, C., GRISKAITIS, A., MEWTON, L., WILLIAMS, A. & ANDREWS, G. 2013. CBT for depression: a pilot RCT comparing mobile phone vs. computer. *BMC Psychiatry*, 13, 49.
- 24 WECK, F., GRIKSCHET, F., HOFLING, V. & STANGIER, U. 2014. Assessing treatment integrity in cognitive-behavioral therapy: Comparing session segments with entire sessions. *Behavior Therapy*, 45, 541-552.
- 27 WECK, F., RICHTBERG, S., ESCH, S., HOFLING, V. & STANGIER, U. 2013. The Relationship Between Therapist Competence and Homework Compliance in Maintenance Cognitive Therapy for Recurrent Depression: Secondary Analysis of a Randomized Trial. *Behavior Therapy*, 44, 162-172.
- 31 WEICH, S., NAZROO, J., SPROSTON, K., McMANUS, S., BLANCHARD, M., ERENS, B., KARLSEN, S., KING, M., LLOYD, K., STANSFELD, S. & TYRER, P. 2004. Common mental disorders and ethnicity in England: the EMPIRIC study. *Psychol Med*, 34, 1543-51.
- 34 WEIMER, K., COLLOCA, L. & ENCK, P. 2015. Placebo effects in psychiatry: mediators and moderators. *The Lancet Psychiatry*, 2, 246-257.
- 36 WEISLER, R. & MCINTYRE, R. S. 2013. The role of extended-release quetiapine fumarate monotherapy in the treatment of patients with major depressive disorder. *Expert Review of Neurotherapeutics*, 13, 1161-1182.
- 39 WEISLER, R., MCINTYRE, R. S. & BAUER, M. 2013. Extended-release quetiapine fumarate in the treatment of patients with major depressive disorder: Adjunct therapy. *Expert Review of Neurotherapeutics*, 13, 1183-1200.
- 42 WEISSMAN, J., FLINT, A., MEYERS, B., GHOSH, S., MULSANT, B., ROTHSCHILD, A. & WHYTE, E. 2012. Factors associated with non-completion in a double-blind randomized controlled trial of olanzapine plus sertraline versus olanzapine plus placebo for psychotic depression. *Psychiatry Research*, 197, 221-226.

- 1 WEISSMAN, M. M. 1987. Advances in psychiatric epidemiology: rates and risks for major depression. *Am J Public Health*, 77, 445-51.
- 3 WEISSMAN, M. M., MARKOWITZ, J. C. & KLERMAN, G. L. 2000. *Comprehensive guide to interpersonal psychotherapy*, New York, Basic Books.
- 5 WEITZ, E. S., HOLLON, S. D., TWISK, J., VAN STRATEN, A., HUIBERS, M. J., DAVID, D., DERUBEIS, R. J., DIMIDJIAN, S., DUNLOP, B. W., CRISTEA, I. A., FARAMARZI, M., HEGERL, U., JARRETT, R. B., KHEIRKHAH, F., KENNEDY, S. H., MERGL, R., MIRANDA, J., MOHR, D. C., RUSH, A. J., SEGAL, Z. V., SIDDIQUE, J., SIMONS, A. D., VITTENGL, J. R. & CUIJPERS, P. 2015. Baseline depression severity as moderator of depression outcomes between cognitive behavioral therapy vs pharmacotherapy: An individual patient data meta-analysis. *JAMA Psychiatry*, 72, 1102-9.
- 12 WELLS, K., SHERBOURNE, C., SCHOENBAUM, N., DUAN, N., MEREDITH, L., UNUTZER, J., MIRANDA, J., CARNEY, M. & RUBENSTEIN, L. 2000. Impact of disseminating quality improvement programs for depression in managed primary care: a randomized controlled trial *Journal of the American Medical Association*, 283, 212-220.
- 16 WESTPHAL, A., KRISTON, L., HOLZEL, L. P., HARTER, M. & VON WOLFF, A. 2014. Efficiency and contribution of strategies for finding randomized controlled trials: A case study from a systematic review on therapeutic interventions of chronic depression. *Journal of Public Health Research*, 3, 58-65.
- 20 WESTRIN, Å. & LAM, R. W. 2007. Seasonal affective disorder: A clinical update. *Annals of Clinical Psychiatry*, 19, 239-246.
- 22 WHEATLEY, D. 1997. LI 160, an extract of St. John's wort, versus amitriptyline in mildly to moderately depressed outpatients--a controlled 6-week clinical trial. *Pharmacopsychiatry*, 30 Suppl 2, 77-80.
- 25 WHEATLEY, D. 1998. Comparison of an extract of St. John's wort, LI 160, with amitriptyline in mild to moderate depression - A controlled 6-week clinical trial in outpatients. *Psychopharmakotherapie. Supplement.*, 5, 8-11.
- 28 WHISMAN, M. A. 2001. The association between depression and marital dissatisfaction. *Marital and family processes in depression: A scientific foundation for clinical practice.*: American Psychological Association (APA).
- 31 WHISMAN, M. A., SHELDON, C. T. & GOERING, P. 2000. Psychiatric disorders and dissatisfaction with social relationships: Does type of relationship matter? *Journal of Abnormal Psychology*, 109, 803-808.
- 34 WHISMAN, M. A. & UEBELACKER, L. A. 2003. Comorbidity of relationship distress and mental and physical health problems. In: SNYDER, D. K. & WHISMAN, M. A. (eds.) *Treating difficult couples : helping clients with coexisting mental and relationship disorders*. New York: Guilford Press.
- 38 WHITE, A. 2004. A cumulative review of the range and incidence of significant adverse events associated with acupuncture. *Acupunct Med*, 22, 122-33.
- 40 WHITEFORD, H. A., DEGENHARDT, L., REHM, J., BAXTER, A. J., FERRARI, A. J., ERSKINE, H. E., CHARLSON, F. J., NORMAN, R. E., FLAXMAN, A. D., JOHNS, N., BURSTEIN, R., MURRAY, C. J. & VOS, T. 2013. Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. *Lancet*, 382, 1575-86.
- 45 WHO 1992. *ICD-10, the ICD-10 classification of mental and behavioural disorders : clinical descriptions and diagnostic guidelines*, Geneva, World Health Organization.

- 1 WHOOLEY, M. A., AVINS, A. L., MIRANDA, J. & BROWNER, W. S. 1997. Case-finding instruments for depression. Two questions are as good as many. *J Gen Intern Med*, 12, 439-45.
- 4 WIERSMA, J. E., SCHAIK, D. J. F., BLOM, M. B. J., BAKKER, L., OPPEN, P. & BEEKMAN, A. T. F. 2009. Treatment for chronic depression: Cognitive behavioral analysis system of psychotherapy (CBASP). *Tijdschrift voor Psychiatrie*, 51, 727-36.
- 7 WIERSMA, J. E., TITOV, N., SCHAIK, D. J. F., OPPEN, P., BEEKMAN, A. T. F. & CUIJPERS, P. 2011. Treating chronic symptoms of depression in the virtual clinic: Findings on chronicity of depression in patients treated with internet-based computerized cognitive behaviour therapy for depression. *Psychotherapy and Psychosomatics*, 80, 313-5.
- 11 WIERSMA, J. E., VAN SCHAIK, D. J., HOOGENDORN, A. W., DEKKER, J. J., VAN, H. L., SCHOEVERS, R. A., BLOM, M. B., MAAS, K., SMIT, J. H., MCCULLOUGH, J. P., JR., BEEKMAN, A. T. & VAN OPPEN, P. 2014. The effectiveness of the cognitive behavioral analysis system of psychotherapy for chronic depression: a randomized controlled trial. *Psychother Psychosom*, 83, 263-9.
- 16 WIJKSTRA, J., BURGER, H., BROEK, W. W., BIRKENHÄGER, T. K., JANZING, J. G., BOKS, M. P., BRUIJN, J. A., LOOS, M. L., BRETELER, L. M., RAMAEKERS, G. M., VERKES, R. J. & NOLEN, W. A. 2010. Treatment of unipolar psychotic depression: a randomized, double-blind study comparing imipramine, venlafaxine, and venlafaxine plus quetiapine. *Acta Psychiatrica Scandinavica*, 121, 190-200.
- 21 WIJKSTRA, J., BURGER, H., VAN DEN BROEK, W. W., BIRKENHAGER, T. K., JANZING, J. G. E., BOKS, M. P. M., BRUIJN, J. A., VAN DER LOOS, M. L. M., BRETELER, L. M. T., VERKES, R. J. & NOLEN, W. A. 2010. Long-term response to successful acute pharmacological treatment of psychotic depression. *Journal of Affective Disorders*, 123, 238-242.
- 26 WIJKSTRA, J., LIJMER, J., BURGER, H., CIPRIANI, A., GEDDES, J. & NOLEN, W. A. 2015. Pharmacological treatment for psychotic depression. *Cochrane Database Syst Rev*, CD004044.
- 29 WIJKSTRA, J., LIJMER, J., BURGER, H., GEDDES, J. & NOLEN, W. A. 2013. Pharmacological treatment for psychotic depression. *Cochrane Database of Systematic Reviews*, 11, CD004044.
- 32 WIJKSTRA, J., SCHUBART, C. D. & NOLEN, W. A. 2009. Treatment of unipolar psychotic depression: the use of evidence in practice guidelines. *World Journal of Biological Psychiatry*, 10, 409-15.
- 35 WILCZYNSKA, A. 2013. [Fatty acids in treatment and prevention of depression]. *Psychiatria Polska*, 47, 657-66.
- 37 WILES, N., THOMAS, L., ABEL, A., BARNES, M., CARROLL, F., RIDGWAY, N., SHERLOCK, S., TURNER, N., BUTTON, K., ODONDI, L., METCALFE, C., OWEN-SMITH, A., CAMPBELL, J., GARLAND, A., HOLLINGHURST, S., JERROM, B., KESSLER, D., KUYKEN, W., MORRISON, J., TURNER, K., WILLIAMS, C., PETERS, T. & LEWIS, G. 2014. Clinical effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: The CoBALT randomised controlled trial. *Health Technology Assessment*, 18, 1-167.
- 44 WILES, N., THOMAS, L., ABEL, A., RIDGWAY, N., TURNER, N., CAMPBELL, J., GARLAND, A., HOLLINGHURST, S., JERROM, B., KESSLER, D., KUYKEN, W., MORRISON, J., TURNER, K., WILLIAMS, C., PETERS, T. & LEWIS, G. 2013. Cognitive behavioural therapy as an adjunct to pharmacotherapy for primary care based patients with

- 1 treatment resistant depression: results of the CoBalT randomised controlled trial. *Lancet*, 381, 375-84.
- 3 WILES, N. J., MULLIGAN, J., PETERS, T. J., COWEN, P. J., MASON, V., NUTT, D., SHARP, D., TALLON, D., THOMAS, L., O'DONOVAN, M. C. & LEWIS, G. 2012. Severity of depression and response to antidepressants: GENPOD randomised controlled trial. *British Journal of Psychiatry*, 200, 130-6.
- 7 WILES, N. J., THOMAS, L., TURNER, N., GARFIELD, K., KOUNALI, D., CAMPBELL, J., KESSLER, D., KUYKEN, W., LEWIS, G., MORRISON, J., WILLIAMS, C., PETERS, T. J. & HOLLINGHURST, S. 2016. Long-term effectiveness and cost-effectiveness of cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment-resistant depression in primary care: Follow-up of the CoBalT randomised controlled trial. *The Lancet Psychiatry*, 3, 137-144.
- 13 WILEY-EXLEY, E., DOMINO, M. E., MAXWELL, J. & LEVKOFF, S. E. 2009. Cost-effectiveness of integrated care for elderly depressed patients in the PRISM-E study. *Journal of Mental Health Policy and Economics*, 12, 205-213+217.
- 16 WILFLEY, D. E. 2000. *Interpersonal psychotherapy for group*, New York, Basic Books.
- 17 WILKINSON, P., ALDER, N., JUSZCZAK, E., MATTHEWS, H., MERRITT, C., MONTGOMERY, H., HOWARD, R., MACDONALD, A. & JACOBY, R. 2009. A pilot randomised controlled trial of a brief cognitive behavioural group intervention to reduce recurrence rates in late life depression. *International Journal of Geriatric Psychiatry*, 24, 68-75.
- 22 WILLIAMS, A. D. & ANDREWS, G. 2013. The Effectiveness of Internet Cognitive Behavioural Therapy (iCBT) for Depression in Primary Care: A Quality Assurance Study. *PLoS ONE*, 8.
- 25 WILLIAMS, A. D., BLACKWELL, S. E., MACKENZIE, A., HOLMES, E. A. & ANDREWS, G. 2013. Combining imagination and reason in the treatment of depression: a randomized controlled trial of internet-based cognitive-bias modification and internet-CBT for depression. *Journal of Consulting and Clinical Psychology*, 81, 793-9.
- 29 WILLIAMS, A. D., O'MOORE, K., BLACKWELL, S. E., SMITH, J., HOLMES, E. A. & ANDREWS, G. 2015. Positive imagery cognitive bias modification (CBM) and internet-based cognitive behavioral therapy (iCBT): a randomized controlled trial. *Journal of affective disorders*, 178, 131-41.
- 33 WILLIAMS ALISHIA, D. & ANDREWS, G. 2013. The effectiveness of internet cognitive behavioural therapy (iCBT) for depression in primary care: A quality assurance study. *PLoS ONE*, 8, e57447.
- 36 WILLIAMS, C., WILSON, P., MORRISON, J., MCMAHON, A., WALKER, A., ANDREW, W., ALLAN, L., MCCONNACHIE, A., MCNEILL, Y. & TANSEY, L. 2013. Guided self-help cognitive behavioural therapy for depression in primary care: a randomised controlled trial. *PLoS ONE*, 8, e52735.
- 40 WILLIAMS, J., CRANE, C., BARNHOFER, T., BRENNAN, K., DUGGAN, D. S., FENNELL, M. J., HACKMANN, A., KRUSCHE, A., MUSE, K., VON ROHR, I. R., SHAH, D., CRANE, R., S., EAMES, C., JONES, M., RADFORD, S., SILVERTON, S., SUN, Y., WEATHERLEY-JONES, E., WHITAKER, C. J., RUSSELL, D. & RUSSELL, I. T. 2014. Mindfulness-based cognitive therapy for preventing relapse in recurrent depression: A randomized dismantling trial. *Journal of Consulting and Clinical Psychology*, 82, 275-286.

- 1 WILLIAMS, J. W., JR., KERBER, C. A., MULROW, C. D., MEDINA, A. & AGUILAR, C. 1995.
- 2 Depressive disorders in primary care: prevalence, functional disability, and identification. *J Gen Intern Med*, 10, 7-12.
- 3
- 4 WILLIAMS, N., BURNS, C., SHORT, B., HINSON, V. & NAHAS, Z. 2011. Successful use of right ultra-brief electroconvulsive therapy for the treatment of catatonia, psychotic depression, and motor fluctuations associated with advanced idiopathic parkinson's disease. *Journal of Neuropsychiatry and Clinical Neurosciences*, 23 (2), 23.
- 5
- 6
- 7
- 8 WILLIAMS, R. & HUNT, K. 1997. Psychological distress among British South Asians: the contribution of stressful situations and subcultural differences in the West of Scotland Twenty-07 Study. *Psychol Med*, 27, 1173-81.
- 9
- 10
- 11 WILLIAMSON, D., ANDERSEN, S. W., CAMPEN, L. E., SANGER, T. M., PAUL, S. & AL., E. 2001. Olanzapine-fluoxetine combination for difficult-to-treat depression. *154th Annual Meeting of the American Psychiatric Association*. New Orleans.
- 12
- 13
- 14 WILSON, M. & MACCARTHY, B. 1994. GP consultation as a factor in the low rate of mental health service use by Asians. *Psychol Med*, 24, 113-9.
- 15
- 16 WITTCHEN, H. U., H??FLER, M. & MEISTER, W. 2001. Prevalence and recognition of depressive syndromes in German primary care settings: poorly recognized and treated? *International Clinical Psychopharmacology*, 16, 121-135.
- 17
- 18
- 19 WITTE, B., HARRER, G., KAPTAN, T., PODZUWEIT, H. & SCHMIDT, U. 1995. [Treatment of depressive symptoms with a high concentration hypericum preparation. A multicenter placebo-controlled double-blind study]. *Fortschr Med*, 113, 404-8.
- 20
- 21
- 22 WITTINK, M. N. 2015. Depression in the context of primary care: The ICOM-APP study. *American Journal of Geriatric Psychiatry*, 23, S156.
- 23
- 24 WITTKAMPF, K. A. & SCHENE, A. H. 2009. [Depression management by phone: What does that cost?]. *Nederlands tijdschrift voor geneeskunde*, 153, 2537.
- 25
- 26 WOELK, H. 2000. Comparison of St John's wort and imipramine for treating depression: randomised controlled trial. *Bmj*, 321, 536-9.
- 27
- 28 WOLLMER, M. A. & KRUGER, T. H. C. 2013. Use of botulinum neurotoxin to treat depression. *Toxicon*, 68, 72.
- 29
- 30 WOLPE, J. 1971. Neurotic depression: experimental analog, clinical syndromes, and treatment. *Am J Psychother*, 25, 362-8.
- 31
- 32 WOLPE, J. 1979. The experimental model and treatment of neurotic depression. *Behav Res Ther*, 17, 555-65.
- 33
- 34 WONG, S. Y. & ZHANG, D. 2014. Effectiveness of stepped care programme for depression and anxiety prevention among Hong Kong chinese: A randomized controlled trial. *Psychosomatic Medicine*, 76 (3), A-9.
- 35
- 36
- 37 WORBOYS, M. 2013. The Hamilton Rating Scale for Depression: The making of a "gold standard" and the unmaking of a chronic illness, 1960-1980. *Chronic Illness*, 9, 202-219.
- 38
- 39 WORLD BANK 1993. World development report: Investing in health research development. Geneva, Switzerland: World Bank.
- 40
- 41 WRIGHT, B. M., EILAND, E. H. & LORENZ, R. 2013. Augmentation with atypical antipsychotics for depression: A review of evidence-based support from the medical literature. *Pharmacotherapy*, 33, 344-359.
- 42
- 43

- 1 WU, W., WANG, Z., WEI, Y., ZHANG, G., SHI, S., GAO, J., LI, Y., TAO, M., ZHANG, K.,  
2 WANG, X., GAO, C., YANG, L., LI, K., SHI, J., WANG, G., LIU, L., ZHANG, J., DU, B.,  
3 JIANG, G., SHEN, J., LIU, Y., LIANG, W., SUN, J., HU, J., LIU, T., WANG, X., MIAO, G.,  
4 MENG, H., LI, Y., HU, C., LI, Y., HUANG, G., LI, G., HA, B., DENG, H., MEI, Q., ZHONG, H.,  
5 GAO, S., SANG, H., ZHANG, Y., FANG, X., YU, F., YANG, D., LIU, T., CHEN, Y., HONG, X.,  
6 WU, W., CHEN, G., CAI, M., SONG, Y., PAN, J., DONG, J., PAN, R., ZHANG, W., SHEN, Z.,  
7 LIU, Z., GU, D., WANG, X., LIU, X., ZHANG, Q., LI, Y., CHEN, Y., KENDLER, K. S., FLINT,  
8 J. & ZHANG, Z. 2013. Clinical features of patients with dysthymia in a large cohort of Han  
9 Chinese women with recurrent major depression. *PLoS ONE [Electronic Resource]*, 8,  
10 e83490.
- 11 WU, Z., CHEN, J., YUAN, C., HONG, W., PENG, D., ZHANG, C., CAO, L. & FANG, Y. 2013.  
12 Difference in remission in a Chinese population with anxious versus nonanxious treatment-  
13 resistant depression: A report of OPERATION study. *Journal of Affective Disorders*, 150,  
14 834-839.
- 15 XU, M., WANG, S., TU, Y., GUO, Y. & YU, M. 2015. Based on the principle of WRS to  
16 compare the clinical effect differences between acupuncture and Western medicine in anti-  
17 depression. *Integrative Medicine Research*, 4, 82.
- 18 YANG, C., WEN, Q., WANG, X. & LIU, X. 2005. Comparative study of citalopram combined  
19 with amitriptyline for treatment of refractory depression. *International Medicine and Health  
Guidance News*, 11, 69-70.
- 21 YANG, W., DING, Z., DAI, T., PENG, F. & ZHANG, J. X. 2014. Attention bias modification  
22 training in individuals with depressive symptoms: A randomized controlled trial. *Journal of  
Behavior Therapy and Experimental Psychiatry*, 49, 101-111.
- 24 YESAVAGE, J. A., BRINK, T. L., ROSE, T. L., LUM, O., HUANG, V., ADEY, M. & LEIRER,  
25 V. O. 1982. Development and validation of a geriatric depression screening scale: a  
26 preliminary report. *J Psychiatr Res*, 17, 37-49.
- 27 YEUNG, A., LEPOUTRE, V., WAYNE, P., YEH, G., SLIPP, L. E., FAVA, M., DENNINGER, J.  
28 W., BENSON, H. & FRICCHIONE, G. L. 2012. Tai chi treatment for depression in Chinese  
29 Americans: a pilot study. *American Journal of Physical Medicine & Rehabilitation*, 91, 863-  
30 70.
- 31 YEUNG, A., SHYU, I., FISHER, L., WU, S., YANG, H. & FAVA, M. 2010. Culturally sensitive  
32 collaborative treatment for depressed Chinese Americans in primary care. *American Journal  
of Public Health* 100, 2397-2340.
- 34 YEUNG, A. S., AMERAL, V. E., CHUZI, S. E., FAVA, M. & MISCHOULON, D. 2011. A pilot  
35 study of acupuncture augmentation therapy in antidepressant partial and non-responders  
36 with major depressive disorder. *Journal of Affective Disorders*, 130, 285-9.
- 37 YIEND, J., PAYKEL, E., MERRITT, R., LESTER, K., DOLL, H. & BURNS, T. 2009. Long  
38 term outcome of primary care depression. *J Affect Disord*, 118, 79-86.
- 39 YILDIZ, A., MANTAR, A., SIMSEK, S., ONUR, E., GÖKMEN, N. & FIDANER, H. 2010.  
40 Combination of pharmacotherapy with electroconvulsive therapy in prevention of depressive  
41 relapse: a pilot controlled trial. *Journal of ECT*, 26, 104-10.
- 42 YIRMIYA, R. & BAB, I. 2009. Major depression is a risk factor for low bone mineral density: a  
43 meta-analysis. *Biol Psychiatry*, 66, 423-32.
- 44 YOUSSEF, N. A. & MCCALL, W. 2014. Relapse prevention after index electroconvulsive  
45 therapy in treatment-resistant depression. *Annals of Clinical Psychiatry*, 26, 288-296.

- 1 YUAN, Y. B., HUANG, X. B., SHU, L., LI, H. F., WANG, C. Y. & WU, W. Y. 2011. Duloxetine versus paroxetine in the treatment of major depressive disorder: a randomized double-blind multicentre controlled study. *Chinese Journal of New Drugs*, 20, 334-8.
- 4 ZAJECKA, J., SCHATZBERG, A., STAHL, S., SHAH, A., CAPUTO, A. & POST, A. 2010. Efficacy and safety of agomelatine in the treatment of major depressive disorder: a multicenter, randomized, double-blind, placebo-controlled trial. *Journal of Clinical Psychopharmacology*, 30, 135-44.
- 8 ZANARDI, R., FRANCHINI, L., GASPERINI, M., PEREZ, J. & SMERALDI, E. 1996. Double-blind controlled trial of sertraline versus paroxetine in the treatment of delusional depression. *Am J Psychiatry*, 153, 1631-3.
- 11 ZANARDI, R., FRANCHINI, L., SERRETTI, A., PEREZ, J. & SMERALDI, E. 2000. Venlafaxine versus fluvoxamine in the treatment of delusional depression: a pilot double-blind controlled study. *J Clin Psychiatry*, 61, 26-9.
- 14 ZANARINI, M. C., FRANKENBURG, F. R., DUBO, E. D., SICKEL, A. E., TRIKHA, A., LEVIN, A. & REYNOLDS, V. 1998. Axis I comorbidity of borderline personality disorder. *Am J Psychiatry*, 155, 1733-9.
- 17 ZAUTRA, A. J., DAVIS, M. C., REICH, J. W., STURGEON, J. A., AREWASIKPORN, A. & TENNEN, H. 2012. Phone-based interventions with automated mindfulness and mastery messages improve the daily functioning for depressed middle-aged community residents. *Journal of Psychotherapy Integration*, 22, 206-28.
- 21 ZHANG DE, X., LEWIS, G., ARAYA, R., TANG, W. K., MAK, W. W., CHEUNG, F. M., MERCER, S. W., GRIFFITHS, S. M., WOO, J., LEE, D. T., KUNG, K., LAM, A. T., YIP, B. H. & WONG, S. Y. 2014. Prevention of anxiety and depression in Chinese: a randomized clinical trial testing the effectiveness of a stepped care program in primary care. *Journal of affective disorders*, 169, 212-220.
- 26 ZHANG, W. J., YANG, X. B. & ZHONG, B. L. 2009. Combination of acupuncture and fluoxetine for depression: a randomized, double-blind, sham-controlled trial. *Journal of Alternative and Complementary Medicine*, 15, 837-44.
- 29 ZHANG, Z. J., NG, R., MAN, S. C., LI, J. T., WONG, W., WONG, H. K., WANG, D., WONG, M. T., TSANG, A. W., YIP, K. C. & SZE, S. C. 2013. Use of electroacupuncture to accelerate the antidepressant action of selective serotonin reuptake inhibitors: a single-blind, randomised, controlled study. *Xianggang yi xue za zhi [Hong Kong medical journal]*, 19 Suppl 9, 12-6.
- 34 ZHANG, Z. J., NG, R., MAN, S. C., LI, T. Y., WONG, W., TAN, Q. R., WONG, H. K., CHUNG, K. F., WONG, M. T., TSANG, W. K., YIP, K. C., ZIEA, E. & WONG, V. T. 2012. Dense cranial electroacupuncture stimulation for major depressive disorder--a single-blind, randomized, controlled study. *PLoS ONE*, 7, e29651.
- 38 ZHOU, X., RAVINDRAN, A. V., QIN, B., GIOVANE, C., LI, Q., BAUER, M., LIU, Y., FANG, Y., SILVA, T., ZHANG, Y., FANG, L., WANG, X. & XIE, P. 2015. Comparative efficacy, acceptability, and tolerability of augmentation agents in treatment-resistant depression: systematic review and network meta-analysis. *The Journal of Clinical Psychiatry*, 76, e487-98.
- 43 ZHOU XIUFANG, N., LI, Y., ZHOU, Z. & PAN, S. 2015. [Clinical observation of acupuncture in patients with depression and its impact on serum 5-HT]. *Zhongguo zhen jiu = Chinese acupuncture & moxibustion*, 35, 123-6.
- 46 ZIGMOND, A. S. & SNAITH, R. P. 1983. The hospital anxiety and depression scale. *Acta Psychiatr Scand*, 67, 361-70.

- 1 ZISOOK, S., LESSER, I. M., LEBOWITZ, B., RUSH, A. J., KALLENBERG, G., WISNIEWSKI, S. R., NIERENBERG, A. A., FAVA, M., LUTHER, J. F., MORRIS, D. W. & TRIVEDI, M. H. 2011. Effect of antidepressant medication treatment on suicidal ideation and behavior in a randomized trial: an exploratory report from the Combining Medications to Enhance Depression Outcomes Study. *Journal of Clinical Psychiatry*, 72, 1322-32.
  - 6 ZIVIN, K., PFEIFFER, P. N., BOHNERT, A. S., GANOCZY, D., BLOW, F. C., NALLAMOTHU, B. K. & KALES, H. C. 2013. Evaluation of the FDA warning against prescribing citalopram at doses exceeding 40 mg. *Am J Psychiatry*, 170, 642-50.
  - 9 ZOBEL, I., KECH, S., CALKER, D., DYKIEREK, P., BERGER, M., SCHNEIBEL, R. & SCHRAMM, E. 2011. Long-term effect of combined interpersonal psychotherapy and pharmacotherapy in a randomized trial of depressed patients. *Acta Psychiatrica Scandinavica*, 123, 276-82.
  - 13 ZU, S., XIANG, Y. T., LIU, J., ZHANG, L., WANG, G., MA, X., KILBOURNE, A. M., UNGVARI, G. S., CHIU, H. F., LAI, K. Y., WONG, S. Y., YU, D. S. & LI, Z. J. 2014. A comparison of cognitive-behavioral therapy, antidepressants, their combination and standard treatment for Chinese patients with moderate-severe major depressive disorders. *Journal of Affective Disorders*, 152-154, 262-7.
  - 18 ZUNG, W. W. 1965. A self-rating depression scale. *Arch Gen Psychiatry*, 12, 63-70.
- 19