

Early submission

Rehabilitation After Traumatic Injury

Review questions

NICE guideline tbc

Review questions

July 2021

Early submission

Developed by the National Guideline Alliance which is a part of the Royal College of Obstetricians and Gynaecologists

Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Local commissioners and/or providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the [Welsh Government](#), [Scottish Government](#), and [Northern Ireland Executive](#). All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© NICE 2021 All rights reserved. Subject to [Notice of Rights](#).

ISBN:

Contents

Review questions	6
-------------------------------	----------

Review questions

A.1a	What should be included in initial rehabilitation needs identification and assessment for adults after traumatic injury?
A.1b	What should be included in initial rehabilitation needs identification and assessment for children and young people after traumatic injury?
A.2a	What are the views and preferences of adults who have used rehabilitation services after traumatic injury about assessment of their rehabilitation needs?
A.2b	What are the views and preferences of children and young people who have used rehabilitation services after traumatic injury about assessment of their rehabilitation needs?
B.1a	What physical rehabilitation interventions are effective and acceptable for adults with complex rehabilitation needs after traumatic injury?
B.1b	What physical rehabilitation interventions are effective and acceptable for children and young people with complex rehabilitation needs after traumatic injury?
B.2a	What cognitive rehabilitation interventions are effective and acceptable for adults with complex rehabilitation needs after traumatic injury?
B.2b	What cognitive rehabilitation interventions are effective and acceptable for children and young people with complex rehabilitation needs after traumatic injury?
B.3a	What psychological and psychosocial rehabilitation interventions are effective and acceptable for adults with complex rehabilitation needs after traumatic injury?
B.3b	What psychological and psychosocial rehabilitation interventions are effective and acceptable for children and young people with complex rehabilitation needs after traumatic injury?
B.4a	For adults with complex rehabilitation needs after traumatic injury what rehabilitation interventions relating to participation in society are effective and acceptable?
B.4b	What rehabilitation interventions relating to participation in society (e.g., return to nursery, education, training or work) are effective and acceptable for children and young people with complex rehabilitation needs after traumatic injury?

C.1a	For adults with complex rehabilitation needs after traumatic injury that results in limb reconstruction, limb loss or amputation, what specific rehabilitation programmes and packages, including prosthetics, are effective and acceptable?
C.1b	For children and young people with complex rehabilitation needs after traumatic injury that results in limb reconstruction, limb loss or amputation, what specific rehabilitation programmes and packages, including prosthetics, are effective and acceptable?
C.2a	For adults with complex rehabilitation needs after traumatic injury that involves nerve injury, what specific rehabilitation programmes and packages are effective and acceptable?
C.2b	For children and young people with complex rehabilitation needs after traumatic injury that involves nerve injury, what specific rehabilitation programmes and packages are effective and acceptable?
C.3a	For adults with complex rehabilitation needs after traumatic injury that involves spinal cord injury, what specific rehabilitation programmes and packages are effective and acceptable?
C.3b	For children and young people with complex rehabilitation needs after traumatic injury that results in spinal cord injury, what specific rehabilitation programmes and packages are effective and acceptable?
C.4a	For adults with complex rehabilitation needs after traumatic injury that involves chest injury, what specific rehabilitation programmes and packages are effective and acceptable?
C.4b	For children and young people with complex rehabilitation needs after traumatic injury that involves chest injury, what specific rehabilitation programmes and packages are effective and acceptable?
D.1a	What are the best methods to coordinate rehabilitation services for adults with complex rehabilitation needs after traumatic injury whilst they are an inpatient, including when transferring between inpatient settings?
D.1b	What are the best methods to coordinate rehabilitation services for children and young people with complex rehabilitation needs after traumatic injury whilst they are an inpatient, including when transferring between inpatient settings?

D.2a	What are the best methods to deliver and coordinate rehabilitation services and social services for adults with complex rehabilitation needs after traumatic injury when they transfer from inpatient to outpatient rehabilitation services?
D.2b	What are the best methods to deliver and coordinate rehabilitation services and social services for children and young people with complex rehabilitation needs after traumatic injury when they transfer from inpatient to outpatient rehabilitation services?
D.3a	What are the barriers and facilitators to accessing rehabilitation services, including follow-up, following discharge to the community for adults with complex rehabilitation needs after traumatic injury?
D.3b	What are the barriers and facilitators to accessing rehabilitation services, including follow-up, following discharge to the community for children and young people with complex rehabilitation needs after traumatic injury?
D.4a	What are the support needs and preferences of adults who have complex rehabilitation needs after traumatic injury when they transfer from inpatient to outpatient or community rehabilitation services?
D.4b	What are the support needs and preferences of children and young people who have complex rehabilitation needs after traumatic injury when they transfer from inpatient to outpatient or community rehabilitation services?