Healthcare professional group/clinical specialist statement

Thank you for agreeing to give us a statement on your organisation's view of the technology and the way it should be used in the NHS.

Healthcare professionals can provide a unique perspective on the technology within the context of current clinical practice which is not typically available from the published literature.

To help you in making your statement, we have provided a template. The questions are there as prompts to guide you. It is not essential that you answer all of them.

Please do not exceed the 8-page limit.

_	_						
Α	h	_		4		_	
н	IJ	u	u	L	v	u	u

Your name:

Name of your organisation (if applicable):

Primary Care Neurology Society and Leeds Primary Care Trust

Are you (tick all that apply):

- a specialist in the treatment of people with the condition for which NICE is considering this technology?
- a specialist in the clinical evidence base that is to support the technology (e.g. involved in clinical trials for the technology)?
- an employee of a healthcare professional organisation that represents clinicians treating the condition for which NICE is considering the technology? If so, what is your position in the organisation where appropriate (e.g. policy officer, trustee, member etc.)?
- other? (please specify)

General Practictioner with a Specialist Interest in Neurology

What is the expected place of the technology in current practice?

How is the condition currently treated in the NHS?. Is there significant geographical variation in current practice? Are there differences of opinion between professionals as to what current practice should be? What are the current alternatives (if any) to the technology, and what are their respective advantages and disadvantages?

Are there any subgroups of patients with the condition who have a different prognosis from the typical patient? Are there differences in the capacity of different subgroups to benefit from or to be put at risk by the technology?

In what setting should/could the technology be used – for example, primary or secondary care, specialist clinics? Would there be any requirements for additional professional input (for example, community care, specialist nursing, other healthcare professionals)?

If the technology is already available, is there variation in how it is being used in the NHS? Is it always used within its licensed indications? If not, under what circumstances does this occur?

Please tell us about any relevant **clinical guidelines** and comment on the appropriateness of the methodology used in developing the guideline and the specific evidence that underpinned the various recommendations.

I feel as this is still a very new and experimental drug that at present the monthly infusions should be done in a hospital secondary care setting. Perhaps there may be scope for moving it into community clinics in the future once it has been used routinely for some years

My opinion is that there would be a need for additional professional input. A specialist nurse could be of great benefit – for example liaising with the patients GP in order to identify and treat any potential side effects from the treatment

The advantages and disadvantages of the technology

NICE is particularly interested in your views on how the technology, when it becomes available, will compare with current alternatives used in the UK. Will the technology be easier or more difficult to use, and are there any practical implications (for example, concomitant treatments, other additional clinical requirements, patient acceptability/ease of use or the need for additional tests) surrounding its future use?

If appropriate, please give your view on the nature of any rules, informal or formal, for starting and stopping the use of the technology; this might include any requirements for additional testing to identify appropriate subgroups for treatment or to assess response and the potential for discontinuation.

If you are familiar with the evidence base for the technology, please comment on whether the use of the technology under clinical trial conditions reflects that observed in clinical practice. Do the circumstances in which the trials were conducted reflect current UK practice, and if not, how could the results be extrapolated to a UK setting? What, in your view, are the most important outcomes, and were they measured in the trials? If surrogate measures of outcome were used, do they adequately predict long-term outcomes?

What is the relative significance of any side effects or adverse reactions? In what ways do these affect the management of the condition and the patient's quality of life? Are there any adverse effects that were not apparent in clinical trials but have come to light subsequently during routine clinical practice?

These are of paramount importance. It seems that the drugs safety profile has been improved in recent months but we are still not 100% confident that it is totally safe and GPs should have low thresholds for asking the Consultant for an urgent review of any patient they are concerned about who is receiving the treatment. However this is the case for all new medications that are immunomodulatory.

The patient may present to the GP with repeated tonsillitis for example. It is the GPs responsibility to ensure they are aware of the other treatment their patient may be on and be aware of potential harmful side effects. They should be treating this patients presenting condition with more insight than the average patient with recurrent tonsillitis

I suspect that the knowledge that this is still quite an experimental medication may have a negative impact on the patients quality of life as many of the side effects and treatment outcomes may not yet be fully known. The side effects of fatigue and recurrent infections may also have a negative effect on Health Related Quality of Life

As far as I am aware this drug is not yet being used in routine clinical practice

Any additional sources of evidence

Can you provide information about any relevant evidence that might not be found by a technology-focused systematic review of the available trial evidence? This could be information on recent and informal unpublished evidence, or information from registries and other nationally coordinated clinical audits. Any such information must include sufficient detail to allow a judgement to be made as to the quality of the evidence and to allow potential sources of bias to be determined.

Papers for Guidance Executive	
Implementation issues	
The NHS is required by the Department of Health and the Welsh Assemble Government to provide funding and resources for medicines and treatment have been recommended by NICE technology appraisal guidance. This per to be made within 3 months from the date of publication of the guidance.	nts that
If the technology is unlikely to be available in sufficient quantity, or the star facilities to fulfil the general nature of the guidance cannot be put in place 3 months, NICE may advise the Department of Health and the Welsh Assi Government to vary this direction.	within
Please note that NICE cannot suggest such a variation on the basis of but constraints alone.	dgetary
How would possible NICE guidance on this technology affect the delivery patients with this condition? Would NHS staff need extra education and tra Would any additional resources be required (for example, facilities or equi	aining?