

social care institute for excellence NICE National Institute for Health and Care Excellence

Improving oral health for adults in care homes A quick guide for care home managers



More than half of older adults who live in care homes have tooth decay, compared to 40% of over 75s who do not live in care homes.

Poor oral health can affect people's ability to eat, speak and socialise normally.

People living in care homes are at greater risk of oral health problems for several reasons:



Long-term conditions (including arthritis, Parkinson's disease and dementia) can make it harder to hold and use a toothbrush, and to go for dental treatment.



Many medicines reduce the amount of saliva produced and leave people with a dry mouth.



People now keep their natural teeth for longer, but this can mean they need more complex dental care than people who have dentures.



Thorough assessments, and supportfrom skilled and knowledgeable staff can help prevent the pain, disturbed sleep and health problems that poor oral health can cause.

Oral health assessment

All residents should have an oral health assessment when they move into the care home, with the result recorded in their care plan. Care staff should start by asking the following questions:



How do you usually manage your daily mouth care and what help would you like?



What dental aids do you currently use? For example, manual or electric toothbrush, mouthwash, floss.



Do you have dentures, and if so are they marked with your name? If not, would you like them to be marked?



see a dentist, and

who did you see?

If you don't have a

lf you don't have a dentist, would you like help to find one?

Using an oral health assessment tool, such as the example included **on the next page**, will highlight any areas where residents need specific care and support. Using it for reassessments will indicate any changes that may need action.

Oral health assessment tool

Resident: Completed by: Date: **Scores** – You can circle individual words as well as giving a score in each category (* if 1 or 2 scored for any category please organise for a dentist to examine the resident) 0 = healthy 1 = changes* 2 = unhealthy* **Dental pain:** Natural teeth Yes/No: Lips: No behavioural, verbal, No decayed or Smooth, pink, 0 or physical signs of broken teeth or roots moist N dental pain 0 1–3 decayed or broken teeth or Dry, chapped, or red at 1 There are verbal and/or roots or very worn down teeth 1 corners behavioural signs of pain 4+ decayed or broken teeth or Swelling or lump, white, red such as pulling at face, or ulcerated patch; bleeding roots, or very worn down teeth, chewing lips, not eating, 2 or less than 4 teeth or ulcerated at corners 2 aggression 1 There are physical pain signs (swelling of cheek or gum, broken teeth, ulcers), **Dentures Yes/No: Oral cleanliness:** as well as verbal and/or No broken areas or teeth, behavioural signs (pulling at Clean and no food particles dentures regularly worn, and face, not eating, or tartar in mouth or named 0 2 aggression) 0 dentures 1 broken area or tooth or Food particles, tartar or dentures only worn for 1-2 hours plaque in 1–2 areas of the daily, or dentures not named, or mouth or on small area of loose dentures or halitosis (bad 1 More than 1 broken area or tooth, breath) denture missing or not worn, loose Food particles, tartar or and needs denture adhesive, or plague in most areas of 2 not named the mouth or on most of dentures or severe halitosis (bad breath) 2 **Tongue: Gums and tissues:** Saliva: Normal, moist roughness, 0 Pink, moist, smooth, pink Moist tissues, watery and no bleeding 0 0 free flowing saliva Patchy, fissured, red, Dry, shiny, rough, red, swollen, coated Dry, sticky tissues, little saliva 1 ulcer or sore spot under 1 present, resident thinks they Patch that is red and/or 1 dentures have a dry mouth white, ulcerated, swollen 2 Swollen, bleeding, ulcers, Tissues parched and red, white/red patches, generalised little or no saliva present, redness under dentures 2 saliva is thick, resident thinks they have a dry mouth 2 Organise for resident to have a dental examination by a dentist Resident and/or family or guardian refuses dental treatment Complete oral hygiene care plan and start oral hygiene care

TOTAL:

SCORE: 16

interventions for resident Review this resident's oral health again on date:

With kind permission of the Australian Institute of Health and Welfare (AIHW). Source: AIHW Caring for oral health in Australian residential care (2009). Modified from Kayser-Jones et al. (1995) by Chalmers (2004).

Care staff knowledge and skills

Care staff need to know how and when to reassess the oral health of a resident, and how to support residents with their daily mouth care to:



Brush their natural teeth at least twice a day with fluoride toothpaste.



Clean their dentures (brushing, removing food debris, removing dentures overnight).



Use their choice of cleaning products for dentures.



Use their choice of toothbrush, either manual or electric/ battery powered, and mouth care products.

They also need to understand how dental pain or a mouth infection can affect residents' general health, wellbeing and behaviour.

Make sure staff know who to ask for advice, how and when to report any concerns about a resident's oral health, and how changes in a person's condition might affect their ability to manage their mouth care.

What the Care Quality Commission expects



The <u>Care Quality</u> <u>Commission</u> expects registered managers to take account of nationally recognised guidance, including guidance from NICE.



Evidence about how you support residents to maintain good oral health will help you demonstrate that your service is both effective and responsive.

NICE's guideline on oral health for adults in care homes, including the baseline assessment tool, can be used as part of your preparation for inspection and to support requests for help to other services. If you are concerned about the availability of dental services inform your local <u>Healthwatch</u> and public health teams. Your local oral health promotion team should be able to provide you with educational materials, support and training.

Further information

Oral health for adults in care homes – NICE guideline Oral health for adults in care homes – tools and resources – NICE Using quality standards to improve practice in care homes for older people – NICE Dental care and oral health – Alzheimer's Society factsheet

This content has been co-produced by NICE and SCIE and is based on NICE's guideline on oral health for adults in care homes.

National Institute for Health and Care Excellence www.nice.org.uk © 2018 National Institute for Health and Care Excellence. All rights reserved Social Care Institute for Excellence www.scie.org.uk