# Appendix R: Completed Methodology checklists: economic evaluations

## A.1 Interventions aimed at the prevention of behaviour that challenges in people with learning disabilities

#### A.1.1 Psychosocial interventions for adaptive behaviour

Study: Chasson GS, Harris G, Harris GE. Cost comparison of early intensive behavioral intervention and special education for children with autism. Journal of Child and Family Studies 2007; 16(3): 401-413

Economic Question: Early Intensive Behavioural Intervention (EIBI) versus standard educational service (special education) for children with autism

	on 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Unclear/ NA	Comments
1.1	Is the study population appropriate for the guideline?	Partly	Children with autism
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	No	US study
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	No	State, local, federal) & private costs
1.5	Are non-direct health effects on individuals excluded?	NA	Cost analysis
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	No	Time horizon 18 years
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	NA	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	

1.10 Overall judgement: Partially applicable

#### Other comments:

Section quality	on 2: Study limitations (level of methodological ty)	Yes/ Partly/ No/Unclear/ NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Partly	Simple model including educational aspects only
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Yes	18 years
2.3	Are all important and relevant health outcomes included?	NA	Cost analysis

Study: Chasson GS, Harris G, Harris GE. Cost comparison of early intensive behavioral intervention and special education for children with autism. Journal of Child and Family Studies 2007; 16(3): 401-413

Office and Failing Studies 2007, 10(3). 401-413				
2.4 Are the estimates of baseline health outcomes from the best available source?	NA			
2.5 Are the estimates of relative treatment effects from the best available source?	No	Clinical parameters based on review & assumptions		
2.6 Are all important and relevant costs included?	Partly	Only educational costs included		
2.7 Are the estimates of resource use from the best available source?	No	Estimates following personal communicati on		
2.8 Are the unit costs of resources from the best available source?	No	Local costs		
2.9 Is an appropriate incremental analysis presented or can it be calculated from the data?	NA			
2.10 Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	No			
2.11 Is there no potential conflict of interest?	Yes			
2.12 Overall assessment: Potentially serious limitations				
Other comments:				

Study: Jacobson JW, Mulick JA, Green J. Cost-benefit estimates for early intensive behavioral intervention for young children with autism - General model and single state case. Behavioral Interventions 1998; 13(4): 201-226.

Economic Question: Early Intensive Behavioural Intervention (EIBI) vs. no intervention

	ion 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Uncle ar/NA	Comments
1.1	Is the study population appropriate for the guideline?	Partly	Children with autism
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Partly	US
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	No	Societal perspective
1.5	Are non-direct health effects on individuals excluded?	NA	Cost analysis
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	Unclear	
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	NA	Cost analysis

Study: Jacobson JW, Mulick JA, Green J. Cost-benefit estimates for early intensive behavioral intervention for young children with autism - General model and single state case. Behavioral Interventions 1998; 13(4): 201-226.

1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1.1	Overall judgement: Partially applicable		

#### Other comments:

Sect quali	ion 2: Study limitations (level of methodological ity)	Yes/ Partly/ No/Uncle ar/NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Yes	From 3 to 55 years of age
2.3	Are all important and relevant health outcomes included?	Yes	Cost analysis, but level of functioning considered
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Literature review and assumptions
2.5	Are the estimates of relative treatment effects from the best available source?	Partly	Literature review and assumptions
2.6	Are all important and relevant costs included?	Yes	
2.7	Are the estimates of resource use from the best available source?	Partly	Published literature and further assumptions
2.8	Are the unit costs of resources from the best available source?	Yes	National sources (state)
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	NA	Cost analysis
2.1	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	No	Limited sensitivity analysis
2.1 1	Is there no potential conflict of interest?	Yes	
2.1	Overall assessment: Very serious limitations		
041	a annual anticolor in term continuo annut annual alcuna al la la cata annual at the		- P - C -

Other comments: intervention cost considered in both arms of the model; unrealistic assumptions implicitly made for outcomes of 'no intervention'

Study: Motiwala SS, Gupta S, Lilly MB, Ungar WJ, Coyte PC. The Cost-Effectiveness of Expanding Intensive Behavioural Intervention to All Autistic Children in Ontario. Healthcare Policy 2006; 1(2):135-151.

Economic Question: Early Intensive Behavioural Intervention (EIBI) vs. standard
service (mixture of EIBI and no intervention) vs. no intervention

	ion 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Uncle ar/NA	Comments
1.1	Is the study population appropriate for the guideline?	Partly	Preschool children with autism
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Partly	Canada – primary care setting, public funded system
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Partly	Direct healthcare and social care costs
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	Partly	3%
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	No	Number of dependency-free years
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1.1 0	Overall judgement: Partially applicable		

### Other comments: no QALYs estimated but outcome measure considered relevant; conclusions based on dominance

Sect qual	ion 2: Study limitations (level of methodological ity)	Yes/ Partly/ No/Uncle ar/NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Yes	Up to 65 years of age
2.3	Are all important and relevant health outcomes included?	Yes	Level of dependency
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Literature review & further assumptions
2.5	Are the estimates of relative treatment effects from the best available source?	Partly	Literature review & further assumptions

Study: Motiwala SS, Gupta S, Lilly MB, Ungar WJ, Coyte PC. The Cost-Effectiveness of Expanding Intensive Behavioural Intervention to All Autistic Children in Ontario. Healthcare Policy 2006; 1(2):135-151.

	, , , , , , , , , , , , , , , , , , ,			
2.6	Are all important and relevant costs included?	Yes		
2.7	Are the estimates of resource use from the best available source?	Yes	Provincial government estimates	
2.8	Are the unit costs of resources from the best available source?	Yes	Provincial government	
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	Yes		
2.1 0	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes		
2.1 1	Is there no potential conflict of interest?	Yes		
2.1 2	Overall assessment: Potentially serious limitations			
0.1				

Other comments:

Study: Peters-Scheffer N, Didden R, Korzilius H, Matson J. Cost comparison of early intensive behavioral intervention and treatment as usual for children with autism spectrum disorder in the Netherlands. Research in Developmental Disabilities 2012; 33(6): 1763-1772.

Economic Question: Early Intensive Behavioural Intervention (EIBI) vs. treatment as usual

	ion 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Uncle ar/NA	Comments
1.1	Is the study population appropriate for the guideline?	Partly	Preschool children with autism (mean age 3 years)
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Partly	Netherlands  -publicly funded system
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	No	Public sector costs
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	No	
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	NA	Cost analysis
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1.1 0	Overall judgement: Partially applicable		

Study: Peters-Scheffer N, Didden R, Korzilius H, Matson J. Cost comparison of early intensive behavioral intervention and treatment as usual for children with autism spectrum disorder in the Netherlands. Research in Developmental Disabilities 2012; 33(6): 1763-1772.

#### Other comments:

Sect qual	ion 2: Study limitations (level of methodological ity)	Yes/ Partly/ No/Uncle ar/NA	Comments		
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes			
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Yes	Up to 65 years of age		
2.3	Are all important and relevant health outcomes included?	Yes	Level of dependency		
2.4	Are the estimates of baseline health outcomes from the best available source?	Yes	Literature review & local data		
2.5	Are the estimates of relative treatment effects from the best available source?	Partly	Review of meta-analyses & assumptions		
2.6	Are all important and relevant costs included?	Yes			
2.7	Are the estimates of resource use from the best available source?	Partly	National data & assumptions		
2.8	Are the unit costs of resources from the best available source?	Partly	National data & assumptions		
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	NA	Cost analysis		
2.1	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Partly			
2.1	Is there no potential conflict of interest?	Yes			
2.1	Overall assessment: Potentially serious limitations				
	Other comments of the contract				

Other comments: efficacy data selected based on their applicability to the Dutch setting / naïve addition of meta-analytic data across same treatment arms

#### A.1.2 Health awareness interventions

Study: Romeo R, Knapp M, Morrison J, Melville C, Allan L, Finlayson J, Cooper SA (2009) Cost estimation of a health-check intervention for adults with intellectual disabilities in the UK. Journal of Intellectual Disability Research, 53(5), 426-39.

Cooper SA, Morrison J, Melville C, Finlayson J, Allan L, Martin G, Robinson N (2006) Improving the health of people with intellectual disabilities: outcomes of a health screening programme after 1 year. Journal of Intellectual Disability Research, 50(Pt 9), 667-77.

	on 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Unclear /NA	Comments
1.1	Is the study population appropriate for the guideline?	Partly	People with learning

Study: Romeo R, Knapp M, Morrison J, Melville C, Allan L, Finlayson J, Cooper SA (2009) Cost estimation of a health-check intervention for adults with intellectual disabilities in the UK. Journal of Intellectual Disability Research, 53(5), 426-39. AND

Cooper SA, Morrison J, Melville C, Finlayson J, Allan L, Martin G, Robinson N (2006) Improving the health of people with intellectual disabilities: outcomes of a health screening programme after 1 year. Journal of Intellectual Disability Research, 50(Pt 9), 667-77.

			disabilities
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes	UK study
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Partly	Societal
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon 12 months
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	No	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1.10	Overall judgment: Directly applicable		

Other comments: no QALYs estimated but intervention dominant, so no further judgments required to assess cost effectiveness

Section 2: Study limitations (level of methodological quality)		Yes/ Partly/ No/Unclear /NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	NA	Cohort study with matched controls
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	No	12 months
2.3	Are all important and relevant health outcomes included?	Partly	Intermediate outcomes relating to detected and met health needs
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Cohort study with matched controls, N=100
2.5	Are the estimates of relative treatment effects from the best available source?	Partly	Cohort study with matched controls
2.6	Are all important and relevant costs included?	Yes	
2.7	Are the estimates of resource use from the best available source?	Partly	Cohort study with matched controls, N=100

Study: Romeo R, Knapp M, Morrison J, Melville C, Allan L, Finlayson J, Cooper SA (2009) Cost estimation of a health-check intervention for adults with intellectual disabilities in the UK. Journal of Intellectual Disability Research, 53(5), 426-39. AND

Cooper SA, Morrison J, Melville C, Finlayson J, Allan L, Martin G, Robinson N (2006) Improving the health of people with intellectual disabilities: outcomes of a health screening programme after 1 year. Journal of Intellectual Disability Research, 50(Pt 9), 667-77.

2.8	Are the unit costs of resources from the best available source?	Yes	National sources & further estimates
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	NA	Cost consequence analysis
2.10	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	Statistical analyses conducted
2.11	Is there no potential conflict of interest?	Yes	

<sup>2.12</sup> Overall assessment: Potentially serious limitations

Other comments: Participants matched with controls for age, gender and level of learning disability; costs collected prospectively for intervention group and retrospectively for control group; small study sample (N=100)

## A.2 Interventions aimed at reducing and managing behaviour that challenges in people with learning disabilities

### A.2.1 Psychosocial interventions aimed at reducing and managing behaviour that challenges in people with learning disabilities

Study: Hassiotis et al (2009) Randomized, single-blind, controlled trial of a specialist behavior therapy team for challenging behavior in adults with intellectual disabilities. American Journal of Psychiatry 166:1278-1285.

AND Hassiotis et al (2011) Applied behaviour analysis and standard treatment in intellectual disability: 2-Year outcomes. British Journal of Psychiatry 198:490-491.

Section 1: Applicability (relevance to specific guideline review question and the NICE reference case)		Yes/ Partly/ No/Unclear /NA	Comments
1.1	Is the study population appropriate for the guideline?	Yes	Adults with learning disabilities and behavior that challenges
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes	UK study
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Yes	NHS & PSS
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	No	Costs reported for 2 time periods:

Study: Hassiotis et al (2009) Randomized, single-blind, controlled trial of a specialist behavior therapy team for challenging behavior in adults with intellectual disabilities. American Journal of Psychiatry 166:1278-1285.

AND Hassiotis et al (2011) Applied behaviour analysis and standard treatment in intellectual disability: 2-Year outcomes. British Journal of Psychiatry 198:490-491.

			0-6 & 18-24 months
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	No	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
4.40	Overell independs Directly conficeble		

1.10 Overall judgment: Directly applicable

Other comments: no QALYs estimated but intervention dominant

Section quality	on 2: Study limitations (level of methodological ry)	Yes/ Partly/ No/Unclear /NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	NA	Economic analysis alongside RCT
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	Total duration 2 years, but costs reported for periods 0-6 & 18-24 months
2.3	Are all important and relevant health outcomes included?	Yes	Challenging behaviour
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	RCT
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	RCT
2.6	Are all important and relevant costs included?	Yes	
2.7	Are the estimates of resource use from the best available source?	Partly	RCT
2.8	Are the unit costs of resources from the best available source?	Yes	National costs
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	No	Costs and benefits not combined
2.10	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	Statistical analyses conducted
2.11	Is there no potential conflict of interest?	Yes	
2.12 (	Overall assessment: Potentially serious limitations		

Other comments: Costs and outcomes measured over different periods of time; no information of costs between 6-18 months. Small study sample (N=63)

Study: Felce et al (2014) Cognitive behavioural anger management intervention for people with intellectual disabilities: costs of intervention and impact on health and social care resource use. Journal of Intellectual Disability Research doi: 10.1111/jir.12112

Willner et al. (2013) A cluster randomised controlled trial of a manualised cognitivebehavioural anger management intervention delivered by supervised lay therapists to people with intellectual disabilities. Health Technology Assessment 17(21)

	Section 1: Applicability (relevance to specific guideline review question and the NICE reference case)		Comments
1.1	Is the study population appropriate for the guideline?	Yes	Adults with learning disabilities and behavior that challenges
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes	UK study
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Partly	NHS and PSS
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon 10 months
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	No	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1 10	Overall judgement: Directly applicable		

1.10 Overall judgement: Directly applicable

Other comments: no QALYs measured but intervention likely dominant

Section 2: Study limitations (level of methodological quality)		Yes/ Partly/ No/Unclea r/NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	NA	RCT
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	10 months
2.3	Are all important and relevant health outcomes included?	Yes	
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	RCT
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	RCT
2.6	Are all important and relevant costs included?	Yes	
2.7	Are the estimates of resource use from the best available source?	Yes	RCT
2.8	Are the unit costs of resources from the best available source?	Yes	National unit costs; local

Study: Felce et al (2014) Cognitive behavioural anger management intervention for people with intellectual disabilities: costs of intervention and impact on health and social care resource use. Journal of Intellectual Disability Research doi: 10.1111/jir.12112

Willner et al. (2013) A cluster randomised controlled trial of a manualised cognitivebehavioural anger management intervention delivered by supervised lay therapists to people with intellectual disabilities. Health Technology Assessment 17(21)

			unit costs where former not available	
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	No	Cost consequence analysis	
2.1	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes		
2.1	Is there no potential conflict of interest?	Yes		
2.12 Overall assessment: Potentially serious limitations				
Othe	r comments:			

Study	Study: Guideline economic analysis			
	omic Question: parent training for the management oldren and young people with learning disabilities	f behavior tha	t challenges	
	on 1: Applicability (relevance to specific guideline v question and the NICE reference case)	Yes/ Partly/ No/Unclear /NA	Comments	
1.1	Is the study population appropriate for the guideline?	Yes	Children and young people with learning disabilities and behavior that challenges	
1.2	Are the interventions and services appropriate for the guideline?	Yes		
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes		
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Yes		
1.5	Are non-direct health effects on individuals excluded?	Yes		
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon 61 weeks	
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	Yes		
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	Yes		
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	Partly	SG, Canadian population	
1.10 0	Overall judgement: Partially applicable			
Other	comments:			

Study: Guideline economic analysis			
	Section 2: Study limitations (level of methodological quality)		Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	61 weeks
2.3	Are all important and relevant health outcomes included?	Yes	
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Guideline meta- analysis
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	Guideline meta- analysis
2.6	Are all important and relevant costs included?	Partly	Costs of behavior that challenges not included
2.7	Are the estimates of resource use from the best available source?	Partly	RCT- reported data & assumptions
2.8	Are the unit costs of resources from the best available source?	Yes	National unit costs
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	Yes	
2.10	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	PSA
2.11	Is there no potential conflict of interest?	Yes	
2.12 (	Overall assessment: potentially serious limitations		
Other comments: probability of relapse based on assumption due to lack of evidence			

# Study: Guideline economic analysis Economic Question: interventions for the management of sleep problems in children and young people with learning disabilities

Section 1: Applicability (relevance to specific guideline review question and the NICE reference case)		Yes/ Partly/ No/Uncle ar/NA	Comments
1.1	Is the study population appropriate for the guideline?	Yes	Children and young people with learning disabilities and sleep problems
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes	

Study: Guideline economic analysis			
1.4	Are costs measured from the NHS and personal social	Yes	
1.4	services (PSS) perspective?	165	
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon 38 weeks
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	Yes	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	Yes	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	Partly	SG, Canadian population
1.10	Overall judgement: Partially applicable		
Othe	r comments:		
Sect qual	ion 2: Study limitations (level of methodological ity)	Yes/ Partly/ No/Uncle ar/NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	38 weeks
2.3	Are all important and relevant health outcomes included?	Yes	
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Guideline meta- analysis & further assumptions
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	Guideline meta- analysis
2.6	Are all important and relevant costs included?	Partly	Costs associated with sleep problems not included
2.7	Are the estimates of resource use from the best available source?	Partly	RCT- reported data
2.8	Are the unit costs of resources from the best available source?	Yes	National unit costs
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	Yes	
2.1 0	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	PSA
2.1 1	Is there no potential conflict of interest?	Yes	
2.12 Overall assessment: potentially serious limitations			
Other comments: probability of relapse based on assumption due to lack of evidence			

## A.2.2 Pharmacological interventions aimed at reducing and managing behaviour that challenges in people with learning disabilities

Study: Romeo et al (2009) The treatment of challenging behaviour in intellectual disabilities: cost-effectiveness analysis. Journal of Intellectual Disability Research 53:633-643.

AND Tyrer et al (2008) Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. The Lancet 371, 57-63.

AND Tyrer et al. (2009) Neuroleptics in the treatment of aggressive challenging behaviour for people with intellectual disabilities: a randomised controlled trial (NACHBID). Health Technology Assessment 13(21)

	on 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Unclear /NA	Comments
1.1	Is the study population appropriate for the guideline?	Yes	Adults with learning disabilities and behavior that challenges
1.2	Are the interventions and services appropriate for the guideline?	Yes	
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes	UK study
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Partly	Societal (services & informal care)
1.5	Are non-direct health effects on individuals excluded?	Yes	
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon: 26 weeks
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	No	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	NA	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	NA	
1.10	Overall judgment: Partially applicable		
Other comments:			

•	•			
Section 2: Study limitations (level of methodological quality)		Yes/ Partly/ No/Unclear /NA	Comments	
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	NA	Economic analysis alongside RCT	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	Total duration 26 weeks	
2.3	Are all important and relevant health outcomes included?	Yes	Challenging behaviour &	

Study: Romeo et al (2009) The treatment of challenging behaviour in intellectual disabilities: cost-effectiveness analysis. Journal of Intellectual Disability Research 53:633-643.

AND Tyrer et al (2008) Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. The Lancet 371, 57-63.

AND Tyrer et al. (2009) Neuroleptics in the treatment of aggressive challenging behaviour for people with intellectual disabilities: a randomised controlled trial (NACHBID). Health Technology Assessment 13(21)

			QoL
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	RCT
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	RCT
2.6	Are all important and relevant costs included?	Yes	
2.7	Are the estimates of resource use from the best available source?	Partly	RCT
2.8	Are the unit costs of resources from the best available source?	Yes	National costs
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	Yes	
2.10	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	Statistical & sensitivity analyses, PSA
2.11	Is there no potential conflict of interest?	Yes	
2.12 Overall assessment: Potentially serious limitations			
Other comments: Small study sample (N=58)			

Study: Guideline economic analysis				
	Economic Question: Antipsychotics aimed at behavior that challenges in children and young people with learning disabilities			
	on 1: Applicability (relevance to specific guideline w question and the NICE reference case)	Yes/ Partly/ No/Unclear /NA	Comments	
1.1	Is the study population appropriate for the guideline?	Yes	Children and young people with learning disabilities and behavior that challenges	
1.2	Are the interventions and services appropriate for the guideline?	Yes		
1.3	Is the healthcare system in which the study was conducted sufficiently similar to the current UK NHS context?	Yes		
1.4	Are costs measured from the NHS and personal social services (PSS) perspective?	Yes		
1.5	Are non-direct health effects on individuals excluded?	Yes		
1.6	Are both costs and health effects discounted at an annual rate of 3.5%?	NA	Time horizon 34 weeks	

Ctud	v Cuideline economie englysis		
	: Guideline economic analysis		
1.7	Is the value of health effects expressed in terms of quality-adjusted life years (QALYs)?	Yes	
1.8	Are changes in health-related quality of life (HRQoL) reported directly from patients and/or carers?	Yes	
1.9	Is the valuation of changes in HRQoL (utilities) obtained from a representative sample of the general public?	Partly	SG, Canadian population
1.10 (	Overall judgement: Partially applicable		
Other	comments:		
Section 2: Study limitations (level of methodological quality)		Yes/ Partly/ No/Unclear /NA	Comments
2.1	Does the model structure adequately reflect the nature of the health condition under evaluation?	Yes	
2.2	Is the time horizon sufficiently long to reflect all important differences in costs and outcomes?	Partly	34 weeks
2.3	Are all important and relevant health outcomes included?	Yes	
2.4	Are the estimates of baseline health outcomes from the best available source?	Partly	Guideline meta- analysis
2.5	Are the estimates of relative treatment effects from the best available source?	Yes	Guideline meta- analysis
2.6	Are all important and relevant costs included?	Partly	Costs associated with behaviour that challenges not included
2.7	Are the estimates of resource use from the best available source?	Partly	RCT- reported data
2.8	Are the unit costs of resources from the best available source?	Yes	National unit costs
2.9	Is an appropriate incremental analysis presented or can it be calculated from the data?	Yes	
2.10	Are all important parameters whose values are uncertain subjected to appropriate sensitivity analysis?	Yes	PSA
2.11	Is there no potential conflict of interest?	Yes	
2.12 Overall assessment: potentially serious limitations			
Other comments: probability of relapse based on assumption due to lack of evidence			