



## MOTIVATIONAL TECHNIQUES

### 1 Motivational techniques vs. control

#### 1.1 Amount of alcohol consumed up to 6 month follow up.




#### 1.2 Amount of alcohol consumed 7-12 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots

## 1.3 Rate of consumption up to 6 month follow up (continuous).




## 1.4 Rate of consumption up to 6 month follow-up (dichotomous).




# Alcohol Use Disorders: Psychology interventions forest plots

## 1.5 Rate of consumption >12 month follow-up.




## 1.6 Lapsed up until 6 month follow-up.




# Alcohol Use Disorders: Psychology interventions forest plots


## 1.7 Lapsed >12 month follow-up.




## 1.8 Attrition (drop-out) post treatment.




## 1.9 Attrition (drop-out) up to 6 months follow-up.



1.10 Attrition (drop-out) at 7-12 month follow-up.




1.11 Attrition (drop-out) > 12 month follow-up.




2 Motivational techniques vs. other intervention


2.1 Abstinent post treatment.



## 2.2 Abstinent up to 6 months follow-up.




## 2.3 Abstinent at 7-12 months follow-up.




## 2.4 Abstinence at > 12 month follow-up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 2.5 Lapsed up to 6 month follow-up.




### 2.6 Rate of consumption post treatment.




### 2.7 Lapsed at >12 month follow-up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 2.8 Rate of consumption up to 6 month follow-up (continuous).



### 2.9 Rate of consumption up to 6 month follow-up (dichotomous).




## Alcohol Use Disorders: Psychology interventions forest plots




### 2.10 Rate of consumption at 7-12 month follow-up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 2.11 Rates of consumption at >12 month follow-up.




## 2.12 Amount of alcohol consumed post treatment.

## Alcohol Use Disorders: Psychology interventions forest plots




## 2.13 Amount of alcohol consumed up to 6 month follow-up.




## 2.14 Amount of alcohol consumed at 7-12 month follow-up.


## Alcohol Use Disorders: Psychology interventions forest plots



## 2.15 Amount of alcohol consumed at >12 month follow up.




## 2.16 Attrition (drop-out) post treatment.




## 2.17 Attrition (drop-out) up to 6 months follow-up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 2.18 Attrition (drop-out) at 7-12 months follow-up.



### 2.19 Attrition (drop-out) at > 12 month follow-up.


# Alcohol Use Disorders: Psychology interventions forest plots




## TWELVE STEP FACILITATION (TSF)

### 3 TSF vs. other intervention


#### 3.1 Percent days abstinent post treatment.




#### 3.2 Abstinent up to 6 month follow-up.



3.3 Abstinent 7-12 month follow-up.




3.4 Abstinent > 12 month follow-up.







3.5 Rate of alcohol consumption post treatment.




3.6 Rate of alcohol consumption up to 6 month follow-up.




3.7 Rate of alcohol consumption - 7-12 month follow-up.




3.8 Amount of alcohol consumed post treatment.




3.9 Amount of alcohol consumed up to 6 month follow-up.




3.10 Amount of alcohol consumed 7-12 month follow-up.




3.11 Amount of alcohol consumed > 12 month follow-up.




3.12 Attrition (drop-out) post treatment.




3.13 Attrition (drop-out) up to 6 month follow up.



3.14 Attrition (drop-out) 7-12 months follow-up.




3.15 Attrition (drop-out) > 12 month follow-up.




4 TSF vs. TSF


4.1 Percent days abstinent up to 6 months follow up.




4.2 Percent days abstinent 7-12 months follow up.




4.3 Number of participants abstinent 7-12 months follow-up.




4.4 Percent days heavy drinking up to 6 month follow up.




4.5 Percent days heavy drinking at 7-12 month follow up.




4.6 Attrition (drop-out) post treatment.



4.7 Attrition (drop-out) up to 6 month follow up.




4.8 Attrition (drop-out) 7-12 months follow-up.




## COGNITIVE BEHAVIOURAL THERAPIES

### 5 Cognitive-behavioural vs. treatment-as-usual (TAU) or control

#### 5.1 Rates of consumption post treatment.




#### 5.2 Lapsed - up to 6 months follow-up.







5.3 Relapse up to 6 month follow-up.



5.4 Attrition (drop-out) post treatment.




5.5 Attrition (drop-out) up to 6 month follow-up.




## 6 Cognitive behavioural vs. other intervention


### 6.1 Abstinent post treatment.



### 6.2 Abstinence up to 6 month follow-up.




6.3 Abstinence from 7-12 month follow-up.




6.4 Abstinence > 12 month follow-up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 6.5 Abstinent/Light (1-3 standard drinks) up to 6 month follow up.




### 6.6 Abstinent/Light (1-3 standard drinks) 7-12 month follow up.




### 6.7 Abstinent/Light (1-3 standard drinks) >12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 6.8 Rates of Consumption Post Treatment.




### 6.9 Rate of consumption up to 6 month follow-up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 6.10 Rate of consumption - 7-12 month follow-up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 6.11 Rate of consumption > 12 month follow-up.




### 6.12 Amount of alcohol consumed post treatment.




### 6.13 Amount of alcohol consumed up to 6 month follow-up (dichotomous).

## Alcohol Use Disorders: Psychology interventions forest plots




### 6.14 Amount of alcohol consumed up to 6 month follow-up (continuous).




### 6.15 Amount of alcohol consumed - 7-12 month follow-up.



## Alcohol Use Disorders: Psychology interventions forest plots




### 6.16 Amount of alcohol consumed > 12 month follow-up.




### 6.17 Days to first drink at 18 month follow-up.


## Alcohol Use Disorders: Psychology interventions forest plots




### 6.18 Days to first heavy drinking day at 18 month follow-up.




### 6.19 Relapse (>6 units most days of the week) post treatment.



### 6.20 Regular Relapse (>6 units a few times a month) post treatment.




### 6.21 Severe lapse (>6 units on one occasion) post treatment.




### 6.22 Attrition (drop-out) post treatment.

## Alcohol Use Disorders: Psychology interventions forest plots




### 6.23 Attrition (drop-out) - up to 6 month follow-up.




### 6.24 Attrition (drop-out) - 7 -12 month follow-up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 6.25 Attrition (drop-out) - >12 month follow up.




## 7 Cognitive behavioural vs. cognitive behavioural

# Alcohol Use Disorders: Psychology interventions forest plots


## 7.1 Abstinent post treatment.




## 7.2 Abstinent up to 6 month follow up.



## 7.3 Abstinent/Light (1-3 standard drinks) drinking days up to 6 month follow up.




## 7.4 Abstinent/Light (1-3 standard drinks) drinking days 7-12 month follow up.




## 7.5 Abstinent/Light (1-3 standard drinks) Drinking Days >12 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots




### 7.6 Lapsed - up to 6 month follow-up.



### 7.7 Relapse - up to 6 month follow-up.




### 7.8 Rates of consumption post treatment.




# Alcohol Use Disorders: Psychology interventions forest plots


## 7.9 Rates of consumption up to 6 month follow up.



## 7.10 Rates of consumption >12 month follow-up.




## 7.11 Amount of alcohol consumed up until 6 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots


## 7.12 Number of days to 1st drink (lapse) up until 6 month follow up.




## 7.13 Number of days to first heavy drink (relapse) up until 6 month follow up.



## 7.14 Number heavy drinkers >20 drinks/wk and >10% heavy days (>=5 drinks/occasion).




## 7.15 Attrition (drop-out) post treatment.






# Alcohol Use Disorders: Psychology interventions forest plots

## 7.16 Attrition (drop-out) up to 6 month follow-up.




## 7.17 Attrition (drop-out) 7-12 month follow up.



# Alcohol Use Disorders: Psychology interventions forest plots


## 7.18 Attrition (drop-out) >12 month follow up.




## BEHAVIOURAL THERAPIES

### 8 Behavioural therapies vs. treatment-as-usual (TAU) or control


#### 8.1 Abstinent post treatment.




#### 8.2 Amount of alcohol consumed post treatment.




#### 8.3 Rates of consumption post treatment.




8.4 Lapse up to 6 month follow up.




8.5 Relapse up to 6 month follow up.



8.6 Attrition (drop-out) post treatment.




8.7 Attrition (drop-out) up to 6 month follow up.




9 Behavioural therapies vs. other intervention


9.1 Abstinent post treatment.



9.2 Abstinent up to 6 month follow up.




9.3 Abstinent 7-12 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots

## 9.4 Abstinent >12 month follow up.




## 9.5 Amount of alcohol consumed post treatment.




## 9.6 Amount of alcohol consumed Up to 6 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 9.7 Amount of alcohol consumed per week 7-12 month follow up.




### 9.8 Amount of alcohol consumed per week >12 month follow up.






9.9 Rates of consumption up to 6 month follow up.




9.10 Rates of consumption up to 7-12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 9.11 Attrition (drop-out) post treatment.




### 9.12 Attrition (drop-out) up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 9.13 Attrition (drop-out) 7-12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots



### 9.14 Attrition (drop-out) >12 month follow up.



## 10 Behavioural therapy vs. behavioural therapy

# Alcohol Use Disorders: Psychology interventions forest plots


## 10.1 Abstinent post treatment.



## 10.2 Abstinent up to 6 month follow up.




## 10.3 Amount of alcohol consumed up to 6 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots


## 10.4 Amount of alcohol consumed 7-12 months follow up.



## 10.5 Attrition (drop-out) post treatment.




## 10.6 Attrition (drop-out) Up to 6 month follow up.




## SOCIAL NETWORK/ENVIRONMENT BASED THERAPIES

### 11 Social network/environment based therapies vs. control

#### 11.1 Abstinent post treatment.




#### 11.2 Abstinent up to 6 month follow up.




#### 11.3 Abstinent 7-12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 11.4 Abstinent >12 month follow up.






# Alcohol Use Disorders: Psychology interventions forest plots


## 11.5 Amount of alcohol consumed (DDD) post treatment.




## 11.6 Amount of alcohol consumed (DDD) up to 6 month follow up.



## 11.7 Amount of alcohol consumed (DDD) 7-12 month follow up.




11.8 Amount of alcohol consumed (DDD) >12 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots

## 11.9 Attrition post treatment.




## 11.10 Attrition up to 6 month follow up.




## 11.11 Attrition 7-12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




11.12 Attrition >12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 12 Social network/environment based therapies vs other intervention

### 12.1 Abstinent up to 6 Month follow up.




### 12.2 Abstinent 7-12 month follow up.




### 12.3 Amount of alcohol consumed up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 12.4 Amount of alcohol consumed 7-12 month at follow up.




### 12.5 Rate of consumption up to 6 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 12.6 Rate of consumption at 7-12 month follow up.




### 12.7 Attrition (drop-out) post treatment.




### 12.8 Attrition up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 13 Social network/environment based therapies vs. social network/environment based therapies

### 13.1 Abstinent post treatment.




### 13.2 Abstinent up to 6 month follow up.




### 13.3 Abstinent 7-12 month follow up.



## Alcohol Use Disorders: Psychology interventions forest plots




### 13.4 Abstinent >12 month follow up.




### 13.5 Amount of alcohol consumed (DDD) post treatment.


## Alcohol Use Disorders: Psychology interventions forest plots



### 13.6 Amount of alcohol consumed (DDD) up to 6 month follow up.




### 13.7 Amount of alcohol consumed (DDD) 7-12 month follow up.




### 13.8 Amount of alcohol consumed (DDD) >12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 13.9 Attrition post treatment.




### 13.10 Attrition up to 6 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 13.11 Attrition 7-12 month follow up.




### 13.12 Attrition >12 month follow up.



## COUPLES THERAPY


### 14 Couples therapy vs other intervention

#### 14.1 Abstinent (percentage or proportion) post treatment.




#### 14.2 Abstinent (percentage or proportion) up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 14.3 Abstinent (percentage or proportion) 7 - 12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 14.4 Abstinent (percentage or proportion) >12 month follow up.




## 14.5 Amount of alcohol consumed post treatment.


## Alcohol Use Disorders: Psychology interventions forest plots




### 14.6 Amount of alcohol consumed up to 6 month follow up.



### 14.7 Amount of alcohol consumed at 7- 12 month follow up.




### 14.8 Rates of consumption post treatment.



### 14.9 Rates of consumption up to 6 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots




14.10 Rates of consumption 7 - 12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 14.11 Relapse (>6 units most days of the week) post treatment.




### 14.12 Regular relapse (>6 units a few times a month) post treatment.


## Alcohol Use Disorders: Psychology interventions forest plots



### 14.13 Severe lapse (>6 units on one occasion) post treatment.




### 14.14 Attrition (drop-out) post treatment.




### 14.15 Attrition (drop-out) up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 14.16 Attrition (drop-out) 7-12 month follow up.




## 15 Behavioural couples therapy vs. other couples therapy

## Alcohol Use Disorders: Psychology interventions forest plots

### 15.1 Abstinent (percentage or proportion) post treatment.




### 15.2 Abstinent (percentage or proportion) up to 6 month follow up.




### 15.3 Abstinent (percentage or proportion) 7 - 12 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 15.4 Abstinent (percentage or proportion) >12 month follow up.




### 15.5 Rates of consumption post treatment.




### 15.6 Rates of consumption up to 6 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 15.7 Rates of consumption 7 - 12 month follow up.




### 15.8 Attrition (drop-out) post treatment.




# Alcohol Use Disorders: Psychology interventions forest plots

## 15.9 Attrition (drop-out) up to 6 month follow up.




## 15.10 Attrition (drop-out) 7 - 12 month follow up.






## 16 Intensive couples therapy vs. brief couples therapy


### 16.1 Abstinent (percentage or proportion) up to 6 month follow up.



### 16.2 Abstinent (percentage or proportion) 7 - 12 month follow up.




### 16.3 Abstinent (percentage or proportion) >12 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots


## 16.4 Rates of consumption post treatment.




## 16.5 Rates of consumption up to 6 month follow up.




16.6 Rates of consumption 7 - 12 month follow up.



16.7 Rates of consumption > 12 month follow up.




16.8 Attrition (drop-out) post treatment.




# Alcohol Use Disorders: Psychology interventions forest plots

## 16.9 Attrition (drop-out) > 12 month follow up.




## 17 Parental skills + BCT (PSBCT) vs. BCT alone


### 17.1 Abstinent (PDA) post treatment.



### 17.2 Abstinent (PDA) at 6 month follow up.




### 17.3 Abstinent (PDA) at 12 month follow up.




## CONTINGENCY MANAGEMENT

### 18 Contingency management vs. control


#### 18.1 Abstinent post treatment.




#### 18.2 Abstinent up to 6 month follow up.




#### 18.3 Abstinent 7-12 month follow up.




18.4 Abstinent > 12 month follow up.



18.5 Amount of alcohol consumed (DDD) post treatment.




18.6 Amount of alcohol consumed (DDD) up to 6 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots


## 18.7 Amount of alcohol consumed (DDD) 7-12 month follow up.




## 18.8 Amount of alcohol consumed (DDD) >12 month follow up.




18.9 Attrition post treatment.



18.10 Attrition up to 6 month follow up.




18.11 Attrition 7-12 month follow up.






18.12 Attrition > 12 Month Follow Up.




19 Contingency management vs. standard care (TAU)


19.1 Abstinent post treatment




19.2 Number relapsed to heavy drinking post treatment.



19.3 Number lapsed (non-abstinent) post treatment.




19.4 Attrition post treatment.




20 Contingency management vs. other intervention


20.1 Abstinent post treatment.



20.2 Abstinent up to 6 month follow up.




20.3 Abstinent 7-12 month follow up.




# Alcohol Use Disorders: Psychology interventions forest plots

## 20.4 Abstinent > 12 month follow up.




## 20.5 Amount of alcohol consumed (DDD) post treatment.




## 20.6 Amount of alcohol consumed (DDD) up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 20.7 Amount of alcohol consumed (DDD) 7-12 month follow up.




## 20.8 Amount of alcohol consumed (DDD) >12 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 20.9 Attrition post treatment.




### 20.10 Attrition up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




### 20.11 Attrition 7-12 month follow up.



### 20.12 Attrition > 12 month follow up.

# Alcohol Use Disorders: Psychology interventions forest plots







## COUNSELLING

### 21 Counselling vs control


#### 21.1 Lapse up to 6 month follow up.




#### 21.2 Lapse >12 month follow up.




21.3 Rates of consumption up to 6 month follow up.




21.4 Rates of consumption >12 month follow-up.



21.5 Attrition (drop-out) post treatment.




21.6 Attrition (drop-out) >12 month follow up.




22 Counselling vs other intervention

22.1 Abstinent (percentage) post treatment.




22.2 Abstinent (percentage or proportion) up to 6 months follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 22.3 Abstinent (percentage or proportion) at 7-12 month follow up.




## 22.4 Abstinent (percentage or proportion) >12 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



## 22.5 Amount of alcohol consumed at 7-12 month follow up.




## 22.6 Time to first drink assessed at 18 month follow up.




## 22.7 Time to first heavy drink assessed at 18 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 22.8 Rates of consumption up to 6 month follow up.




### 22.9 Rates of consumption 7-12 month follow up.




### 22.10 Rates of consumption >12 month follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



### 22.11 Lapse up to 6 month follow up.




### 22.12 Lapsed - 7-12 month follow-up.



### 22.13 Lapse >12 month follow up.




## Alcohol Use Disorders: Psychology interventions forest plots




22.14 Exceeded national guidelines up to 6 month follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




22.15 Exceeded national guidelines >12 months follow up.

## Alcohol Use Disorders: Psychology interventions forest plots




## 22.16 Attrition post treatment.




## 22.17 Attrition up to 6 months follow up.


## Alcohol Use Disorders: Psychology interventions forest plots



## 22.18 Attrition 7-12 month follow up.




## 22.19 Attrition >12 month follow up.




## PSYCHODYNAMICTHERAPY

### 23 Psychodynamic therapy vs. other intervention


#### 23.1 Number abstinent days.




#### 23.2 grams abs.alc./drinking day.



#### 23.3 Days > 80 grams abs.alc.




23.4 Attrition > 12 month follow up




## MULTI-MODAL INTERVENTION

### 24 Multi-modal vs. other intervention


#### 24.1 Length of sobriety (in months) post treatment.



#### 24.2 Lapsed post treatment.




#### 24.3 Lapsed up to 6 month follow-up.




#### 24.4 Rates of consumption post treatment.


## Alcohol Use Disorders: Psychology interventions forest plots




### 24.5 Amount of alcohol consumed post treatment.



### 24.6 Lapsed - 7-12 month follow-up.




### 24.7 Attrition (drop-out) post treatment.




### 24.8 Attrition (drop-out) up to 6 months follow-up.



## Alcohol Use Disorders: Psychology interventions forest plots




### 24.9 Attrition (drop-out) at 7-12 month follow-up.




## SELF-HELP

### 25 Self-help vs. self-help


#### 25.1 Amount of alcohol consumed at 7-12 month follow up.



#### 25.2 Amount of alcohol consumed >12 month follow up.




#### 25.3 Attrition at 23 month follow up.




## PSYCHOEDUCATIONAL INTERVENTION

### 26 Psychoeducational vs. other intervention


#### 26.1 Length of sobriety (months) post treatment.




#### 26.2 Abstinent post treatment.




#### 26.3 Abstinent up to 6 month follow up.




26.4 Abstinent 7-12 month follow up.




26.5 Abstinent/light (1-3 standard drinks) up to 6 month follow up.




26.6 Abstinent/light (1-3 standard drinks) 7-12 month follow up.




26.7 Abstinent/light (1-3 standard drinks) >12 month follow up.




26.8 Number lapsed (non-abstinent) post treatment.




26.9 Rate of alcohol consumption post treatment.




26.10 Rate of alcohol consumption up to 6 month follow-up.




26.11 Rate of alcohol consumption - 7-12 month follow-up.




26.12 Amount of alcohol consumed post treatment.




26.13 Amount of alcohol consumed 7-12 month follow up.




26.14 Attrition (drop-out) post treatment.



26.15 Attrition (drop-out) up to 6 month follow up.



26.16 Attrition (drop-out) 7-12 month follow up.



26.17 Attrition (drop-out) >12 month follow-up.

