Differences between common primary headache types

Typical headache feature	Tension-type headache	Migraine (with or without aura)	Cluster headache
Pain location (can be head, face or neck)	Bilateral	Unilateral or bilateral	Unilateral (around the eye, above the eye and along the side of the head or face)
Pain quality	Pressing or tightening (non- pulsating)	Pulsating (throbbing or banging in young people aged 12 to 17 years)	Variable (can be sharp, boring, burning, throbbing or tightening)
Pain intensity	Mild or moderate	Moderate or severe	Severe or very severe
Effect on activities	Not aggravated by routine activities of daily living	Aggravated by, or causes avoidance of, routine activities of daily living	Restlessness or agitation
Other symptoms	None	Unusual sensitivity to light, sound or both, nausea, vomiting or both	On the same side as the headache: • red or watery eye
		Symptoms of aura can occur with or without headache and:	nasal congestion or runny noseswollen eyelid
		are fully reversible	forehead and facial sweating
		develop over at least 5 minutes and	constricted pupil or drooping eyelid
		last 5 to 60 minutes	associated agitation or reslessness
		Typical aura symptoms include visual symptoms	
		(flickering lights, spots or lines and partial loss of vision), sensory symptoms (numbness and pins	
		and needles) and speech disturbance	
Duration	30 minutes to continuous	4 to 72 hours in adults	15 to 180 minutes
		1 to 72 hours in young people aged 12 to 17 years	
Frequency	Episodic tension-type headache: Fewer than 15 days a month	Episodic migraine (with or without aura): Fewer than 15 days a month	Episodic cluster headache: From once every other day to 8 times a day with more than 3
	Chronic tension-type headache:	Chronic migraine (with or without aura): 15 or	months without pain in a 12-month period
	15 or more days a month for more	more days a month, for more than 3 months	Chronic cluster headache: From once every
	than 3 months (without medicine	(without medicine overuse)	other day to 8 times a day with less than
	overuse)		3 months without pain in a 12-month period

Chronic migraine and chronic tension-type headache often overlap. If ther are any features of migraine, diagnose chronic migraine.

This table covers only part of the guideline content. For full details, see the NICE clinical guideline on headaches in over 12s: diagnosis and management.

