

HTG122 Deep brain stimulation for tremor and dystonia (excluding Parkinson's disease)

SNOMED CT provides clinical terms for entry into the patient record to record clinical information relevant to that encounter; the mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure and device:

SNOMED CT preferred term (concept ID)

Insertion of deep brain stimulator (974401000000103)

Deep brain stimulation (230861003)

OPCS-4 code(s):

A09.1 Implantation of brain neurostimulator

Diagnosis or health condition:

SNOMED CT preferred term (concept ID)

Dystonic tremor (427451007)

ICD-10 code(s):

R25.1 Tremor, unspecified

Or

G25.0 Essential tremor

Or

G25.2 Other specified forms of tremor

And

G24.- Dystonia

For each published interventional procedure and medical technologies guidance, we work with NHS Digital to provide relevant clinical coding information.

SNOMED CT provides clinical terms for entry into the patient record to store clinical information relevant to that encounter.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS Digital Information Representation Services work collaboratively to ensure the most appropriate SNOMED CT, OPCS-4 and ICD codes are provided.

NHS Digital is the national release centre for the UK edition of SNOMED CT, ICD and OPCS-4. Further SNOMED CT information including licensing, see [here](#). Further Classifications information, see [here](#).