

HTG167 – Intraoperative red blood cell salvage during radical prostatectomy or radical cystectomy

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure:

OPCS-4 code(s):

There are no OPCS-4 codes which specifically classify a radical prostatectomy or radical cystectomy. Radical procedures are generally not specifically classified in OPCS-4 as these usually refer to a procedure on more than one site which may not be the same each time it is performed.

Within OPCS-4 these procedures would be classified by assigning codes to describe each of the different types of surgery performed or organs removed.

X36.4 Autologous blood salvage

Note: *Where the salvaged cells are reinfused either during or after the procedure the following code is also assigned:*

X33.7 Autologous transfusion of red blood cells

Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).