

HTG442 - Infracoccygeal sacropexy using mesh to repair vaginal vault prolapse

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure:

OPCS-4 code(s):

Q54.6 Infracoccygeal hysteropexy

Plus one of the following codes where the specific type of mesh is known:

Y28.1 Insertion of synthetic mesh into organ NOC

Or

Y28.2 Insertion of biological mesh into organ NOC

Or

Y28.3 Insertion of composite mesh into organ NOC

Or

Y28.4 Insertion of mesh into organ NOC

Diagnosis or health condition:

ICD-10 code(s):

N81.1 Cystocele

Or

N81.2 Incomplete uterovaginal prolapse

Or

N81.3 Complete uterovaginal prolapse

Or

N81.4 Uterovaginal prolapse, unspecified

Or

N81.6 Rectocele

Or

N99.3 Prolapse of vaginal vault after hysterectomy

Note: As a result of the recommendations made by the Independent Medicines and Medical Devices review this is a paused procedure. Such procedures may still be performed in exceptional circumstances when there is no viable alternative and following close and comprehensive consultation between patient and clinician.

Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).