

## **HTG445 - Uterine suspension using mesh (including sacrohysteropexy) to repair uterine prolapse**

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

**Procedure:**

**OPCS-4 code(s):**

Uterine suspension

**Q54.4 Suspension of uterus using mesh NEC**

Plus

**Y75.2 Laparoscopic approach to abdominal cavity NEC (if performed laparoscopically)**

Plus one of the following codes where the specific type of mesh is known:

Or

**Y28.1 Insertion of synthetic mesh into organ NOC**

Or

**Y28.2 Insertion of biological mesh into organ NOC**

Or

**Y28.3 Insertion of composite mesh into organ NOC (if type of mesh is known)**

Sacrohystropexy

**Q54.5 Sacrohysteropexy**

Plus

**Y75.2 Laparoscopic approach to abdominal cavity NEC (if performed laparoscopically)**

Plus

**Y28.4 Insertion of mesh into organ NOC**

Or

**Y28.1 Insertion of synthetic mesh into organ NOC**

Or

**Y28.2 Insertion of biological mesh into organ NOC**

Or

**Y28.3 Insertion of composite mesh into organ NOC**

**Diagnosis or health condition:**

**ICD-10 code(s):**

**N81.2 Incomplete uterovaginal prolapse**

**N81.3 Complete uterovaginal prolapse**

**N81.4 Uterovaginal prolapse, unspecified**

**Q51.8 Other congenital malformations of uterus and cervix**

---

## Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see [here](#).