

## **HTG763 Low energy contact X-ray brachytherapy (the Papillon technique) for rectal cancer**

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

### **Procedure:**

#### **OPCS-4 code(s):**

**X65.8 Other specified radiotherapy delivery**

**Y89.8 Other specified brachytherapy**

**Z29.- Other part of bowel**

Note: NICE have advised that contact X-ray brachytherapy differs from traditional brachytherapy, therefore NICE and the Terminology and Classifications Delivery Service have agreed that **X65.8** is the most appropriate code to classify this procedure.

### **Diagnosis or health condition:**

#### **ICD-10 code(s):**

**C20.X Malignant neoplasm of rectum**

Or

**C19.X Malignant neoplasm of rectosigmoid junction**

---

## Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information see [NHS England Digital Clinical Classifications](#).