

IPG443 – Irreversible electroporation for treating renal cancer

SNOMED CT provides clinical terms for entry into the patient record to record clinical information relevant to that encounter; the mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

Procedure and device:

SNOMED CT preferred term (concept ID)

OPCS

M13.8 Other specified percutaneous puncture of kidney

Y12.3 Electrochemotherapy to lesion of organ NOC

Y53.- Approach to organ under image control

Or

Y68 Other approach to organ under image control

Note: Codes within category **Y53.-** and **Y68.-** are used as secondary codes to classify interventions that are percutaneous and require some form of image control: if the method of image control is unspecified, **Y53.9 Unspecified approach to organ under image control** is assigned.

Diagnosis or health condition:

SNOMED CT preferred term (concept ID)

ICD-10 code(s):

C64.X Malignant neoplasm of kidney, except renal pelvis

Or

C65.X Malignant neoplasm of renal pelvis

Or

C79.0 Secondary malignant neoplasm of kidney and renal pelvis



Clinical coding recommendations for NICE guidance

For each published interventional procedure and medical technologies guidance, we work with NHS Digital to provide relevant clinical coding information.

SNOMED CT provides clinical terms for entry into the patient record to store clinical information relevant to that encounter.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS Digital Information Representation Services work collaboratively to ensure the most appropriate SNOMED CT, OPCS-4 and ICD codes are provided.

NHS Digital is the national release centre for the UK edition of SNOMED CT, ICD and OPCS-4. Further SNOMED CT information including licensing, see here. Further Classifications information, see here.