

IPG584 - Uterine suspension using mesh (including sacrohysteropexy) to repair uterine prolapse

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

P	r	^	^	Δ	Ы		r	Δ	
		v	v	C	ч	ч		C	

OPCS-4 code(s):

Uterine suspension

Q54.4 Suspension of uterus using mesh NEC

Plus

Y75.2 Laparoscopic approach to abdominal cavity NEC (if performed laparoscopically)

Plus one of the following codes where the specific type of mesh is known:

Or

Y28.1 Insertion of synthetic mesh into organ NOC

Or

Y28.2 Insertion of biological mesh into organ NOC

Or

Y28.3 Insertion of composite mesh into organ NOC (if type of mesh is known)

Sacrohystropexy

Q54.5 Sacrohysteropexy

Plus

Y75.2 Laparoscopic approach to abdominal cavity NEC (if performed laparoscopically)

Plus

Y28.4 Insertion of mesh into organ NOC

Or

Y28.1 Insertion of synthetic mesh into organ NOC

Or

Y28.2 Insertion of biological mesh into organ NOC

Or



Y28.3 Insertion of composite mesh into organ NOC

Diagnosis or health condition:

ICD-10 code(s):

- N81.2 Incomplete uterovaginal prolapse
- N81.3 Complete uterovaginal prolapse
- N81.4 Uterovaginal prolapse, unspecified
- Q51.8 Other congenital malformations of uterus and cervix



Clinical coding recommendations for NICE guidance

For each published interventional procedure guidance, we work with NHS England to provide relevant clinical coding information.

The mandated classifications (OPCS-4 or ICD-10) provide a method to collect and aggregate data to allow accurate and consistent data analysis.

NICE and NHS England Terminology and Classifications Delivery Service work collaboratively to ensure the most appropriate OPCS-4 and ICD-10 codes are provided.

NHS England is the national release centre for the UK edition of ICD-10 and OPCS-4. Further Classifications information, see here.