NATIONAL INSTITUTE FOR HEALTH AND CARE EXCELLENCE

Medical technologies evaluation programme Equality impact assessment: Guidance development

MT315 Peristeen anal irrigation to manage bowel dysfunction

The impact on equality has been assessed during this evaluation according to the principles of the NICE equality scheme.

Medical technology consultation document

1.	Have the potential equality issues identified during the scoping process been addressed by the committee, and, if so, how?
No	potential equalities issues were identified during the scoping process
2.	Have any other potential equality issues been highlighted in the sponsor's submission, or patient organisation questionnaires, and, if so, how has the committee addressed these?
No	issues were highlighted
_	

3. Have any other potential equality issues been identified by the committee and, if so, how has the committee addressed these?

No issues were identified

4. Do the preliminary recommendations make it more difficult in practice for a specific group to access the technology compared with other groups? If so, what are the barriers to or difficulties with access for the specific group?

No

5.	Is there potential for the preliminary recommendations to have an adverse impact on people with disabilities because of something that is a consequence of the disability?
No	
6.	Are there any recommendations or explanations that the committee could make to remove or alleviate barriers to, or difficulties with access identified in questions 4 or 5, or otherwise fulfil NICE's obligations to promote equality?
No	
7.	Have the committee's considerations of equality issues been described in the medical technology consultation document, and, if so, where?
Th	ere were no considerations
	·

Approved by Associate Director: Mark Campbell

Date: 25 August 2017