# NATIONAL INSTITUTE FOR HEALTH AND CARE EXCELLENCE

### Medical technologies evaluation programme

## Equality impact assessment: Guidance development

## MT366 Mepilex Border Heel and Sacrum dressings for preventing pressure ulcers

The impact on equality has been assessed during this evaluation according to the principles of the <u>NICE Equality scheme</u>.

#### Medical technology consultation document

**1.** Have the potential equality issues identified during the scoping process been addressed by the committee, and, if so, how?

No

**2.** Have any other potential equality issues been highlighted in the sponsor's submission, or patient organisation questionnaires, and, if so, how has the committee addressed these?

No potential equality issues were identified.

**3.** Have any other potential equality issues been identified by the committee and, if so, how has the committee addressed these?

No equality issues were identified during guidance development. People who have spinal injuries and people with restricted mobility and people with diabetes who are at an increased risk of foot ulcers are likely to benefit from this technology. These groups of patients may be considered disabled if their condition has a long term and substantial effect on their daily life. Disability is a protected characteristic covered by the Equality Act 2010. However, there are no special considerations specifically related to equality issues.

Equality impact assessment (guidance development): Mepilex Border Heel and Sacrum dressings for preventing pressure ulcers

**4.** Do the preliminary recommendations make it more difficult in practice for a specific group to access the technology compared with other groups? If so, what are the barriers to or difficulties with access for the specific group?

No.

**5.** Is there potential for the preliminary recommendations to have an adverse impact on people with disabilities because of something that is a consequence of the disability?

No.

**6.** Are there any recommendations or explanations that the committee could make to remove or alleviate barriers to, or difficulties with access identified in questions 4 or 5, or otherwise fulfil NICE's obligations to promote equality?

Not applicable.

**7.** Have the committee's considerations of equality issues been described in the medical technology consultation document, and, if so, where?

Not applicable.

#### Approved by Programme Director: Mirella Marlow

Date: 23 July 2018

### Medical technology guidance document

**1.** Have any additional potential equality issues been raised during the consultation, and, if so, how has the committee addressed these?

No equalities issues raised.

2. If the recommendations have changed after consultation, are there any recommendations that make it more difficult in practice for a specific group to access the technology compared with other groups? If so, what are the barriers to access for the specific group?

Not applicable.

**3.** If the recommendations have changed after consultation, is there potential for the preliminary recommendations to have an adverse impact on people with disabilities because of something that is a consequence of the disability?

Not applicable.

**4.** If the recommendations have changed after consultation, are there any recommendations or explanations that the committee could make to remove or alleviate barriers to, or difficulties with, access identified in questions 2 and 3, or otherwise fulfil NICE's obligations to promote equality?

Not applicable.

**5.** Have the committee's considerations of equality issues been described in the medical technology guidance document, and, if so, where?

Not applicable.

Equality impact assessment (guidance development): Mepilex Border Heel and Sacrum dressings for preventing pressure ulcers

#### Approved by Programme Director: Mirella Marlow

Date: 04 October 2018

Equality impact assessment (guidance development): Mepilex Border Heel and Sacrum dressings for preventing pressure ulcers