

Twin and triplet pregnancy (update)

Review questions

NICE guideline tbc

Review questions

January 2019

Early submission

*Evidence reviews were developed by
National Guideline Alliance hosted by the
Royal College of Obstetricians and
Gynaecologists*

Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Local commissioners and/or providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the [Welsh Government](#), [Scottish Government](#), and [Northern Ireland Executive](#). All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© NICE 2019. All rights reserved. Subject to [Notice of Rights](#).

ISBN:

Contents

Review questions	5
-------------------------------	----------

Review questions

Review questions	
Updated topics	
A1	What is the optimal screening programme to identify feto-fetal transfusion syndrome (FFTS) in twin and triplet pregnancy?
A2	What is the optimal screening programme to detect intrauterine growth restriction in twin and triplet pregnancy?
A3	What is the optimal screening programme to detect twin anaemia polycythemia sequences (TAPS)?
B1	What is the optimal screening programme to predict the risk of spontaneous preterm birth?
B2	What interventions are effective in preventing spontaneous preterm birth in twin and triplet pregnancy, including bed rest, progesterone and cervical cerclage?
D	What is the incidence of stillbirth and neonatal death and morbidity by gestational age in twin and triplet pregnancies according to chorionicity and amnionicity?
New topics	
C1	What is the optimal mode of birth to improve outcomes for mothers and babies? (new)
C2	What is the most effective method of fetal monitoring in improving outcomes for babies and mothers? (new)
C3	What is the optimal method of analgesia during labour and birth? (new)
C4	What is the optimal method of managing the third stage of labour to reduce the risk of postpartum haemorrhage (PPH)? (new)