

Early submission

Termination of Pregnancy

Search strategies

NICE guideline <TBC>

Combined Literature Search Strategies

April 2019

*Developed by the National Guideline Alliance,
hosted by the Royal College of Obstetricians
and Gynaecologists*

Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Local commissioners and/or providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the Welsh Government, Scottish Government, and Northern Ireland Executive. All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© NICE 2019. All rights reserved. Subject to [Notice of Rights](#).

Contents

Combined Search Strategies	7
Accessibility and Sustainability of Clinical Services for Termination of Pregnancy - Factors	7
Database: Medline & Embase & PsycINFO (Multifile)	7
Database: Cochrane Library via Wiley Online	8
Database: Cinahl Plus.....	9
Database: Web of Science Core Collection.....	10
Accessibility and Sustainability of Clinical Services for Termination of Pregnancy - Strategies.....	10
Database: Medline & Embase (Multifile).....	10
Database: Cochrane Library via Wiley Online	12
Database: Cinahl Plus.....	14
Database: Web of Science Core Collection.....	15
Information and Support Needs of Women undergoing a Termination of Pregnancy.....	16
Database: Medline & Embase (Multifile).....	17
Database: PsycINFO	19
Database: Cochrane Library via Wiley Online	21
Database: Cinahl Plus.....	23
Surgical Anti-D Prophylaxis for Women up to 13 ⁺⁶ weeks Gestation.....	23
Database: Medline & Embase (Multifile).....	23
Database: Cochrane Library via Wiley Online	24
Antibiotic Prophylaxis for Medical and Surgical Termination of Pregnancy	25
Database: Medline & Embase (Multifile).....	25
Database: Cochrane Library via Wiley Online	26
VTE Prophylaxis for Women having Termination of Pregnancy	27
Database: Medline & Embase (Multifile).....	27
Database: Cochrane Library via Wiley Online	28
Very Early Termination of Pregnancy	29
Database: Medline & Embase (Multifile).....	29
Database: Cochrane Library via Wiley Online	30
Expulsion at Home for Early Medical Termination of Pregnancy.....	31
Database: Medline & Embase (Multifile).....	31
Database: Cochrane Library via Wiley Online	32
Database: Cinahl Plus.....	33
Database: Web of Science Core Collection.....	34
Surgical Interval between Mifepristone and Misprostol for Early (upto 10 ⁺⁰ weeks gestation) Medical Termination of Pregnancy.....	34
Database: Medline & Embase (Multifile).....	34

Database: Cochrane Library via Wiley Online	36
Follow-up after Early Medical Termination of Pregnancy	36
Database: Medline & Embase (Multifile).....	36
Database: Cochrane Library via Wiley Online	38
Assessing Misoprostol after Mifepristone for Inducing Medical Termination of Pregnancy between 10 ⁺¹ to 24 ⁺⁰ weeks Gestation	39
Database: Medline & Embase (Multifile).....	39
Database: Cochrane Library via Wiley Online	40
Medical or Surgical Options for Termination of Pregnancy between 13 ⁺⁰ and 24 ⁺⁰ weeks Gestation	41
Database: Medline & Embase (Multifile).....	41
Cochrane Library via Wiley Online	42
Medical Termination of Pregnancy after 24 weeks Gestation	43
Database: Medline & Embase (Multifile).....	43
Database: Cochrane Library via Wiley Online	44
Conservative Cervical Priming before Surgical Termination of Pregnancy.....	45
Database: Medline & Embase (Multifile).....	45
Database: Cochrane Library via Wiley Online	46
Anaesthesia or Sedation for Surgical Termination of Pregnancy	46
Database: Medline & Embase (Multifile).....	46
Database: Cochrane Library via Wiley Online	48
Contraception after Medical Termination of Pregnancy – Contraceptive Implant.....	49
Database: Medline & Embase (Multifile).....	49
Database: Cochrane Library via Wiley Online	51
Database: Cinahl Plus.....	51
Database: Web of Science Core Collection.....	52
Contraception after Medical Termination of Pregnancy – Timing of IUD.....	52
Database: Medline & Embase (Multifile).....	52
Database: Cochrane Library via Wiley Online	53
Database: Cinahl Plus.....	54
Database: Web of Science Core Collection.....	54
Contraception after Medical Termination of Pregnancy - Access	54
Database: Medline & Embase (Multifile).....	55
Database: Cochrane Library via Wiley Online	56
Database: Cinahl Plus.....	57
Database: Web of Science Core Collection.....	57
Health Economics Global Search	58
Database: Medline & Embase (Multifile).....	58
Database: Health Technology Assessment.....	59
Database: NHS Economic Evaluation Database	59

1 Combined Search Strategies

2 Accessibility and Sustainability of Clinical Services for 3 Termination of Pregnancy - Factors

- 4 What factors help or hinder the accessibility and sustainability of a safe termination of pregnancy service?
- 6 The search for this topic was last run on 21st November 2018 during the re-runs for this guideline.

8 Database: Medline & Embase & PsycINFO (Multifile)

9
10 Last searched on **Embase Classic+Embase** 1947 to 2018 November 20, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 20, 2018, **PsycINFO** 1806 to November Week 3 2018
14 Date of last search: 21st November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	exp Induced Abortion/ use psyh
10	exp Spontaneous Abortion/ use psyh
11	exp Abortion Laws/ use psyh
12	exp "Abortion (Attitudes Toward)"/ use psyh
13	abortion.mp.
14	(abort\$ or postabort\$ or preabort\$).mp.
15	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
16	((f?etal\$ or f?etus\$) adj loss\$).mp.
17	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
18	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
19	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18
20	exp Health Services Accessibility/ use ppez
21	health care access/ use emczd
22	health care utilization/ use psyh
23	"Delivery of Health Care"/ use ppez
24	Delivery of Health Care, Integrated/ use ppez
25	health care delivery/ use emczd
26	integrated health care system/ use emczd
27	health care delivery/ use psyh
28	"Quality of Health Care"/ use ppez
29	health care quality/ use emczd
30	"Quality of Care"/ use psyh
31	service use\$1.tw.
32	((access\$ or attend\$ or aversion or barrier\$ or equit\$ or facilitat\$ or inequit\$ or inequalit\$ or obstacle\$ or obstruct\$ or refus\$ or takeup\$ or take up\$ or uptake or utiliz\$ or utilis\$) adj5 (care or healthcare or intervention\$ or program\$ or referral\$ or service\$ or system\$ or therap\$ or treat\$)).tw.
33	((access\$ or attend\$ or aversion or barrier\$ or equit\$ or facilitat\$ or inequit\$ or inequalit\$ or obstacle\$ or obstruct\$ or refus\$ or takeup\$ or take up\$ or uptake or utiliz\$ or utilis\$) adj3 (abortion or termination)).tw.
34	((adult\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famili\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women\$ or woman\$ or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) adj3 (access\$ or attend\$ or aversion or barrier\$ or equit\$ or facilitat\$ or inequalit\$ or inequit\$ or non attend\$ or obstacle\$ or obstruct\$ or refus\$ or takeup\$ or take up \$ or uptake or utiliz\$ or utilis\$)).tw.

#	Searches
35	((clinician\$ or doctor\$ or facilitator\$ or gp\$1 or healthcare or health profession\$ or leader\$ or nurs\$ or personnel\$ or physician\$ or practitioner\$ or pharmacist\$ or professional\$ or provider\$ or specialist\$ or staff\$ or worker\$) adj3 (barrier\$ or obstacle\$ or facilitat\$ or obstruct\$ or takeup\$ or take up\$)).tw.
36	((service\$ or infrastructure\$ or infra structure\$) adj3 (sustain\$ or continuation or durabl\$ or viabl\$ or stabl\$)).tw.
37	20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36
38	19 and 37
39	limit 38 to english language
40	limit 39 to yr="2001 -Current"
41	letter/
42	editorial/
43	news/
44	exp historical article/
45	Anecdotes as Topic/
46	comment/
47	case report/
48	(letter or comment*).ti.
49	41 or 42 or 43 or 44 or 45 or 46 or 47 or 48
50	randomized controlled trial/ or random*.ti,ab.
51	49 not 50
52	animals/ not humans/
53	exp Animals, Laboratory/
54	exp Animal Experimentation/
55	exp Models, Animal/
56	exp Rodentia/
57	(rat or rats or mouse or mice).ti.
58	51 or 52 or 53 or 54 or 55 or 56 or 57
59	letter.pt. or letter/
60	note.pt.
61	editorial.pt.
62	case report/ or case study/
63	(letter or comment*).ti.
64	59 or 60 or 61 or 62 or 63
65	randomized controlled trial/ or random*.ti,ab.
66	64 not 65
67	animal/ not human/
68	nonhuman/
69	exp Animal Experiment/
70	exp Experimental Animal/
71	animal model/
72	exp Rodent/
73	(rat or rats or mouse or mice).ti.
74	66 or 67 or 68 or 69 or 70 or 71 or 72 or 73
75	58 use ppez
76	74 use emczd
77	75 or 76
78	40 and 77
79	40 not 78
80	remove duplicates from 79

15 Database: Cochrane Library via Wiley Online

16 Date of last search: 21st November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabortion* or preabortion*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	(((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Health Services Accessibility] explode all trees

#	Searches
#14	MeSH descriptor: [Delivery of Health Care] this term only
#15	MeSH descriptor: [Delivery of Health Care, Integrated] this term only
#16	MeSH descriptor: [Quality of Health Care] this term only
#17	service use*:ti,ab,kw (Word variations have been searched)
#18	((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) near/5 (care or healthcare or intervention* or program* or referral* or service* or system* or therap* or treat*)):ti,ab,kw (Word variations have been searched)
#19	((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) near/5 (abortion or termination)):ti,ab,kw (Word variations have been searched)
#20	((adult* or carer* or caregiver* or care giver* or client* or consumer* or customer* or famil* or father* or individual* or mentor* or men or minorities or mother* or outpatient* or patient* or people* or person* or population* or teacher* or women* or woman* or user* or adolescen* or child* or teen* or (young* adj (people or person* or patient* or population*)) or youngster* or youth*) near/3 (access* or attend* or aversion or barrier* or equit* or facilitat* or inequalit* or inequit* or non attend* or obstacle* or obstruct* or refus* or takeup* or take up * or uptake or utiliz* or utiliz*)):ti,ab,kw (Word variations have been searched)
#21	((clinician* or doctor* or facilitator* or gp* or healthcare or health profession* or leader* or nurs* or personnel* or physician* or practitioner* or pharmacist* or professional* or provider* or specialist* or staff* or worker*) near/3 (barrier* or obstacle* or facilitat* or obstruct* or takeup* or take up*)):ti,ab,kw (Word variations have been searched)
#22	((service* or infrastructure* or infra structure*) NEAR/3 (sustain* or continuation or durabl* or viabl* or stabl*))
#23	#13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22
#24	#12 and #23 Publication Year from 2001 to 2018

17 Database: Cinahl Plus

18 Date of last search: 21st November 2018

#	Searches
S15	S15 Limiters - Publication Year: 2001-2018; English Language
S15	S4 AND S14
S14	S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13
S13	TI (service use*:1) OR AB (service use*:1)
S12	TI ((service* or infrastructure* or infra structure*) N3 (sustain* or continuation or durabl* or viabl* or stabl*)) OR AB ((service* or infrastructure* or infra structure*) N3 (sustain* or continuation or durabl* or viabl* or stabl*))
S11	TI ((clinician* or doctor* or facilitator* or gp*1 or healthcare or health profession* or leader* or nurs* or personnel* or physician* or practitioner* or pharmacist* or professional* or provider* or specialist* or staff* or worker*) N33 (barrier* or obstacle* or facilitat* or obstruct* or takeup* or take up*)) OR AB ((clinician* or doctor* or facilitator* or gp*1 or healthcare or health profession* or leader* or nurs* or personnel* or physician* or practitioner* or pharmacist* or professional* or provider* or specialist* or staff* or worker*) N33 (barrier* or obstacle* or facilitat* or obstruct* or takeup* or take up*))
S10	TI ((adult* or carer* or caregiver* or care giver* or client* or consumer* or customer* or famil* or father* or individual* or mentor* or men or minorities or mother* or outpatient* or patient* or people* or person* or population* or teacher* or women* or woman* or user* or adolescen* or child* or teen* or youngster* or youth*:1) N3 (access* or attend* or aversion or barrier* or equit* or facilitat* or inequalit* or inequit* or non attend* or obstacle* or obstruct* or refus* or takeup* or take up * or uptake or utiliz* or utilis*)) OR AB ((adult* or carer* or caregiver* or care giver* or client* or consumer* or customer* or famil* or father* or individual* or mentor* or men or minorities or mother* or outpatient* or patient* or people* or person* or population* or teacher* or women* or woman* or user* or adolescen* or child* or teen* or youngster* or youth*:1) N3 (access* or attend* or aversion or barrier* or equit* or facilitat* or inequalit* or inequit* or non attend* or obstacle* or obstruct* or refus* or takeup* or take up * or uptake or utiliz* or utilis*))
S9	TI ((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) N3 (abortion or termination)) OR AB ((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) N3 (abortion or termination))
S8	TI ((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) N5 (care or healthcare or intervention* or program* or referral* or service* or system* or therap* or treat*)) OR AB ((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or take up* or uptake or utiliz* or utilis*) N5 (care or healthcare or intervention* or program* or referral* or service* or system* or therap* or treat*))
S7	(MH "Quality of Health Care")
S6	(MH "Health Care Delivery") OR (MH "Health Care Delivery, Integrated")
S5	(MH "Health Services Accessibility+")
S4	S1 OR S2 OR S3
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabort* or preabort*) OR AB (abort* or postabort* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

19 Database: Web of Science Core Collection

20 Timespan=2001-2018. Date of last search: 21st November 2018

#	Searches
# 11	#10 Refined by: LANGUAGES: (ENGLISH) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
#10	#9 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
#9	#8 OR #7 OR #6 OR #5 OR #4 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 8	TS=((service* or infrastructure* or infra structure*) SAME (sustain* or continuation or durabl* or viabl* or stabl*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 7	TS=((clinician* or doctor* or facilitator* or healthcare or health profession* or leader* or nurs* or personnel* or physician* or practitioner* or pharmacist* or professional* or provider* or specialist* or staff* or worker*)) SAME (barrier* or obstacle* or facilitat* or obstruct* or takeup*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 6	TS=((adult* or carer* or caregiver* or care giver* or client* or consumer* or famil* or father* or individual* or mentor* or men or minorities or mother* or outpatient* or patient* or people* or person* or population* or teacher* or women* or woman* or user* or adolescen* or child* or teen* or youngster* or youth*) SAME (access* or attend* or aversion or barrier* or equit* or facilitat* or inequalit* or inequit* or non attend* or obstacle* or obstruct* or refus* or takeup* or uptake or utiliz* or utilis*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 5	TS=((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or uptake or utiliz* or utilis*) SAME (abortion or termination)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 4	TS=((access* or attend* or aversion or barrier* or equit* or facilitat* or inequit* or inequalit* or obstacle* or obstruct* or refus* or takeup* or uptake or utiliz* or utilis*) SAME (care or healthcare or intervention* or program* or referral* or service* or system* or therap* or treat*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 3	#2 OR #1 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 2	TI=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 1	TI=(abort* or postabort* or preabort*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018

21 Accessibility and Sustainability of Clinical Services for Termination of Pregnancy - Strategies

23 What strategies improve the factors that help or hinder the accessibility and sustainability of
24 a safe termination of pregnancy service?

25 The search for this topic was last run on 21st November 2018 during the re-runs for this
26 guideline.

27 Database: Medline & Embase (Multifile)

28 Last searched on **Embase Classic+Embase** 1947 to 2018 November 20, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 20, 2018

31 Date of last search: 21st November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.

#	Searches
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$.tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Social Stigma/ use ppez
17	social stigma/ use emczd
18	Health Education/mt use ppez
19	Health Promotion/mt use ppez
20	*health education/ use emczd
21	*health promotion/ use emczd
22	((abortion or termination or ToP) adj3 stigma\$).tw.
23	((reduc\$ or lower or decreas\$) adj3 stigma\$).tw.
24	((rais\$ or increas\$ or improv\$ or promot\$ or expand\$ or spread\$ or creat\$) adj3 awareness\$).tw.
25	(awareness\$ adj campaign\$).tw.
26	((provider\$ or trainee\$ or regional\$ or communit\$ or outreach\$ or value\$) adj3 workshop\$).tw.
27	(educat\$ adj (program\$ or intervention\$)).tw.
28	((streamlin\$ or centrali?ed) adj3 (process\$ or procedure\$ or service\$ or pathway\$ or access\$ or program\$ or system\$ or refer\$ or appointment\$ or booking\$)).tw.
29	(navigat\$ adj3 health\$).tw.
30	exp "Referral and Consultation"/ use ppez
31	patient referral/ use emczd
32	((abortion or termination or ToP) adj3 referral\$).tw.
33	((GP\$ or general practitioner\$) adj refer\$).tw.
34	(self refer\$ or self-refer\$ or selfrefer\$).tw.
35	Patient Care Team/ use ppez
36	*patient care/ use emczd
37	"multidisciplinary team care"/ use emczd
38	((patient\$ or medical or health) adj1 care team) or healthcare team).tw.
39	((multiprofess\$ or multi-profess\$ or interprofess\$ or inter-profess\$ or transprofess\$ or trans-profess\$ or multidisciplin\$ or multi-disciplin\$ or interdisciplin\$ or inter-disciplin\$ or transdisciplin\$ or trans-disciplin\$ or crossdisciplin\$ or cross-disciplin\$) adj5 (clinic\$ or center\$ or centre\$ or service\$ or team\$ or group\$ or staff\$ or care or therap\$ or management or approach\$ or treat\$ or panel\$ or program\$ or system\$ or setting\$ or unit)).tw.
40	MDT\$1.tw.
41	Interdisciplinary Communication/ use ppez
42	interdisciplinary communication/ use emczd
43	((multiprofess\$ or multi-profess\$ or interprofess\$ or inter-profess\$ or transprofess\$ or trans-profess\$ or multidisciplin\$ or multi-disciplin\$ or interdisciplin\$ or inter-disciplin\$ or transdisciplin\$ or trans-disciplin\$ or crossdisciplin\$ or cross-disciplin\$) adj3 (communic\$ or network? or collaborat\$ or relation\$)).tw.
44	(key worker\$ or key person or case worker\$ or case manager\$).tw.
45	"Internship and Residency"/ use ppez
46	(*education, medical/ or *education, nursing/) use ppez
47	(schools, medical/ or schools, nursing/) use ppez
48	(students, medical/ or students, nursing/) use ppez
49	Curriculum/ use ppez
50	Clinical Competence/ use ppez
51	resident/ use emczd
52	(*medical education/ or *nursing education/ or residency education/) use emczd
53	(medical student/ or nursing student/) use emczd
54	medical school/ use emczd
55	curriculum/ use emczd
56	clinical competence/ use emczd
57	((abortion or termination or ToP) adj3 (education\$ or training)).tw.
58	(residen\$ adj training).mp.
59	((opt-in or opting-in or opting in or opt-out or opting-out or opting out or elective or non-elective) adj5 training).tw.
60	(training adj (program\$ or model\$)).mp.
61	(*health personnel/ or *case managers/ or *faculty, medical/ or *faculty, nursing/ or *medical staff/ or *physicians/ or *physician assistants/ or *midwifery/ or exp *nurses/ or exp *nursing staff/) use ppez
62	(*nurse's role/ or *physician's role/) use ppez
63	*Attitude of Health Personnel/ use ppez
64	(*health care personnel/ or *case manager/ or *medical staff/ or exp *nursing staff/ or exp *nurse/ or *physician/ or *physician assistant/ or *midwife/) use emczd
65	(*nurse attitude/ or *physician attitude/) use emczd
66	*health personnel attitude/ use emczd
67	((abortion or termination or ToP) adj5 (provider\$ or provision\$)).tw.
68	((physician\$ or nurs\$ or midwife\$ or midwives\$ or doctor\$ or mid-level\$ or mid level\$) adj3 (provider\$ or provision\$)).tw.
69	(provider-led or physician-led or nurse-led or midwife-led or doctor-led).tw.
70	(Telemedicine/ or Telenursing/ or Remote Consultation/) use ppez
71	(telemedicine/ or telenursing/ or teleconsultation/) use emczd
72	(telemedicine or tele-medicine or telenurs\$ or tele-nurs\$ or telemedical or tele-medical or videoconsult\$ or video-consult\$ or teleconsult\$ or tele-consult\$ or e-consult\$).tw.

#	Searches
73	((remote\$ or distanc\$ or distant or audio or audio-visual or audiovisual or telephone\$ or phone\$ or video\$ or internet\$ or computer\$ or webcam or website\$ or electronic or smartphone\$ or email or e-mail) adj5 (consult\$ or communicat\$ or assess\$ or examin\$ or evaluat\$)).tw.
74	or/16-73
75	((community\$ or local\$ or remote\$ or rural\$) adj3 (setting\$ or facilit\$ or unit\$ or delivery\$ or service\$ or context\$ or provider\$)).tw.
76	((hospital\$ or central\$ or in-clinic\$) adj3 (setting\$ or facilit\$ or unit\$ or delivery\$ or service\$ or context\$ or provider\$)).tw.
77	15 and 74
78	15 and 75 and 76
79	77 or 78
80	limit 79 to english language
81	limit 80 to yr="2001 -Current"
82	letter/
83	editorial/
84	news/
85	exp historical article/
86	Anecdotes as Topic/
87	comment/
88	case report/
89	(letter or comment*).ti.
90	82 or 83 or 84 or 85 or 86 or 87 or 88 or 89
91	randomized controlled trial/ or random*.ti,ab.
92	90 not 91
93	animals/ not humans/
94	exp Animals, Laboratory/
95	exp Animal Experimentation/
96	exp Models, Animal/
97	exp Rodentia/
98	(rat or rats or mouse or mice).ti.
99	92 or 93 or 94 or 95 or 96 or 97 or 98
100	letter.pt. or letter/
101	note.pt.
102	editorial.pt.
103	case report/ or case study/
104	(letter or comment*).ti.
105	100 or 101 or 102 or 103 or 104
106	randomized controlled trial/ or random*.ti,ab.
107	105 not 106
108	animal/ not human/
109	nonhuman/
110	exp Animal Experiment/
111	exp Experimental Animal/
112	animal model/
113	exp Rodent/
114	(rat or rats or mouse or mice).ti.
115	107 or 108 or 109 or 110 or 111 or 112 or 113 or 114
116	99 use ppez
117	115 use emczd
118	116 or 117
119	81 and 118
120	81 not 119
121	remove duplicates from 120

32 Database: Cochrane Library via Wiley Online

33 Date of last search: 21st November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)

#	Searches
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar* or near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Social Stigma] this term only
#14	MeSH descriptor: [Health Education] this term only and with qualifier(s): [methods - MT]
#15	MeSH descriptor: [Health Promotion] this term only and with qualifier(s): [methods - MT]
#16	((abortion or termination or ToP) NEAR/3 stigma*):ti,ab,kw
#17	((reduc* or lower or decreas*) NEAR/3 stigma*):ti,ab,kw
#18	((rais* or increas* or improv* or promot* or expand* or spread* or creat*) NEAR/3 awareness*):ti,ab,kw
#19	((awareness* NEXT campaign*)):ti,ab,kw
#20	((provider* or trainee* or regional* or communitt* or outreach* or value*) NEAR/3 workshop*):ti,ab,kw
#21	((educat* NEXT (program* or intervention*)):ti,ab,kw
#22	((streamlin* or centralised or centralized) NEAR/3 (process* or procedure* or service* or pathway* or access* or program* or system* or refer* or appointment* or booking*)):ti,ab,kw
#23	((navigat* NEAR/3 health*)):ti,ab,kw
#24	MeSH descriptor: [Referral and Consultation] explode all trees
#25	((abortion or termination or ToP) NEAR/3 referral*):ti,ab,kw
#26	((GP* or general practitioner*) NEXT refer*):ti,ab,kw
#27	((self refer* or self-refer* or selfrefer*)):ti,ab,kw
#28	MeSH descriptor: [Patient Care Team] this term only
#29	((patient* or medical or health) NEAR/1 care team) or healthcare team):ti,ab,kw
#30	((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) NEAR/5 (clinic* or center* or centre* or service* or team* or group* or staff* or care or therap* or management or approach* or treat* or panel* or program* or system* or setting* or unit)):ti,ab,kw
#31	(MDT*):ti,ab,kw
#32	MeSH descriptor: [Interdisciplinary Communication] this term only
#33	((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) NEAR/3 (communic* or network? or collaborat* or relation*)):ti,ab,kw
#34	((key worker* or key person or case worker* or case manager*)):ti,ab,kw
#35	MeSH descriptor: [Internship and Residency] this term only
#36	MeSH descriptor: [Education, Medical] this term only
#37	MeSH descriptor: [Education, Nursing] this term only
#38	MeSH descriptor: [Schools, Medical] this term only
#39	MeSH descriptor: [Schools, Nursing] this term only
#40	MeSH descriptor: [Students, Medical] this term only
#41	MeSH descriptor: [Students, Nursing] this term only
#42	MeSH descriptor: [Curriculum] this term only
#43	MeSH descriptor: [Clinical Competence] this term only
#44	((abortion or termination or ToP) NEAR/3 (education\$ or training)):ti,ab,kw
#45	((residen* NEXT training)):ti,ab,kw
#46	((opt-in or opting-in or opting in or opt-out or opting-out or opting out or elective or non-elective) NEAR/5 training)):ti,ab,kw
#47	((training NEXT (program* or model*)):ti,ab,kw
#48	MeSH descriptor: [Health Personnel] this term only
#49	MeSH descriptor: [Case Managers] this term only
#50	MeSH descriptor: [Faculty, Medical] this term only
#51	MeSH descriptor: [Faculty, Nursing] this term only
#52	MeSH descriptor: [Medical Staff] this term only
#53	MeSH descriptor: [Physicians] this term only
#54	MeSH descriptor: [Physician Assistants] this term only
#55	MeSH descriptor: [Midwifery] this term only
#56	MeSH descriptor: [Nurses] explode all trees
#57	MeSH descriptor: [Nursing Staff] explode all trees
#58	MeSH descriptor: [Nurse's Role] this term only
#59	MeSH descriptor: [Physician's Role] this term only
#60	MeSH descriptor: [Attitude of Health Personnel] this term only
#61	((abortion or termination or ToP) NEAR/5 (provider* or provision*)):ti,ab,kw
#62	((physician* or nurs* or midwife* or midwives* or doctor* or mid-level* or midlevel* or mid level*) NEAR/3 (provider* or provision*)):ti,ab,kw
#63	((provider-led or physician-led or nurse-led or midwife-led or doctor-led)):ti,ab,kw
#64	MeSH descriptor: [Telemedicine] this term only
#65	MeSH descriptor: [Telenursing] this term only
#66	MeSH descriptor: [Remote Consultation] this term only
#67	((telemedicine or tele-medicine or telenurs* or tele-nurs* or telemedical or tele-medical or videoconsult* or video-consult* or teleconsult* or tele-consult* or e-consult*)):ti,ab,kw
#68	((remote* or distanc* or distant or audio or audio-visual or audiovisual or telephone* or phone* or video* or internet* or computer* or webcam or website* or electronic or smartphone* or email or e-mail) NEAR/5 (consult* or communicat* or assess* or examin* or evaluat*)):ti,ab,kw

#	Searches
#69	#13 or #14 or #15 #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66 or #67 or #68
#70	#12 AND #69
#71	((community* or local* or remote* or rural*) NEAR/3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*)):ti,ab,kw
#72	((hospital* or central* or in-clinic*) NEAR/3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*)):ti,ab,kw
#73	#12 AND #71 AND #72
#74	#70 or #73 Publication Year from 2001 to 2018

34 Database: Cinahl Plus

35 Date of last search: 21st November 2018

#	Searches
S58	S54 OR S57 Limiters - Publication Year: 2001-2018; English Language
S57	S4 AND S55 AND S56
S56	TI ((hospital* or central* or in-clinic*) N3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*)) OR AB ((hospital* or central* or in-clinic*) N3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*))
S55	TI ((community* or local* or remote* or rural*) N3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*)) OR AB ((community* or local* or remote* or rural*) N3 (setting* or facilit* or unit* or delivery* or service* or context* or provider*))
S54	S4 AND S53
S53	S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52
S52	TI ((remote* or distanc* or distant or audio or audio-visual or audiovisual or telephone* or phone* or video* or internet* or computer* or webcam or website* or electronic or smartphone* or email or e-mail) N5 (consult* or communicat* or assess* or examin* or evaluat*)) OR AB ((remote* or distanc* or distant or audio or audio-visual or audiovisual or telephone* or phone* or video* or internet* or computer* or webcam or website* or electronic or smartphone* or email or e-mail) N5 (consult* or communicat* or assess* or examin* or evaluat*))
S51	TI (telemedicine or tele-medicine or telenurs* or tele-nurs* or telemedical or tele-medical or videoconsult* or video-consult* or teleconsult* or tele-consult* or e-consult*) OR AB (telemedicine or tele-medicine or telenurs* or tele-nurs* or telemedical or tele-medical or videoconsult* or video-consult* or teleconsult* or tele-consult* or e-consult*)
S50	(MH "Remote Consultation")
S49	(MH "Telemedicine") OR (MH "Telenursing")
S48	TI (provider-led or physician-led or nurse-led or midwife-led or doctor-led) OR AB (provider-led or physician-led or nurse-led or midwife-led or doctor-led)
S47	TI ((physician* or nurs* or midwife* or midwives* or doctor* or mid-level* or midlevel* or mid level*) N3 (provider* or provision*)) OR AB ((physician* or nurs* or midwife* or midwives* or doctor* or mid-level* or midlevel* or mid level*) N3 (provider* or provision*))
S46	TI ((abortion or termination or ToP) N5 (provider* or provision*)) OR AB ((abortion or termination or ToP) N5 (provider* or provision*))
S45	(MM "Attitude of Health Personnel")
S44	(MM "Physician's Role") OR (MM "Nursing Role")
S43	(MM "Nurses+")
S42	(MM "Midwifery")
S41	(MM "Physician Assistants") OR (MM "Physicians")
S40	(MM "Medical Staff") OR (MM "Nursing Staff, Hospital")
S39	(MM "Faculty, Medical") OR (MM "Faculty, Nursing")
S38	(MM "Case Managers")
S37	(MM "Health Personnel")
S36	TI (training NEXT (program* or model*)) OR AB (training NEXT (program* or model*))
S35	TI ((opt-in or opting-in or opting in or opt-out or opting-out or opting out or elective or non-elective) N5 training) OR AB ((opt-in or opting-in or opting in or opt-out or opting-out or opting out or elective or non-elective) N5 training)
S34	TI (residen* NEXT training) OR AB (residen* NEXT training)
S33	TI ((abortion or termination or ToP) N3 (education* or training)) OR AB ((abortion or termination or ToP) N3 (education* or training))
S32	(MH "Clinical Competence")
S31	(MH "Curriculum")
S30	(MH "Students, Medical") OR (MH "Students, Nursing")
S29	(MH "Schools, Medical") OR (MH "Schools, Nursing")
S28	(MH "Education, Medical") OR (MH "Education, Nursing")
S27	(MH "Internship and Residency")
S26	TI (key worker* or key person or case worker* or case manager*) OR AB (key worker* or key person or case worker* or case manager*)
S25	TI (multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or

#	Searches
	crossdisciplin* or cross-disciplin*) N3 (communic* or network? or collaborat* or relation*)) OR AB (multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) N3 (communic* or network? or collaborat* or relation*))
S24	TI (MDT*) OR AB (MDT*)
S23	TI ((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) N5 (clinic* or center* or centre* or service* or team* or group* or staff* or care or therap* or management or approach* or treat* or panel* or program* or system* or setting* or unit)) OR AB ((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) N5 (clinic* or center* or centre* or service* or team* or group* or staff* or care or therap* or management or approach* or treat* or panel* or program* or system* or setting* or unit))
S22	TI (((patient\$ or medical or health) N1 care team) or healthcare team) OR AB (((patient\$ or medical or health) N1 care team) or healthcare team)
S21	(MH "Multidisciplinary Care Team")
S20	TI (self refer* or self-refer* or selfrefer*) OR AB (self refer* or self-refer* or selfrefer*)
S19	TI ((GP or general practitioner*) NEXT refer*) OR AB ((GP or general practitioner*) NEXT refer*)
S18	TI ((GP or general practitioner*) NEXT refer*) OR AB ((GP or general practitioner*) NEXT refer*)
S17	TI ((abortion or termination or ToP) N3 referral*) OR AB ((abortion or termination or ToP) N3 referral*)
S16	(MH "Referral and Consultation+")
S15	TI (navigat* N3 health*) OR AB (navigat* N3 health*)
S14	TI ((streamlin* or centrali?ed) N3 (process* or procedure* or service* or pathway* or access* or program* or system* or refer* or appointment* or booking*)) OR AB ((streamlin* or centrali?ed) N3 (process* or procedure* or service* or pathway* or access* or program* or system* or refer* or appointment* or booking*))
S13	TI (educat* NEXT (program* or intervention*)) OR AB (educat* NEXT (program* or intervention*))
S12	TI ((provider* or trainee* or regional* or communit* or outreach* or value*) N3 workshop*) OR AB ((provider* or trainee* or regional* or communit* or outreach* or value*) N3 workshop*)
S11	TI (awareness* NEXT campaign*) OR AB (awareness* NEXT campaign*)
S10	TI ((rais* or increas* or improv* or promot* or expand* or spread* or creat*) N3 awareness*) OR AB ((rais* or increas* or improv* or promot* or expand* or spread* or creat*) N3 awareness*)
S9	TI ((reduc* or lower or decreas*) N3 stigma*) OR AB ((reduc* or lower or decreas*) N3 stigma*)
S8	TI ((abortion or termination or ToP) N3 stigma*) OR AB ((abortion or termination or ToP) N3 stigma*)
S7	(MH "Health Promotion/MT")
S6	(MH "Health Education/MT")
S5	(MH "Stigma")
S4	S1 OR S2 OR S3
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabort* or preabort*) OR AB (abort* or postabort* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

36

37 Database: Web of Science Core Collection

38 Timespan=2001-2018. Date of last search: 21st November 2018

#	Searches
# 33	#32 OR #29 Refined by: LANGUAGES: (ENGLISH) AND [excluding] DOCUMENT TYPES: (NEWS ITEM OR BOOK REVIEW OR EDITORIAL MATERIAL OR LETTER) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 32	#31 AND #30 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 31	TS=((hospital* or central* or in-clinic*) SAME (setting* or facilit* or unit* or delivery* or service* or context* or provider*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 30	TS=((community* or local* or remote* or rural*) SAME (setting* or facilit* or unit* or delivery* or service* or context* or provider*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 29	#28 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 28	#27 OR #26 OR #25 OR #24 OR #23 OR #22 OR #21 OR #20 OR #19 OR #18 OR #17 OR #16 OR #15 OR #14 OR #13 OR #12 OR #11 OR #10 OR #9 OR #8 OR #7 OR #6 OR #5 OR #4 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 27	TS=((remote* or distanc* or distant or audio or audio-visual or audiovisual or telephone* or phone* or video* or internet* or computer* or webcam or website* or electronic or smartphone* or email or e-mail) SAME (consult* or communicat* or assess* or examin* or evaluat*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018

#	Searches
# 26	TS=(telemedicine or tele-medicine or telenurs* or tele-nurs* or telemedical or tele-medical or videoconsult* or video-consult* or teleconsult* or tele-consult* or e-consult*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 25	TS=(provider-led or physician-led or nurse-led or midwife-led or doctor-led) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 24	TS=((physician* or nurs* or midwife* or midwives* or doctor* or mid-level* or midlevel* or mid level*) SAME (provider* or provision*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 23	TS=((abortion or termination or ToP) SAME (provider* or provision*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 22	TS=(training NEAR (program* or model*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 21	TS=(residen* NEAR training) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 20	TS=((abortion or termination or ToP) SAME (education* or training)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 19	TS=(key worker* or key person or case worker* or case manager*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 18	TS=((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) SAME (communic* or network* or collaborat* or relation*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 17	TS=MDT* Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 16	TS=((multiprofess* or multi-profess* or interprofess* or inter-profess* or transprofess* or trans-profess* or multidisciplin* or multi-disciplin* or interdisciplin* or inter-disciplin* or transdisciplin* or trans-disciplin* or crossdisciplin* or cross-disciplin*) SAME (clinic* or center* or centre* or service* or team* or group* or staff* or care or therap* or management or approach* or treat* or panel* or program* or system* or setting* or unit)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 15	TS=((patient* or medical or health) NEAR care team) or healthcare team) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 14	TS=(self refer* or self-refer* or selfrefer*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 13	TS=((GP or general practitioner*) SAME refer*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 12	TS=((abortion or termination or ToP) SAME referral*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 11	TS=(navigat* SAME health*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 10	TS=((streamlin* or centralised or centralized) SAME (process* or procedure* or service* or pathway* or access* or program* or system* or refer* or appointment* or booking*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 9	TS=(educat* NEAR (program* or intervention*)) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 8	TS=((provider* or trainee* or regional* or communit* or outreach* or value*) SAME workshop*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 7	TS=(awareness* NEAR campaign*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 6	TS=((rais* or increas* or improv* or promot* or expand* or spread* or creat*) SAME awareness*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 5	TS=((reduc* or lower or decreas*) SAME stigma*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 4	TS=((abortion or termination or ToP) SAME stigma*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 3	#2 OR #1 Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 2	TI=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018
# 1	TI=(abort* or postabort* or preabort*) Indexes=SCI-EXPANDED, SSCI Timespan=2001-2018

39 Information and Support Needs of Women undergoing a Termination of Pregnancy

- 41 What information would women who have requested a termination of pregnancy like?
- 42 What support would women like after a termination of pregnancy?

43 The search for this topic was last run on 5th April 2018. It was decided not to undertake a re-
44 run for this topic in November 2018 as any additional qualitative evidence identified would be
45 unlikely to change the recommendations.

46 Database: Medline & Embase (Multifile)

47 Last searched on **Embase Classic+Embase** 1947 to 2018 April 04, **Ovid MEDLINE(R)**
48 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
49 **Daily and Ovid MEDLINE(R)** 1946 to Present

50 Date of last search: 5th April 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	(((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Choice Behavior/ use ppez
17	Decision Making/ use ppez
18	Decision Support Techniques/ use ppez
19	decision making/ use emczd
20	decision support system/ use emczd
21	(decision\$ or choic\$ or preference\$).tw.
22	16 or 17 or 18 or 19 or 20 or 21
23	Patient Compliance/ use ppez
24	Informed Consent/ use ppez
25	Treatment Refusal/ use ppez
26	exp Consumer Behavior/ use ppez
27	exp Consumer Participation/ use ppez
28	exp Health Education/ use ppez
29	patient compliance/ use emczd
30	informed consent/ use emczd
31	treatment refusal/ use emczd
32	exp consumer attitude/ use emczd
33	exp consumer/ use emczd
34	exp health education/ use emczd
35	23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34
36	15 and 22 and 35
37	Communication/ use ppez
38	interpersonal communication/ use emczd
39	communicat\$.tw.
40	Patient Education as Topic/ use ppez
41	patient education/ use emczd
42	((patient\$ or consumer\$) adj3 (educat\$ or skill\$ or teach\$ or train\$ or coach\$)).tw.
43	37 or 38 or 39
44	40 or 41 or 42
45	15 and 43 and 44
46	(Information Centers/ or Information Services/ or Information Dissemination/) use ppez
47	(Libraries/ or Library Services/) use ppez
48	(information center/ or information service/ or information dissemination/) use emczd
49	library/ use emczd
50	(Pamphlets/ or exp internet/ or exp computers, handheld/ or mobile applications/ or social networking/ or electronic mail/ or text messaging/ or hotlines/) use ppez
51	(publication/ or internet/ or personal digital assistant/ or exp mobile phone/ or mobile application/ or social media/ or social network/ or blogging/ or e-mail/ or text messaging/ or hotline/) use emczd
52	(computer\$ adj3 (handheld or palm top or palmtop or pda or tablet\$)).tw.
53	((mobile\$ or portable) adj3 application\$).tw.

#	Searches
54	(app or apps or blog\$ or booklet\$ or brochure\$ or dvd\$ or elearn\$ or e-learn\$ or email\$ or e mail\$ or facebook or facetime or face time or forum\$ or handout\$ or hand-out\$ or hand out\$ or helpline\$ or hotline\$ or internet\$ or ipad\$ or iphone\$ or leaflet\$ or myspace or online or magazine\$ or mobile phone\$ or newsletter\$ or pamphlet\$ or palm pilot\$ or personal digital assistant\$ or pocket pc\$ or podcast\$ or poster? or skype\$ or smartphone\$ or smart phone\$ or social media or social network\$ or sms or text messag\$ or twitter or tweet\$ or video\$ or web\$ or wiki\$ or youtube\$ or diary or diaries or guidebook\$ or checklist\$ or check list\$ or written or write or ((fact\$ or instruction\$) adj sheet\$)).tw.
55	(helpline or help line or ((phone\$ or telephone\$) adj3 (help\$ or instruct\$ or interact\$ or interven\$ or mediat\$ or program\$ or rehab\$ or strateg\$ or support\$ or teach\$ or therap\$ or train\$ or treat\$ or workshop\$)) or ((phone or telephone\$) adj2 (assist\$ or based or driven or led or mediat\$))).tw.
56	patient education handout/ use ppez
57	(patient information/ or medical information/) use emczd
58	((medical or health or electronic or virtual) adj3 (communicat\$ or educat\$ or informat\$ or learn\$)).tw.
59	(information adj3 (need\$ or requirement\$ or support\$ or material\$ or electronic\$ or web\$ or print\$)).tw.
60	(Physician-Patient Relations/ or Hospital-Patient Relations/ or Nurse-Patient Relations/ or Professional-Patient Relations/ or exp Adaptation, Psychological/ or exp "Religion and Psychology"/ or Emotions/ or anxiety/ or fear/ or stress, psychological/) use ppez
61	(doctor patient relation/ or nurse patient relationship/ or human relation/ or adaptive behavior/ or adjustment/ or adjustment disorder/ or religion/ or emotion/ or anxiety/ or fear/ or mental stress/) use emczd
62	(exp Psychotherapy/ or exp Cognitive Therapy/ or exp Counseling/ or exp Self-Help Groups/ or exp Social Support/ or self care/) use ppez
63	(psychotherapy/ or psychology/ or cognitive therapy/ or counseling/ or self help/ or social support/ or self care/) use emczd
64	((community or lay or paid or support) adj (person or worker\$)).tw.
65	((consumer\$ or famil\$ or friend\$ or lay or mutual\$ or peer\$ or social\$ or voluntary or volunteer\$) adj3 (advice\$ or advis\$ or counsel\$ or educat\$ or forum\$ or help\$ or mentor\$ or network\$ or support\$ or visit\$)).tw.
66	((consumer\$ or famil\$ or peer\$ or self help or social\$ or support\$ or voluntary or volunteer\$) adj3 group\$).tw.
67	((consumer\$ or famil\$ or friend\$ or lay or mutual\$ or peer\$ or self help or social\$ or voluntary or volunteer\$) adj3 (intervention\$ or program\$ or rehab\$ or therap\$ or service\$ or skill\$ or treat\$)).tw.
68	((psychosocial\$ or psycho social\$) adj3 (assist\$ or counsel\$ or intervention\$ or program\$ or support\$ or therap\$ or treat\$)).tw.
69	((emotion\$ or network\$ or organi?ation\$ or peer\$) adj3 support\$).tw.
70	(group\$1 adj3 (advocacy or approach\$ or assist\$ or coach\$ or counsel\$ or educat\$ or help\$ or instruct\$ or learn\$ or module\$ or network\$ or participat\$ or program\$ or psychotherap\$ or rehab\$ or skill\$ or strateg\$ or support\$ or teach\$ or train\$ or workshop\$ or work shop\$)).tw.
71	(helpseek\$ or ((search\$ or seek\$) adj3 (care or assistance or counsel\$ or healthcare or help\$ or support\$ or therap\$ or treat\$))).tw.
72	supportive relationship\$.tw.
73	((patient\$ or consumer\$ or family or relative or carer or husband or wife or woman\$ or women\$ or personal or interpersonal or individual) adj1 decision\$).tw.
74	46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73
75	15 and 74
76	36 or 45 or 75
77	Attitude/ use ppez
78	exp Attitude to Health/ use ppez
79	exp Patient Satisfaction/ use ppez
80	Patient Preference/ use ppez
81	Patient Education as Topic/ use ppez
82	"Patient Acceptance of Health Care"/ use ppez
83	attitude/ use emczd
84	exp attitude to health/ use emczd
85	exp patient attitude/ use emczd
86	exp family attitude/ use emczd
87	exp patient satisfaction/ use emczd
88	exp consumer satisfaction/ use emczd
89	patient education/ use emczd
90	"Patient Acceptance of Health Care"/ use emczd
91	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) adj3 (attitude\$ or choice\$ or dissatisf\$ or expectation\$ or experienc\$ or inform\$ or opinion\$ or (perception\$ not speech perception) or perspective\$ or preferen\$ or priorit\$ or satisf\$ or view\$)).tw.
92	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) adj3 (account\$ or anxieties or belief\$ or buyin or buy in\$1 or concern\$ or cooperat\$ or co operat\$ or dissatisfaction or feedback or feeling\$ or idea\$ or involv\$ or needs\$ or participat\$ or perceived need\$ or voices or worries or worry\$)).ti.
93	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or

#	Searches
	population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) and ((attitude\$ or choice\$ or dissatisf\$ or expectation\$ or experienc\$ or inform\$ or opinion\$ or (perception\$ not speech perception) or perspective\$ or preferen\$ or priorit\$ or satisf\$ or view\$) adj3 (care or healthcare or program\$ or therap\$ or psychotherap\$ or service\$ or treatment\$)).tw.
94	((information adj (need\$ or requirement\$ or support)) or (patient adj (adher\$ or complian\$ or concord\$)) or (service adj2 (acceptab\$ or unacceptab\$))).tw.
95	case stud\$.tw.
96	Interview/ or interviews as topic/ or qualitative research/
97	(experience\$ or qualitative or interview\$ or themes).tw.
98	(metasynthes\$ or meta-synthes\$ or metasummar\$ or meta-summar\$ or metastud\$ or meta-stud\$ or metathem\$ or meta-them\$).tw.
99	77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91 or 92 or 93 or 94 or 95 or 96 or 97
100	76 and 99
101	15 and 98
102	100 or 101
103	limit 102 to yr="2004 -Current"
104	limit 103 to english language
105	letter/
106	editorial/
107	news/
108	exp historical article/
109	Anecdotes as Topic/
110	comment/
111	case report/
112	(letter or comment*).ti.
113	105 or 106 or 107 or 108 or 109 or 110 or 111 or 112
114	randomized controlled trial/ or random*.ti,ab.
115	113 not 114
116	animals/ not humans/
117	exp Animals, Laboratory/
118	exp Animal Experimentation/
119	exp Models, Animal/
120	exp Rodentia/
121	(rat or rats or mouse or mice).ti.
122	115 or 116 or 117 or 118 or 119 or 120 or 121
123	letter.pt. or letter/
124	note.pt.
125	editorial.pt.
126	case report/ or case study/
127	(letter or comment*).ti.
128	123 or 124 or 125 or 126 or 127
129	randomized controlled trial/ or random*.ti,ab.
130	128 not 129
131	animal/ not human/
132	nonhuman/
133	exp Animal Experiment/
134	exp Experimental Animal/
135	animal model/
136	exp Rodent/
137	(rat or rats or mouse or mice).ti.
138	130 or 131 or 132 or 133 or 134 or 135 or 136 or 137
139	122 use ppez
140	138 use emczd
141	139 or 140
142	104 and 141
143	104 not 142
144	remove duplicates from 143

51 Database: PsycINFO

52 Date of last search: 5th April 2018

#	Searches
1	exp Induced Abortion/ use psyh
2	exp Spontaneous Abortion/ use psyh
3	exp Abortion Laws/ use psyh
4	exp "Abortion (Attitudes Toward)"/ use psyh
5	abortion.mp.
6	(abort\$ or postabort\$ or preabort\$).mp.

#	Searches
7	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
8	((f?etal\$ or f?etus\$) adj loss\$).mp.
9	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
10	(((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
11	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10
12	Choice Behavior/ use psych
13	Decision Making/ use psych
14	Decision Support Systems/
15	Decision Support Systems/ use psych
16	(decision\$ or choic\$ or preference\$).tw.
17	12 or 13 or 14 or 15 or 16
18	Compliance/ use psych
19	Informed Consent/ use psych
20	Treatment Refusal/ use psych
21	exp Consumer Behavior/ use psych
22	exp Client Participation/ use psych
23	exp Health Education/ use psych
24	18 or 19 or 20 or 21 or 22 or 23
25	11 and 17 and 24
26	Communication/ use psych
27	Interpersonal Communication/ use psych
28	communicat\$.tw.
29	Client Education/ use psych
30	((patient\$ or consumer\$) adj3 (educat\$ or skill\$ or teach\$ or train\$ or coach\$)).tw.
31	26 or 27 or 28
32	29 or 30
33	11 and 31 and 32
34	(Information Services/ or Information Dissemination/) use psych
35	Libraries/ use psych
36	(exp internet/ or exp computers/ or mobile phone/ or social media/ or social network/ or electronic mail/ or text messaging/) use psych
37	(computer\$ adj3 (handheld or palm top or palmtop or pda or tablet\$)).tw.
38	((mobile\$ or portable) adj3 application\$).tw.
39	(app or apps or blog\$ or booklet\$ or brochure\$ or dvd\$ or elearn\$ or e-learn\$ or email\$ or e-mail\$ or e mail\$ or facebook or facetime or face time or forum\$ or handout\$ or hand-out\$ or hand out\$ or helpline\$ or hotline\$ or internets\$ or ipad\$ or iphone\$ or leaflet\$ or myspace or online or magazine\$ or mobile phone\$ or newsletter\$ or pamphlet\$ or palm pilot\$ or personal digital assistant\$ or pocket pc\$ or podcast\$ or poster? or skype\$ or smartphone\$ or smart phone\$ or social media or social network\$ or sms or text messag\$ or twitter or tweet\$ or video\$ or web\$ or wiki\$ or youtube\$ or diary or diaries or guidebook\$ or checklist\$ or check list\$ or written or write or ((fact\$ or instruction\$) adj sheet\$)).tw.
40	(helpline or help line or ((phone\$ or telephone\$) adj3 (help\$ or instruct\$ or interact\$ or interven\$ or mediat\$ or program\$ or rehab\$ or strateg\$ or support\$ or teach\$ or therap\$ or train\$ or treat\$ or workshop\$)) or ((phone or telephone\$) adj2 (assist\$ or based or driven or led or mediat\$))).tw.
41	Information/ use psych
42	((medical or health or electronic or virtual) adj3 (communicat\$ or educat\$ or informat\$ or learn\$)).tw.
43	(information adj3 (need\$ or requirement\$ or support\$ or material\$ or electronic\$ or web\$ or print\$)).tw.
44	(Adaptive Behavior/ or adjustment/ or religion/ or Spirituality/ or Emotions/ or anxiety/ or fear/ or psychological stress/) use psych
45	(exp Psychotherapy/ or exp Cognitive Therapy/ or exp Counseling/ or exp Social Support/ or self care/) use psych
46	((community or lay or paid or support) adj (person or worker\$)).tw.
47	((consumer\$ or famil\$ or friend\$ or lay or mutual\$ or peer\$ or social\$ or voluntary or volunteer\$) adj3 (advice\$ or advis\$ or counsel\$ or educat\$ or forum\$ or help\$ or mentor\$ or network\$ or support\$ or visit\$)).tw.
48	((consumer\$ or famil\$ or peer\$ or self help or social\$ or support\$ or voluntary or volunteer\$) adj3 group\$).tw.
49	((consumer\$ or famil\$ or friend\$ or lay or mutual\$ or peer\$ or self help or social\$ or voluntary or volunteer\$) adj3 (intervention\$ or program\$ or rehab\$ or therap\$ or service\$ or skill\$ or treat\$)).tw.
50	((psychosocial\$ or psycho social\$) adj3 (assist\$ or counsel\$ or intervention\$ or program\$ or support\$ or therap\$ or treat\$)).tw.
51	((emotion\$ or network\$ or organi?ation\$ or peer\$) adj3 support\$).tw.
52	(group\$1 adj3 (advocacy or approach\$ or assist\$ or coach\$ or counsel\$ or educat\$ or help\$ or instruct\$ or learn\$ or module\$ or network\$ or participat\$ or program\$ or psychotherap\$ or rehab\$ or skill\$ or strateg\$ or support\$ or teach\$ or train\$ or workshop\$ or work shop\$)).tw.
53	(helpseek\$ or ((search\$ or seek\$) adj3 (care or assistance or counsel\$ or healthcare or help\$ or support\$ or therap\$ or treat\$))).tw.
54	supportive relationship\$.tw.
55	((patient\$ or consumer\$ or family or relative or carer or husband or wife or woman\$ or women\$ or personal or interpersonal or individual) adj1 decision\$).tw.
56	34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55
57	11 and 56
58	25 or 33 or 57

#	Searches
59	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) adj3 (attitude\$ or choice\$ or dissatisf\$ or expectation\$ or experienc\$ or inform\$ or opinion\$ or (perception\$ not speech perception) or perspective\$ or preferen\$ or priorit\$ or satisf\$ or view\$)).tw.
60	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) adj3 (account\$ or anxieties or belief\$ or buyin or buy in\$1 or concern\$ or cooperat\$ or co operat\$ or dissatisfaction or feedback or feeling\$ or idea\$ or involv\$ or needs\$ or participat\$ or perceived need\$ or voices or worries or worry)).ti.
61	((adult\$ or attende\$ or carer\$ or caregiver\$ or care giver\$ or client\$ or consumer\$ or customer\$ or famil\$ or father\$ or individual\$ or mentor\$ or men or minorities or mother\$ or outpatient\$ or patient\$ or people\$ or person\$ or population\$ or teacher\$ or women or user\$ or adolescen\$ or child\$ or teen\$ or (young\$ adj (people or person\$ or patient\$ or population\$)) or youngster\$ or youth\$1) and ((attitude\$ or choice\$ or dissatisf\$ or expectation\$ or experienc\$ or inform\$ or opinion\$ or (perception\$ not speech perception) or perspective\$ or preferen\$ or priorit\$ or satisf\$ or view\$)) adj3 (care or healthcare or program\$ or therap\$ or psychotherap\$ or service\$ or treatment\$)).tw.
62	((information adj (need\$ or requirement\$ or support)) or (patient adj (adher\$ or complian\$ or concord\$)) or (service adj2 (acceptab\$ or unacceptab\$))).tw.
63	case stud\$.tw.
64	Interview/ or interviews as topic/ or qualitative research/
65	(experience\$ or qualitative or interview\$ or themes).tw.
66	(metasynthes\$ or meta-synthes\$ or metasummar\$ or meta-summar\$ or metastud\$ or meta-stud\$ or metathem\$ or meta-them\$).tw.
67	59 or 60 or 61 or 62 or 63 or 64 or 65
68	58 and 67
69	11 and 66
70	68 or 69
71	limit 70 to (english language and yr="2004 -Current")

53 Database: Cochrane Library via Wiley Online

54 Date of last search: 5th April 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Choice Behavior] this term only
#14	MeSH descriptor: [Decision Making] this term only
#15	MeSH descriptor: [Decision Support Techniques] this term only
#16	(decision* or choic* or preference*):ti,ab,kw (Word variations have been searched)
#17	#13 or #14 or #15 or #16
#18	MeSH descriptor: [Patient Compliance] this term only
#19	MeSH descriptor: [Informed Consent] this term only
#20	MeSH descriptor: [Treatment Refusal] this term only
#21	MeSH descriptor: [Consumer Behavior] explode all trees
#22	MeSH descriptor: [Community Participation] explode all trees
#23	MeSH descriptor: [Health Education] explode all trees
#24	#18 or #19 or #20 or #21 or #22 or #23
#25	#12 and #17 and #24
#26	MeSH descriptor: [Communication] this term only
#27	communicat*:ti,ab,kw (Word variations have been searched)
#28	MeSH descriptor: [Patient Education as Topic] this term only
#29	((patient* or consumer*) near/3 (educat* or skill* or teach* or train* or coach*)):ti,ab,kw (Word variations have been searched)
#30	#26 or #27
#31	#28 or #29
#32	#12 and #30 and #31

#	Searches
#33	MeSH descriptor: [Information Centers] this term only
#34	MeSH descriptor: [Information Services] this term only
#35	MeSH descriptor: [Information Dissemination] this term only
#36	MeSH descriptor: [Libraries] this term only
#37	MeSH descriptor: [Library Services] explode all trees
#38	MeSH descriptor: [Pamphlets] this term only
#39	MeSH descriptor: [Internet] explode all trees
#40	MeSH descriptor: [Computers, Handheld] explode all trees
#41	MeSH descriptor: [Mobile Applications] this term only
#42	MeSH descriptor: [Social Networking] this term only
#43	MeSH descriptor: [Electronic Mail] this term only
#44	MeSH descriptor: [Text Messaging] this term only
#45	MeSH descriptor: [Hotlines] this term only
#46	(computer* near/5 (handheld or palm top or palmtop or pda or tablet*)):ti,ab,kw (Word variations have been searched)
#47	((mobile* or portable) near/5 application*):ti,ab,kw (Word variations have been searched)
#48	(app or apps or blog* or booklet* or brochure* or dvd* or elearn* or email* or e-mail* or e mail* or facebook or facetime or face time or forum* or handout* or hand-out* or hand out* or helpline* or hotline* or internet* or ipad* or iphone* or leaflet* or myspace or online or magazine* or mobile phone* or newsletter* or pamphlet* or palm pilot* or personal digital assistant* or pocket pc* or podcast* or poster? or skype* or smartphone* or smart phone* or social media or social network* or sms or text messag* or twitter or tweet* or video* or web* or wiki* or youtube* or diary or diaries or guidebook* or checklist* or check list* or written or write or ((fact* or instruction*) next sheet*)):ti,ab,kw (Word variations have been searched)
#49	(helpline or help line or ((phone* or telephone*) near/3 (help* or instruct* or interact* or interven* or mediat* or program* or rehab* or strateg* or support* or teach* or therap* or train* or treat* or workshop*)) or ((phone or telephone*) near/2 (assist* or based or driven or led or mediat*)):ti,ab,kw (Word variations have been searched)
#50	MeSH descriptor: [Patient Education Handout] this term only
#51	((medical or health or electronic or virtual) near/5 (communicat* or educat* or informat* or learn*)):ti,ab,kw (Word variations have been searched)
#52	(information near/3 (need* or requirement* or support* or material* or electronic* or web* or print*)):ti,ab,kw (Word variations have been searched)
#53	MeSH descriptor: [Physician-Patient Relations] this term only
#54	MeSH descriptor: [Hospital-Patient Relations] this term only
#55	MeSH descriptor: [Nurse-Patient Relations] this term only
#56	MeSH descriptor: [Professional-Patient Relations] this term only
#57	MeSH descriptor: [Adaptation, Psychological] explode all trees
#58	MeSH descriptor: [Religion and Psychology] explode all trees
#59	MeSH descriptor: [Emotions] this term only
#60	MeSH descriptor: [Anxiety] this term only
#61	MeSH descriptor: [Fear] this term only
#62	MeSH descriptor: [Stress, Psychological] this term only
#63	MeSH descriptor: [Psychotherapy] explode all trees
#64	MeSH descriptor: [Cognitive Therapy] explode all trees
#65	MeSH descriptor: [Counseling] explode all trees
#66	MeSH descriptor: [Self-Help Groups] explode all trees
#67	MeSH descriptor: [Social Support] explode all trees
#68	MeSH descriptor: [Self Care] this term only
#69	((community or lay or paid or support) next (person or worker*)):ti,ab,kw (Word variations have been searched)
#70	((consumer* or famil* or friend* or lay or mutual* or peer* or social* or voluntary or volunteer*) near/5 (advice* or advis* or counsel* or educat* or forum* or help* or mentor* or network* or support* or visit*)):ti,ab,kw (Word variations have been searched)
#71	((consumer* or famil* or peer* or self help or social* or support* or voluntary or volunteer*) near/5 group*):ti,ab,kw (Word variations have been searched)
#72	((consumer* or famil* or friend* or lay or mutual* or peer* or self help or social* or voluntary or volunteer*) near/5 (intervention* or program* or rehab* or therap* or service* or skill* or treat*)):ti,ab,kw (Word variations have been searched)
#73	((psychosocial* or psycho social*) near/5 (assist* or counsel* or intervention* or program* or support* or therap* or treat*)):ti,ab,kw (Word variations have been searched)
#74	((emotion* or network* or organi?ation* or peer*) near/5 support*):ti,ab,kw (Word variations have been searched)
#75	(group* near/3 (advocacy or approach* or assist* or coach* or counsel* or educat* or help* or instruct* or learn* or module* or network* or participat* or program* or psychotherap* or rehab* or skill* or strateg* or support* or teach* or train* or workshop* or work shop*)):ti,ab,kw (Word variations have been searched)
#76	(helpseek* or ((search* or seek*) near/5 (care or assistance or counsel* or healthcare or help* or support* or therap* or treat*)):ti,ab,kw (Word variations have been searched)
#77	supportive relationship*:ti,ab,kw (Word variations have been searched)
#78	((patient* or consumer* or family or relative or carer or husband or wife or woman* or women* or personal or interpersonal or individual) next decision*):ti,ab,kw (Word variations have been searched)
#79	#33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44 or #45 or #46 or #47 or #48 or #49 or #50 or #51 or #52 or #53 or #54 or #55 or #56 or #57 or #58 or #59 or #60 or #61 or #62 or #63 or #64 or #65 or #66 or #67 or #68 or #69 or #70 or #71 or #72 or #73 or #74 or #75 or #76 or #77 or #78
#80	#12 and #79
#81	#25 or #32 or #80 Publication Year from 2004 to 2018

55 Database: Cinahl Plus

56 Date of last search: 5th April 2018

#	Searches
S5	Limiters - Publication Year: 2004-2018; Clinical Queries: Qualitative - Best Balance. Narrow by Language: English
S4	S1 OR S2 OR S3
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabort* or preabort*) OR AB (abort* or postabort* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

57 Surgical Anti-D Prophylaxis for Women up to 13⁺⁶ weeks

Gestation

59 Should women who are RhD (or D) negative and having a termination of a pregnancy up to
60 13⁺⁶ weeks gestation receive anti-D prophylaxis?

61 The search for this topic was last run on 19th October 2018. It was felt to be unnecessary to
62 undertake a re-run for this topic in November 2018 given that the original search was from
63 only a month earlier.

64 Database: Medline & Embase (Multifile)

65 Last searched on **Embase Classic+Embase** 1947 to 2018 October 18, **Ovid MEDLINE(R)**
66 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
67 **Daily and Ovid MEDLINE(R)** 1946 to October 18, 2018

68 Date of last search: 19th October 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Rh-Hr Blood-Group System/ use ppez
17	Rh Isoimmunization/ use ppez
18	"Rho(D) Immune Globulin"/ use ppez
19	(blood group rhesus system/ or blood group, Rh/) use emczd
20	(Rh Isoimmunization/ or rhesus isoimmunization/ or rhesus immunization/) use emczd
21	(rhesus D antibody/ or rhesus antibody/ or rhesus antigen/) use emczd
22	((Rhesus\$ or Rh\$) adj3 (antibod\$ or anti-bod\$ or prophylax\$ or immunoprophylax\$ or isoimmuni?ation or immuni?ation or sensiti?ation)).mp.
23	(anti-D adj3 (antibod\$ or anti-bod\$ or prophylax\$ or immunoprophylax\$ or isoimmuni?ation or immuni?ation or sensiti?ation or serum\$)).mp.
24	((Rh\$ or anti-D) adj immune\$ globulin\$).mp.
25	((Rh\$ or anti-D) adj immunoglobulin\$).mp.
26	RhIG\$.mp.
27	(Rhesus\$ adj (negativ\$ or factor\$ or status\$)).mp.
28	(Rh adj (factor\$ or status\$)).mp.
29	(Rh\$ adj negativ\$).mp.
30	16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29
31	15 and 30

#	Searches
32	limit 31 to english language
33	remove duplicates from 32
34	letter/
35	editorial/
36	news/
37	exp historical article/
38	Anecdotes as Topic/
39	comment/
40	case report/
41	(letter or comment*).ti.
42	34 or 35 or 36 or 37 or 38 or 39 or 40 or 41
43	randomized controlled trial/ or random*.ti,ab.
44	42 not 43
45	animals/ not humans/
46	exp Animals, Laboratory/
47	exp Animal Experimentation/
48	exp Models, Animal/
49	exp Rodentia/
50	(rat or rats or mouse or mice).ti.
51	44 or 45 or 46 or 47 or 48 or 49 or 50
52	letter.pt. or letter/
53	note.pt.
54	editorial.pt.
55	case report/ or case study/
56	(letter or comment*).ti.
57	52 or 53 or 54 or 55 or 56
58	randomized controlled trial/ or random*.ti,ab.
59	57 not 58
60	animal/ not human/
61	nonhuman/
62	exp Animal Experiment/
63	exp Experimental Animal/
64	animal model/
65	exp Rodent/
66	(rat or rats or mouse or mice).ti.
67	59 or 60 or 61 or 62 or 63 or 64 or 65 or 66
68	51 use ppez
69	67 use emczd
70	68 or 69
71	33 and 70
72	33 not 71

69 Database: Cochrane Library via Wiley Online

70 Date of last search: 19th October 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabortion* or preabortion*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Rh-Hr Blood-Group System] explode all trees
#14	MeSH descriptor: [Rh Isoimmunization] explode all trees
#15	MeSH descriptor: [Rho(D) Immune Globulin] explode all trees
#16	(((Rhesus* or Rh*) NEAR/3 (antibod* or anti-bod* or prophylax* or immunoprophylax* or isoimmunisation or immunisation or sensitisation or isoimmunization or immunization or sensitization))):ti,ab,kw
#17	(((anti-D) NEAR/3 (antibod* or anti-bod* or prophylax* or immunoprophylax* or isoimmunisation or immunisation or sensitisation or isoimmunization or immunization or sensitization or serum*))):ti,ab,kw
#18	(((Rh* or anti-D) NEXT immune* globulin*)):ti,ab,kw

#	Searches
#19	((Rh* or anti-D) NEXT immunoglobulin*):ti,ab,kw
#20	(RhIG*):ti,ab,kw
#21	((Rhesus* NEXT (negativ* or factor* or status*)):ti,ab,kw
#22	((Rh NEXT (factor* or status*)):ti,ab,kw
#23	((Rh* NEXT negativ*):ti,ab,kw
#24	#13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23
#25	#12 AND #24

71 Antibiotic Prophylaxis for Medical and Surgical Termination of Pregnancy

- 73 What is the optimal antibiotic prophylaxis regimen (including no antibiotic prophylaxis as an option) for women who are having medical termination of pregnancy?
- 75 What is the optimal antibiotic prophylaxis regimen for women who are having surgical termination of pregnancy?
- 77 The search for this topic was last run on 12th February 2018. It was decided not to undertake a re-run for this topic in November 2018 as this is not a fast moving evidence base and there were unlikely to be any new studies published which would affect the recommendations.

80 Database: Medline & Embase (Multifile)

- 81 Last searched on **Embase Classic+Embase** 1947 to 2018 February 09, **Ovid MEDLINE(R)**
 82 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
 83 **Daily and Ovid MEDLINE(R)** 1946 to Present

- 84 Date of last search: 12th February 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Azithromycin/ use ppez
17	azithromycin/ use emczd
18	(azithrom\$ or Zithromax\$ or Z-Max\$).mp.
19	Doxycycline/ use ppez
20	doxycycline/ use emczd
21	(doxycyclin\$ or Doxychel\$ or Doryx\$ or Acticlat\$ or Monodox\$ or Oracea\$ or Periostat\$ or Vibra-Tab\$ or Vibramycin\$).mp.
22	Metronidazole/ use ppez
23	metronidazole/ use emczd
24	(metronidazol\$ or Flagyl\$).mp.
25	16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24
26	exp Anti-Bacterial Agents/ use ppez
27	Antibiotic Prophylaxis/ use ppez
28	exp antibiotic agent/ use emczd
29	antibiotic prophylaxis/ use emczd
30	(antibiotic\$ or anti-biotic\$ or antibacterial\$ or anti-bacterial\$ or antimicrobial\$ or anti-microbial\$).mp.
31	exp Tetracyclines/ use ppez
32	exp tetracycline derivative/ use emczd
33	exp Lactams/ use ppez
34	exp lactam/ use emczd

#	Searches
35	exp Macrolides/ use ppez
36	exp macrolide/ use emczd
37	exp Nitroimidazoles/ use ppez
38	exp nitroimidazole derivative/ use emczd
39	exp Quinolones/ use ppez
40	exp quinolone derivative/ use emczd
41	(tetracyclin\$ or lactam\$ or macrolid\$ or nitroimidazol\$ or quinolon\$ or fluroquinolon\$ or tinidazol\$).mp.
42	26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41
43	15 and 42
44	letter/
45	editorial/
46	news/
47	exp historical article/
48	Anecdotes as Topic/
49	comment/
50	case report/
51	(letter or comment*).ti.
52	44 or 45 or 46 or 47 or 48 or 49 or 50 or 51
53	randomized controlled trial/ or random*.ti,ab.
54	52 not 53
55	animals/ not humans/
56	exp Animals, Laboratory/
57	exp Animal Experimentation/
58	exp Models, Animal/
59	exp Rodentia/
60	(rat or rats or mouse or mice).ti.
61	54 or 55 or 56 or 57 or 58 or 59 or 60
62	letter.pt. or letter/
63	note.pt.
64	editorial.pt.
65	case report/ or case study/
66	(letter or comment*).ti.
67	62 or 63 or 64 or 65 or 66
68	randomized controlled trial/ or random*.ti,ab.
69	67 not 68
70	animal/ not human/
71	nonhuman/
72	exp Animal Experiment/
73	exp Experimental Animal/
74	animal model/
75	exp Rodent/
76	(rat or rats or mouse or mice).ti.
77	69 or 70 or 71 or 72 or 73 or 74 or 75 or 76
78	61 use ppez
79	77 use emczd
80	78 or 79
81	43 and 80
82	43 not 81
83	limit 82 to english language
84	remove duplicates from 83

85 Database: Cochrane Library via Wiley Online

86 Date of last search: 12th February 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)

#	Searches
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Anti-Bacterial Agents] explode all trees
#14	MeSH descriptor: [Antibiotic Prophylaxis] explode all trees
#15	(antibiotic* or anti-biotic* or antibacterial* or anti-bacterial* or antimicrobial* or anti-microbial*):ti,ab,kw (Word variations have been searched)
#16	MeSH descriptor: [Tetracyclines] explode all trees
#17	MeSH descriptor: [Lactams] explode all trees
#18	MeSH descriptor: [Macrolides] explode all trees
#19	MeSH descriptor: [Macrolides] explode all trees
#20	MeSH descriptor: [Nitroimidazoles] explode all trees
#21	MeSH descriptor: [Quinolones] explode all trees
#22	(tetracyclin* or lactam* or macrolid* or nitroimidazol* or quinolon* or fluroquinolon* or tinidazol*):ti,ab,kw (Word variations have been searched)
#23	#13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22
#24	#12 and #23
#25	MeSH descriptor: [Azithromycin] explode all trees
#26	MeSH descriptor: [Doxycycline] explode all trees
#27	MeSH descriptor: [Metronidazole] explode all trees
#28	(azithrom* or Zithromax* or Z-Max* or doxycyclin* or Doxychel* or Doryx* or Acticlat* or Monodox* or Oracea* or Periostat* or Vibra-Tab* or Vibramycin* or metronidazol* or Flagyl*):ti,ab,kw (Word variations have been searched)
#29	#25 or #26 or #27 or #28
#30	#12 and #29
#31	#24 or #30

87 VTE Prophylaxis for Women having Termination of Pregnancy

- 89 In women who are undergoing a termination of pregnancy up to 24 weeks gestation, and
 90 who are identified as requiring pharmacological thromboprophylaxis, what is the optimal
 91 timing and duration of VTE prophylaxis?
- 92 The search for this topic was last run on 18th October 2018. It was felt to be unnecessary to
 93 undertake a re-run for this topic in November 2018 given that the original search was from
 94 only a month earlier.

95 Database: Medline & Embase (Multifile)

- 96 Last searched on **Embase Classic+Embase** 1947 to 2018 October 17, **Ovid MEDLINE(R)**
 97 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
 98 **Daily and Ovid MEDLINE(R)** 1946 to October 17, 2018

- 99 Date of last search: 18th October 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Heparin, Low-Molecular-Weight/ use ppez

#	Searches
17	exp low molecular weight heparin/ use emczd
18	(lmwh or lmwhs).ti,ab.
19	((LMW\$ or weight\$ or dose\$ or molecular\$) adj heparin\$).ti,ab.
20	(bemiparin\$ or certoparin\$ or dalteparin\$ or enoxaparin\$ or fragmin\$ or nadroparin\$ or parnaparin\$ or reviparin\$ or tinzaparin\$).ti,ab.
21	16 or 17 or 18 or 19 or 20
22	15 and 21
23	(direct\$ adj oral adj (anticoagulant\$ or anti-coagulant\$)).ti,ab.
24	DOAC\$.ti,ab.
25	(apixaban/ or dabigatran/ or edoxaban/ or rivaroxaban/) use emczd
26	(apixaban\$ or dabigatran\$ or rivaroxaban\$ or edoxaban\$).ti,ab.
27	23 or 24 or 25 or 26
28	15 and 27
29	22 or 28
30	limit 29 to english language
31	limit 30 to yr="1995 -Current"
32	remove duplicates from 31
33	letter/
34	editorial/
35	news/
36	exp historical article/
37	Anecdotes as Topic/
38	comment/
39	case report/
40	(letter or comment*).ti.
41	33 or 34 or 35 or 36 or 37 or 38 or 39 or 40
42	randomized controlled trial/ or random*.ti,ab.
43	41 not 42
44	animals/ not humans/
45	exp Animals, Laboratory/
46	exp Animal Experimentation/
47	exp Models, Animal/
48	exp Rodentia/
49	(rat or rats or mouse or mice).ti.
50	43 or 44 or 45 or 46 or 47 or 48 or 49
51	letter.pt. or letter/
52	note.pt.
53	editorial.pt.
54	case report/ or case study/
55	(letter or comment*).ti.
56	51 or 52 or 53 or 54 or 55
57	randomized controlled trial/ or random*.ti,ab.
58	56 not 57
59	animal/ not human/
60	nonhuman/
61	exp Animal Experiment/
62	exp Experimental Animal/
63	animal model/
64	exp Rodent/
65	(rat or rats or mouse or mice).ti.
66	58 or 59 or 60 or 61 or 62 or 63 or 64 or 65
67	50 use ppez
68	66 use emczd
69	67 or 68
70	32 and 69
71	32 not 70

100 Database: Cochrane Library via Wiley Online

101 Date of last search: 18th October 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)

#	Searches
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Heparin, Low-Molecular-Weight] explode all trees
#14	(lmwh or lmwhs):ti,ab,kw (Word variations have been searched)
#15	((LMW* or weight* or dose* or molecular*):ti,ab,kw (Word variations have been searched)
#16	(bemiparin* or certoparin* or dalteparin* or enoxaparin* or fragmin* or nadroparin* or parnaparin* or reviparin* or tinzaparin*):ti,ab,kw (Word variations have been searched)
#17	(direct* next oral next (anticoagulant* or anti-coagulant*)):ti,ab,kw (Word variations have been searched)
#18	DOAC*:ti,ab,kw (Word variations have been searched)
#19	(apixaban* or dabigatran* or rivaroxaban* or edoxaban*):ti,ab,kw (Word variations have been searched)
#20	#13 or #14 or #15 or #16 or #17 or #18 or #19
#21	#12 and #20

102 Very Early Termination of Pregnancy

103 Is it safe and effective to start termination before there is ultrasound evidence of an
104 intrauterine pregnancy?

105 The search for this topic was last run on 19th November 2018 during the re-runs for this
106 guideline.

107 Database: Medline & Embase (Multifile)

108 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 16, 2018

111 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Ultrasonography/ use ppez
17	exp ultrasound/ use emczd
18	exp echography/ use emczd
19	(ultrasound\$ or ultrasonograph\$ or sonogra\$ or endosonogra\$).mp.
20	16 or 17 or 18 or 19
21	Gestational Sac/ use ppez
22	gestational sac/ use emczd
23	Yolk Sac/ use ppez
24	yolk sac/ use emczd
25	((yolk\$ or yolk\$ or gestation\$) adj sac\$).tw.
26	((f?etal\$ or embryo\$) adj3 pole\$).tw.
27	*Endometrium/ use ppez
28	*endometrium/ use emczd
29	(endometr\$ adj3 thick\$).tw.
30	((intrauterin\$ or intra-uterin\$) adj3 (pregnan\$ or gestation\$)).tw.
31	IUP.tw.

#	Searches
32	(early adj gestation\$).tw.
33	21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32
34	15 and 20 and 33
35	(ultrasound\$ or ultrasonograph\$ or sonogra\$ or endosonogra\$).m_titl.
36	(abortion or termination).m_titl.
37	15 and 35 and 36
38	((early or ultra-early) adj3 (abortion or termination)).m_titl.
39	15 and 38
40	34 or 37 or 39
41	remove duplicates from 40
42	limit 41 to english language
43	limit 42 to yr="1985 -Current"
44	letter/
45	editorial/
46	news/
47	exp historical article/
48	Anecdotes as Topic/
49	comment/
50	case report/
51	(letter or comment*).ti.
52	44 or 45 or 46 or 47 or 48 or 49 or 50 or 51
53	randomized controlled trial/ or random*.ti,ab.
54	52 not 53
55	animals/ not humans/
56	exp Animals, Laboratory/
57	exp Animal Experimentation/
58	exp Models, Animal/
59	exp Rodentia/
60	(rat or rats or mouse or mice).ti.
61	54 or 55 or 56 or 57 or 58 or 59 or 60
62	letter.pt. or letter/
63	note.pt.
64	editorial.pt.
65	case report/ or case study/
66	(letter or comment*).ti.
67	62 or 63 or 64 or 65 or 66
68	randomized controlled trial/ or random*.ti,ab.
69	67 not 68
70	animal/ not human/
71	nonhuman/
72	exp Animal Experiment/
73	exp Experimental Animal/
74	animal model/
75	exp Rodent/
76	(rat or rats or mouse or mice).ti.
77	69 or 70 or 71 or 72 or 73 or 74 or 75 or 76
78	61 use ppez
79	77 use emczd
80	78 or 79
81	43 and 80
82	43 not 81
83	remove duplicates from 82

112 Database: Cochrane Library via Wiley Online

113 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion".ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)

#	Searches
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Ultrasonography] explode all trees
#14	(ultrasound* or ultrasonograph* or sonogra* or endosonogra*):ti,ab,kw (Word variations have been searched)
#15	#13 or #14
#16	MeSH descriptor: [Gestational Sac] this term only
#17	MeSH descriptor: [Yolk Sac] this term only
#18	((yolk* or yolc* or gestation*) next sac*):ti,ab,kw (Word variations have been searched)
#19	((fetal* or foetal* or embryo*) near/3 pole*):ti,ab,kw (Word variations have been searched)
#20	MeSH descriptor: [Endometrium] this term only
#21	(endometri* near/3 thick*):ti,ab,kw (Word variations have been searched)
#22	((intrauterin* or intra-uterin*) near/3 (pregnan* or gestation*)):ti,ab,kw (Word variations have been searched)
#23	IUP:ti,ab,kw (Word variations have been searched)
#24	(early next gestation*):ti,ab,kw (Word variations have been searched)
#25	#16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24
#26	#12 and #15 and #25
#27	(ultrasound* or ultrasonograph* or sonogra* or endosonogra*):ti (Word variations have been searched)
#28	(abortion or termination):ti (Word variations have been searched)
#29	#12 and #27 and #28
#30	#26 or #29
#31	((early or ultra-early) near/3 (abortion or termination)):ti (Word variations have been searched)
#32	#12 and #31
#33	#30 or #32

114 Expulsion at Home for Early Medical Termination of 115 Pregnancy

116 For women who are having medical termination of pregnancy, what gestational limit for
117 expulsion at home (i.e., setting outside of clinical facility) offers the best balance of benefits
118 and harms?

119 The search for this topic was last run on 19th November 2018 during the re-runs for this
120 guideline.

121 Database: Medline & Embase (Multifile)

122 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, Ovid
123 **MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations**, Ovid
124 **MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 16, 2018

125 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 interrupt\$).tw.
14	(((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	*Outpatients/ use ppez
17	(*outpatient care/ or *outpatient/) use emczd
18	Ambulatory Care/ use ppez
19	ambulatory care/ use emczd
20	Self Administration/ use ppez
21	drug self administration/ use emczd

#	Searches
22	(exp home/ or home care/) use emczd
23	home monitoring/ use emczd
24	"at home".tw.
25	(home\$ adj3 (base\$ or phase\$ or use\$ or administrat\$ or manage\$ or abortion\$ or termination\$)).tw.
26	((misoprostol\$ or mifepriston\$) adj3 (self-administer\$ or home\$ or outpatient\$)).tw.
27	16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26
28	15 and 27
29	Mifepristone/ use ppez
30	mifepristone/ use emczd
31	(mifepristone\$ or mifeprex\$ or mifegyn\$ or ru-486\$ or ru486\$ or ru-38486\$ or ru38486\$).mp.
32	29 or 30 or 31
33	Misoprostol/ use ppez
34	misoprostol/ use emczd
35	(misoprostol\$ or cytotec\$ or arthrotec\$ or oxaprostone\$ or cyprostol\$ or mibetec\$ or prostokos\$ or misotrol\$).mp.
36	33 or 34 or 35
37	Gestational Age/ use ppez
38	gestational age/ use emczd
39	gestation\$.tw.
40	37 or 38 or 39
41	15 and 32 and 36 and 40
42	28 or 41
43	limit 42 to english language
44	limit 43 to yr="1995 -Current"
45	letter/
46	editorial/
47	news/
48	exp historical article/
49	Anecdotes as Topic/
50	comment/
51	case report/
52	(letter or comment*).ti.
53	45 or 46 or 47 or 48 or 49 or 50 or 51 or 52
54	randomized controlled trial/ or random*.ti,ab.
55	53 not 54
56	animals/ not humans/
57	exp Animals, Laboratory/
58	exp Animal Experimentation/
59	exp Models, Animal/
60	exp Rodentia/
61	(rat or rats or mouse or mice).ti.
62	55 or 56 or 57 or 58 or 59 or 60 or 61
63	letter.pt. or letter/
64	note.pt.
65	editorial.pt.
66	case report/ or case study/
67	(letter or comment*).ti.
68	63 or 64 or 65 or 66 or 67
69	randomized controlled trial/ or random*.ti,ab.
70	68 not 69
71	animal/ not human/
72	nonhuman/
73	exp Animal Experiment/
74	exp Experimental Animal/
75	animal model/
76	exp Rodent/
77	(rat or rats or mouse or mice).ti.
78	70 or 71 or 72 or 73 or 74 or 75 or 76 or 77
79	62 use ppez
80	78 use emczd
81	79 or 80
82	44 and 81
83	44 not 82
84	remove duplicates from 83

126 Database: Cochrane Library via Wiley Online

127 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees

#	Searches
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Outpatients] this term only
#14	MeSH descriptor: [Ambulatory Care] this term only
#15	MeSH descriptor: [Self Administration] this term only
#16	"at home":ti,ab,kw (Word variations have been searched)
#17	(home* near/3 (base* or phase* or use* or administrat* or manage* or abortion* or termination*)):ti,ab,kw (Word variations have been searched)
#18	((misoprostol* or mifepriston*) near/3 (self-administer* or home* or outpatient*)):ti,ab,kw (Word variations have been searched)
#19	#13 or #14 or #15 or #16 or #17 or #18
#20	#12 and #19
#21	MeSH descriptor: [Mifepristone] this term only
#22	(mifepriston* or mifeprev* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*):ti,ab,kw (Word variations have been searched)
#23	MeSH descriptor: [Misoprostol] this term only
#24	(misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*):ti,ab,kw (Word variations have been searched)
#25	MeSH descriptor: [Gestational Age] this term only
#26	gestation*:ti,ab,kw (Word variations have been searched)
#27	(#21 or #22) and (#23 or #24) and (#25 or #26)
#28	#20 or #27

128 Database: Cinahl Plus

129 Date of last search: 19th November 2018

#	Searches
S24	S23 Limiters - Publication Year: 1995-2018; English Language
S23	S12 OR S22
S22	S4 AND S15 AND S18 AND S21
S21	S19 OR S20
S20	TI (gestation*) OR AB (gestation*)
S19	(MH "Gestational Age")
S18	S16 OR S17
S17	TI (misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*) OR AB (misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*)
S16	(MH "Misoprostol")
S15	S13 OR S14
S14	TI (mifepriston* or mifeprev* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*) OR AB (mifepriston* or mifeprev* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*)
S13	(MH "Mifepristone")
S12	S4 AND S11
S11	S5 OR S6 OR S7 OR S8 OR S9 OR S10
S10	TI ((misoprostol* or mifepriston*) N3 (self-administer* or home* or outpatient*)) OR AB ((misoprostol* or mifepriston*) N3 (self-administer* or home* or outpatient*))
S9	TI (home* N3 (base* or phase* or use* or administrat* or manage* or abortion* or termination*)) OR AB (home* N3 (base* or phase* or use* or administrat* or manage* or abortion* or termination*))
S8	TI ("at home") OR AB ("at home")
S7	(MH "Self Administration")
S6	(MH "Ambulatory Care")
S5	(MM "Outpatients")
S4	S1 OR S2 OR S3
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabort* or preabort*) OR AB (abort* or postabort* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

130 Database: Web of Science Core Collection

131 Timespan=1995-2018. Date of last search: 19th November 2018

#	Searches
# 14	#13 Refined by: [excluding] DOCUMENT TYPES: (NEWS ITEM OR EDITORIAL MATERIAL OR LETTER) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 13	#12 OR #8 Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 12	#11 AND #10 AND #9 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 11	TS=(gestation*) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 10	TS=(misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 9	TS=(mifepristone* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 8	#7 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 7	#4 OR #5 OR #6 Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 6	TS=(“at home”) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 5	TS=((misoprostol* or mifepriston*) NEAR/3 (self-administer* or home* or outpatient*)) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 4	TS=(home* NEAR/3 (base* or phase* or use* or administrat* or manage* or abortion* or termination*)) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 3	#2 OR #1 Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 2	TS=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018
# 1	TS=(abort* or postabortion* or preabortion*) Indexes=SCI-EXPANDED, SSCI Timespan=1995-2018

132 Surgical Interval between Mifepristone and Misprostol for 133 Early (upto 10⁺⁰ weeks gestation) Medical Termination of 134 Pregnancy

135 For women who are having an early (up to 10⁺⁰ weeks) medical termination of pregnancy,
136 what is the effectiveness, safety and acceptability of mifepristone and misoprostol given
137 simultaneously compared with other time intervals?

138 The search for this topic was last run on 3rd May 2018. It was decided not to undertake a re-
139 run for this topic in November 2018 as this is not a fast moving evidence base and there
140 were unlikely to be any new studies published which would affect the recommendations.

141 Database: Medline & Embase (Multifile)

142 Last searched on **Embase Classic+Embase** 1947 to 2018 May 02, **Ovid MEDLINE(R)**
143 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
144 **Daily and Ovid MEDLINE(R)** 1946 to Present

145 Date of last search: 3rd May 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabortion\$ or preabortion\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.

#	Searches
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	(((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Mifepristone/ use ppez
17	mifepristone/ use emczd
18	(mifepriston\$ or mifeprex\$ or mifegyn\$ or ru-486\$ or ru486\$ or ru-38486\$ or ru38486\$).mp.
19	16 or 17 or 18
20	Misoprostol/ use ppez
21	misoprostol/ use emczd
22	(misoprostol\$ or cytotec\$ or arthrotec\$ or oxaprost\$ or cyprostol\$ or mibetec\$ or prostokos\$ or misotrol\$).mp.
23	20 or 21 or 22
24	15 and 19 and 23
25	(controlled clinical trial or pragmatic clinical trial or randomized controlled trial).pt. or drug therapy.fs. or (groups or placebo or random#ed or randomly or trial).ab.
26	crossover procedure/ or double blind procedure/ or randomized controlled trial/ or single blind procedure/ or (assign* or allocat* or crossover* or cross over* or ((doubl* or singl*) adj blind*) or factorial* or placebo* or random* or volunteer*).ti,ab.
27	meta-analysis/
28	meta-analysis as topic/
29	systematic review/
30	meta-analysis/
31	(meta analy* or metanaly* or metaanaly*).ti,ab.
32	((systematic or evidence) adj2 (review* or overview*)).ti,ab.
33	((systematic* or evidence*) adj2 (review* or overview*)).ti,ab.
34	(reference list* or bibliograph* or hand search* or manual search* or relevant journals).ab.
35	(search strategy or search criteria or systematic search or study selection or data extraction).ab.
36	(search* adj4 literature).ab.
37	(medline or pubmed or cochrane or embase or psychlit or psyclit or psychinfo or psycinfo or cinahl or science citation index or bids or cancerlit).ab.
38	cochrane.jw.
39	((pool* or combined) adj2 (data or trials or studies or results)).ab.
40	letter/
41	editorial/
42	news/
43	exp historical article/
44	Anecdotes as Topic/
45	comment/
46	case report/
47	(letter or comment*).ti.
48	40 or 41 or 42 or 43 or 44 or 45 or 46 or 47
49	randomized controlled trial/ or random*.ti,ab.
50	48 not 49
51	animals/ not humans/
52	exp Animals, Laboratory/
53	exp Animal Experimentation/
54	exp Models, Animal/
55	exp Rodentia/
56	(rat or rats or mouse or mice).ti.
57	50 or 51 or 52 or 53 or 54 or 55 or 56
58	letter.pt. or letter/
59	note.pt.
60	editorial.pt.
61	case report/ or case study/
62	(letter or comment*).ti.
63	58 or 59 or 60 or 61 or 62
64	randomized controlled trial/ or random*.ti,ab.
65	63 not 64
66	animal/ not human/
67	nonhuman/
68	exp Animal Experiment/
69	exp Experimental Animal/
70	animal model/
71	exp Rodent/
72	(rat or rats or mouse or mice).ti.
73	65 or 66 or 67 or 68 or 69 or 70 or 71 or 72
74	57 use ppez
75	73 use emczd
76	74 or 75
77	25 use ppez

#	Searches
78	26 use emczd
79	77 or 78
80	(or/27-28,31,33-38) use ppez
81	(or/29-32,34-39) use emczd
82	80 or 81
83	24 and 76
84	24 not 83
85	limit 84 to english language
86	limit 85 to yr="1985 -Current"
87	remove duplicates from 86
88	79 or 82
89	87 and 88

146 Database: Cochrane Library via Wiley Online

147 Date of last search: 3rd May 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar* near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Mifepristone] this term only
#14	(mifepriston* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*):ti,ab,kw (Word variations have been searched)
#15	#13 or #14
#16	MeSH descriptor: [Misoprostol] this term only
#17	(misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*):ti,ab,kw (Word variations have been searched)
#18	#16 or #17
#19	#12 and #15 and #18 Publication Year from 1985 to 2018

148 Follow-up after Early Medical Termination of Pregnancy

149 What is the best method of excluding an ongoing pregnancy after early (up to 10⁺⁰ weeks)
 150 medical termination of pregnancy, when the expulsion has not been witnessed by healthcare
 151 professionals (for example, expulsion at home)?

152 The search for this topic was last run on 19th November 2018 during the re-runs for this
 153 guideline.

154 Database: Medline & Embase (Multifile)

155 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations**, Ovid **MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 16, 2018

158 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez

#	Searches
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Pregnancy Tests/ use ppez
17	exp pregnancy test/ use emczd
18	((pregnan\$ or LSPT or MSPT or HSPT or MLPT or HLPT or LSUP or MSUP or HSUP) adj test\$).tw.
19	Self-Assessment/ use ppez
20	self evaluation/ use emczd
21	*Self Report/ use ppez
22	*self report/ use emczd
23	Checklist/ use ppez
24	checklist/ use emczd
25	((self-assess\$ or selfassess\$ or self assess\$ or self-evaluat\$ or selfevaluat\$ or self evaluat\$) adj3 (success or outcome\$ or complet\$ or home or remote)).tw.
26	checklist\$.tw.
27	exp Chorionic Gonadotropin/ use ppez
28	chorionic gonadotropin/ use emczd
29	((beta-hcg\$ or hcg\$) adj (test\$ or level\$ or measurement\$)).tw.
30	exp Telemedicine/ use ppez
31	exp telemedicine/ use emczd
32	(telemed\$ or teleconsult\$).tw.
33	Self Administration/ use ppez
34	drug self administration/ use emczd
35	(exp home/ or home care/) use emczd
36	home monitoring/ use emczd
37	follow up/ use emczd
38	((follow-up or followup or follow up) adj (care or model\$ or procedure\$)).tw.
39	((simple\$ or standard\$ or traditional\$ or mToP) adj (follow-up or followup or follow up)).tw.
40	((in-person\$ or in-clinic\$ or in-office\$ or remote\$ or telephone\$ or ultrasound\$ or ultrasonograph\$ or sonogra\$ or endosonogra\$) adj3 (follow-up or followup or follow up or assess\$)).tw.
41	16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40
42	15 and 41
43	(controlled clinical trial or pragmatic clinical trial or randomized controlled trial).pt. or drug therapy.fs. or (groups or placebo or randomi#ed or randomly or trial).ab.
44	crossover procedure/ or double blind procedure/ or randomized controlled trial/ or single blind procedure/ or (assign* or allocat* or crossover* or cross over* or ((doubl* or singl*) adj blind*)) or factorial* or placebo* or random* or volunteer*).ti,ab.
45	meta-analysis/
46	meta-analysis as topic/
47	systematic review/
48	meta-analysis/
49	(meta analy* or metanaly* or metaanaly*).ti,ab.
50	((systematic or evidence) adj2 (review* or overview*)).ti,ab.
51	((systematic* or evidence*) adj2 (review* or overview*)).ti,ab.
52	(reference list* or bibliograph* or hand search* or manual search* or relevant journals).ab.
53	(search strategy or search criteria or systematic search or study selection or data extraction).ab.
54	(search* adj4 literature).ab.
55	(medline or pubmed or cochrane or embase or psychlit or psyclit or psychinfo or psycinfo or cinahl or science citation index or bids or cancerlit).ab.
56	cochrane.jw.
57	((pool* or combined) adj2 (data or trials or studies or results)).ab.
58	letter/
59	editorial/
60	news/
61	exp historical article/
62	Anecdotes as Topic/
63	comment/
64	case report/
65	(letter or comment*).ti.
66	58 or 59 or 60 or 61 or 62 or 63 or 64 or 65
67	randomized controlled trial/ or random*.ti,ab.
68	66 not 67

#	Searches
69	animals/ not humans/
70	exp Animals, Laboratory/
71	exp Animal Experimentation/
72	exp Models, Animal/
73	exp Rodentia/
74	(rat or rats or mouse or mice).ti.
75	68 or 69 or 70 or 71 or 72 or 73 or 74
76	letter.pt. or letter/
77	note.pt.
78	editorial.pt.
79	case report/ or case study/
80	(letter or comment*).ti.
81	76 or 77 or 78 or 79 or 80
82	randomized controlled trial/ or random*.ti,ab.
83	81 not 82
84	animal/ not human/
85	nonhuman/
86	exp Animal Experiment/
87	exp Experimental Animal/
88	animal model/
89	exp Rodent/
90	(rat or rats or mouse or mice).ti.
91	83 or 84 or 85 or 86 or 87 or 88 or 89 or 90
92	75 use ppez
93	91 use emczd
94	92 or 93
95	43 use ppez
96	44 use emczd
97	95 or 96
98	(or/45-46,49,51-56) use ppez
99	(or/47-50,52-57) use emczd
100	98 or 99
101	42 and 94
102	42 not 101
103	97 or 100
104	102 and 103
105	limit 104 to english language
106	limit 105 to yr="2000 -Current"
107	remove duplicates from 106

159 Database: Cochrane Library via Wiley Online

160 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	(((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Pregnancy Tests] explode all trees
#14	((pregnan* or LSPT or MSPT or HSPT or MLPT or HLPT or LSUP or MSUP or HSUP) next test*):ti,ab,kw (Word variations have been searched)
#15	MeSH descriptor: [Self-Assessment] this term only
#16	MeSH descriptor: [Self Report] this term only
#17	MeSH descriptor: [Checklist] this term only
#18	((self-assess* or selfassess* or self assess* or self-evaluat* or selfevaluat* or self evaluat*) near/3 (success or outcome* or complet* or home or remote)):ti,ab,kw (Word variations have been searched)
#19	checklist*:ti,ab,kw (Word variations have been searched)
#20	MeSH descriptor: [Chorionic Gonadotropin] explode all trees

#	Searches
#21	((beta-hcg* or hcg*) next (test* or level* or measurement*):ti,ab,kw (Word variations have been searched)
#22	MeSH descriptor: [Telemedicine] explode all trees
#23	(telemed* or teleconsult*):ti,ab,kw (Word variations have been searched)
#24	MeSH descriptor: [Self Administration] this term only
#25	((follow-up or followup or follow up) next (care or model* or procedure*):ti,ab,kw (Word variations have been searched)
#26	((simple* or standard* or traditional* or mToP) next (follow-up or followup or follow up)):ti,ab,kw (Word variations have been searched)
#27	((in-person* or in-clinic* or in-office* or remote* or telephone* or ultrasound* or ultrasonograph* or sonogra* or endosonogra*) near/3 (follow-up or followup or follow up or assess*):ti,ab,kw (Word variations have been searched)
#28	#13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27
#29	#12 and #28

161 **Assessing Misoprostol after Mifepristone for Inducing Medical Termination of Pregnancy between 10⁺¹ to 24⁺⁰ weeks Gestation**

164 What is the optimal regimen and route of administration of misoprostol after mifepristone, for inducing medical termination from 10⁺¹ to 24⁺⁰ weeks?

166 The search for this topic was last run on 14th June 2018. It was decided not to undertake a re-run for this topic in November 2018 as this is not a fast moving evidence base and there were unlikely to be any new studies published which would affect the recommendations.

169 Database: Medline & Embase (Multifile)

170 Last searched on **Embase Classic+Embase** 1947 to 2018 June 13, **Ovid MEDLINE(R)**
 171 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
 172 **Daily and Ovid MEDLINE(R)** 1946 to Present

173 Date of last search: 14th June 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Misoprostol/ use ppez
17	misoprostol/ use emczd
18	(misoprostol\$ or cytotec\$ or arthrotec\$ or oxaprost\$ or cyprostol\$ or mibetec\$ or prostokos\$ or misotrol\$).mp.
19	16 or 17 or 18
20	(controlled clinical trial or pragmatic clinical trial or randomized controlled trial).pt. or drug therapy.fs. or (groups or placebo or randomi#ed or randomly or trial).ab.
21	crossover procedure/ or double blind procedure/ or randomized controlled trial/ or single blind procedure/ or (assign* or allocat* or crossover* or cross over* or ((doubl* or singl*) adj blind*)) or factorial* or placebo* or random* or volunteer*).ti,ab.
22	meta-analysis/
23	meta-analysis as topic/
24	systematic review/
25	meta-analysis/
26	(meta analy* or metanaly* or metaanaly*).ti,ab.
27	((systematic or evidence) adj2 (review* or overview*)).ti,ab.
28	((systematic* or evidence*) adj2 (review* or overview*)).ti,ab.

#	Searches
29	(reference list* or bibliograph* or hand search* or manual search* or relevant journals).ab.
30	(search strategy or search criteria or systematic search or study selection or data extraction).ab.
31	(search* adj4 literature).ab.
32	(medline or pubmed or cochrane or embase or psychlit or psyclit or psychinfo or psycinfo or cinahl or science citation index or bids or cancerlit).ab.
33	cochrane.jw.
34	((pool* or combined) adj2 (data or trials or studies or results)).ab.
35	letter/
36	editorial/
37	news/
38	exp historical article/
39	Anecdotes as Topic/
40	comment/
41	case report/
42	(letter or comment*).ti.
43	35 or 36 or 37 or 38 or 39 or 40 or 41 or 42
44	randomized controlled trial/ or random*.ti,ab.
45	43 not 44
46	animals/ not humans/
47	exp Animals, Laboratory/
48	exp Animal Experimentation/
49	exp Models, Animal/
50	exp Rodentia/
51	(rat or rats or mouse or mice).ti.
52	45 or 46 or 47 or 48 or 49 or 50 or 51
53	letter.pt. or letter/
54	note.pt.
55	editorial.pt.
56	case report/ or case study/
57	(letter or comment*).ti.
58	53 or 54 or 55 or 56 or 57
59	randomized controlled trial/ or random*.ti,ab.
60	58 not 59
61	animal/ not human/
62	nonhuman/
63	exp Animal Experiment/
64	exp Experimental Animal/
65	animal model/
66	exp Rodent/
67	(rat or rats or mouse or mice).ti.
68	60 or 61 or 62 or 63 or 64 or 65 or 66 or 67
69	52 use ppez
70	68 use emczd
71	69 or 70
72	20 use ppez
73	21 use emczd
74	72 or 73
75	(or/22-23,26,28-33) use ppez
76	(or/24-27,29-34) use emczd
77	75 or 76
78	15 and 19
79	71 and 78
80	78 not 79
81	74 or 77
82	80 and 81
83	remove duplicates from 82
84	limit 83 to english language
85	limit 84 to yr="1985 -Current"

174 Database: Cochrane Library via Wiley Online

175 Date of last search: 14th June 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)

#	Searches
#7	(abort* or postabortion* or preabortion*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Misoprostol] this term only
#14	(misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*):ti,ab,kw (Word variations have been searched)
#15	#13 or #14
#16	#12 and #15

176 Medical or Surgical Options for Termination of Pregnancy between 13⁺⁰ and 24⁺⁰ weeks Gestation

- 178 What is the effectiveness, safety and acceptability of surgical compared to medical
 179 termination between 13⁺⁰ and 24⁺⁰ weeks gestation?
- 180 The search for this topic was last run on 8th March 2018. It was decided not to undertake a
 181 re-run for this topic in November 2018 as the results of the economic model and
 182 corresponding sensitivity analysis suggest very strongly that the conclusions are unlikely to
 183 change as a result of any update search. Moreover, the Guideline Committee were not
 184 aware of any new relevant studies.

185 Database: Medline & Embase (Multifile)

186 Last searched on **Embase Classic+Embase** 1947 to 2018 March 07, **Ovid MEDLINE(R)**
 187 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
 188 **Daily and Ovid MEDLINE(R)** 1946 to Present

189 Date of last search: 8th March 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabortion\$ or preabortion\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$.tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Curettage/ use ppez
17	"dilation and evacuation"/ use emczd
18	"dilatation and curettage"/ use emczd
19	vacuum aspiration/ use emczd
20	((dilat\$ or vacuum\$ or suction\$ or surgical) adj5 (evac\$ or extract\$ or curet\$ or aspirat\$)).tw.
21	curettage\$.tw.
22	16 or 17 or 18 or 19 or 20 or 21
23	Mifepristone/ use ppez
24	mifepristone/ use emczd
25	(mifepriston\$ or mifeprex\$ or mifegyn\$ or ru-486\$ or ru486\$ or ru-38486\$ or ru38486\$).mp.
26	Misoprostol/ use ppez
27	misoprostol/ use emczd
28	(misoprostol\$ or cytotec\$ or arthrotec\$ or oxaprost\$ or cyprostol\$ or mibetec\$ or prostokos\$ or misotrol\$).mp.
29	(medica\$ adj5 evac\$).tw.
30	23 or 24 or 25 or 26 or 27 or 28 or 29

#	Searches
31	15 and 22 and 30
32	(surg\$ adj6 (abortion\$ or termination\$)).tw.
33	(medica\$ adj6 (abortion\$ or termination\$)).tw.
34	32 and 33
35	31 or 34
36	limit 35 to english language
37	remove duplicates from 36
38	letter/
39	editorial/
40	news/
41	exp historical article/
42	Anecdotes as Topic/
43	comment/
44	case report/
45	(letter or comment*).ti.
46	38 or 39 or 40 or 41 or 42 or 43 or 44 or 45
47	randomized controlled trial/ or random*.ti,ab.
48	46 not 47
49	animals/ not humans/
50	exp Animals, Laboratory/
51	exp Animal Experimentation/
52	exp Models, Animal/
53	exp Rodentia/
54	(rat or rats or mouse or mice).ti.
55	48 or 49 or 50 or 51 or 52 or 53 or 54
56	letter.pt. or letter/
57	note.pt.
58	editorial.pt.
59	case report/ or case study/
60	(letter or comment*).ti.
61	56 or 57 or 58 or 59 or 60
62	randomized controlled trial/ or random*.ti,ab.
63	61 not 62
64	animal/ not human/
65	nonhuman/
66	exp Animal Experiment/
67	exp Experimental Animal/
68	animal model/
69	exp Rodent/
70	(rat or rats or mouse or mice).ti.
71	63 or 64 or 65 or 66 or 67 or 68 or 69 or 70
72	55 use ppez
73	71 use emczd
74	72 or 73
75	37 and 74
76	37 not 75

190 Cochrane Library via Wiley Online

191 Date of last search: 8th March 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	(((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)

#	Searches
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Curettage] explode all trees
#14	((dilat* or vacuum* or suction* or surgical) near/5 (evac* or extract* or curet* or aspirat*)):ti,ab,kw (Word variations have been searched)
#15	curettage:ti,ab,kw (Word variations have been searched)
#16	#13 or #14 or #15
#17	MeSH descriptor: [Abortifacient Agents] explode all trees
#18	abortifacient*:ti,ab,kw (Word variations have been searched)
#19	MeSH descriptor: [Mifepristone] explode all trees
#20	(mifepriston* or mifeprev* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*):ti,ab,kw (Word variations have been searched)
#21	MeSH descriptor: [Misoprostol] explode all trees
#22	(misoprostol* or cytotec* or arthrotec* or oxaprostone* or cyprostol* or mibetec* or prostokos* or misotrol*):ti,ab,kw (Word variations have been searched)
#23	(medica* near/5 evac*):ti,ab,kw (Word variations have been searched)
#24	#17 or #18 or #19 or #20 or #21 or #22 or #23
#25	(surg* near/6 (abortion* or termination*)):ti,ab,kw (Word variations have been searched)
#26	(medica* near/6 (abortion* or termination*)):ti,ab,kw (Word variations have been searched)
#27	#25 and #26
#28	#12 and #16 and #24
#29	#27 or #28

192 Medical Termination of Pregnancy after 24 weeks Gestation

- 193 What is the optimal regimen for medical termination of pregnancy after 24 weeks gestation?
- 194 The search for this topic was last run on 3rd May 2018. It was decided not to undertake a re-run for this topic in November 2018 as this is not a fast moving evidence base and there were unlikely to be any new studies published which would affect the recommendations.

197 Database: Medline & Embase (Multifile)

- 198 Last searched on **Embase Classic+Embase** 1947 to 2018 May 02, **Ovid MEDLINE(R)**
 199 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations**, **Ovid MEDLINE(R)**
 200 **Daily and Ovid MEDLINE(R)** 1946 to Present

201 Date of last search: 3rd May 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Mifepristone/ use ppez
17	mifepristone/ use emczd
18	(mifepriston\$ or mifeprev\$ or mifegyn\$ or ru-486\$ or ru486\$ or ru-38486\$ or ru38486\$).mp.
19	16 or 17 or 18
20	Misoprostol/ use ppez
21	misoprostol/ use emczd
22	(misoprostol\$ or cytotec\$ or arthrotec\$ or oxaprostone\$ or cyprostol\$ or mibetec\$ or prostokos\$ or misotrol\$).mp.
23	20 or 21 or 22
24	15 and 19 and 23
25	(controlled clinical trial or pragmatic clinical trial or randomized controlled trial).pt. or drug therapy.fs. or (groups or placebo or randomi#ed or randomly or trial).ab.

#	Searches
26	crossover procedure/ or double blind procedure/ or randomized controlled trial/ or single blind procedure/ or (assign* or allocat* or crossover* or cross over* or ((doubl* or singl*) adj blind*) or factorial* or placebo* or random* or volunteer*).ti,ab.
27	meta-analysis/
28	meta-analysis as topic/
29	systematic review/
30	meta-analysis/
31	(meta analy* or metanaly* or metaanaly*).ti,ab.
32	((systematic or evidence) adj2 (review* or overview*).ti,ab.
33	((systematic* or evidence*) adj2 (review* or overview*).ti,ab.
34	(reference list* or bibliograph* or hand search* or manual search* or relevant journals).ab.
35	(search strategy or search criteria or systematic search or study selection or data extraction).ab.
36	(search* adj4 literature).ab.
37	(medline or pubmed or cochrane or embase or psychlit or psyclit or psychinfo or psycinfo or cinahl or science citation index or bids or cancerlit).ab.
38	cochrane.jw.
39	((pool* or combined) adj2 (data or trials or studies or results)).ab.
40	letter/
41	editorial/
42	news/
43	exp historical article/
44	Anecdotes as Topic/
45	comment/
46	case report/
47	(letter or comment*).ti.
48	40 or 41 or 42 or 43 or 44 or 45 or 46 or 47
49	randomized controlled trial/ or random*.ti,ab.
50	48 not 49
51	animals/ not humans/
52	exp Animals, Laboratory/
53	exp Animal Experimentation/
54	exp Models, Animal/
55	exp Rodentia/
56	(rat or rats or mouse or mice).ti.
57	50 or 51 or 52 or 53 or 54 or 55 or 56
58	letter.pt. or letter/
59	note.pt.
60	editorial.pt.
61	case report/ or case study/
62	(letter or comment*).ti.
63	58 or 59 or 60 or 61 or 62
64	randomized controlled trial/ or random*.ti,ab.
65	63 not 64
66	animal/ not human/
67	nonhuman/
68	exp Animal Experiment/
69	exp Experimental Animal/
70	animal model/
71	exp Rodent/
72	(rat or rats or mouse or mice).ti.
73	65 or 66 or 67 or 68 or 69 or 70 or 71 or 72
74	57 use ppez
75	73 use emczd
76	74 or 75
77	25 use ppez
78	26 use emczd
79	77 or 78
80	(or/27-28,31,33-38) use ppez
81	(or/29-32,34-39) use emczd
82	80 or 81
83	24 and 76
84	24 not 83
85	limit 84 to english language
86	limit 85 to yr="1985 -Current"
87	remove duplicates from 86

202 Database: Cochrane Library via Wiley Online

203 Date of last search: 3rd May 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Mifepristone] this term only
#14	(mifepriston* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*):ti,ab,kw (Word variations have been searched)
#15	#13 or #14
#16	MeSH descriptor: [Misoprostol] this term only
#17	(misoprostol* or cytotec* or arthrotec* or oxaprost* or cyprostol* or mibetec* or prostokos* or misotrol*):ti,ab,kw (Word variations have been searched)
#18	#16 or #17
#19	#12 and #15 and #18 Publication Year from 1985 to 2018

204 Conservative Cervical Priming before Surgical Termination of Pregnancy

- 206 What is the optimal regimen for cervical priming (including no cervical priming as an option)
 207 before surgical termination of pregnancy up to and including 13⁺⁶ weeks gestation?
- 208 What is the optimal regimen for cervical priming before surgical termination of pregnancy
 209 between 14⁺⁰ and 24⁺⁰ weeks gestation?
- 210 The search for this topic was last run on 19th November 2018 during the re-runs for this
 211 guideline.

212 Database: Medline & Embase (Multifile)

- 213 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R) Daily and Ovid MEDLINE(R)** 1946 to November 16, 2018

216 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$.tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Cervical Ripening/ use ppez
17	uterine cervix ripening/ use emczd
18	((cervi\$ or intracervi\$ or intra-cervi\$ or mifepriston\$ or misoprostol) adj5 (priming or ripen\$ or soften\$ or dilat\$ or prepar\$ or maturat\$)).mp.
19	osmotic cervical dilator/ use emczd

#	Searches
20	exp uterine cervix dilatation/ use emczd
21	(osmotic adj5 dilator\$).mp.
22	(laminaria\$ or dilapan\$ or lamicel\$).mp.
23	16 or 17 or 18 or 19 or 20 or 21 or 22
24	15 and 23
25	limit 24 to english language
26	limit 25 to yr="1985 -Current"
27	Limit 26 to RCTs and SRs, and general exclusions filter applied
28	remove duplicates from 27

217 Database: Cochrane Library via Wiley Online

218 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabortion* or preabortion*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	(((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Cervical Ripening] this term only
#14	((cervi* or intracervi* or intra-cervi* or mifepriston* or misoprostol) near/5 (priming or ripen* or soften* or dilat* or prepar* or maturat*)):ti,ab,kw (Word variations have been searched)
#15	(osmotic near/5 dilator*):ti,ab,kw (Word variations have been searched)
#16	(laminaria* or dilapan* or lamicel*):ti,ab,kw (Word variations have been searched)
#17	#13 or #14 or #15 or #16
#18	#12 and #17 Publication Year from 1985 to 2018

219 Anaesthesia or Sedation for Surgical Termination of Pregnancy

221 What is the optimal method of anaesthesia or sedation for surgical termination of pregnancy?

222 The search for this topic was last run on 11th June 2018. It was decided not to undertake a re-run for this topic in November 2018 as this is not a fast moving evidence base and there were unlikely to be any new studies published which would affect the recommendations.

225 Database: Medline & Embase (Multifile)

226 Last searched on **Embase Classic+Embase** 1947 to 2018 June 08, **Ovid MEDLINE(R)**
 227 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
 228 **Daily and Ovid MEDLINE(R)** 1946 to Present

229 Date of last search: 11th June 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabortion\$ or preabortion\$).tw.

#	Searches
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$.tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Pain/dt, pc use ppez
17	pain/dt, pc use emczd
18	Pain, Postoperative/dt, pc use ppez
19	postoperative pain/dt, pc use emczd
20	(pain adj (control or management or treatment)).tw.
21	(Anesthesia, Local/ or Anesthetics, Local/) use ppez
22	(Anesthesia, Obstetrical/ or Analgesia, Obstetrical/) use ppez
23	Lidocaine/ use ppez
24	(local anesthesia/ or local anesthetic agent/) use emczd
25	(obstetric anesthesia/ or obstetric analgesia/) use emczd
26	paracervical block/ use emczd
27	lidocaine/ use emczd
28	(local adj3 (an?esthe\$ or analges\$)).tw.
29	((paracervical or intracervical or intrauterine or para-cervical or intra-cervical or intra-uterine) adj3 (an?esthe\$ or analges\$ or block\$)).tw.
30	((an?esthe\$ or analges\$) adj3 (gel\$ or topical or cream\$ or ointment\$ or spray\$)).tw.
31	(lidocain\$ or lignocain\$ or xylocain\$).tw.
32	Conscious Sedation/ use ppez
33	Deep Sedation/ use ppez
34	"Hypnotics and Sedatives"/ use ppez
35	exp sedation/ use emczd
36	sedative agent/ use emczd
37	(sedat\$ or hypnot\$ or tranquiliz\$).tw.
38	exp Benzodiazepines/ use ppez
39	exp benzodiazepine derivative/ use emczd
40	ben?odia?epin\$.tw.
41	zopiclone/ use emczd
42	(zopiclon\$ or zimovan\$ or imovan\$).tw.
43	Nitrous Oxide/ use ppez
44	nitrous oxide/ use emczd
45	nitrous oxide plus oxygen/ use emczd
46	(nitrous adj oxide\$).tw.
47	entonox\$.tw.
48	(N2O adj inhal\$).tw.
49	(propofol\$ or diprivan\$ or fresofol\$ or pofol\$ or recofol\$).tw.
50	Ketamine/ use ppez
51	ketamine/ use emczd
52	(ketamin\$ or ketalar\$).tw.
53	(exp Anesthesia, General/ or exp Anesthetics, General/) use ppez
54	(exp general anesthesia/ or exp anesthetic agent/) use emczd
55	(general adj3 an?esthe\$).tw.
56	exp Methyl Ethers/ use ppez
57	exp Thiobarbiturates/ use ppez
58	exp ether derivative/ use emczd
59	exp barbituric acid derivative/ use emczd
60	(sevoflurane\$ or sevorane\$ or ultane\$ or isoflurane\$ or forane\$ or terrell\$ or desflurane\$ or suprane\$ or thiopentone\$ or thiopental\$ or trapanal\$ or etomidat\$ or hypnotidate\$ or amideate\$).tw.
61	or/16-60
62	15 and 61
63	((surgical or suction or vacuum) adj6 (abortion or termination)).tw.
64	61 and 63
65	62 or 64
66	(controlled clinical trial or pragmatic clinical trial or randomized controlled trial).pt. or drug therapy.fs. or (groups or placebo or randomi#ed or randomly or trial).ab.
67	crossover procedure/ or double blind procedure/ or randomized controlled trial/ or single blind procedure/ or (assign* or allocat* or crossover* or cross over* or ((doubl* or singl*) adj blind*)) or factorial* or placebo* or random* or volunteer*).ti,ab.
68	meta-analysis/
69	meta-analysis as topic/
70	systematic review/
71	meta-analysis/
72	(meta analy* or metanaly* or metaanaly*).ti,ab.
73	((systematic or evidence) adj2 (review* or overview*)).ti,ab.
74	((systematic* or evidence*) adj2 (review* or overview*)).ti,ab.

#	Searches
75	(reference list* or bibliograph* or hand search* or manual search* or relevant journals).ab.
76	(search strategy or search criteria or systematic search or study selection or data extraction).ab.
77	(search* adj4 literature).ab.
78	(medline or pubmed or cochrane or embase or psychlit or psyclit or psychinfo or psycinfo or cinahl or science citation index or bids or cancerlit).ab.
79	cochrane.jw.
80	((pool* or combined) adj2 (data or trials or studies or results)).ab.
81	letter/
82	editorial/
83	news/
84	exp historical article/
85	Anecdotes as Topic/
86	comment/
87	case report/
88	(letter or comment*).ti.
89	81 or 82 or 83 or 84 or 85 or 86 or 87 or 88
90	randomized controlled trial/ or random*.ti,ab.
91	89 not 90
92	animals/ not humans/
93	exp Animals, Laboratory/
94	exp Animal Experimentation/
95	exp Models, Animal/
96	exp Rodentia/
97	(rat or rats or mouse or mice).ti.
98	91 or 92 or 93 or 94 or 95 or 96 or 97
99	letter.pt. or letter/
100	note.pt.
101	editorial.pt.
102	case report/ or case study/
103	(letter or comment*).ti.
104	99 or 100 or 101 or 102 or 103
105	randomized controlled trial/ or random*.ti,ab.
106	104 not 105
107	animal/ not human/
108	nonhuman/
109	exp Animal Experiment/
110	exp Experimental Animal/
111	animal model/
112	exp Rodent/
113	(rat or rats or mouse or mice).ti.
114	106 or 107 or 108 or 109 or 110 or 111 or 112 or 113
115	98 use ppez
116	114 use emczd
117	115 or 116
118	66 use ppez
119	67 use emczd
120	118 or 119
121	(or/68-69,72,74-79) use ppez
122	(or/70-73,75-80) use emczd
123	121 or 122
124	65 and 117
125	65 not 124
126	120 or 123
127	125 and 126
128	remove duplicates from 127
129	limit 128 to english language
130	limit 129 to yr="1990 -Current"

230 Database: Cochrane Library via Wiley Online

231 Date of last search: 11th June 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)

#	Searches
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	(((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnant*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Pain] this term only and with qualifier(s): [Drug therapy - DT, Prevention & control - PC]
#14	MeSH descriptor: [Pain, Postoperative] this term only and with qualifier(s): [Drug therapy - DT, Prevention & control - PC]
#15	(pain next (control or management or treatment)):ti,ab,kw (Word variations have been searched)
#16	MeSH descriptor: [Anesthesia, Local] this term only
#17	MeSH descriptor: [Anesthetics, Local] this term only
#18	MeSH descriptor: [Anesthesia, Obstetrical] this term only
#19	MeSH descriptor: [Analgesia, Obstetrical] this term only
#20	MeSH descriptor: [Lidocaine] this term only
#21	(local near/3 (anesthe* or anaesthe* or analges*)):ti,ab,kw (Word variations have been searched)
#22	((paracervical or intracervical or intrauterine or para-cervical or intra-cervical or intra-uterine) near/3 (anesthe* or anaesthe* or analges* or block*)):ti,ab,kw (Word variations have been searched)
#23	((anesthe* or anaesthe* or analges*) near/3 (gel* or topical or cream* or ointment* or spray*)):ti,ab,kw (Word variations have been searched)
#24	(lidocain* or lignocain* or xylocain*):ti,ab,kw (Word variations have been searched)
#25	MeSH descriptor: [Conscious Sedation] this term only
#26	MeSH descriptor: [Deep Sedation] this term only
#27	MeSH descriptor: [Hypnotics and Sedatives] this term only
#28	(sedat* or hypnot* or tranquiliz*):ti,ab,kw (Word variations have been searched)
#29	MeSH descriptor: [Benzodiazepines] explode all trees
#30	ben?odia?epin*:ti,ab,kw (Word variations have been searched)
#31	(zopiclon* or zimovan* or imovan*):ti,ab,kw (Word variations have been searched)
#32	MeSH descriptor: [Nitrous Oxide] this term only
#33	(nitrous next oxide*):ti,ab,kw (Word variations have been searched)
#34	entonox*:ti,ab,kw (Word variations have been searched)
#35	(N2O next inhal*):ti,ab,kw (Word variations have been searched)
#36	(propofol* or diprivan* or fresofol* or folosan* or recofol*):ti,ab,kw (Word variations have been searched)
#37	MeSH descriptor: [Ketamine] this term only
#38	(ketamin* or ketalar*):ti,ab,kw (Word variations have been searched)
#39	MeSH descriptor: [Anesthesia, General] explode all trees
#40	MeSH descriptor: [Anesthetics, General] explode all trees
#41	(general near/3 (anesthe* or anaesthe*)):ti,ab,kw (Word variations have been searched)
#42	MeSH descriptor: [Methyl Ethers] explode all trees
#43	MeSH descriptor: [Thiobarbiturates] explode all trees
#44	(sevoflurane* or sevorane* or ultane* or isoflurane* or forane* or terrell* or desflurane* or suprane* or thiopentone* or thiopental* or trapanal* or etomidat* or hypnomidate* or amide*):ti,ab,kw (Word variations have been searched)
#45	#13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28 or #29 or #30 or #31 or #32 or #33 or #34 or #35 or #36 or #37 or #38 or #39 or #40 or #41 or #42 or #43 or #44
#46	#12 and #45
#47	((surgical or suction or vacuum) near/6 (abortion or termination)):ti,ab,kw (Word variations have been searched)
#48	#45 and #47
#49	#46 or #48

232 Contraception after Medical Termination of Pregnancy – 233 Contraceptive Implant

- 234 For women who are having medical termination of pregnancy and plan to use a progestogen-
235 only contraceptive implant or depot injection, does administration of the contraception at the
236 same time as mifepristone influence the efficacy of the termination?
- 237 The search for this topic was last run on 19th November 2018 during the re-runs for this
238 guideline.

239 Database: Medline & Embase (Multifile)

- 240 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, **Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations**, **Ovid MEDLINE(R) Daily** and **Ovid MEDLINE(R)** 1946 to November 16, 2018

243 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Mifepristone/ use ppez
17	mifepristone/ use emczd
18	(mifepriston\$ or mifeprex\$ or mifegyn\$ or ru-486\$ or ru486\$ or ru-38486\$ or ru38486\$).mp.
19	16 or 17 or 18
20	exp Contraception/ use ppez
21	exp contraception/ use emczd
22	Contraceptive Agents, Female/ use ppez
23	contraceptive agent/ use emczd
24	Desogestrel/ use ppez
25	etonogestrel/ use emczd
26	(etonogestrel\$ or implanton\$ or nexplanon\$).mp.
27	((progest\$ or contracept\$ or depo\$) adj5 (inject\$ or implant\$)).mp.
28	exp Medroxyprogesterone/ use ppez
29	exp medroxyprogesterone/ use emczd
30	medroxyprogesterone acetate/ use emczd
31	(medroxyprogesteron\$ adj5 acetat\$).mp.
32	(DMPA or MPA).mp.
33	(depo\$ adj5 (prover\$ or medroxyprogesteron\$)).mp.
34	(noristerat\$ or norethisteron\$ or norethindron\$).mp.
35	sayana press.mp.
36	20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35
37	15 and 19 and 36
38	remove duplicates from 37
39	limit 38 to english language
40	letter/
41	editorial/
42	news/
43	exp historical article/
44	Anecdotes as Topic/
45	comment/
46	case report/
47	(letter or comment*).ti.
48	40 or 41 or 42 or 43 or 44 or 45 or 46 or 47
49	randomized controlled trial/ or random*.ti,ab.
50	48 not 49
51	animals/ not humans/
52	exp Animals, Laboratory/
53	exp Animal Experimentation/
54	exp Models, Animal/
55	exp Rodentia/
56	(rat or rats or mouse or mice).ti.
57	50 or 51 or 52 or 53 or 54 or 55 or 56
58	letter.pt. or letter/
59	note.pt.
60	editorial.pt.
61	case report/ or case study/
62	(letter or comment*).ti.
63	58 or 59 or 60 or 61 or 62
64	randomized controlled trial/ or random*.ti,ab.
65	63 not 64
66	animal/ not human/
67	nonhuman/
68	exp Animal Experiment/

#	Searches
69	exp Experimental Animal/
70	animal model/
71	exp Rodent/
72	(rat or rats or mouse or mice).ti.
73	65 or 66 or 67 or 68 or 69 or 70 or 71 or 72
74	57 use ppez
75	73 use emczd
76	74 or 75
77	39 and 76
78	39 not 77

244 Database: Cochrane Library via Wiley Online

245 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Mifepristone] explode all trees
#14	(mifepriston* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*):ti,ab,kw (Word variations have been searched)
#15	#13 or #14
#16	MeSH descriptor: [Contraception] explode all trees
#17	MeSH descriptor: [Contraceptive Agents, Female] explode all trees
#18	MeSH descriptor: [Desogestrel] explode all trees
#19	(etonogestrel* or implanon* or nexplanon*):ti,ab,kw (Word variations have been searched)
#20	((progest* or contracept* or depo*) near/5 (inject* or implant*)):ti,ab,kw (Word variations have been searched)
#21	MeSH descriptor: [Medroxyprogesterone] explode all trees
#22	(medroxyprogesteron* near/5 acetat*):ti,ab,kw (Word variations have been searched)
#23	(DMPA or MPA):ti,ab,kw (Word variations have been searched)
#24	(depo* near/5 (prover* or medroxyprogesteron*)):ti,ab,kw (Word variations have been searched)
#25	(noristerat* or norethisteron* or norethindron*):ti,ab,kw (Word variations have been searched)
#26	sayana press:ti,ab,kw (Word variations have been searched)
#27	#16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26
#28	#12 and #15 and #27

246 Database: Cinahl Plus

247 Date of last search: 19th November 2018

#	Searches
S12	S3 AND S11
S11	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10
S10	Tl sayana press OR AB sayana press
S9	Tl ((noristerat* or norethisteron* or norethindron*) OR AB ((noristerat* or norethisteron* or norethindron*)
S8	Tl ((depo* N5 (prover* or medroxyprogesteron*))) OR AB ((depo* N5 (prover* or medroxyprogesteron*)))
S7	Tl ((DMPA or MPA)) OR AB ((DMPA or MPA))
S6	Tl (medroxyprogesteron* N5 acetat*) OR AB (medroxyprogesteron* N5 acetat*)
S5	Tl (((progest* or contracept* or depo*) N5 (inject* or implant*))) OR AB (((progest* or contracept* or depo*) N5 (inject* or implant*)))
S4	Tl ((etonogestrel* or implanon* or nexplanon*)) OR AB ((etonogestrel* or implanon* or nexplanon*))
S3	S1 OR S2
S2	Tl ((mifepriston* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*) OR AB ((mifepriston* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*))
S1	(MH "Mifepristone")

248 Database: Web of Science Core Collection

249 Timespan=All years. Date of last search: 19th November 2018

#	Searches
# 15	#13 AND #5 Refined by: LANGUAGES: (ENGLISH) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 14	#13 AND #5 Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 13	#12 OR #11 OR #10 OR #9 OR #8 OR #7 OR #6 Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 12	TS=(sayana press) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 11	TS=(noristerat* or norethisteron* or norethindron*) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 10	TS=(depo* SAME (prover* or medroxyprogesteron*)) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 9	TS=(DMPA or MPA) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 8	TS=(medroxyprogesteron* SAME acetat*) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 7	TS=((progest* or contracept* or depo*) SAME (inject* or implant*)) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 6	TS=(etongestrel* or implanton* or nexplanon*) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 5	#4 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 4	TS=(mifepristone* or mifeprex* or mifegyn* or ru-486* or ru486* or ru-38486* or ru38486*) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 3	#2 OR #1 Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 2	TS=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) Indexes=SCI-EXPANDED, SSCI Timespan=All years
# 1	TS=(abort* or postabortion* or preabortion*) Indexes=SCI-EXPANDED, SSCI Timespan=All years

250 Contraception after Medical Termination of Pregnancy – 251 Timing of IUD

252 For women who have had a medical termination of pregnancy, how soon afterwards is it safe
253 to insert an intrauterine contraceptive device?

254 The search for this topic was last run on 19th November 2018 during the re-runs for this
255 guideline.

256 Database: Medline & Embase (Multifile)

257 Last searched on **Embase Classic+Embase** 1947 to 2018 November 16, Ovid
258 **MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid**
259 **MEDLINE(R) Daily and Ovid MEDLINE(R) 1946 to November 16, 2018**

260 Date of last search: 19th November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabortion\$ or preabortion\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.

#	Searches
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Intrauterine Device/ use ppez
17	exp intrauterine device/ use emczd
18	exp Intrauterine Devices/ use psyh
19	(IUD\$ or IUCD\$ or IUC\$ or IUS\$ or LNG-IUS\$).mp.
20	((intrauterin\$ or intra-uterin\$) adj5 (device\$ or system\$ or contracept\$)).mp.
21	(mirena\$ or skyla\$ or liletta\$ or levosert\$ or jaydess\$).mp.
22	16 or 17 or 18 or 19 or 20 or 21
23	15 and 22
24	letter/
25	editorial/
26	news/
27	exp historical article/
28	Anecdotes as Topic/
29	comment/
30	case report/
31	(letter or comment*).ti.
32	24 or 25 or 26 or 27 or 28 or 29 or 30 or 31
33	randomized controlled trial/ or random*.ti,ab.
34	32 not 33
35	animals/ not humans/
36	exp Animals, Laboratory/
37	exp Animal Experimentation/
38	exp Models, Animal/
39	exp Rodentia/
40	(rat or rats or mouse or mice).ti.
41	34 or 35 or 36 or 37 or 38 or 39 or 40
42	letter.pt. or letter/
43	note.pt.
44	editorial.pt.
45	case report/ or case study/
46	(letter or comment*).ti.
47	42 or 43 or 44 or 45 or 46
48	randomized controlled trial/ or random*.ti,ab.
49	47 not 48
50	animal/ not human/
51	nonhuman/
52	exp Animal Experiment/
53	exp Experimental Animal/
54	animal model/
55	exp Rodent/
56	(rat or rats or mouse or mice).ti.
57	49 or 50 or 51 or 52 or 53 or 54 or 55 or 56
58	41 use ppez
59	57 use emczd
60	58 or 59
61	23 and 60
62	23 not 61
63	remove duplicates from 62
64	limit 63 to english language
65	limit 64 to yr="2007 -Current"

261 Database: Cochrane Library via Wiley Online

262 Date of last search: 19th November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)

#	Searches
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Intrauterine Devices] explode all trees
#14	(IUD* or IUCD* or IUC* or IUS* or LNG-IUS*):ti,ab,kw (Word variations have been searched)
#15	((intrauterin* or intra-uterin*) near/5 (device* or system* or contracept*)):ti,ab,kw (Word variations have been searched)
#16	(mirena* or skyla* or liletta* or levosert* or jaydess*):ti,ab,kw (Word variations have been searched)
#17	#13 or #14 or #15 or #16
#18	#12 and #17

263 Database: Cinahl Plus

264 Date of last search: 19th November 2018

#	Searches
S11	S10 Limiters - Publication Year: 2007-2018; English Language
S10	S4 AND S9
S9	S5 OR S6 OR S7 OR S8
S8	TI (mirena* or skyla* or liletta* or levosert* or jaydess*) OR AB (mirena* or skyla* or liletta* or levosert* or jaydess*)
S7	TI (IUD* or IUCD* or IUC* or IUS* or LNG-IUS*) OR AB (IUD* or IUCD* or IUC* or IUS* or LNG-IUS*)
S6	TI ((intrauterin* or intra-uterin*) N5 (device* or system* or contracept*)) OR AB ((intrauterin* or intra-uterin*) N5 (device* or system* or contracept*))
S5	(MH "Intrauterine Devices")
S4	S1 OR S2 OR S3
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabort* or preabort*) OR AB (abort* or postabort* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

265 Database: Web of Science Core Collection

266 Timespan=2007-2018. Date of last search: 19th November 2018

#	Searches
# 9	#8 Refined by: [excluding] DOCUMENT TYPES: (CORRECTION OR EDITORIAL MATERIAL OR LETTER) AND LANGUAGES: (ENGLISH) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 8	#7 AND #3 Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 7	#4 OR #5 OR #6 Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 6	TS=(mirena* or skyla* or liletta* or levosert* or jaydess*) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 5	# TS=(IUD* or IUCD* or IUC* or IUS* or LNG-IUS*) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 4	TS=((intrauterine* or intra-uterin*) SAME (device* or system* or contracept*)) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 3	#2 OR #1 Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 2	TS=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018
# 1	TS=(abort* or postabort* or preabort*) Indexes=SCI-EXPANDED, SSCI Timespan=2007-2018

267 Contraception after Medical Termination of Pregnancy - Access

269 What strategies are effective at facilitating access to contraception after termination of pregnancy?

271 The search for this topic was last run on 10th September 2018. It was decided not to
272 undertake a re-run for this topic in November 2018 as this is not a fast moving evidence base

273 and there were unlikely to be any new studies published which would affect the
274 recommendations.

275 Database: Medline & Embase (Multifile)

276 Last searched on **Embase Classic+Embase** 1947 to 2018 September 7, Ovid MEDLINE(R)
277 **Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE(R)**
278 **Daily and Ovid MEDLINE(R)** 1946 to September 7, 2018

279 Date of last search: 10th September 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).mp.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).mp.
12	((f?etal\$ or f?etus\$) adj loss\$).mp.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).mp.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).mp.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	exp Contraception/ use ppez
17	exp contraception/ use emczd
18	Contraceptive Agents, Female/ use ppez
19	contraceptive agent/ use emczd
20	Desogestrel/ use ppez
21	etonogestrel/ use emczd
22	(etonogestrel\$ or implanon\$ or nexplanon\$).mp.
23	((progest\$ or contracept\$ or depo\$) adj5 (inject\$ or implant\$)).mp.
24	exp Medroxyprogesterone/ use ppez
25	exp medroxyprogesterone/ use emczd
26	medroxyprogesterone acetate/ use emczd
27	(medroxyprogesteron\$ adj5 acetat\$).mp.
28	(DMPA or MPA).mp.
29	(depo\$ adj5 (prover\$ or medroxyprogesteron\$)).mp.
30	(noristerat\$ or norethisteron\$ or norethindron\$).mp.
31	sayana press.mp.
32	exp Intrauterine Device/ use ppez
33	exp intrauterine device/ use emczd
34	(IUD\$ or IUCD\$ or IUC\$ or IUS\$ or LNG-IUS\$).mp.
35	((intrauterin\$ or intra-uterin\$) adj5 (device\$ or system\$ or contracept\$)).mp.
36	(mirena\$ or skyla\$ or liletta\$ or levosert\$ or jaydess\$).mp.
37	(contraception\$ or contraceptive\$).m_titl.
38	16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37
39	Time Factors/ use ppez
40	time factor/ use emczd
41	Time-to-Treatment/ use ppez
42	time to treatment/ use emczd
43	Contraception Behavior/ use ppez
44	contraception behavior/ use emczd
45	exp Counseling/ use ppez
46	exp counseling/ use emczd
47	((delay\$ or fast-track\$ or immediate\$) adj3 (insert\$ or placement\$ or contracept\$ or initiat\$ or uptake\$)).mp.
48	((increase\$ or improve\$ or enhance\$ or contracept\$ or LARC) adj3 (uptake\$ or provision\$)).mp.
49	((increas\$ or choice\$ or access\$) adj3 contracept\$).mp.
50	((contracept\$ or family planning or preabortion or postabortion) adj counsel\$).mp.
51	39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50
52	15 and 38 and 51
53	letter/
54	editorial/
55	news/
56	exp historical article/

#	Searches
57	Anecdotes as Topic/
58	comment/
59	case report/
60	(letter or comment*).ti.
61	53 or 54 or 55 or 56 or 57 or 58 or 59 or 60
62	randomized controlled trial/ or random*.ti,ab.
63	61 not 62
64	animals/ not humans/
65	exp Animals, Laboratory/
66	exp Animal Experimentation/
67	exp Models, Animal/
68	exp Rodentia/
69	(rat or rats or mouse or mice).ti.
70	63 or 64 or 65 or 66 or 67 or 68 or 69
71	letter.pt. or letter/
72	note.pt.
73	editorial.pt.
74	case report/ or case study/
75	(letter or comment*).ti.
76	71 or 72 or 73 or 74 or 75
77	randomized controlled trial/ or random*.ti,ab.
78	76 not 77
79	animal/ not human/
80	nonhuman/
81	exp Animal Experiment/
82	exp Experimental Animal/
83	animal model/
84	exp Rodent/
85	(rat or rats or mouse or mice).ti.
86	78 or 79 or 80 or 81 or 82 or 83 or 84 or 85
87	70 use ppez
88	86 use emczd
89	87 or 88
90	52 and 89
91	52 not 90
92	limit 91 to english language
93	limit 92 to yr="2006 -Current"
94	remove duplicates from 93

280 Database: Cochrane Library via Wiley Online

281 Date of last search: 10th September 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*:ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11
#13	MeSH descriptor: [Contraception] explode all trees
#14	MeSH descriptor: [Contraceptive Agents, Female] explode all trees
#15	MeSH descriptor: [Desogestrel] explode all trees
#16	(etonogestrel* or implanon* or nexplanon*):ti,ab,kw (Word variations have been searched)
#17	((progest* or contracept* or depo*) near/5 (inject* or implant*)):ti,ab,kw (Word variations have been searched)
#18	MeSH descriptor: [Medroxyprogesterone] explode all trees
#19	(medroxyprogesteron* near/5 acetat*):ti,ab,kw (Word variations have been searched)
#20	(DMPA or MPA):ti,ab,kw (Word variations have been searched)
#21	(depo* near/5 (prover* or medroxyprogesteron*)):ti,ab,kw (Word variations have been searched)
#22	(noristerat* or norethisteron* or norethindron*):ti,ab,kw (Word variations have been searched)
#23	sayana press:ti,ab,kw (Word variations have been searched)
#24	MeSH descriptor: [Intrauterine Devices] explode all trees

#	Searches
#25	(IUD* or IUCD* or IUC* or IUS* or LNG-IUS*):ti,ab,kw (Word variations have been searched)
#26	((intrauterin* or intra-uterin*) near/5 (device* or system* or contracept*)):ti,ab,kw (Word variations have been searched)
#27	(mirena* or skyla* or liletta* or levosert* or jaydess*):ti,ab,kw (Word variations have been searched)
#28	(contraception* or contraceptive*):ti (Word variations have been searched)
#29	#13 or #14 or #15 or #16 or #17 or #18 or #19 or #20 or #21 or #22 or #23 or #24 or #25 or #26 or #27 or #28
#30	MeSH descriptor: [Time Factors] explode all trees
#31	MeSH descriptor: [Time-to-Treatment] this term only
#32	MeSH descriptor: [Contraception Behavior] this term only
#33	MeSH descriptor: [Counseling] explode all trees
#34	((delay* or fast-track* or immediate*) near/3 (insert* or placement* or contracept* or initiat* or uptake*)):ti,ab,kw (Word variations have been searched)
#35	((increase* or improve* or enhance* or contracept* or LARC) near/3 (uptake* or provision*)):ti,ab,kw (Word variations have been searched)
#36	((increas* or choice* or access*):ti,ab,kw (Word variations have been searched)
#37	((contracept* or family planning or preabortion or postabortion) next counsel*):ti,ab,kw (Word variations have been searched)
#38	#30 or #31 or #32 or #33 or #34 or #35 or #36 or #37
#39	#12 and #29
#40	#12 and #29 and #38

282 Database: Cinahl Plus

283 Date of last search: 10th September 2018

#	Searches
S30	S29 Limiters - Publication Year: 2006-2018; English Language;
S29	S26 AND S27 AND S28
S28	S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25
S27	S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18
S26	S1 OR S2 OR S3
S25	TI ((contracept* or family planning or preabortion or postabortion) NEXT counsel*) OR AB ((contracept* or family planning or preabortion or postabortion) NEXT counsel*)
S24	TI ((contracept* or family planning or preabortion or postabortion) NEXT counsel*) OR AB ((contracept* or family planning or preabortion or postabortion) NEXT counsel*)
S23	TI ((increas* or choice* or access*) N3 contracept*) OR AB ((increas* or choice* or access*) N3 contracept*)
S22	TI ((increase* or improve* or enhance* or contracept* or LARC) N3 (uptake* or provision*)) OR AB ((increase* or improve* or enhance* or contracept* or LARC) N3 (uptake* or provision*))
S21	TI ((delay* or fast-track* or immediate*) N3 (insert* or placement* or contracept* or initiat* or uptake*)) OR AB ((delay* or fast-track* or immediate*) N3 (insert* or placement* or contracept* or initiat* or uptake*))
S20	(MH "Counseling") OR (MH "Sexual Counseling")
S19	(MH "Time Factors")
S18	TI (contraception* or contraceptive*)
S17	TI (mirena* or skyla* or liletta* or levosert* or jaydess*) OR AB (mirena* or skyla* or liletta* or levosert* or jaydess*)
S16	TI ((intrauterin* or intra-uterin*) N5 (device* or system* or contracept*)) OR AB ((intrauterin* or intra-uterin*) N5 (device* or system* or contracept*))
S15	TI (IUD* or IUCD* or IUC* or IUS* or LNG-IUS*) OR AB (IUD* or IUCD* or IUC* or IUS* or LNG-IUS*)
S14	(MH "Intrauterine Devices")
S13	TI (sayana press) OR AB (sayana press)
S12	TI (noristerat* or norethisteron* or norethindron*) OR AB (noristerat* or norethisteron* or norethindron*)
S11	TI (depo* N5 (prover* or medroxyprogesteron*)) OR AB (depo* N5 (prover* or medroxyprogesteron*))
S10	TI (DMPA or MPA) OR AB (DMPA or MPA)
S9	TI (medroxyprogesteron* N5 acetat*) OR AB (medroxyprogesteron* N5 acetat*)
S8	(MH "Medroxyprogesterone+") OR (MH "Medroxyprogesterone Acetate")
S7	TI ((progest* or contracept* or depo*) N5 (inject* or implant*)) OR AB ((progest* or contracept* or depo*) N5 (inject* or implant*))
S6	TI (etonogestrel* or implanon* or nexplanon*) OR AB (etonogestrel* or implanon* or nexplanon*)
S5	(MH "Contraceptive Agents")
S4	(MH "Contraception+")
S3	TI ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*) OR AB ((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)
S2	TI (abort* or postabortion* or preabort*) OR AB (abort* or postabortion* or preabort*)
S1	(MH "Abortion, Habitual") OR (MH "Abortion, Criminal") OR (MH "Abortion, Spontaneous") OR (MH "Abortion, Incomplete")

284 Database: Web of Science Core Collection

285 Timespan=2006-2018. Date of last search: 10th September 2018

#	Searches
# 21	#20 AND #15 AND #3 Refined by: [excluding] DOCUMENT TYPES: (EDITORIAL MATERIAL OR BOOK REVIEW OR LETTER OR NEWS ITEM)
# 20	#19 OR #18 OR #17 OR #16
# 19	(TS=((contracept* or family planning or preabortion or postabortion) SAME counsel*)) AND LANGUAGE: (English)
# 18	(TS=((increas* or choice* or access*) SAME contracept*)) AND LANGUAGE: (English)
# 17	(TS=((increase* or improve* or enhance* or contracept* or LARC) SAME (uptake* or provision*))) AND LANGUAGE: (English)
# 16	(TS=((delay* or fast-track* or immediate*) SAME (insert* or placement* or contracept* or initiat* or uptake*))) AND LANGUAGE: (English)
# 15	#14 OR #13 OR #12 OR #11 OR #10 OR #9 OR #8 OR #7 OR #6 OR #5 OR #4
# 14	(TI=(contraception* or contraceptive*)) AND LANGUAGE: (English)
# 13	(TS=(mirena* or skyla* or liletta* or levosert* or jaydess*)) AND LANGUAGE: (English)
# 12	(TS=((intrauterine* or intra-uterin*) SAME (device* or system* or contracept*))) AND LANGUAGE: (English)
# 11	(TS=(IUD* or IUCD* or IUC* or IUS* or LNG-IUS*)) AND LANGUAGE: (English)
# 10	(TS=(sayana press)) AND LANGUAGE: (English)
# 9	(TS=(noristerat* or norethisteron* or norethindron*)) AND LANGUAGE: (English)
# 8	(TS=(depo* SAME (prover* or medroxyprogesteron*))) AND LANGUAGE: (English)
# 7	(TS=(DMPA or MPA)) AND LANGUAGE: (English)
# 6	(TS=(medroxyprogesteron* SAME acetat*)) AND LANGUAGE: (English)
# 5	(TS=((progest* or contracept* or depo*) SAME (inject* or implant*))) AND LANGUAGE: (English)
# 4	(TS=(etonogestrel* or implanon* or nexplanon*)) AND LANGUAGE: (English)
# 3	#2 OR #1
# 2	(TI=((f?etal* or f?etus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) and terminat*)) AND LANGUAGE: (English)
# 1	(TI=(abort* or postabort* or preabort*)) AND LANGUAGE: (English)

286 Health Economics Global Search

287 Database: Medline & Embase (Multifile)

- 288 Last searched on **Embase Classic+Embase** 1947 to 2018 November 20, **Ovid**
 289 **MEDLINE(R) and Epub Ahead of Print, In-Process & Other Non-Indexed Citations and**
 290 **Daily** 1946 to November 20, 2018

291 Date of last search: 21st November 2018

#	Searches
1	exp abortion/ use emczd
2	exp pregnancy termination/ use emczd
3	exp Abortion, Induced/ use ppez
4	Abortion Applicants/ use ppez
5	exp Abortion, Spontaneous/ use ppez
6	exp Abortion, Criminal/ use ppez
7	Aborted fetus/ use ppez
8	fetus death/ use emczd
9	abortion.mp.
10	(abort\$ or postabort\$ or preabort\$).tw.
11	((f?etal\$ or f?etus\$ or gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) and terminat\$).tw.
12	((f?etal\$ or f?etus\$) adj loss\$).tw.
13	((gestat\$ or midtrimester\$ or pregnan\$ or prenatal\$ or pre natal\$ or trimester\$) adj3 loss\$).tw.
14	((elective\$ or threaten\$ or voluntar\$) adj3 interrupt\$) and pregnan\$).tw.
15	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14
16	Economics/ use ppez
17	Value of life/ use ppez
18	exp "Costs and Cost Analysis"/ use ppez
19	exp Economics, Hospital/ use ppez
20	exp Economics, Medical/ use ppez
21	Economics, Nursing/ use ppez
22	Economics, Pharmaceutical/ use ppez
23	exp "Fees and Charges"/ use ppez
24	exp Budgets/ use ppez
25	health economics/ use emczd
26	exp economic evaluation/ use emczd
27	exp health care cost/ use emczd
28	exp fee/ use emczd
29	budget/ use emczd
30	funding/ use emczd

#	Searches
31	budget*:ti,ab.
32	cost*:ti.
33	(economic* or pharmaco?economic*).ti.
34	(price* or pricing*).ti,ab.
35	(cost* adj2 (effective* or utilit* or benefit* or minimi* or unit* or estimat* or variable*)).ab.
36	(financ* or fee or fees).ti,ab.
37	(value adj2 (money or monetary)).ti,ab.
38	or/16-37
39	15 and 38
40	remove duplicates from 39

292 Database: Health Technology Assessment

293 Last searched on **Health Technology Assessment Database** via Wiley Online in April

294 2017, and CRD website in November 2018

295 Date of last search: 21st November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11

296 Database: NHS Economic Evaluation Database

297 Last searched on **NHS Economic Evaluation Database** via Wiley Online in April 2017, and
298 CRD website in November 2018

299 Date of last search: 21st November 2018

#	Searches
#1	MeSH descriptor: [Abortion, Induced] explode all trees
#2	MeSH descriptor: [Abortion Applicants] explode all trees
#3	MeSH descriptor: [Abortion, Spontaneous] explode all trees
#4	MeSH descriptor: [Abortion, Criminal] explode all trees
#5	MeSH descriptor: [Aborted Fetus] explode all trees
#6	"abortion":ti,ab,kw (Word variations have been searched)
#7	(abort* or postabort* or preabort*):ti,ab,kw (Word variations have been searched)
#8	((fetal* or fetus* or foetal* or foetus* or gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester* and terminat*):ti,ab,kw (Word variations have been searched)
#9	((fetal* or fetus* or foetal* or foetus*) next loss*):ti,ab,kw (Word variations have been searched)
#10	((gestat* or midtrimester* or pregnan* or prenatal* or pre natal* or trimester*) near/3 loss*):ti,ab,kw (Word variations have been searched)
#11	((elective* or threaten* or voluntar*) near/3 interrupt*) and pregnan*):ti,ab,kw (Word variations have been searched)
#12	#1 or #2 or #3 or #4 or #5 or #6 or #7 or #8 or #9 or #10 or #11

300