National Institute for Health and Care Excellence

Final

Tinnitus: assessment and management

NICE guideline: acknowledgments

NICE guideline NG155
Authors and contributors
March 2020

Final

Developed by the National Guideline Centre, hosted by the Royal College of Physicians













Tinnitus: FINAL

Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and, where appropriate, their carer or guardian.

Local commissioners and providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the <u>Welsh Government</u>, <u>Scottish Government</u>, and <u>Northern Ireland Executive</u>. All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© NICE 2020. All rights reserved. Subject to Notice of rights

ISBN 978-1-4731-3711-0

Tinnitus: FINAL Contents

Contents

1

1	Guideline developers		
	1.1	Members of the NICE guideline committee	. 5
		Members of the National Guideline Centre technical team	
	1.3	Co-optees	. 5
	1.4	Acknowledgements	. 6

1 Guideline developers

1.1 Members of the NICE guideline committee

Name	Role
Tracey Moore	Dean of Health Sciences School, University of Sheffield (Chair)
Veronica Kennedy	Consultant Audiovestibular Physician, Bolton NHS Foundation Trust (Topic advisor)
Beth-Anne Mancktelow (previously Culhane)	Advanced Audiologist / Hearing Therapist, St. George's University Hospital NHS Foundation Trust, London
Michelle Foster	Clinical Scientist
Laurence McKenna	Consultant Clinical Psychologist, Royal National Throat Nose & Ear Hospital (UCLH)
Lucy Partridge	Clinical Psychologist, Royal National Throat Nose & Ear Hospital (UCLH)
John Phillips	Consultant ENT Surgeon, Department of Otolaryngology, Head & Neck Surgery, Norfolk & Norwich University Hospitals NHS Foundation Trust.
David Stockdale	Lay member
Linda Parton	Lay member
Claire Banks	Head of Audiology, Northern Devon Healthcare Trust
Emma Dickson	General Practitioner
Mark Fleming	General Practitioner

1.2 Members of the National Guideline Centre technical team

Name	Role
Julie Neilson	Senior Research Fellow (until Jan 2019)
Sedina Lewis	Senior Research Fellow (from Jan 2019) and Research Fellow (until Jan 2019)
Richard Clubbe	Research Fellow (from Jan 2019)
Nancy Pursey	Senior Project Manager (until Feb 2018)
Giulia Zuodar	Project Manager (from Feb 2018)
Lauren Ramjee	Senior Health Economist (until July 2018)
Emtiyaz Chowdhury	Health Economist (from July 2018)
Jill Cobb	Information Specialist
Jennifer Hill	Guideline Lead (until Aug 2019)
Gill Ritchie	Guideline Lead (from Aug 2019)
David Wonderling	Head of Health Economics (from Aug 2018)

1.3 Co-optees

These experts advised the committee on parts of the guideline, but did not contribute to writing the evidence reports or formulating recommendations.

Name	Role
Joy Rosenberg	Teacher of the deaf and consultant clinical scientist in audiology

Tinnitus: FINAL Guideline developers

1.4 Acknowledgements

The development of this guideline was assisted by Agnès Cuyàs, Kirsten Elliott, Liz Pearton, Jacqui Real and Joseph Runicles from the NGC.

This guideline incorporates two Cochrane reviews on betahistine and sound therapy. We are thankful to Martin Burton, Jenny Bellorini and Deborah Hall for enabling this collaboration between NGC and Cochrane.