National Institute for Health and Care Excellence

Early submission

Acne vulgaris: management

Review questions

NICE guideline tbc Review questions October 2020

Early submission

Evidence review questions were developed by National Guideline Alliance which is part of the Royal College of Obstetricians and Gynaecologists



Disclaimer

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or service users. The recommendations in this guideline are not mandatory and the guideline does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Local commissioners and/or providers have a responsibility to enable the guideline to be applied when individual health professionals and their patients or service users wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with compliance with those duties.

NICE guidelines cover health and care in England. Decisions on how they apply in other UK countries are made by ministers in the <u>Welsh Government</u>, <u>Scottish Government</u>, and <u>Northern Ireland Executive</u>. All NICE guidance is subject to regular review and may be updated or withdrawn.

Copyright

© NICE 2019. All rights reserved. Subject to Notice of Rights.

ISBN:

Contents

Review qu	stions 5

Review questions

Question number	Evidence review ID*	Review question			
Individual topics: Evidence reviews covering one review question					
1.	A	What information and support is valued by people with acne vulgaris, and their parents or carers?			
2.	В	What skin cleansing advice is effective in the treatment of acne vulgaris?			
3.	С	 What is the effectiveness of dietary interventions for acne vulgaris, for example milk free diet dairy product free diet low glycaemic load diet? 			
4.	D	When should people with acne vulgaris be referred to specialist care?			
5.	J	Is the addition of oral corticosteroids to oral isotretinoin of benefit for the treatment of severe acne (including acne conglobata and acne fulminans)?			
6.	K	What is the effectiveness of intralesional corticosteroids in the treatment of individual acne vulgaris lesions?			
7.	L	What are the risk factors for scarring in people with acne vulgaris?			
8.	Μ	 What interventions are effective in the management of scarring resulting from acne vulgaris, for example microneedling techniques laser treatment intradermal injection (for example, autologous platelet-rich 			
		plasma; autologous fibroblasts; polymethylmethacrylate (PMMA) microspheres in collagen)			
		surgical treatment (for example, subcuticular incision)?			

Combined topics: Evidence reviews covering more than one question

Questions 9-17 below are covered by 5 overarching review questions: For people with mild to moderate acne vulgaris what are the best topical or oral pharmacological and physical treatment options? (E1 refers to network metaanalysis and E2 refers to the pairwise meta-analysis of treatment options)

For people with moderate to severe acne vulgaris what are the best topical or oral pharmacological and physical treatment options? (F1 refers to network metaanalysis and F2 refers to the pairwise meta-analysis of treatment options)

What is an effective management option for people with acne vulgaris and polycystic ovary syndrome (PCOS)? (G)

What is the effectiveness of topical or oral pharmacological and physical interventions in treatment resistant acne vulgaris? (H)

What is the effectiveness of topical or oral pharmacological and physical maintenance treatment for acne vulgaris? (I)

9.	E1/E2 F1/F2 G, H, I	 What is the effectiveness of topical treatments individually or in combination in the treatment of acne vulgaris , for example: benzoyl peroxide antibiotics antiseptics retinoids and retinoid-like agents (for example, tretinoin, adapalene) azelaic acid nicotinamide combination of antibiotic and retinoid or retinoid-like agent combination of benzoyl peroxide and retinoid or retinoid-like agent combination of antibiotic and benzoyl peroxide?
10.	E1/E2 F1/F2 G, H, I	 What is the effectiveness of oral antibiotic treatments individually or in combination in the treatment of acne vulgaris, for example: tetracyclines (for example oxytetracycline, doxycycline, minocycline, tetracycline, lymecycline) macrolide antibiotics (for example, erythromycin and azithromycin) trimethoprim?
11.	E1/E2 F1/F2 G, H, I	What is the effectiveness of an oral antibiotic with a topical agent compared to oral antibiotic alone in the treatment of acne vulgaris?
12.	E1/E2 F1/F2 G, H, I	What is the optimal duration of antibiotic treatments (topical and systemic) for acne vulgaris?
13.	E1/E2 F1/F2 G, H, I	What is the effectiveness of hormonal contraceptive treatments for people with acne vulgaris?
14.	E1/E2 F1/F2 G, H, I	What is the effectiveness of non- hormonal contraceptive anti- androgens (including spironolactone) in the treatment of acne vulgaris?
15.	E1/E2 F1/F2 G, H, I	What is the effectiveness of metformin in people with acne vulgaris?
16.	E1/E2 F1/F2 G, H, I	What is the effectiveness of oral isotretinoin for acne vulgaris?
17.	E1/E2 F1/F2 G, H, I	 What is the effectiveness of physical treatments for acne vulgaris, for example comedone extraction chemical peels (for example, glycolic acid, lactic acid, salicylic acid) intralesional steroids light devices (for example, intense pulsed light, photopneumatic therapy and photodynamic therapy)?

*The evidence review ID refers to alphabetical letter that the evidence review will be associated with in the guideline.