## National Institute for Health and Care Excellence

Version 1.0

# Depression in adults: treatment and management

**Appendix K: Clinical evidence flow charts** 

Clinical Guideline <...>
Methods, evidence and recommendations
18 July 2017

**Draft for Consultation** 

Developed by the National Guideline Alliance, hosted by the Royal College of Obstetricians and Gynaecologists

Depression in adults: treatment and management							
·							

#### Disclaimer

Healthcare professionals are expected to take NICE clinical guidelines fully into account when exercising their clinical judgement. However, the guidance does not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of each patient, in consultation with the patient and/or their guardian or carer.

#### Copyright

National Institute for Health and Care Excellence [2017]. All rights reserved.

# Jpdate 2017


#### **Contents**


Appendices Error! Bookmark not defined.	
Appendix K: Clinical evidence flow charts	
K.1 Organisation and service delivery5	
K.1.1 Service delivery5	
K.1.2 Settings for care6	
K.2 RQ2.1/2.2 Acute treatment (NMA)7	
K.4 RQ2.1/2.2 Acute treatment (pairwise)8	
K.5 Further-line treatment9	
K.6 Chronic depression10	
K.7 Complex depression11	
K.8 Psychotic depression	
K.9 Relapse prevention13	
K.9.1 Pharmacological treatments	
K.9.2 Psychological treatments	
K.10Access to services	


#### Appendix K: Clinical evidence flow charts

#### K.1 Organisation and service delivery


#### K.1.1 Service delivery










### **K.4 RQ2.1/2.2** Acute treatment (pairwise) Title and abstract reviewed Full-text RCTs identified through other Dep\_Up CENTRAL search sources: and update searches: 12,101 HIRED-MAP (Cochrane search): 1 + 2,840 (14,941) RCT Excluded: 14,923 Previous iterations of the guideline: 18 Reviewed at full-text: 18 **RCTs RCTs** Existing systematic reviews: 2 RCTs Handsearch: 1 SR, 1 RCT Total: 23 papers (1 SR + 22 RCTs) Total reviewed at full-text: 41 RCTs, 1 SR Included: 24 RCTs, 1 SR Excluded: 17 RCTs **Total: 24 RCTs**











#### K.9 Relapse prevention

#### K.9.1 Pharmacological treatments





### K.10 Access to services Title and abstract reviewed Full-text RCTs identified through Access search: 3,997 other sources: Excluded: 3,965 Dep\_Up CENTRAL search: 3 RCTs HIRED-MAP (Cochrane search): 1 Reviewed at full-text: 32 **RCT** papers (9 SRs + 23 RCTs) 2009 GL: 4 SR + 2 RCTs Existing systematic reviews: 6 RCTs Handsearch: 1 RCT Total: 17 papers (4 SR + 13 RCTs) Total reviewed at full-text: **49 papers** (13 SRs + 36 RCTs) Included: 12 papers (3 SRs + 3 RCTs) Excluded: 43 papers (10 SRs + 33 RCTs) **Total: 9 RCTs**