Drug misuse prevention: targeted interventions

Appendix 2 to Evidence Review 2

Contains:

- Search strategies
- Review protocol
- Quality appraisal checklists
- Summary of quality of included studies
- List of excluded studies

National Institute for Health and Care Excellence

Appendix	2A:	Search strategies	. 3
2A.1	Summa	ary of search steps and work flow	. 3
2A.2	Search	step 1: Systematic review search	. 5
2A.3	Search	step 2: Backwards citation searches	. 7
2A.4	Search	step 3: Recent evidence	. 7
2A.5	Search	step 4: Top-up/gap search	16
2A.6	Search	step 5: Website searches	24
2A.7	Search	step 6: Named programme search	26
2A.8	Search	steps 7 to 10: Additional citation searching	28
2A.9		step 11: Addition of included studies from previous guideline PH4)	31
2A.1	0 Post p	peer-review testing	32
Appendix	2B:	Review Protocol	33
Appendix	2C:	Quality Appraisal checklists	39
2C.1		Checklist for RCTs, non-randomised controlled trials and led before-after studies	39
2C.2	EPHPF	Checklist for uncontrolled before and after studies (EPHPP)	41
2C.3	NICE p	oublic health qualitative methodology checklist	44
Appendix	2D:	Summary of quality of included studies	49
2D.1		ary of studies assessed with the EPOC Checklist for RCTs, non- nised controlled trials and controlled before-after studies	49
2D.2		ary of studies assessed with the EPHPP checklist for rolled quantitative studies	50
2D.3		ary of studies assessed with the NICE public health qualitative dology checklist	50
Appendix	2E:	Excluded studies	52


Appendix 2A: Search strategies

2A.1Summary of search steps and work flow

The search approach adopted for this guideline could be characterised as "non-traditional". The full rationale for this is outlined in the protocol (see below). In short: the standard approach of conducting a broad PICO-type search across multiple databases would have resulted in an excessive number of references for sifting. A (very basic) test search following the PICO structure but using a limited number of terms retrieved over 36,000 references in Medline alone.

Instead we chose to adopt a more precise approach to finding the evidence. This is consistent with the requirements of NICE's (2014) methods manual. The same series of search methods ("steps") was used to identify evidence for both evidence reviews for the present guideline.

Initially we sought a broad range of existing systematic reviews on the theme of drug misuse prevention and then used citation searching to get back to the original primary evidence. Database searching was then uses to address the potential "blind spots" which might be expected with this approach. Additional citation and grey literature searching was also carried out.



2A.2Search step 1: Systematic review search

Note: systematic review and citation-led searching was used in preference to a more traditional database-led approach as the database-led approach would have resulted in the retrieval of an unmanageable number of references. This approach is consistent with the NICE methods manual, and is informed by the experiences outlined by O'Mara-Eves et al¹. Subsequent database search steps were intended to adress potential "blind spots" in this approach, notably in the identification of the most recent evidence (which wouldn't have had a chance to be incorporated into a systematic review since publication).

Database name	Date searched	Database Platform	Database segment or version	No. of results ²
Cochrane Database of Systematic Reviews (CDSR)	29th June 2015	Wiley	Issue 6 of 12, June 2015	13
Database of Abstracts of Reviews of Effectiveness (DARE)	29th June 2015 Slightly expanded strategy with additional drug terms re-run on 27th July. Only the broader, expanded strategy is given below.	Wiley	Issue 2 of 4, April 2015	236
HealthEvidence.org	29th June 2015	-	-	129
Campbell library	29th June 2015	-	To volume 11, issue 12, 2015	9
Database of Promoting Health Effectiveness Reviews (DoPHER)	30th June 2015	-	-	267
NIHR systematic reviews programme website	30th June 2015	-	-	1
Guideline.gov	30th June 2015	-	-	4
Total				659

Database name: CDSR

Strategy

NICE's Information Specialist browsed all published reviews by the Cochrane Drug & Alcohol Group (n = 71) and Public Health Group (n = 10). References to reviews that were possibly relevant to the present review were downloaded for screening (n = 13).

Browsing was used instead of searching as the proposed search strategy (identical to the DARE strategy, below) over-retrieved irrelevant material, bringing back 1894 reviews in CDSR.

Database name: DARE

Strategy

ID Search

#1 (Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psychoactive* or psychotropic*):ti,ab

#2 (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*"):ti,ab

#3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*):ti,ab

¹ O'Mara-Eves et al. (2013) Techniques for identifying cross-disciplinary and 'hard-to-detect' evidence for systematic review. Research Synthesis Methods 5 (1) p. 50-59.

Note that throughout these totals cover both evidence reviews for the present guideline.

Drug misuse prevention: Appendix 2 to Evidence Review 2

Search strategies

NPSS):ti.ab

#4	(#1 or #2) near/4 #3
#5	(Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or
amp	hetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or
meth	namfetamin* or psychedelic* or pcp or phencyclidine or "anabolic steroid*" or ped or peds or pied or
pied	s or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl
nitrit	e" or "butyl nitrate" or "butyl nitrite" or "new* psychoactive" or "novel psychoactive" or NPS or

MeSH descriptor: [Street Drugs] explode all trees #6

MeSH descriptor: [Designer Drugs] explode all trees #7

#8 MeSH descriptor: [Substance-Related Disorders] this term only #9 MeSH descriptor: [Amphetamine-Related Disorders] this term only

#10 MeSH descriptor: [Cocaine-Related Disorders] this term only

#11 MeSH descriptor: [Inhalant Abuse] this term only

#12 MeSH descriptor: [Marijuana Abuse] this term only

MeSH descriptor: [Opioid-Related Disorders] this term only #13

#14 MeSH descriptor: [Phencyclidine Abuse] this term only

#15 MeSH descriptor: [Substance Abuse, Intravenous] this term only

#16 MeSH descriptor: [Drug-Seeking Behavior] this term only #17 MeSH descriptor: [Marijuana Smoking] this term only

MeSH descriptor: [Performance-Enhancing Substances] this term only #18

#19 {or #6-#18}

#20 MeSH descriptor: [Preventive Health Services] this term only

MeSH descriptor: [Primary Prevention] this term only #21

MeSH descriptor: [Secondary Prevention] this term only #22

#23 prevent*:ti.ab

#24 (avoid* or refus*):ti.ab

(abstention or abstinen* or abstain*):ti,ab #25

#26 {or #20-#25}

#27 #19 and #26

#4 or #5 or #27 Publication Year from 1995 to 2015 #28

Database name: HealthEvidence.org

Strategy

All published reviews filed under drug use/abuse were retrieved for sifting (n = 129). This approach was chosen as it was thought to be more time-efficient than translating the search strategy used in DARE.

Database name: Campbell library

All published reviews (n = 113) were browsed. References to relevant reviews were downloaded for sifting. This approach was chosen as it was thought to be more time-efficient than translating the search strategy used in DARE

Database name: DoPHER

Strategy Freetext (All but Authors): Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* 2 Freetext (All but Authors): ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*"

- 3 Freetext (All but Authors): use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*
- 4 1 OR 2
- 5 3 AND 4
- Freetext (All but Authors): Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or 6 "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS or **NPSS**
- 7 5 OR 6

Drug misuse prevention: Appendix 2 to Evidence Review 2Search strategies

9	Freetext (Year): 1995-2015
10	7 AND 9

Database name: NIHR systematic reviews programme website

Strategy

Browsed all systematic review projects (n = 158) & public health research evidence synthesis projects (n = 21). One additional (i.e. non-Cochrane) systematic review found.

Database name: guideline.gov

Strategy

Note: Difficult to search effectively due to basic search function (for example, one can't search within the titles of guidelines; use proximity or go over a certain number of words in the search box). We carried out a limited number of searches for high specificity keywords (below)

"drug use" AND prevent* - 104 results

"drug misuse" AND prevent* - 14 results

"drug abuse" AND prevent* - 33 results

"substance use" AND prevent* - 79 results

"substance misuse" AND prevent* - 20 results

"substance abuse" AND prevent* - 76 results

cannab* or illicit or "illegal" or psychoactive or polydrug or "poly drug" or "street drug*" - 77 results

4 results input into Endnote after sifting on-screen.

2A.3Search step 2: Backwards citation searches

109³ 'seed' references (topic-relevant reviews identified during step 1) were searched for by title in Web of Science (WoS).

If a seed reference was available in WoS then any backwards citations which could be downloaded from Web of Science's Core Collection were imported into Endnote.

Citation searching was carried out between the 10th and 13th July 2015.

In total 3220 references were imported into Endnote at this stage.

2A.4Search step 3: Recent evidence

Note: for steps 3 and 4 the search was run in a way that specified that the retrieved results must have at least one keyword for either drug misuse or prevention in the title, or applied as a major subject headings. This decision was made in order to maintain reasonable precision in the searches, with the recognition that there may be some impact on search sensitivity.

Database name	Date searched	Database Platform	Database segment or version	No. of results
Medline & Medline in- process	7th July 2015. Due to a problem with Medline in-process at the time of the original searches an additional 26 records that were "misfiled" (i.e. not retrievable) on 7th July were subsequently added on 6th November 2015. The date	Ovid	1946-	4715 + 26 additional 'misfiled' Medline in-process records

³ If a full list of seed references is required for any of the citation searching steps then please contact NICF

Drug misuse prevention: Appendix 2 to Evidence Review 2Search strategies

	for updating should still be considered as 7th July.			
Embase	7th July 2015	Ovid	1974 – July 06 2015	2998
PsychInfo	8th July 2015	Ovid	2002 to June Week 5 2015	3901
Social Policy & Practice	8th July 2015	Ovid	04/2015	255
CENTRAL	8th July 2015	Wiley	6/12 June 2015	382
HTA	8th July 2015	Wiley	2/4 April 2015	5
TRoPHI	8th July 2015	-	-	14
Social Care Online	8th July 2015	-	-	88
Total				12384

Database name: Medline & Medline In-Process

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti.
- 3 *street drugs/
- 4 *designer drugs/
- 5 *Substance-Related Disorders/pc
- 6 *Amphetamine-Related Disorders/pc
- 7 *Cocaine-Related Disorders/pc
- 8 *Inhalant Abuse/pc
- 9 *Marijuana Abuse/pc
- 10 *Opioid-Related Disorders/pc
- 11 *Phencyclidine Abuse/pc
- 12 *Substance Abuse, Intravenous/pc
- 13 *Drug-Seeking Behavior/
- 14 *Marijuana Smoking/pc
- 15 *Performance-Enhancing Substances/
- 16 or/1-15
- 17 Preventive Health Services/
- 18 Primary Prevention/
- 19 Secondary Prevention/
- 20 prevent*.ti,ab.
- 21 (avoid* or refus*).ti,ab.
- 22 (abstention or abstinen* or abstain*).ti,ab.
- 23 or/17-22
- 24 16 and 23
- 25 24
- 26 limit 25 to (english language and yr="2010 -Current")
- 27 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
- (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab.
- 29 street drugs/
- 30 designer drugs/
- 31 Substance-Related Disorders/pc
- 32 Amphetamine-Related Disorders/pc
- 33 Cocaine-Related Disorders/pc
- 34 Inhalant Abuse/pc
- 35 Marijuana Abuse/pc
- 36 Opioid-Related Disorders/pc
- 37 Phencyclidine Abuse/pc
- 38 Substance Abuse, Intravenous/pc
- 39 Drug-Seeking Behavior/
- 40 Marijuana Smoking/pc
- 41 Performance-Enhancing Substances/
- 42 or/27-41
- 43 *Preventive Health Services/
- 44 *Primary Prevention/
- 45 *Secondary Prevention/
- 46 prevent*.ti.
- 47 (avoid* or refus*).ti.
- 48 (abstention or abstinen* or abstain*).ti.

or/43-48 49 50 42 and 49 51 50 52 limit 51 to (english language and yr="2010 -Current") 53 26 or 52 54 53 not (animals/ not (animals/ and humans/)) 55 (hiv adj prevent*).tw. 56 54 not 55 57 hepatitis.ti. 58 56 not 57 59 (rat or rats or mouse or mice).ti.

Database name: Embase

58 not 59

Strategy

60

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti.
- 3 *street drug/
- 4 *designer drug/
- 5 *illicit drug/
- 6 or/1-5
- 7 prevention/ or prevention study/
- 8 Primary Prevention/
- 9 Secondary Prevention/
- 10 prevent*.ti,ab.
- 11 avoid*.mp. or refus*.ti,ab. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword]
- 12 (abstention or abstinen* or abstain*).ti,ab.
- 13 or/7-12
- 14 6 and 13
- 15 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
- 16 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab.
- 17 street drug/
- 18 designer drug/
- 19 illicit drug/
- 20 or/15-19
- 21 *prevention/ or *prevention study/
- 22 *Primary Prevention/
- 23 *Secondary Prevention/
- 24 prevent*.ti.
- 25 (avoid* or refus*).ti.
- 26 (abstention or abstinen* or abstain*).ti.
- 27 or/21-26
- 28 20 and 27
- 29 exp *drug dependence/pc [Prevention]
- 30 *analgesic agent abuse/pc
- 31 *doping/pc
- 32 *inhalant abuse/pc
- 33 *intravenous drug abuse/pc
- 34 exp *"cannabis use"/pc
- 35 *"substance use"/pc

36 *cannabis smoking/pc 37 *drug abuse/pc [Prevention] 38 or/29-37 14 or 28 or 38 39 40 39 limit 40 to (english language and vr="2010 -Current") 41 nonhuman/ not (human/ and nonhuman/) 42 43 41 not 42 44 43 not (rat or rats or mouse or mice).ti. 45 44 not hepatitis.ti. 45 not (hiv adj prevent*).tw. 46 limit 46 to (conference abstract or conference paper or conference proceeding or "conference review" or editorial or note) 46 not 47

Database name: Psychlnfo

limit 48 to embase

Strategy

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti.
- 3 or/1-2
- 4 prevent*.ti,ab.
- 5 (avoid* or refus*).ti,ab.
- 6 (abstention or abstinen* or abstain*).ti,ab.
- 7 or/4-6
- 8 3 and 7
- 9 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
- 10 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab.
- 11 or/9-10
- 12 prevent*.ti.
- 13 (avoid* or refus*).ti.
- 14 (abstention or abstinen* or abstain*).ti.
- 15 or/12-14
- 16 11 and 15
- 17 exp *Drug Abuse Prevention/
- 18 8 or 16 or 17
- 19 (hiv adj prevent*).tw.
- 20 18 not 19
- 21 hepatitis.ti.
- 22 20 not 21
- 23 (rat or rats or mouse or mice).ti.
- 24 22 not 23
- 25 limit 24 to (english language and yr="2010 -Current")
- 26 exp animals/
- 27 26
- 28 limit 27 to human
- 29 25 not (26 not 28)

Database name: Social Policy & Practice

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,sh.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,sh.
- 3 or/1-2
- 4 prevent*.ti,ab,sh.
- 5 (avoid* or refus*).ti,ab,sh.
- 6 (abstention or abstinen* or abstain*).ti,ab,sh.
- 7 or/4-6
- 8 3 and 7
- 9 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab,sh.
- 10 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab,sh.
- 11 or/9-10
- 12 prevent*.ti,sh.
- 13 (avoid* or refus*).ti,sh.
- 14 (abstention or abstinen* or abstain*).ti,sh.
- 15 or/12-14
- 16 11 and 15
- 17 8 or 16
- 18 17
- 19 limit 18 to yr="2010 -Current"
- 20 19 not (hepatitis.ti. or (hiv adj prevent*).tw.)

Database name: CENTRAL/HTA

- ID Search
- #1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*") near/4 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)):ti
- #2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "butyl nitrite" or "new* psychoactive" or "novel psychoactive" or NPS or NPSS):ti
- #3 [mh ^"street drugs" [mj]]
- #4 [mh ^"designer drugs" [mj]]
- #5 [mh ^"substance-related disorders" [mj]/PC]
- #6 [mh ^"amphetamine-related disorders" [mj]/PC]
- #7 [mh ^"cocaine-related disorders" [mj]/PC]
- #8 [mh ^"Inhalant Abuse" [mj]/PC]
- #9 [mh ^"marijuana Abuse" [mj]/PC]
- #10 [mh ^"Opioid-Related Disorders" [mj]/PC]
- #11 [mh ^"Phencyclidine Abuse" [mj]/PC]
- #12 [mh ^"Substance Abuse, Intravenous" [mj]/PC]
- #13 [mh ^"Drug-Seeking Behavior" [mj]]
- #14 [mh ^"Marijuana Smoking" [mj]/PC]
- #15 [mh ^"Performance-Enhancing Substances" [mi]]
- #16 {or #1-#15}
- #17 MeSH descriptor: [Preventive Health Services] this term only
- #18 MeSH descriptor: [Primary Prevention] this term only
- #19 MeSH descriptor: [Secondary Prevention] this term only

```
#20
         prevent*:ti,ab
         .
(avoid* or refus*) .ti,ab
#21
#22
         (abstention or abstinen* or abstain*) .ti,ab
         {or #17-#22}
#23
#24
         #16 and #23
        ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-
#25
active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or
inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid*
or hallucinogen* or "anabolic steroid*") near/4 (use* or abus* or misuse* or "mis-use*" or refus* or
problem* or taking or take* or experiment*)):ti,ab
         (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or
amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or
methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pieds or
"performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or
"butyl nitrate" or "butyl nitrite" or "new* psychoactive" or "novel psychoactive" or NPS or NPSS):ti,ab
         MeSH descriptor: [Street Drugs] this term only
#28
         MeSH descriptor: [Designer Drugs] this term only
         MeSH descriptor: [Substance-Related Disorders] this term only and with qualifier(s):
#29
[Prevention & control - PC]
         MeSH descriptor: [Amphetamine-Related Disorders] this term only and with qualifier(s):
#30
[Prevention & control - PC]
#31
        MeSH descriptor: [Cocaine-Related Disorders] this term only and with qualifier(s): [Prevention
& control - PC1
#32
        MeSH descriptor: [Inhalant Abuse] this term only and with qualifier(s): [Prevention & control -
PC1
#33
         MeSH descriptor: [Marijuana Abuse] this term only and with qualifier(s): [Prevention & control -
PC]
#34
        MeSH descriptor: [Opioid-Related Disorders] this term only and with qualifier(s): [Prevention &
control - PC1
#35
         MeSH descriptor: [Phencyclidine Abuse] this term only and with qualifier(s): [Prevention &
control
         MeSH descriptor: [Substance Abuse, Intravenous] this term only and with qualifier(s):
#36
[Prevention & control - PC]
         MeSH descriptor: [Drug-Seeking Behavior] this term only
#37
#38
         MeSH descriptor: [Marijuana Smoking] this term only and with qualifier(s): [Prevention & control
- PC]
#39
         MeSH descriptor: [Performance-Enhancing Substances] this term only
#40
         {or #25-#39}
#41
         [mh ^"preventive health services" [mj]]
         [mh ^"primary prevention" [mj]]
#42
         [mh ^"secondary prevention" [mj]]
#43
#44
         prevent*:ti
#45
         (avoid* or refus*) .ti
#46
         (abstention or abstinen* or abstain*) .ti
#47
         {or #41-#46}
#48
         #47 and #40
#49
        #24 or #48 Publication Year from 2010
#50
         hepatitis:ti
#51
        HIV next prevent*:ti,ab
#52
         prevent* next HIV:ti,ab
         #49 not (#50 or #51 or #52)
```

Database name: TRoPHI

Strategy	
Search #	Search
3	Freetext: ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) AND (use* or abus* or misuse* or "misuse*" or refus* or problem* or taking or take* or experiment*))
5	Freetext: (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or

6 7

11

12

14

16 17

19

20

21

26 28

30

32

34

36

37

38

mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS or NPSS) Focus of the report: drugs 3 OR 5 OR 6 Freetext: prevent* Freetext: avoid* Freetext: refus* Freetext: abstention Freetext: abstinen* Freetext: abstain* 11 OR 12 OR 14 OR 16 OR 17 OR 19 7 AND 20 Freetext: 2010 Freetext: 2011 Freetext: 2012 Freetext: 2013

Database name: Social Care Online

26 OR 28 OR 30 OR 32 OR 34 OR 36

Freetext: 2014

Freetext: 2015

21 AND 37

Strategy

Note - search function is quite constrained - no proximity option, crashes for compound searches within individual lines. Hence two separate, abbreviated translations of the Medline search were used.

Search 1

TITLE: prevent* OR avoid* or refus* OR abstention or abstinen* or abstain*

AND

ALL FIELDS: Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*" or Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS

AND

PUBLICATION YEAR: 2010 - 2015

Search 2

ALL FIELDS: prevent* OR avoid* or refus* OR abstention or abstinen* or abstain*

Drug misuse prevention: Appendix 2 to Evidence Review 2Search strategies

AND

TITLE: Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*" or Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS or NPSS

AND

PUBLICATION YEAR: 2010 - 2015

2A.5Search step 4: Top-up/gap search

Following sifting of results from steps 1 to 3 it was decided that this round of searching should focus on identifying potential gaps in the evidence for review 2 ("How acceptable are interventions that people currently receive?" and "What interventions and support do people feel might be more effective?"). Retrieved references were still considered for both review 1 and review 2.

Database name	Date searched	Database Platform	Database segment or version	No. of results
Medline & Medline in-process	20th August 2015	Ovid	1946 - date	1985
Embase	20th August 2015	Ovid	1974 - 2015 August 19th	1943
PsychInfo	20th August 2015	Ovid	1987 - August wk 2 2015	2525
Social Policy & Practice	20th August 2015	Ovid	07/2015	303
CENTRAL	21st August 2015	Wiley	7/12 July 2015	276
HTA	20th August 2015	Wiley	3/4 July 2015	-
TRoPHI	20th August 2015	-	-	n/a – database crashed on date of searches
Social Care Online	21st August 2015	-	-	60 + 88
Total	7180			

Database name: Medline & Medline in-process (reformulated version)

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab.
- 3 street drugs/
- 4 designer drugs/
- 5 Substance-Related Disorders/pc
- 6 Amphetamine-Related Disorders/pc
- 7 Cocaine-Related Disorders/pc
- 8 Inhalant Abuse/pc
- 9 Marijuana Abuse/pc
- 10 Opioid-Related Disorders/pc
- 11 Phencyclidine Abuse/pc
- 12 Substance Abuse, Intravenous/pc
- 13 Drug-Seeking Behavior/
- 14 Marijuana Smoking/pc
- 15 Performance-Enhancing Substances/
- 16 or/1-15
- 17 *Preventive Health Services/
- 18 *Primary Prevention/
- 19 *Secondary Prevention/
- 20 prevent*.ti.
- 21 (avoid* or refus*).ti.

- 22 (abstention or abstinen* or abstain*).ti. 23 or/17-22
- 24 16 and 23
- 25 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti.
- 27 *street drugs/
- 28 *designer drugs/
- 29 *Substance-Related Disorders/pc
- 30 *Amphetamine-Related Disorders/pc
- 31 *Cocaine-Related Disorders/pc
- 32 *Inhalant Abuse/pc
- 33 *Marijuana Abuse/pc
- 34 *Opioid-Related Disorders/pc
- 35 *Phencyclidine Abuse/pc
- 36 *Substance Abuse, Intravenous/pc
- 37 *Drug-Seeking Behavior/
- 38 *Marijuana Smoking/pc
- 39 *Performance-Enhancing Substances/
- 40 or/25-39
- 41 Preventive Health Services/
- 42 Primary Prevention/
- 43 Secondary Prevention/
- 44 prevent*.ti,ab.
- 45 (avoid* or refus*).ti,ab.
- 46 (abstention or abstinen* or abstain*).ti,ab.
- 47 or/41-46
- 48 40 and 47
- 49 24 or 48
- 50 Qualitative Research/
- 51 Interview.pt.
- 52 Questionnaires/
- 53 Narration/
- 54 data collection/ or focus groups/
- 55 (qualitative* or interview* or "focus group*" or questionnaire* or narrative* or narration* or survey*).ti,ab.
- (ethno* or emic or etic or realist or phenomenolog* or "grounded theory" or "constant compar*" or (thematic* adj4 analys*) or "theoretical sampl*" or "purposive sampl*").ti,ab.
- 57 (metasynthes* or "meta-synthes*" or "metasummar*" or "meta-summar*" or metastud* or "meta-stud*" or metathem* or "meta-them*").ti,ab.
- 58 or/50-57
- 59 accept*.ti,ab.
- 60 (percep* or perceived).ti,ab.
- 61 opinion*.ti,ab.
- 62 attitude*.ti,ab.
- 63 Attitude/
- 64 resist*.ti,ab.
- 65 barrier*.ti,ab.
- 66 communication barriers/
- 67 facilitat*.ti,ab.
- 68 receptiv*.ti,ab.
- 69 complian*.ti,ab.
- 70 comply.ti,ab.
- 71 concord*.ti,ab.
- 72 (experience* or (research adj3 participat*) or "mixed method*" or (integrated adj (approach* or method*))).ti,ab.
- 73 or/59-72
- 74 49 and (58 or 73)
- 75 (hiv adj prevent*).ti,ab.
- 76 (hepatitis or coronary or heart or renal or kidney or epilep*).ti.

- 77 animals/ (rat or rats or mouse or mice).ti. 78 79 or/75-78 80 74 not 79 limit 80 to english language 81 limit 81 to (comment or congresses or editorial or in vitro) 82 83 81 not 82 84 83 85 limit 84 to yr="1995 - 2009" 86 (program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy or policies).ti,ab. intervention studies/
 - Database name: Embase

Strategy

86 or 87

85 and 88

88

89

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPSS).ti.
- 3 *street drug/
- 4 *designer drug/
- 5 *illicit drug/
- 6 or/1-5
- 7 prevention/ or prevention study/
- 8 Primary Prevention/
- 9 Secondary Prevention/
- 10 prevent*.ti,ab.
- 11 (avoid* or refus*).ti,ab.
- 12 (abstention or abstinen* or abstain*).ti,ab.
- 13 or/7-12
- 14 6 and 13
- 15 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
- 16 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPSS).ti,ab.
- 17 street drug/
- 18 designer drug/
- 19 illicit drug/
- 20 or/15-19
- 21 *prevention/ or *prevention study/
- 22 *Primary Prevention/
- 23 *Secondary Prevention/
- 24 prevent*.ti.
- 25 (avoid* or refus*).ti.
- 26 (abstention or abstinen* or abstain*).ti.
- 27 or/21-26
- 28 20 and 27
- 29 exp *drug dependence/pc [Prevention]
- 30 *analgesic agent abuse/pc
- 31 *doping/pc
- 32 *inhalant abuse/pc

```
33
     *intravenous drug abuse/pc
     exp *"cannabis use"/pc
34
35
     *"substance use"/pc
     *cannabis smoking/pc
36
     *drug abuse/pc [Prevention]
37
38
     or/29-37
39
     14 or 28 or 38
40
     39
41
     limit 40 to (english language and yr="1995 - 2009")
42
     nonhuman/
43
     41 not 42
44
     43 not (rat or rats or mouse or mice).ti.
45
     44 not (hepatitis or coronary or heart or renal or kidney or epilep*).ti.
     45 not (hiv adj prevent*).tw.
46
     limit 46 to (conference abstract or conference paper or conference proceeding or "conference
review" or editorial or note)
     46 not 47
48
49
     limit 48 to embase
     accept*.ti,ab.
50
     (percep* or perceived).ti,ab.
51
52
     opinion*.ti,ab.
     attitude*.ti.ab.
53
54
     attitude/
     resist*.ti,ab.
55
56
     barrier*.ti.ab.
57
     facilitat*.ti,ab.
     receptiv*.ti,ab.
58
59
     complian*.ti,ab.
60
     comply.ti,ab.
     concord*.ti,ab.
61
     (experience* or (research adj3 participat*) or "mixed method*" or (integrated adj (approach* or
62
method*))).ti,ab.
     or/50-62
63
64
     (qualitative* or interview* or "focus group*" or questionnaire* or narrative* or narration* or
survey*).ti,ab.
     (ethno* or emic or etic or realist or phenomenolog* or "grounded theory" or "constant compar*" or
(thematic* adj4 analys*) or "theoretical sampl*" or "purposive sampl*").ti,ab.
    (metasynthes* or "meta-synthes*" or "metasummar*" or "meta-summar*" or metastud* or "meta-
stud*" or metathem* or "meta-them*").ti,ab.
     qualitative analysis/ or qualitative research/
67
68
     exp interview/
69
     exp questionnaire/
70
     ethnography/
71
     thematic analysis/
72
     or/64-71
73
     48 and (63 or 72)
     (program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy
or policies).ti,ab.
75
     intervention study/
76
     74 or 75
     73 and 76
```

Database name: Psychlnfo

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti.
- 3 or/1-2
- 4 prevent*.ti,ab.
- 5 (avoid* or refus*).ti,ab.

exp intervention/

```
(abstention or abstinen* or abstain*).ti,ab.
        or/4-6
8
        3 and 7
        ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-
active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or
inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid*
or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab.
          (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or
amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or
methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or
"performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or
nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab.
          or/9-10
12
          prevent*.ti.
          (avoid* or refus*).ti.
13
14
          (abstention or abstinen* or abstain*).ti.
15
          or/12-14
          11 and 15
16
          exp *Drug Abuse Prevention/
17
18
          8 or 16 or 17
19
          (hiv adj prevent*).tw.
20
          18 not 19
21
          (hepatitis or coronary or heart or renal or kidney or epilep*).ti.
22
          20 not 21
23
          (rat or rats or mouse or mice).ti.
24
          22 not 23
25
          limit 24 to yr="1995 - 2009"
26
          exp animals/
          26
27
28
          limit 27 to human
29
          25 not (26 not 28)
          accept*.ti,ab.
30
31
          (percep* or perceived).ti,ab.
32
          opinion*.ti,ab.
          attitude*.ti,ab.
33
          resist*.ti,ab.
34
35
          barrier*.ti,ab.
          receptiv*.ti,ab.
36
          complian*.ti,ab.
37
38
          comply.ti.ab.
39
          concord*.ti,ab.
40
          attitudes/ or adolescent attitudes/
41
          facilitat*.ti.ab.
42
          resistance/
43
          communication barriers/
44
          compliance/
          or/30-44
          (qualitative* or interview* or "focus group*" or questionnaire* or narrative* or narration* or
46
survey*).ti,ab.
          (ethno* or emic or etic or realist or phenomenolog* or "grounded theory" or "constant compar*" or
(thematic* adj4 analys*) or "theoretical sampl*" or "purposive sampl*").ti,ab.
          (metasynthes* or "meta-synthes*" or "metasummar*" or "meta-summar*" or metastud* or "meta-synthes*" or "meta
stud*" or metathem* or "meta-them*").ti,ab.
          qualitative research/
          interviews/
50
          group discussion/
51
52
          Questionnaires/
53
          exp Surveys/
54
          ethnography/
55
          (experience* or (research adj3 participat*) or "mixed method*" or (integrated adj (approach* or
method*))).ti,ab.
56
          or/46-55
57
          29 and (45 or 56)
58
          57
          limit 58 to english language
59
```

- 61 (program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy or policies).ti,ab.
- 62 60 or 61
- 63 59 and 62

Database name: Social Policy & Practice

- 1 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,sh.
- 2 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,sh.
- 3 or/1-2
- 4 prevent*.ti,ab,sh.
- 5 (avoid* or refus*).ti,ab,sh.
- 6 (abstention or abstinen* or abstain*).ti,ab,sh.
- 7 or/4-6
- 8 3 and 7
- 9 ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or (ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*")) adj3 (use* or abus* or misuse* or "mis-use*" or refus* or problem* or taking or take* or experiment*)).ti,ab,sh.
- 10 (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or ((amyl or butyl) adj (nitrate or nitrite)) or "new* psychoactive" or "novel psychoactive" or NPS or NPSS).ti,ab,sh.
- 11 or/9-10
- 12 prevent*.ti,sh.
- 13 (avoid* or refus*).ti,sh.
- 14 (abstention or abstinen* or abstain*).ti,sh.
- 15 or/12-14
- 16 11 and 15
- 17 8 or 16
- 18 17
- 19 limit 18 to yr="1995 2009"
- 20 19 not ((hepatitis or coronary or heart or renal or kidney or epilep*).ti. or (hiv adj prevent*).tw.)
- 21 accept*.ti,ab,sh.
- 22 (percep* or perceived).ti,ab,sh.
- 23 opinion*.ti,ab,sh.
- 24 attitude*.ti,ab,sh.
- 25 resist*.ti,ab,sh.
- 26 barrier*.ti,ab,sh.
- 27 facilitat*.ti,ab,sh.
- 28 receptiv*.ti,ab,sh.
- 29 complian*.ti,ab,sh.
- 30 comply.ti,ab,sh.
- 31 concord*.ti,ab,sh.
- 32 (experience* or (research adj3 participat*) or "mixed method*" or (integrated adj (approach* or method*))).ti,ab,sh.
- 33 or/21-32
- 34 (qualitative* or interview* or "focus group*" or questionnaire* or narrative* or narration* or survey*).ti,ab,sh.
- 35 (ethno* or emic or etic or realist or phenomenolog* or "grounded theory" or "constant compar*" or (thematic* adj4 analys*) or "theoretical sampl*" or "purposive sampl*").ti,ab,sh.
- 36 (metasynthes* or "meta-synthes*" or "metasummar*" or "meta-summar*" or metastud* or "meta-stud*" or metastud* or "meta-stud*" or metastud* or "meta-them*").ti,ab,sh.
- 37 or/34-36
- 38 20 and (33 or 37)
- 39 (program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy or policies).ti,ab,sh.

40 38 and 39

Database name: CENTRAL/HTA

```
Strategy
ID
         Search
#1
         ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-
active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or
inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid*
or hallucinogen* or "anabolic steroid*") near/4 (use* or abus* or misuse* or "mis-use*" or refus* or
problem* or taking or take* or experiment*)):ti
         (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or
amphetamine* or amfetamin* or mephadrone or mkat or "meow meow" or meth or methamphetamine or
methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pieds or
"performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or
"butyl nitrate" or "butyl nitrite" or "new* psychoactive" or "novel psychoactive" or NPS or NPSS or
mephedrone):ti
#3
         [mh ^"street drugs" [mj]]
         [mh ^"designer drugs" [mj]]
#4
#5
         [mh ^"substance-related disorders" [mj]/PC]
#6
         [mh ^"amphetamine-related disorders" [mj]/PC]
#7
         [mh ^"cocaine-related disorders" [mj]/PC]
#8
         [mh ^"Inhalant Abuse" [mj]/PC]
        [mh ^"marijuana Abuse" [mj]/PC]
[mh ^"Opioid-Related Disorders" [mj]/PC]
#9
#10
#11
         [mh ^"Phencyclidine Abuse" [mi]/PC]
#12
         [mh ^"Substance Abuse, Intravenous" [mj]/PC]
#13
         [mh ^"Drug-Seeking Behavior" [mj]]
         [mh ^"Marijuana Smoking" [mj]/PC]
#14
         [mh ^"Performance-Enhancing Substances" [mj]]
#15
#16
         {or #1-#15}
#17
         MeSH descriptor: [Preventive Health Services] this term only
#18
         MeSH descriptor: [Primary Prevention] this term only
#19
         MeSH descriptor: [Secondary Prevention] this term only
         prevent*:ti.ab
#20
#21
         (avoid* or refus*):ti,ab
#22
         (abstention or abstinen* or abstain*):ti,ab
#23
         (or #17-#22)
#24
         ((Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-
#25
active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or
inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid*
or hallucinogen* or "anabolic steroid*") near/4 (use* or abus* or misuse* or "mis-use*" or refus* or
problem* or taking or take* or experiment*)):ti,ab
         (Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or
amphetamine* or amfetamin* or mephadrone or mkat or "meow meow" or meth or methamphetamine or
methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or
"performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrite" or
"butyl nitrate" or "butyl nitrite" or "new* psychoactive" or "novel psychoactive" or NPS or
mephedrone):ti,ab
#27
         MeSH descriptor: [Street Drugs] this term only
#28
         MeSH descriptor: [Designer Drugs] this term only
#29
         MeSH descriptor: [Substance-Related Disorders] this term only and with qualifier(s):
[Prevention & control - PC]
         MeSH descriptor: [Amphetamine-Related Disorders] this term only and with qualifier(s):
[Prevention & control - PC]
         MeSH descriptor: [Cocaine-Related Disorders] this term only and with qualifier(s): [Prevention
#31
& control - PC]
#32
         MeSH descriptor: [Inhalant Abuse] this term only and with qualifier(s): [Prevention & control -
PC]
#33
         MeSH descriptor: [Marijuana Abuse] this term only and with qualifier(s): [Prevention & control -
PC]
#34
         MeSH descriptor: [Opioid-Related Disorders] this term only and with qualifier(s): [Prevention &
control -
        PC]
#35
         MeSH descriptor: [Phencyclidine Abuse] this term only and with qualifier(s): [Prevention &
control -
#36
         MeSH descriptor: [Substance Abuse, Intravenous] this term only and with qualifier(s):
[Prevention & control - PC]
```

```
MeSH descriptor: [Drug-Seeking Behavior] this term only
#37
#38
         MeSH descriptor: [Marijuana Smoking] this term only and with qualifier(s): [Prevention & control
- PCI
         MeSH descriptor: [Performance-Enhancing Substances] this term only
#39
#40
        {or #25-#39}
         [mh ^"preventive health services" [mj]]
#41
         [mh ^"primary prevention" [mj]]
#42
#43
         [mh ^"secondary prevention" [mj]]
#44
         prevent*:ti
#45
         (avoid* or refus*):ti
#46
         (abstention or abstinen* or abstain*):ti
#47
         {or #41-#46}
#48
         #47 and #40
#49
         #24 or #48 Publication Year from 1995 to 2009
#50
         hepatitis or coronary or heart or renal or kidney or epilep*:ti
#51
         HIV next prevent*:ti,ab
         prevent* next HIV:ti,ab
#52
#53
         #49 not (#50 or #51 or #52)
         accept*:ti,ab
#54
         (percep* or perceived):ti,ab
#55
         opinion*:ti,ab
#56
#57
         attitude*:ti.ab
#58
         MeSH descriptor: [Attitude] this term only
        resist*:ti,ab
#59
#60
         barrier*:ti,ab
#61
         MeSH descriptor: [Communication Barriers] this term only
#62
         facilitat*:ti,ab
         receptiv*:ti,ab
#63
#64
         complian*:ti,ab
         comply:ti,ab
#65
#66
         concord*:ti,ab
         {or #54-#66}
#67
         (qualitative* or interview* or (focus next group*) or questionnaire* or narrative* or narration* or
#68
survey*):ti,ab
         (ethno* or emic or etic or realist or phenomenolog* or "grounded theory" or "constant compar*"
#69
or (thematic* near/4 analys*) or "theoretical sampl*" or "purposive sampl*"):ti,ab
         (metasynthes* or "meta-synthes*" or "metasummar*" or "meta-summar*" or metastud* or
"meta-stud*" or metathem* or "meta-them*"):ti,ab
         MeSH descriptor: [Qualitative Research] this term only
#71
#72
         interview:pt
         MeSH descriptor: [Questionnaires] this term only
#73
#74
         MeSH descriptor: [Narration] this term only
#75
         MeSH descriptor: [Data Collection] this term only
#76
         MeSH descriptor: [Focus Groups] this term only
         (experience* or (research near/4 participat*) or "mixed method*" or (integrated next (approach*
or method*))):ti,ab
#78
         {or #68-#77}
#79
         #53 and (#67 or #78)
         (program* or intervention* or approach* or campaign* or project* or curricul* or service* or
#80
policy or policies):ti,ab
         MeSH descriptor: [Intervention Studies] this term only
#82
         #80 or #81
         #79 and #82
#83
```

Database name: Social Care Online

Strategies

Title: prevent* OR avoid* or refus* OR abstention or abstinen* or abstain* AND

All fields: Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*" or Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrate" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS or NPSS

AND

All fields: accept* OR percep* OR perceived OR opinion* OR attitude* OR resist* OR barrier* OR facilitat* OR receptiv* OR complian* OR comply OR concord* OR qualitative* or interview* or focus group* or questionnaire* or narrative* or narration* or survey* or ethno* or emic or etic or realist or phenomenolog* or grounded theory or constant compar* or thematic* analys* or theoretical sampl* or purposive sampl* or meta-synthes* or meta-synthes* or meta-summar* or meta-summar* or meta-stud* or meta-stud* or meta-them* or experience* or participat* or method* or integrated AND

(program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy or policies)

AND

Publication year: 1995-2009

All fields: prevent* OR avoid* or refus* OR abstention or abstinen* or abstain*

Title: Drug* or substance* or polydrug or "poly-drug" or "legal high*" or psychoactive* or "psycho-active*" or psychotropic* or ketamine or speed or spice or cocaine or crack or mushroom* or solvent* or inhalant or "nitrous oxide" or "laughing gas" or benzodiazepine* or tranquiliser* or tranquilizer* or opioid* or hallucinogen* or "anabolic steroid*" or Cannab* or marijuana or skunk or ecstasy or MDMA or LSD or "lysergic acid diethylamide" or amphetamine* or amfetamin* or mephedrone or mkat or "meow meow" or meth or methamphetamine or methamfetamin* or psychedelic* or pcp or phencyclidine or ped or peds or pied or pieds or "performance enhancing" or "image enhancing" or heroin or poppers or "amyl nitrate" or "amyl nitrate" or "butyl nitrate" or "butyl nitrite" or "new psychoactive" or "newer psychoactive" or "novel psychoactive" or NPS or NPSS

AND

All fields: accept* OR percep* OR perceived OR opinion* OR attitude* OR resist* OR barrier* OR facilitat* OR receptiv* OR complian* OR comply OR concord* OR qualitative* or interview* or focus group* or questionnaire* or narrative* or narration* or survey* or ethno* or emic or etic or realist or phenomenolog* or grounded theory or constant compar* or thematic* analys* or theoretical sampl* or purposive sampl* or metasynthes* or meta-synthes* or metasummar* or meta-summar* or metastud* or meta-stud* or metathem* or meta-them* or experience* or participat* or method* or integrated AND

(program* or intervention* or approach* or campaign* or project* or curricul* or service* or policy or policies)

AND

Publication year: 1995-2009

2A.6Search step 5: Website searches

Source	Date searched	Search terms	No. Retrieved
NIHR Public Health Research Programme http://www.nets.nihr.ac.uk/ projects	4th August 2015	Browsed	0 published studies. 3 ongoing studies of note (not imported but flagged for analysts): PHR - 14/153/02: The Novel Psychoactive Substances in the UK Project (NPS-UK) PHR - 14/153/01: Variation and Determinants of Novel Psychoactive Substance (NPS) Use: Potential Implications for Policy and Practice PHR - 12/153/19 The effects of Positive Youth Development interventions on substance use, violence and inequalities: systematic review of theories of change, processes and outcomes
Advisory Council on the Misuse of Drugs https://www.gov.uk/government/publications?departm	4th August 2015	prevent* OR avoid* or refus* OR abstention or abstinen* or	1 + 3 from original scoping searches.

ents%5B%5D=advisory- council-on-the-misuse-of- drugs		abstain* Browsed for any publications released since scoping searches	
European Monitoring Centre for Drugs and Drug Addiction http://www.emcdda.europa .eu/publications	4th August 2015	Browsed all publications	11 imported.
UN Office on Drugs & Crime https://www.unodc.org/uno dc/en/drug-prevention-and- treatment/publications.html	4th August 2015	Browsed all publications under 'drug prevention and treatment section' (see link to left)	4 imported.
Organization of American States http://www.cicad.oas.org/M ain/Template.asp?File=/red uccion_demanda/Pubs_EN G.asp	4th August 2015	Browsed all publications in 'demand reduction' section (see link to left)	Nothing relevant found.

2A.7Search step 6: Named programme search

Database name	Date searched	Database Platform	Database segment or version	Saved search account	No. of results
Medline & Medline in- process	13th August 2015	Ovid	1946-	NICECPHE	530
Medline & Medline in- process	28th August 2015	Ovid	1946-	NICECPHE	863
Total					1393

List of named programmes searched for:

Good life (approach) Communities that care

EARLY ALLIANCE Keepin' it Real (R.E.A.L.)

Project CHAT Preparing for the Drug Free Years

(YDP)

(PDFY)

PEPS (Prevention Enhancement
Protocols System)

Woodrock Youth Development Project

CDIDT (Companies Drief Intervention

SBIRT (Screening, Brief Intervention, and Referral for Treatment)

Across Ages

DARE (Drug abuse resistance Prevention through Alternative

education) Learning Styles (PALS)

Good Behaviour Game (GBG) All Stars

Strengthening Families Program (SFP) Strong African American Families -

HOPE family project

Early Risers "Skills for Success"

Informed Parents and Children
Together (ImPACT)

Early Risers "Skills for Success" Together (ImPACT)
Program

Project ALERT Family Advocacy Network (FAN Club)

Teen Intervention Project Positive Adolescent Life Skills (PALS) training

Healthy School and Drugs Project Adults in the Making (AIM)

Adults in the Making (Alivi)

BRAVE (Building Resiliency and Vocational Excellence)

Project CHOICE

Project C.A.R.E Middle School Success (MSS)

Project STAR Climate Schools

Project SAFE (Strengthening Familias Unidas (Families United)

America's Families and Environment) Linking Interests of Families and

SFA (Skills for Adolescence)

Teachers

Youthoria Friends in Need

Familias que Funcionan ('Families that Adolescent Transitions Program (ATP)

Work') Risk Skills Training Program (RSTP)

Reconnecting Youth (RY)

Refuse to Use

Focus on Families (AKA Families

Facing the Future)

Family Competence Programme

(FCP)

'On Track' multiple intervention

programme

Super Leaders peer-leadership

training programme

Seven Circles community substance

abuse prevention coalition

Right Turns Only (RTO)

Keep A Clear Mind

Narconon

Police, Public Educators and Peers Utilizing the Leadership Skills of Students At Risk/As Resources

(PULSAR)

Rock Challenge

TUNNELS

Take Charge of Your Life

Adolescent Cannabis Check-Up

(ACCU)

AIDS Evaluation of Street Outreach

Project (AESOP)

ASPIRE

Boys and girls clubs

Campus Corps

Therapeutic Mentoring for At-Risk

Youth

Climate and Preventure

Change the Cycle

Clubs against Drugs

Drug

Alcohol and Tobacco Education

(DATE)

Drug Idle

Drug-Free Communities Support

Program

Ecologically-based Family Therapy

Home to Homeroom program

Housing First

Incredible Years Parenting Program

Individual Prevention Services

program

Keighley Choices programme

Life Skills Training

Mersey Model of Harm Reduction

Multidimensional

Treatment Foster Care

New Beginnings Program

Parents and Youth with Schools

Parents under Pressure

Pathways Home manualized selective

preventive intervention

Positive Youth Development (PYD)

Project Alcohol and Substance Abuse Services Education and Referral to

Treatment (ASSERT)

Project SUCCESS

Project Towards No Drug Abuse

(TND)

SAFE4KIDS

Social Personal Health Education

(SPHE)

Staying Connected with Your Teen

Street Smart

Strengthening Families Program (SFP)

Strengths Based Case Management

Substance Abuse and Mental Health Service Administration (SAMHSA)

Strategic

Drug misuse prevention: Appendix 2 to Evidence Review 2

Search strategies

Too Good for Drugs (TGFD)

Prevention Framework (SPF)

Community Reinforcement Approach

The Ecstasy Check-up

The Family Check-Up (FCU)

Alcohol, tobacco, and other drug

Additional notes on search approach/construction at this stage

The above named programmes were identified as possibly relevant following an initial (title & abstract) sift of the results for search steps 1-3. Additional programmes identified in later steps weren't included due to time constraints.

(ATOD) prevention program

The original intention was to use PubMed due to its slight currency advantage over Ovid Medline, however it quickly became apparent that PubMed was over-interpreting the query and imputing additional search terms, so the decision was made to switch to using Ovid Medline.

In general, title and abstract searches were performed for both the full name and common acronym(s) for each programme, however some acronyms (for example CAP) were dropped if they were not used specifically in relation to a drug-misuse prevention programme.

If a search line brought back more than 100 references it was combined with the drug-related terms from previous steps in order to reduce the number of hits relating to programmes which are used across multiple domains (for example drug misuse; smoking or juvenile delinquency).

Three programmes with non-specific names (Can Stop; Moment; Strive) were excluded from searching. Searches were carried out in two batches, as outlined in the table above, for purely practical reasons.

2A.8Search steps 7 to 10: Additional citation searching

Each of these steps involved citation searching in Web of Science. References which could be downloaded from Web of Science's Core Collection were imported into Endnote.

Description	Date searched	Exported references
Step 7: Backwards citation searching based on two additional systematic reviews identified outside step 1.	8th October 2015	160
Step 8: Backwards & forwards citation searching based on 7 additional topic-relevant references flagged by the analysts. Most of these references were not available in WoS so additional steps taken to try to identify related publications. These additional steps are outlined below.	9th October 2015	60
Step 9: Backwards citation searching based on 35 included studies from steps 1-6.	19th October 2015	440
Step 10: Forwards citation searching based on 35 included studies from steps 1-6	19th October 2015	680

Step 8 additional notes

Step 8 additional notes		
Reference	Request from analyst	IS notes
Cunningham, P. B. et al (2001) Implementation of an	This is an implementation- type study with no	17 forward citations downloaded from WoS.
empirically based drug and	effectiveness data	
violence prevention and	reported. Can you forward	
intervention program in public	citation search to see if an	
school settings. Journal of Clinical Child Psychology. 30	effectiveness study has subsequently been	
p.221-32	published?	
Buncher, Robert M. (1997)	This is a dissertation	Dissertation not found in WoS.
The replicability and transferability of a school-based substance abuse prevention program to a community-based setting [Dissertation].	abstract. Can you see if the full dissertation has been published anywhere?	No forward cites in Journals@Ovid or MS Academic Search. 2 forward cites in Google Scholar, neither are reporting the same study as the dissertation. The abstract is available here. The related programme is called Project KICK (Kids In Cooperation with Kids).
		Searched Medline, Psychinfo for: 1. "Project KICK".tw.
		"Kids In Cooperation with Kids".tw. 1 OR 2 1 reference retrieved from Medline, 6
		from PsychInfo. Duplicate of seed reference and 2
		obviously irrelevant references deleted.
		4 remaining references imported to EndNote.
Chamberlain, Patricia et al.	This paper reports the	Reference not available in WoS but the
(2006) Preventing behavior problems and health-risking	study design for an upcoming effectiveness	study it refers to has been prospectively registered on clinicaltrials.gov. There
behaviors in girls in foster	evaluation; can you	are
care. International Journal of	forward citation search to	6 linked studies in CT.gov. PubMed
Behavioral Consultation and	see if this evaluation has	records downloaded.
Therapy. 2 p.518-530.	subsequently been	22 forward citations in Google Scholar,
Dembo, Richard et al. (1999)	published? There are no effectiveness	which were downloaded. 2 forward citations in WoS
Engaging high risk families in	data reported in this	26 backward citations in WoS
community based intervention	qualitative evaluation; can	8 downloadable from the two above
services. Aggression and	you citation search to see	sets.
Violent Behaviour. 4 p.41-58.	if an effectiveness study	
Strout, Michelle (2007)	has been published? This is a dissertation	Not available in WoS.
Evidence-based practices for	abstract. Can you see if	Only in Google Scholar as a citation (so
substance abuse prevention:	the full dissertation has	no linked forward citations)
Reports from the front line	been published anywhere?	Nothing in Ovid cited publications;
[dissertation].		Microsoft Academic search
		No other publications for the author in Pubmed, Psychlnfo.
Chaney, Michael P., Brubaker,	This is an editorial from a	Downloaded 4 references on drug
Michael D. (2012) Addiction in	journal special issue. Can	misuse directly from journal website.
LGBTQ communities:	this particular issue be	
Influences, treatment, and prevention. Special Issue:	searched for its primary studies?	
Addiction in LGBTQ	Studios:	
Communities: Influences,		
Treatment, and Prevention. 6 p.234-236.		
Moyer, Virginia A., U. S.	This is a clinical guideline.	7 references downloaded from WoS.
Preventive Services Task	Can you citation search for	Looking at the reference list I think the
Force (2014) Primary care	the primary studies on	key source is likely to have been the
behavioral interventions to reduce illicit drug and	which it's based?	systematic review by Patnode et al (2014) that we picked up in our step 1
roddoc illioit drug ariu	l	(2011) that we ploked up in our step 1

Drug misuse prevention: Appendix 2 to Evidence Review 2Search strategies

searches.

2A.9Search step 11: Addition of included studies from previous guideline (NICE PH4)

The reference list of NICE PH4, which had a different scope to the current guideline, was checked for additional studies which were published within the date cut-off for the current guideline.

96 references that hadn't already been sifted for the present guideline were identified from PH4. Of these, 90 were downloaded into Endnote. Two of the six remaining references were dissertations that were only available as citations rather than complete documents. The remaining four references came from the grey literature and had apparently been removed from the host organisations' websites.

An additional two references which were cited in the Evidence Update document for PH4 but not identified in any of the previous search steps were also added to the database for sifting.

2A.10 Post peer-review testing

The evidence review was peer reviewed before publication – a standard option in the NICE process. The reviewers suggested that an additional database search for randomised controlled trials may have been useful. This step was not included in the original protocol, in part because the inclusion criteria for the review require the identification of a broader range of study designs, and also because the review team felt that the approach outlined in the protocol was sufficient to identify randomised controlled trials (RCTs) with reasonable sensitivity and precision.

Following the peer reviewers' comments, NICE's Information Specialist tested the potential impact of additional RCT searching in Ovid Medline & Medline in-process.

The subject terms from step 3 were combined with NICE's standard RCT filter and a publication date limit (from 1995 onwards) was applied. 1328 references were retrieved. Based on the numbers retrieved for steps 3 and 4 this would imply an overall retrieval of around 3500 references if the exercise was repeated across other databases.

20 "on topic" references were selected to act as a test set. "On topic" in this instance means that the references were reporting RCTs of drug misuse prevention interventions: the type of material the search was aiming to find. It does not necessarily imply that these studies met the full inclusion criteria for the final review. The "on topic" references were found by sifting 92 references, selected from the full set of 1328 using the random number generator at www.random.org.

Of the 20 test references, 19 had already been picked up by NICE's search approach. The remaining reference would not have been includable in the final review as it discussed a universal rather than a targeted intervention.

The peer reviewers also suggested that additional search terms for novel psychoactive substances should have been included in the search. Additional terms (methoxetamine; Odesmethyltramadol; desoxypipradrol; 2-DPMP etc) had been mentioned in the scope document for the guideline but had not specifically been searched for. These terms were left out of the original searches as the review team felt it unlikely that such specific terminology would be used to discuss a prevention programme, in isolation from other terms.

Retrospectively, the step 3 searches were repeated in Medline and Medline in process with the addition of all terms for novel psychoactive substances mentioned in the guideline scope. The search yielded an additional 16 references. 15 of these did not discuss misuse at all and remaining reference was a non-interventional study.

The peer reviewers also noted that the word narcotic was not used as a search term. This was a genuine omission, however it would likely have been compensated for to some extent by the use of additional, broad search terms, thesaurus headings and citation searching.

To test this assumption, the step 3 searches were again repeated in Medline & Medline in process with the addition of the term narcotic*. This brought back only 7 additional references, none of which were interventional studies.

Given that the post-peer review Medline searching produced no further includable studies, the high degree of overlap between the review searches and the sample from the Medline RCT search, and the low conversion rate of potential-to-final-includes found during the full text sifting process, the review team concluded that further searching was not necessary following peer review.

Appendix 2B: Review Protocol

Review protocol for review question 2a: How acceptable are drug misuse prevention interventions that people currently receive; and review question 2b: What drug misuse prevention interventions and support do people feel might be more effective?

	Details	Additional comments
Review question 2a	How acceptable are drug misuse prevention interventions that people currently receive?	None.
Review question 2b	What drug misuse prevention interventions and support do people feel might be more effective?	None.
Language	English only	None.
Study design	All types of qualitative primary studies including surveys, interviews, case studies, or ethnographic or action research. Relevant data may also be extracted from quantitative studies including studies which met the inclusion criteria for evidence review 1.	None.
Setting	Social environments where drugs may be available such as nightclubs, pubs, festivals and music venues.	Countries: as described, the reviews will only include studies from countries in the European Union, Switzerland, Iceland, Norway, USA,
	Fitness environments such as gyms and sporting events. Environments where drugs may be used in a sexual context (for example, 'chemsex' parties).	Canada, New Zealand and Australia. All other countries are considered to have significant cultural differences to the UK and are therefore excluded.
	Online and 'virtual' environments, including social media.	
	Youth clubs and youth organisations.	
	Schools, colleges and universities.	
	Health, social care and other environments where interventions may be delivered, for example, primary health care services, sexual health services and custody suites.	
	Interventions in prisons and young offender institutions will be excluded.	
	Universal school based interventions (i.e. those not targeted at any of the population groups described) will be excluded.	
	Interventions set in the workplace will be excluded (other NICE guidance covers workplace interventions).	
	Included countries are: Australia, Austria, Belgium, Bulgaria, Canada, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Israel, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain,	

	Details	Additional comments
	Sweden, Switzerland, Turkey, UK, USA.	
Population	Following discussion with Liverpool HE team on 25/06/15, it has been agreed that only at risk population groups will be considered for the purposes of targeting. Only the 10 following population groups will be included: people who have mental health problems people involved in commercial sex work or are being sexually exploited people who are lesbian, gay, bisexual or transgender people not in employment, education or training (including children and young people who are excluded from school or are regular truants) children and young people whose parents use drugs looked after children and young people children and young people who are in contact with young offender team but not in secure environments (prisons and young offender institutions) people who are considered homeless people who are known to use drugs occasionally / recreationally	It is not possible to look at all populations who misuse drugs. The list identified represents the children, young people and adults who are most likely to start misusing drugs or who are already experimenting or who misuse drugs occasionally or who are risk of moving onto other drugs. The NICE team also considered if any particular ethnic groups should be included in the target population group list above. Based on 2013/14 statistics in Section 5 of the Crime Survey for England and Wales it was decided on 30/06/15 that ethnicity would not be covered in the population target group list.
Intervention	Interventions will be included that have a stated and measured aim of enhancing personal and social skills, improving their self-confidence, increasing knowledge and awareness about the risks of drug use and/or increasing knowledge and awareness about how to reduce the risks and harms of drug use:	
	group-based skills training or information provision using lessons, talks and activities	For example, targeted refusal skills training in schools and colleges.
	one-to-one skills training, information provision and advice given as part of planned outreach activities	For example, for young people at festivals.
	one-to-one skills training, advice and information provided using peer education initiatives	For example, with gay men in nightclubs.
	opportunistic skills training, advice and information provision	For example, provided by youth workers.
	using targeted print and new media for different groups at risk of drug misuse to influence social norms or enhance skills and provide information and advice	For example, magazines, websites, social media, text messages.

	Details	Additional comments
	family-based programmes providing structured support for children and young people at risk of drug misuse	For example, motivational interviewing for parents or carers and parental skills training.
	group-based behaviour therapy for children and young people who are at risk of drug misuse	Focusing on coping mechanisms, problem-solving and goal setting.
	parental skills training for parents or carers of children who are at risk of drug misuse	Focusing on stress management, communication skills, helping children develop problem-solving skills and setting behavioural targets.
Outcomes	Acceptability of interventions including barriers and facilitators.	None.
	Details of others interventions / support that study participants feel might be more effective in preventing drug misuse (with rationales).	
Searches [See Appendix 2A for the search for each step]	Searches will follow a iterative, step-wise approach. Individual search steps are outlined below. The same set of results will be sifted for reviews 1 and 2.Note that steps 1-6 represent the original search outline. Subsequent steps (7-11) were added to the process after the amount of time available for sifting was revised. Where a search step was dependent on prior steps the decisions made as to which direction to adopt are either noted below or in the relevant section of appendix 2A.	An initial search using a 'classical' search approach indicated that in excess of 36,000 papers would be retrieved in Medline alone, even with a relatively small set of search terms. The team decided it would not be appropriate to use this type of approach for this guideline. The iterative, step-wise approach outlined below aims to balance precision and sensitivity without producing an unmanageable volume of results. This is in accordance with the guidance set out in the NICE guidelines development manual, section 5.1. In particular it should be noted that preventative programmes (as described in the NICE scope) are not always flagged as such in the relevant literature.
	Step 1: Search for systematic reviews only from 1995 to 2015 using the following databases: Cochrane Database of Systematic Reviews (CDSR) Database of Abstracts of Reviews of Effectiveness (DARE) HealthEvidence.org Campbell library DoPHER NIHR systematic reviews programme website Guidelines: Guidelines.gov will be searched and any guidelines identified during the scoping exercise for this work will also be	Some sources will be browsed rather than searched where this approach is considered more time-efficient than searching. Reviewer A and B will sift all the search results (100% double sifting) for step 1.
	factored in. Any systematic reviews identified in any relevant guidelines will be ordered.	

Details	Additional comments
Step 2: All relevant systematic reviews identified in step 1 will be entered into Web of Science and a backward citation search will be performed to produce a database of included studies.	Note that only those references which can be automatically downloaded from the Web of Science Core Collection (including Medline) will be downloaded. This is therefore not "pure" citation searching, though it is expected to be far more efficient in terms of time. We expect subsequent protocol steps will help to address some of the deficit in retrieval compared to pure citation searching.
Step 3: Given the time lag between the publication of a primary study and its potential inclusion in a published systematic review, the following sources will be searched from 2010 in order to identify recent primary evidence. Cochrane Central Register of Controlled Trials (CENTRAL) HTA database Embase MEDLINE/MEDLINE in Process Social Policy and Practice Social Care Online PsychInfo TrOPHI	The search strategy at this stage is likely to be broad but not comprehensive. In particular, we may choose to run less comprehensive searches on Embase and PsychInfo as the incremental yields from these databases are likely to be low once other sources are factored in.
Step 4: A more focused search of the databases in step 3, ranging back to 1995. This step is carried out as a back-stop in the event that we identify gaps in coverage for the evidence retrieved steps 1-3.	Following sifting of evidence from previous search steps the review team decided to focus on identifying additional evidence relating to evidence review 2 (acceptability of interventions) at this stage. Material retrieved was still sifted for potential inclusion in either review 1 or review 2.
Step 5: Web searching In addition, the following websites will be searched: NIHR Public Health Research Programme Advisory Council on the Misuse of Drugs European Monitoring Centre for Drugs and Drug Addiction UN Office on Drugs & Crime Organization of American States	

	Details	Additional comments
	Relevant material identified by the review team via other routes (for example during the scoping exercise for this review) will also be included at this stage.	
	Step 6: Named programme search. A list of specific programmes (for example the "good life approach") will be compiled by the review team during steps 1-5. An additional search of Medline will be carried out using the names of these programmes as keywords in order to identify any additional, named articles.	
	Steps 7-10: Additional citation searching in Web of Science, based on included references or selected, topic-relevant but non-includable material identified during previous search steps.	
	Step 11: Any additional references included in NICE guideline PH4 or the subsequent Evidence Update document, which also meet the date limits for the present guideline, will also be submitted for sifting.	
Data screening	All references from the database searches in each step will be downloaded, deduplicated and screened on title and abstract against the criteria above. Where no abstract is available, a web search will be used to locate one; if none is found, references will be screened on title alone.	None.
	For all search steps described previously, except step 1, a randomly selected sample of 10% of records at title and abstract level will be screened by two reviewers (A and B) independently. The rate of agreement will be recorded. Disagreement will be resolved through discussion and with the arbiter as necessary. All records will be screened at title and abstract level by reviewer A.	
	Where abstracts meet all the inclusion criteria, or if it is unclear from the study abstract whether it does, the full text will be retrieved and re-screened. Full-text screening will be carried out by two reviewers (A and B) independently and any differences resolved by discussion and with the arbiter if necessary. Inter-rater reliability will be recorded.	
	Studies that are excluded at the full paper stage will be recorded	

	Details	Additional comments
	along with the reason for their exclusion.	
Data extraction and QA	Quality assessment and data extraction for all included studies will be conducted using the tools in Developing NICE guidelines: the manual . All studies will be quality assessed and data extracted by one reviewer, with all data checked in detail by a second reviewer. Details of all extracted data will be entered into comprehensive evidence tables.	None.
Data synthesis	Data will be synthesised narratively in the first instance. If sufficiently homogeneous and high-quality data are located, meta-analysis may be considered, although this is unlikely.	None.
Subgroup analysis	Where possible, the effectiveness of interventions for subgroups will be disaggregated and reported, along with any differential effect on different subgroups.	None.
Other information/criteria	The review will report on any unintended consequences or adverse outcomes.	None.

Appendix 2C: Quality Appraisal checklists

2C.1EPOC Checklist for RCTs, non-randomised controlled trials and controlled before-after studies

Administrative details

Study name or author and year	STAR ID			
[Type study name, or author and year (include letter if more than 1 paper with	[Type STAR ID]			
the same author and year, e.g. 'Smith 2010a')]				
Citation				
[Include citation details – usually authors, title of study, journal details, year]				
Linked studies (study name or author, year, STAR ID)	Linked studies (study name or author, year, STAR ID)			
[Include study name or author, year and STAR ID of any related studies, or state 'None']				
Final study quality score				
[Click to choose the final quality score. See 'Calculation of final study quality score' below for details on how to complete this.]				
te of QA Reviewer(s) names				
[Click to choose the date the QA was completed]	[Type name of the reviewer/reviewers completing the quality assessment]			

Calculation of final study quality score (from box 6.1 on page 95 of the NICE Guidelines Manual)

- ++ All or most of the checklist criteria have been fulfilled, and where they have not been fulfilled the conclusions are very unlikely to alter.
- + Some of the checklist criteria have been fulfilled, and where they have not been fulfilled, or are not adequately described, the conclusions are unlikely to alter.
- Few or no checklist criteria have been fulfilled and the conclusions are likely or very likely to alter.

Quality Appraisal checklists

Quality Assessment

For all questions: ++ 'Yes'

'Partly'

'No'

The study full meets the criterion.
The study largely meets the criterion but differs in some important respect.
The study deviates substantially from the criterion.
Report provides insufficient information to judge whether the study complies with the criterion.
The criterion is not relevant in this particular instance. 'Unclear'

'NA' (not applicable)

(not applicable)	The chieffort is not relevant in this particular instance.	
Item	Decision	Comments
Was the allocation sequence adequately generated?	[Click here to choose a decision. ++ if a random component in the sequence generation process is described (e.g. a random number table), - if a non-random method is used (e.g. date of admission) or if study is a non-randomised controlled trial or controlled before-after study]	[State how the allocation sequence was generated.]
2. Was the allocation adequately concealed?	[Click here to choose a decision. ++ if allocation by institution, team or professional and allocation performed on all units at start of the study, or if the unit of allocation was by patient or episode of care and there was a centralised randomisation scheme (on-site computer system or sealed opaque envelopes). – if controlled before-after study.]	[State how the allocation was concealed.]
3. Were baseline outcome measurements similar?	[Click here to choose a decision.++ if performance or patient outcomes were measured prior to intervention and no important differences present across study groups. In RCTs score ++ if imbalanced but appropriate adjusted analysis was performed (e.g. analysis of covariance). Score - if important differences were present and not adjusted for in analysis.]	[State whether the baseline outcome measurements were similar.]
Were baseline characteristics similar?	[Click here to choose a decision. ++ if baseline characteristics of the study and control providers are reported and similar. Score - if there is no report of characteristics or if there are differences between control and intervention providers.]	[State whether the baseline characteristics were similar.]
5. Were incomplete outcome data adequately addressed?	[Click here to choose a decision. ++ if missing outcome measures were unlikely to bias the results (e.g. the proportion of missing data was similar in the intervention and control groups or the proportion of missing data was less than the effect size i.e. unlikely to overturn the study result). Score - if missing outcome data was likely to bias the results.]	[State whether incomplete outcome data were adequately addressed.]
6. Was knowledge of the allocated interventions adequately prevented during the study?	[Click here to choose a decision. ++ if the authors state explicitly that primary outcome variables were assessed blindly, or outcomes are objective, e.g. length of hospital stay. Score - if primary outcomes were not assessed blindly.]	[State whether knowledge of the allocated interventions was adequately prevented during the study.]
7. Was the study adequately protected against contamination?	[Click here to choose a decision. ++ if allocation by community, institution or practice and it is unlikely that the control group received the intervention. Score - if it is likely that the control group received the intervention (e.g. if patients rather than professionals were randomised). Score "unclear" if professionals were allocated within a clinic or practice and it is possible that communication between intervention and control professionals could have occurred (e.g. physicians within practices were allocated to intervention or control).]	[State whether the study was adequately protected against contamination.]
8. Was the study free from selective outcome reporting?	[Click here to choose a decision. ++ if there is no evidence that outcomes were selectively reported (e.g. all relevant outcomes in the methods section are reported in the results section). Score - if some important outcomes are subsequently omitted from the results.]	[State whether the study was free from selective outcome reporting.]
9. Was the study free from other risks of bias?	[Click here to choose a decision. Score ++ if there is no evidence of other risk of biases.]	[State whether the study was free from other risks of bias.]

2C.2EPHPP Checklist for uncontrolled before and after studies (EPHPP)

Administrative details

Study name or author and year	STAR ID			
[Type study name, or author and year (include letter if more than 1 paper with	[Type STAR ID]			
the same author and year, e.g. 'Smith 2010a')]				
Citation				
[Include citation details – usually authors, title of study, journal details, year]				
Linked studies (study name or author, year, STAR ID)				
[Include study name or author, year and STAR ID of any related studies, or state 'None']				
Final study quality score				
[Click to choose the final quality score. See 'Calculation of final study quality score' below for details on how to complete this.]				
ate of QA Reviewer(s) names				
[Click to choose the date the QA was completed]	[Type name of the reviewer/reviewers completing the quality assessment]			

Calculation of final study quality score (from EPHPP tool http://www.ephpp.ca/PDF/Quality%20Assessment%20Tool_2010_2.pdf)

- ++ Strong. No weak ratings.
- + Moderate. One weak rating.
- Weak. Two or more weak ratings.

Quality Assessment

Item	Component Rating	Section Rating	Comments				
Selection bias	Selection bias						
Are the individuals selected to participate in the study likely to be representative of the target population?	[Click here to choose a rating. Score 'very likely' if randomly selected from a comprehensive list of individuals in target population, 'somewhat likely' if referred from a source (e.g. clinic) in a systematic manner, 'not likely' if self-referred.]	[Click here to choose a decision. 'Strong' if Q1 is 'very likely' and Q2 is 80 to 100%. 'Moderate' if Q1 is 'very likely' or 'somewhat likely' and Q2 is 60 or 79% or 'can't tell'. 'Weak' if Q1 is 'not likely' or 'can't tell' and Q2 is 'can't tell'.]	[Add comments if necessary.]				
2. What percentage of selected individuals agreed to participate?	[Click here to choose a rating.]						
Study design							
3. What is the study design?	[Click here to choose a rating.]	[Click here to choose a decision. 'Strong' if RCT	[Add comments if necessary, including				
4. Was the study described as randomised?	[Click here to choose a rating. If 'no', mark questions 5 and 6 as 'not applicable' and go straight to 'Confounders' section.]	or CCT, 'moderate' if cohort analytic study, case control study, a cohort design, or interrupted time series, 'weak' for any other method or did not state method used.]	description of study design if 'other'.]				
5. Was the method of randomisation described?	[Click here to choose a rating.]	inot state method used.]					
6. Was the method of randomisation appropriate?	[Click here to choose a rating.]						
Confounders							
7. Were there important differences between groups prior to the intervention?	[Click here to choose a rating. Example of confounders include race, sex, marital status/family, age, socioeconomic status, education, health status, pre-intervention score on outcome measure.]	[Click here to choose a decision. 'Strong' if Q7 is 'no' or Q2 is 80% or more. 'Moderate' if Q7 is 'yes' and Q8 is 60 to 79%. 'Weak' if Q7 is 'yes' and Q8 is less than 60%, or if Q7 is 'cant' tell'	[Add comments if necessary.]				
8. If yes, what percentage of relevant confounders were controlled (either in the design [e.g. stratification, matching] or analysis)?	[Click here to choose a rating.]	and Q8 is 'can't tell'.]					
Blinding							
9. Was/were the outcome assessor/s aware of the intervention or exposure status of participants?	[Click here to choose a rating.]	[Click here to choose a decision. 'Strong' if Q9 is 'no' and Q10 is 'no'. 'Moderate' if Q9 is 'no' or Q10 is 'no', or Q9 is 'can't tell' and Q10 is 'can't	[Add comments if necessary.]				
10. Were the study participants aware of the research question?	[Click here to choose a rating.]	tell'. ' Weak ' if Q9 is 'yes' and Q10 is 'yes'.]					
Data collection methods							
11. Were data collection tools shown to	[Click here to choose a rating.]	[Click here to choose a decision. 'Strong' if Q11	[Add comments if necessary.]				

be valid?		is 'yes' and Q12 is 'yes'. 'Moderate' if Q11 is		
12. Were data collection tools shown to be reliable?	[Click here to choose a rating.]	'yes' and Q12 is 'no' or Q12 is 'can't tell'. 'Weak' if Q11 is 'no' or Q11 is 'can't tell' and Q12 is 'can't tell'.]		
Withdrawals and drop-outs				
13. Were withdrawals and drop-outs reported in terms of numbers and/or reasons per group?	[Click here to choose a rating.]	[Click here to choose a decision. 'Strong' if Q14 is 80% or more. 'Moderate' if Q14 is 60 to 79% or 'not applicable'. 'Weak' if Q14 is less than	[Add comments if necessary.]	
14. What percentage of participants completed the survey?	[Click here to choose a rating. If percentage differs by groups, record the lowest.]	60% or 'can't tell'.]		
Intervention integrity				
15. What percentage of participants received the allocated intervention or exposure of interest?	[Click here to choose a rating. If percentage differs by groups, record the lowest.]	Section rating not required.	[Add comments if necessary.]	
16. Was the consistency of the intervention measured?	[Click here to choose a rating.]			
17. Is it likely that subjects received an unintended intervention (contamination or co-intervention) that may influence the results?	[Click here to choose a rating.]			
Analyses				
18. What is the unit of allocation?	[Click here to choose a rating.]	Section rating not required.	[Add comments if necessary. Add	
19. What is the unit of analysis?	[Click here to choose a rating.]		details if 'other' selected for question 18 and/or 19.]	
20. Are the statistical methods appropriate for the study design?	[Click here to choose a rating.]		and/01 13.j	
21. Is the analysis performed by intervention allocation status (i.e. intention to treat) rather than the actual intervention received?	[Click here to choose a rating.]			

2C.3 NICE public health qualitative methodology checklist

Study identification			
Include author, title, reference, year of publication			
Guidance topic:	Key research question/aim:		
Guidance topic.	rtey research question/ann.		
Checklist completed by:			
Theoretical approach			
			Comments:
1. Is a qualitative approach appropriate?		Choose an item.	
For example,		Choose an item.	
 Does the research question seek to understand processes or structures, or illuminate subjective experiences or meanings? 			
 Could a quantitative approach better have addressed the research question? 			
			Comments:
2. Is the study clear in what it seeks to do?		Ol :t	
For example,		Choose an item.	
Is the purpose of the study discussed – aims/objective Is the purpose of the study discussed – aims/objective			
Is there adequate/appropriate reference to the literature?Are underpinning values/assumptions/theory discussed?			

Study design				
3. How defensible/rigorous is the research design/methodology?	Choose an item.	Comments:		
For example, Is the design appropriate to the research question?				
Is a rationale given for using a qualitative approach?				
 Are there clear accounts of the rationale/justification for the sampling, data collection and data analysis techniques used? 				
 Is the selection of cases/sampling strategy theoretically justified? 				

Data collection				
4. How well was the data collection carried out? For example, • Are the data collection methods clearly described? • Were the appropriate data collected to address the research question?	Choose an item.	Comments:		

Trustworthiness				
 5. Is the role of the researcher clearly described? For example, Has the relationship between the researcher and the participants been adequately considered? Does the paper describe how the research was explained and presented to the participants? 	Choose an item.	Comments:		
 6. Is the context clearly described? For example, Are the characteristics of the participants and settings clearly defined? Were observations made in a sufficient variety of circumstances? Was context bias considered? 	Choose an item.	Comments:		
 7. Were the methods reliable? For example, Was data collected by more than one method? Is there justification for triangulation, or for not triangulating? Do the methods investigate what they claim to? 	Choose an item.	Comments:		

Analysis				
 8. Is the data analysis sufficiently rigorous? For example, Is the procedure explicit – i.e. is it clear how the data was analysed to arrive at the results? How systematic is the analysis, is the procedure reliable/dependable? Is it clear how the themes and concepts were derived from the data? 	Choose an item.	Comments:		
 9. Is the data 'rich'? For example, How well are the contexts of the data described? Has the diversity of perspective and content been explored? How well has the detail and depth been demonstrated? Are responses compared and contrasted across groups/sites? 	Choose an item.	Comments:		
 10. Is the analysis reliable? For example, Did more than one researcher theme and code transcripts/data? If so, how were differences resolved? Did participants feed back on the transcripts/data if possible and relevant? Were negative/ discrepant results addressed or ignored? 	Choose an item.	Comments:		
11. Are the findings convincing? For example,	Choose an item.	Comments:		
12. Are the findings relevant to the aims of the study?	Choose an item.	Comments:		

 13. Conclusions For example, How clear are the links between data, interpretation and conclusions? Are the conclusions plausible and coherent? Have alternative explanations been explored and discounted? Does this enhance understanding of the research topic? Are the implications of the research clearly defined? Is there adequate discussion of any limitations encountered? 	Choose an item.	Comments:
14. How clear and coherent is the reporting of ethics? For example, • Have ethical issues been taken into consideration? • Are they adequately discussed e.g. do they address consent and anonymity? • Have the consequences of the research been considered i.e. raising expectations, changing behaviour etc? • Was the study approved by an ethics committee?	Choose an item.	Comments:
Overall Assessment As far as can be ascertained from the paper, how well was the study conducted?		Comments:

Choose an item.

Appendix 2D: Summary of

quality of included studies

2D.1Summary of studies assessed with the EPOC Checklist for RCTs, non-randomised controlled trials and controlled before-after studies

and conti		or o artor								
Study	Was the allocation sequence adequately generated?	Was the allocation adequately concealed?	Were baseline outcome measurements similar?	Were baseline characteristics similar?	Were incomplete outcome data adequately addressed?	Was knowledge of the allocated interventions adequately prevented during the study?	Was the study adequately protected against contamination?	Was the study free from selective outcome reporting?	Was the study free from other risks of bias?	Overall score
Baer et al, 2007	UC	UC	++	++	+	-	++	++	++	+
Elliott et al, 2014	UC	UC	++	++	++	UC	++	UC	++	+
Norberg et al, 2014	++	++	++	+	UC	++	+	++	++	+
Tait et al, 2015	++	UC	++	++	++	UC	++	++	+	+
Walton et al, 2013	++	UC	++	++	++	++	++	++	++	++
Walker et al, 2011	++	UC	++	++	++	UC	+	++	++	+

NA Not applicable, UC Unclear.

Scoring for overall score:

8 or 9 ++ ratings gives an overall score of ++ Less than 8 or 9 ++ ratings, but majority + or ++ gives an overall score of + A majority of – ratings or 'unclears' gives an overall score of - Summary of quality of included studies

2D.2Summary of studies assessed with the EPHPP checklist for uncontrolled quantitative studies

Study	Selection bias	Study design	Confounders	Blinding	Data collection	Withdrawals and drop outs	Overall score
Branigan & Wellings 1999	-	-	-	NA	-	-	-
Chinet et al, 2007	++	-	-	NA	-	++	-
Lynsky et al, 1999	-	+	NA	NA	-	-	-
Nanin et al, 2006	+	-	-	NA	-	++	-
Shrier et al. 2014	+	+	NA	+	++	+	+
Wood et al, 2010	-	-	-	NA	-	-	-

NA Not applicable.

Scoring for overall score:

No - ratings gives an overall score of ++

One - rating gives an overall score of +

Two or more – ratings gives an overall score of –

2D.3Summary of studies assessed with the NICE public health qualitative methodology checklist

	,						P 0.10		. 9			3,	J. 1. J. J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	•	
Study	Theoretical approach	Study aims	Study design	Data collection	Role of researcher	Context	Reliable methods	Rigorous analysis	Data richness	Reliable analysis	Convincing findings	Relevant findings	Conclusions	Ethics	Overall score
Braciszewski et al, 2014	++	+	UC	UC	-	UC	UC	UC	-	UC	++	++	++	++	+
Carlson et al, 2004	++	UC	-	UC	UC	UC	UC	++	UC	UC	UC	++	UC	++	-
D'Amico et al, 2009	++	+	UC	++	-	UC	++	UC	-	UC	UC	+	+	++	-
Goldbach & Steiker, 2011	++	++	++	++	++	++	++	++	-	UC	UC	+	++	++	+
Hudson et al, 2009	++	++	++	UC	++	++	++	UC	++	UC	++	++	++	++	+
Kurtz et al, 2013	++	+	-	UC	-	++	UC	UC	-	UC	++	++	++	++	-
Rudzinski et al, 2012	++	++	++	++	-	++	++	UC	++	UC	++	++	++	++	++
Wenzel et al, 2009	UC	+	UC	UC	++	++	-	++	-	-	UC	+	UC	++	-

NA Not applicable; UC Unclear/not sure

Scoring for overall score:

++ All or most of the criteria have been fulfilled. Where they have not been fulfilled the conclusions of the study are thought very unlikely to alter

Drug misuse prevention: Appendix 2 to Evidence Review 2

Summary of quality of included studies

to alter the conclusions

- Few or no criteria fulfilled. The conclusions of the study are thought **likely or very likely** to alter.

+ Some of the criteria have been fulfilled. Those criteria that have nto been fulfilled or not adequately described are thought **unlikely**

Appendix 2E: Excluded studies

Study	Reason for Exclusion
Aalborg, A. E., et al., Implementation of adolescent family-based substance use prevention programmes in health care settings: Comparisons across conditions and programmes, Health Education Journal, 71, pp53, 2012	Not targeted at a group of interest
Abadi, M. H., Shamblen, S. R., Thompson, K., Collins, D. A., Johnson, K., Influence of risk and protective factors on substance use outcomes across developmental periods: a comparison of youth and young adults, Substance Use & Misuse, 46, 1604-12, 2011	No drug misuse prevention interventions described
Abdon, J. G., Wallin, E., Andreasson, S., Long-term effects of a community-based intervention: 5-year follow-up of 'Clubs against Drugs', Addiction, 106, 1997-2004, 2011	Out of scope (relates to nightclub doormen identifying and barring drug users, not preventing/reducing their use)
Acri, M.C., Gogel, L. P., Pollock, M., Wisdom, J. P., What adolescents need to prevent relapse after treatment for substance abuse: A comparison of youth, parent, and staff perspectives, Journal of Child & Adolescent Substance Abuse, 21, 117-129, 2012	Relapse prevention
Adelman, H. S., Creating School and Community Partnerships for Substance Abuse Prevention Programs, Journal of Primary Prevention, 23, Spr-369, 2003	Study design (not primary research or a systematic review)
Adfam, Drug and alcohol prevention: intergenerational factors and the role of the family, 12, 2015	Not primary research
Advisory Council On Misuse Of Drugs, Advisory Council on the Misuse of Drugs response to drug strategy consultation 2010, 20p., 2010	Not primary research (response to a government consultation)
Agerwala, S. M., McCance-Katz, E. F., Integrating screening, brief intervention, and referral to treatment (SBIRT) into clinical practice settings: a brief review, Journal of psychoactive drugs, 44, 307-17, 2012	SBIRT study - includes universal screening
Ahmed, S. H., Escalation of drug use, Animal models of drug addiction., 267-292, 2011	Not an effectiveness study of a drug misuse prevention intervention
Ait-Daoud, N., Bashir, M., Women and substance abuse: health considerations and recommendations, CNS spectrums, 16, 37-47, 2011	Does not meet systematic review criteria
Akram, Y., Copello, A., Moore, D., Family-based interventions for substance misuse: a systematic review of systematic reviews-protocol, Systematic Reviews, 3, 90, 2014	Protocol
Aktan, G., Kumpfer, K.L., Turner, C., The Safe Haven program: effectiveness of a family skills training program for substance abuse prevention with inner city African American families, Int J Addict, 31, 158-175,	No relevant outcome data reported
Ali-Northcott, L., Substance abuse, Counseling Muslims: Handbook of mental health issues and interventions., 355-382, 2012	Paper unavailable
Allara, E., Ferri, M., Bo, A., Gasparrini, A., Faggiano, F., Are mass-media campaigns effective in preventing drug use? A Cochrane systematic review and meta-analysis, BMJ open, 5, 2015	Systematic review but not clear if any included interventions were targeted at a group of interest
Allott, R., Paxton, R., Leonard, R., Drug education: a review of British Government policy and evidence on effectiveness, Health Education Research, 14, 491-505, 1999	Does not meet systematic review criteria
Allsop, S., Fanning the flame of prevention effort, Drug and Alcohol Review, 31, 729-30, 2012	Not primary research (editorial)
Altena, A. M., Brilleslijper-Kater, S. N., Wolf J. L. M., Effective Interventions for Homeless Youth: A Systematic Review, American Journal of Preventive Medicine, 38, 637-645, 2010	Systematic review but only 73% of included studies meet our eligibility criteria

Not primary research (overview of Cochrane reviews undertaken in field of addiction)
No drug misuse prevention interventions described
(alternative/continuation high schools)
·
No drug misuse prevention interventions described
Not clear if intervention is targeted at a group of interest
Not primary research (commentary paper)
Portuguese language paper
Not primary research (patient summary of an evidence review)
Not primary research (editorial)
Does not meet systematic review criteria
Protocol
Does not meet systematic review criteria
No relevant outcome data reported
Not targeted at a group of interest
Not primary research (position statement)
Not primary research (commentary paper only)
No relevant outcome data reported
Treatment rather than prevention
No drug misuse prevention intervention described
n o s

Babor, T. F., Drug policy and the public good: A summary of the book, Addiction, 105, 1137-1145, 2010	Not primary research (book summary)
Babor, T. F., McRee, B. G., Kassebaum, P. A., Grimaldi, P. L., Ahmed, K., Bray, J., Screening, Brief Intervention, and Referral to Treatment (SBIRT): toward a public health approach to the management of substance abuse, Substance Abuse, 28, 7-30, 2007	SBIRT study - includes universal screening
Backer, T. E., The failure of success: Challenges of disseminating effective substance abuse prevention programs, Journal of	Not targeted at a group of interest
Community Psychology, 28, 363-373, 2000	Not targeted at a group of interest
Baer, J. S., Peterson, P. L., Wells, E. A., Rationale and design of a brief substance use intervention for homeless adolescents, Special Issue: Clinical harm reduction., 12, 317-334, 2004	Treatment rather than prevention
Bagley, C., Pritchard, C., The reduction of problem behaviours and school exclusion in at-risk youth: An experimental study of school social work with cost-benefit analyses, Child & Family Social Work, 3, 219-226, 1998	Not primarily a drug misuse prevention intervention
Bagoien, G., Bjorngaard, J. H., Ostensen, C., Reitan, S. K., Romundstad, Pal, Morken, Gunnar, The effects of motivational interviewing on patients with comorbid substance use admitted to a psychiatric emergency unit - a randomised controlled trial with two year follow-up, BMC Psychiatry, 13, 2013	Treatment rather than prevention
Bahr, S. J., Drug use, abuse, and addiction, The Routledge handbook of deviant behavior., 290-297, 2011	Not primary research (overview/discussion piece)
Baker, A., Lewin, T. J., Bradley, A. C., Group intervention for coexisting psychosis and substance use disorders in rural Australia: Outcomes over 3 years, Australian and New Zealand Journal of Psychiatry, 41, 501-508, 2007	Treatment rather than prevention
Baker, A., Turner, A., Kay-Lambkin, F. J., Lewin, T. J., The long and the short of treatments for alcohol or cannabis misuse among people with severe mental disorders, Addictive Behaviors, 34, 852-858, 2009	Treatment rather than prevention
Baldus, C., Miranda, A., Weymann, N., Reis, O., More, K., Thomasius, R., "CAN Stop"implementation and evaluation of a secondary group prevention for adolescent and young adult cannabis users in various contextsstudy protocol, BMC Health Services Research, 11, 80, 2011	Protocol
Ballantyne, J.C., Kolodny, A., Preventing prescription opioid abuse, Jama, 313, 1059, 2015	Not primary research (letter to the editor)
Banerjee, S. C., Greene, K., Role of transportation in the persuasion process: Cognitive and affective responses to antidrug narratives, Journal of health communication, 17, 564-581, 2012	Not targeted at a group of interest
Banwell, C., Denton, B., Bammer, G., Programmes for the children of illicit drug-using parents: issues and dilemmas, Drug and Alcohol Review, 21, 381 - 386, 2002	Does not meet systematic review criteria
Barnard, M., McKeganey, N., The impact of parental problem drug use on children: what is the problem and what can be done to help?, Addiction, 99, 552-559, 2004	Does not meet systematic review criteria
Barnett, E. M., Motivational interviewing with adolescent substance users: A closer look, Dissertation Abstracts International: Section B: The Sciences and Engineering, 74, No-Specified, 2014	Universal school intervention (alternative/continuation high schools)
Barnett, E., Moyers, T. B., Sussman, S., Smith, C., Rohrbach, L. A., Sun, P., Spruijt-Metz, D., From counselor skill to decreased marijuana use: does change talk matter?, Journal of Substance Abuse Treatment, 46, 498-505, 2014	Not targeted at a group of interest
Barnett, E., Spruijt-Metz, D., Unger, J. B., Sun, P., Rohrbach, L. A., Sussman, S., Boosting a teen substance use prevention program with motivational interviewing, Substance Use & Misuse, 47, 418-28, 2012	Universal school intervention (alternative/continuation high schools)
Barnett, E., Sussman, S., Smith, C., Rohrbach, L. A., Spruijt-Metz, D., Motivational Interviewing for adolescent substance use: A review of the literature, Addictive Behaviors, 37, 1325-1334, 2012	Systematic review but only 41% of included studies meet our eligibility criteria.
Barsch, G., Thoughts on the prevention of addiction, Familiendynamik, 39, 206-207, 2014	German language paper
Bavarian, N., Lewis, K. M., Acock, A., Geldhof, J., Vuchinich, S., DuBois, D., Preventing adolescent alcohol and other drug use: Mediation results from a longitudinal randomized trial of a social emotional character program, Alcoholism, clinical and experimental research, 38, 40a, 2014	Conference abstract

Beardslee, W. R., Chien, P. L., Bell, C. C., Prevention of mental disorders, substance abuse, and problem behaviors: a developmental perspective, Psychiatric services (Washington, D.C.), 62, 247-54, 2011	Study design (not primary research or a systematic review)
Beardslee, W. R., Martin, J. L., Children of parents with psychiatric and substance abuse disorders, Dulcan's textbook of child and adolescent psychiatry., 623-635, 2010	Paper unavailable
Becker, J., Haug, S., Kraemer, T., Schaub, M. P., Feasibility of a group cessation program for co-smokers of cannabis and tobacco, Drug and Alcohol Review, 34, 418-26, 2015	Treatment rather than prevention
Becker, S. J., Curry, J. F., Outpatient interventions for adolescent substance abuse: A quality of evidence review, Journal of Consulting and Clinical Psychology, 76, 534-543, 2008	Treatment rather than prevention
Beharie, N., et, al, The HOPE Family Project: a family-based group intervention to reduce the impact of homelessness on HIV/STI and drug risk behaviors, Social Work with Groups, 34, 61-78, 2011	No drug-related outcomes reported
Bekkering, G. E., Aertgeerts, B., Asueta-Lorente, J. F., Autrique, M., Goossens, M., Smets, K., van Bussel, J. C. H., Vanderplasschen, W., Van Royen, P., Hannes, K., Practitioner review: evidence-based practice guidelines on alcohol and drug misuse among adolescents: a systematic review, Journal of child psychology and psychiatry, and allied disciplines, 55, 3-21, 2014	Systematic review of guidelines, not primary studies
Belcher, H. M. E., Shinitzky, H. E., Substance abuse in children: Prediction, protection, and prevention, Archives of Pediatrics & Adolescent Medicine, 152, 952-960, 1998	Does not meet systematic review criteria
Bellis, M. A., Hughes, K., Lowey, H., Healthy nightclubs and recreational substance use - From a harm minimisation to a healthy settings approach, Addictive Behaviors, 27, 1025-1035, 2002	Study design (discussion paper)
Bender, K., Tripodi, S., Rock, J., Adolescents, Social work practice in the addictions., 183-198, 2013	Not targeted at a group of interest
Bender, K., Tripodi, S., Sarteschi, C., Vaughn, M., A meta-analysis of interventions to reduce adolescent Cannabis use, Research on Social Work Practice, 21, 153-164, 2011	Treatment rather than prevention
Bentley Rubio, C. M., Facilitators and barriers to implementing environmental prevention strategies of drug-free communities support program grants, Dissertation Abstracts International: Section B: The Sciences and Engineering, 74, No-Specified, 2013	Paper unavailable
Berg, R. C., Underland, V., The effectiveness of primary interventions to prevent the use of tobacco, alcohol and other drugs among children and adolescents (Structured abstract), Health Technology Assessment Database, 2012	Norwegian langauge paper
Bermudez Parsai, M., Castro, F. G., Marsiglia, F. F., Harthun, M. L., Valdez, H., Using community based participatory research to create a culturally grounded intervention for parents and youth to prevent risky behaviors, Prevention science: the official journal of the Society for Prevention Research, 12, 34-47, 2011	Not targeted at a group of interest
Bernstein, E., Edwards, E., Dorfman, D., Heeren, T., Bliss, C., Bernstein, J., Screening and Brief Intervention to Reduce Marijuana Use Among Youth and Young Adults in a Pediatric Emergency Department, Academic Emergency Medicine, 16, 1174-1185, 2009	SBIRT study - includes universal screening
Bernstein, S. L., D'Onofrio, G., A promising approach for emergency departments to care for patients with substance use and behavioral disorders, Health affairs (Project Hope), 32, 2122-8, 2013	SBIRT study - includes universal screening
Bishop, D. C., Dusenbury, L., Pankratz, M. M., Hansen, W. B., Promoting quality of program delivery via an internet message delivery system, Journal of Drug Education, 43, 235-54, 2013	Universal schools paper (evaluates how an IT system can improve delivery of interventions; tested primarily on universal schools interventions)
Bishop, J., Whitear, B. A. and, Brown, S., A review of substance use education in fifty secondary schools in South Wales, Health Education Journal, 60, pp164, 2001	Not targeted at a group of interest
Black, D. R., Tobler, N. S., Sciacca, J. P., Peer Helping/Involvement: An Efficacious Way to Meet the Challenge of Reducing Alcohol, Tobacco, and Other Drug Use Among Youth?, Journal of School Health, 68, 87-93, 1998	Does not meet systematic review criteria
Black, M. M., Krishnakumar, A., Children in low-income, urban settings - Interventions to promote mental health and well-being, American Psychologist, 53, 635-646, 1998	Does not meet systematic review criteria

Blake, S. M., Amaro, H., Schwartz, P. M., Flinchbaugh, L. J., A review of substance abuse prevention interventions for young adolescent girls, Journal of Early Adolescence, 21, 294-324, 2001	Does not meet systematic review criteria
Blunk, M., Williams, K., Early identification, treatment, and interventions for the prevention of benzodiazepine dependence with anxiety disorders, Mental Health and Substance Use: dual diagnosis, 4, 277-292, 2011	Out of scope (prevention of benzodiazepine dependence in patients legally prescribed them)
Bodin, M., Leifman, H., A randomized effectiveness trial of an adult-to-youth mentoring program in Sweden, Addiction Research & Theory, 19, 438-447, 2011	Not targeted at a group of interest
Bohnert, K. M., Anthony, J. C., Breslau, N., Parental monitoring at age 11 and subsequent onset of cannabis use up to age 17: results from a prospective study, Journal of Studies on Alcohol and Drugs, 73, 173-7, 2012	No drug misuse prevention intervention described
Bolier, L., Voorham, L., Monshouwer, K., van, H. N., Bellis, M., Alcohol and drug prevention in nightlife settings: A review of experimental studies, Substance Use & Misuse, 46, 1569-1591, 2011	Systematic review but only 11% of included studies may meet our eligibility criteria
Bonell, C., Jamal, F. Harden A. Wells H. Parry W. Fletcher A. Petticrew, Systematic review of the effects of schools and school environment interventions on health: evidence mapping and synthesis, Public Health Researcg, 1, 1-319, 2013	Systematic review but 0 included studies meet our eligibility criteria
Bonnell, C., Thomas, J., Campbell, R., Murphy, S., Fletcher, A., The effects of positive youth development interventions on substance use, violence and inequalities: systematic review of theories of change, processes and outcomes, 2015	Protocol
Bonsack, C., Manetti, S. G., Favrod, J., Montagrin, Y., Besson, J., Bovet, P., Conus, P., Motivational Intervention to Reduce Cannabis Use in Young People with Psychosis: A Randomized Controlled Trial, Psychotherapy and Psychosomatics, 80, 287-297, 2011	Treatment rather than prevention
Borsari, B., The addiction syndrome and the college setting: Prevention, APA addiction syndrome handbook, Vol. 2: Recovery, prevention, and other issues., 247-269, 2012	Paper unavailable
Botvin, G. J., Glantz, M. D., Hartel, C. R., Adolescent drug abuse prevention: Current findings and future directions, 1999	Study design (not primary research or a systematic review)
Botvin, G. J., Griffin, K. W., Life Skills Training: A competence enhancement approach to tobacco, alcohol, and drug abuse prevention, Handbook of adolescent drug use prevention: Research, intervention strategies, and practice., 177-196, 2015	Paper unavailable
Botvin, G. J., Griffin, K. W., Life Skills Training: Empirical Findings and Future Directions, The journal of primary prevention, 25, 211-232, 2004	Universal school intervention
Botvin, G. J., Griffin, K. W., Advances in the science and practice of prevention: Targeting individual-level etiologic factors and the challenge of going to scale, Handbook of drug use etiology: Theory, methods, and empirical findings., 631-650, 2010	Book - no relevant data to extract
Botvin, G. J., Griffin, K. W., Life skills training: preventing substance misuse by enhancing individual and social competence, New directions for youth development, 2014, 57-11, 2014	Study design (summary/overview piece; no extractable effectiveness or acceptability data)
Botvin, G. J., Griffin, K. W., School-based programmes to prevent alcohol, tobacco and other drug use, International review of psychiatry (Abingdon, England), 19, 607-15, 2007	Review of universal school interventions
Botvin, G. J., Griffin, K. W., Toward the development of preventive interventions to reduce HRSB, HIV/AIDS, and multiple problem behaviors, Prevention Science, 15, S81-S83, 2014	Not primary research (editorial)
Botvin, G. J., Preventing drug abuse in schools: Social and competence enhancement approaches targeting individual-level etiologic factors, Addictive Behaviors, 25, 887-897, 2000	Does not meet systematic review criteria
Bradley, E. G., The effects of a school-based motivational intervention on adolescent substance abuse, Dissertation Abstracts International Section A: Humanities and Social Sciences, 70, 1917, 2009	Not all participants fall into a target group of interest
Bratt, C., Guardians to counter adolescent drug use? Limitations of a routine activities approach, Youth & Society, 39, 385-405, 2008	Not targeted at a group of interest

Braxter, B. J., Puskar, K., Mitchell, A. M., Hagle, H., Gotham, H., Terry, M. A., Nursing students' experiences with screening, brief intervention, and referral to treatment for substance use in the clinical/hospital setting, Journal of Addictions Nursing, 25, 122-9, 2014	SBIRT study - includes universal screening
Bray, J. W., Mallonee, E., Dowd, W., Program- and service-level costs of seven screening, brief intervention, and referral to treatment programs, Substance abuse and rehabilitation, 5, 63-73, 2014	SBIRT study - includes universal screening
Britton, W. B., Bootzin, R. R., Cousins, J. C., Hasler, B. P., Peck, T., Shapiro, S. L., The contribution of mindfulness practice to a multicomponent behavioral sleep intervention following substance abuse treatment in adolescents: a treatment-development study, Substance Abuse, 31, 86-97, 2010	Relapse prevention (participants have already completed an outpatient substance abuse treatment programme)
Brody, G. H., Chen, Y. F., Kogan, S. M., Yu, T., Molgaard, V. K., DiClemente, R. J., Wingood, G. M., Family-centered program deters substance use, conduct problems, and depressive symptoms in black adolescents, Pediatrics, 129, 108-115, 2012	Not targeted at a group of interest
Brody, G. H., Yu, T., Chen, Y. F., Kogan, S. M., Smith, K., The Adults in the Making program: Long-term protective stabilizing effects on alcohol use and substance use problems for rural African American emerging adults, Journal of Consulting and Clinical Psychology, 80, 17-28, 2012	Not primarily a drug misuse prevention intervention
Broning, S., Kumpfer, K., Kruse, K., Sack, P. M., Schaunig-Busch, I., Ruths, S., Moesgen, D., Pflug, E., Klein, M., Thomasius, R., Selective prevention programs for children from substance-affected families: A comprehensive systematic review, Substance Abuse Treatment, Prevention, & Policy, 7, 23-40, 2012	Systematic review but only a maximum of 46% of included studies meet our eligibility criteria
Brown, E. C., Hawkins, J. D., Arthur, M. W., Briney, J.S., Fagan, A. A., Prevention service system transformation using Communities That Care, Journal of Community Psychology, 39, 183-201, 2011	Not targeted at a group of interest
Brown, E. C., Hawkins, J. D., Rhew, I.C., Shapiro, V. B., Abbott, R. D., Oesterle, S., Arthur, M. W., Briney, J. S., Catalano, R. F., Prevention system mediation of communities that care effects on youth outcomes, Prevention science: the official journal of the Society for Prevention Research, 15, 623-32, 2014	Not targeted at a group of interest
Brown, J. H., Caston, M. D., On becoming "at risk" through drug education: How symbolic policies and their practices affect students, Evaluation Review, 19, 451-492, 1995	Universal schools paper
Brown, J. H., Clarey, A. M., The social psychology of disintegrative shaming in education, Journal of Drug Education, 42, 229-53, 2012	Not targeted at a group of interest
Brown, K. J., Block, A. J., Evaluation of Project Chrysalis: A school-based intervention to reduce negative consequences of abuse, Special Issue: Substance abuse prevention among young female adolescents., 21, 325-353, 2001	Not all participants fall into a target group of interest
Buckley, E. J., White, D. G., Systematic review of the role of external contributors in school substance use education, 107, 42 - 62, 2007	Review of universal school interventions
Buhler, A., Thrul, B., Prevention of addictive behaviours, Research and Practice in Health Promotion, Volume 46, Federal Centre for Health Education (BZgA), 2013 [Translated and published in English in 2015]	Systematic review but not possible to disaggregate findings related to drug misuse prevention among target groups of interest
Bumbarger, B. K., Understanding and promoting treatment integrity in prevention, Treatment integrity: A foundation for evidence-based practice in applied psychology., 35-54, 2014	Paper unavailable
Buncher, R. M., The replicability and transferability of a school-based substance abuse prevention program to a community-based setting, Dissertation Abstracts International: Section B: The Sciences and Engineering, 57, 6559, 1997	Dissertation abstract
Burrus, B., Leeks, K. D., Sipe, T. A., Dolina, S., Soler, R., Elder, R., Barrios, L., Greenspan, A., Fishbein, D., Lindegren, M. L., Achrekar, A., Dittus, P., Person-to-person interventions targeted to parents and other caregivers to improve adolescent health: A community guide systematic review, American Journal of Preventive Medicine, 42, 316-326, 2012	Systematic review but only a maximum of 33% of included studies meet our eligibility criteria

Byrnes, H. F., Miller, B. A., Aalborg, A. E., Keagy, C. D., The relationship between neighborhood characteristics and recruitment into adolescent family-based substance use prevention programs, The journal of behavioral health services & research, 39, 174-89, 2012	Not targeted at a group of interest
Byrnes, H. F., Miller, B. A., Laborde, N., A comparison of maternal outcomes from an alcohol, tobacco, and other drug prevention program for mothers choosing an intervention versus being randomized, Health education & behavior: the official publication of the Society for Public Health Education, 40, 206-15, 2013	Not targeted at a group of interest
CADTH, Prevention strategies for substance misuse: a review of the clinical evidence, Ottawa: Canadian Agency for Drugs and Technologies in Health (CADTH), 2012	Systematic review but 0 included studies meet our eligibility criteria
Calafat, A., Juan, M., Duch, M.A., Preventive interventions in nightlife: a review, Adicciones, 21, 387-413, 2009	Does not meet systematic review criteria
Carney, T., Myers, B. J., Louw, J., Okwundu, C. I., Brief school-based interventions and behavioural outcomes for substance-using adolescents, Cochrane Database of Systematic Reviews, 2014	Systematic review but only a maximum of 50% of included studies meet our eligibility criteria
Carney, T., Myers, B., Effectiveness of early interventions for substance-using adolescents: Findings from a systematic review and meta-analysis, Substance Abuse Treatment, Prevention, & Policy, 7, 25, 2012	Systematic review but only 67% of included studies meet our eligibility criteria
Catalano, R. F., Haggerty, K. P., Gainey, R. R., Hoppe, M. J., Reducing parental risk factors for children's substance misuse: Preliminary outcomes with opiate-addicted parents, Substance Use & Misuse, 32, 699-721, 1997	No relevant child outcomes reported
Catford, J., Illicit drugs: effective prevention requires a health promotion approach, Health Promotion International, 16, 107-110, 2001	Not primary research (editorial)
Chad Werch, C. E., Bian, H., DiClemente, C. C., Moore, M. J., Thombs, D., Ames, S. C., Huang, I. C., Pokorny, S., A brief image-based prevention intervention for adolescents, Psychology of Addictive Behaviors, 24, 170-175, 2010	Not targeted at a group of interest
Chamberlain, P., Leve, L. D., Smith, D. K., Preventing behavior problems and health-risking behaviors in girls in foster care, International Journal of Behavioral Consultation and Therapy, 2, 518-530, 2006	No relevant outcome data reported
Champion, K. E., Newton, N. C., Barrett, E. L., Teesson, M., A systematic review of school-based alcohol and other drug prevention programs facilitated by computers or the internet, Drug and Alcohol Review, 32, 115-23, 2013	Review of universal school interventions
Chaney, M.I P., Brubaker, M. D., Addiction in LGBTQ communities: Influences, treatment, and prevention, Special Issue: Addiction in LGBTQ Communities: Influences, Treatment, and Prevention, 6, 234-236, 2012	Not primary research (editorial piece)
Childers, J. W., Broyles, L. M., Hanusa, B. H., Kraemer, K. L., Conigliaro, J., Spagnoletti, C., McNeil, M., Gordon, A. J., Teaching the teachers: faculty preparedness and evaluation of a retreat in screening, brief intervention, and referral to treatment, Substance abuse: official publication of the Association for Medical Education and Research in Substance Abuse, 33, 272-7, 2012	SBIRT study - includes universal screening
Children and Young People Now, Targeted help tackles substance misuse, CHILDREN AND YOUNG PEOPLE NOW, 30-31, 2013	Paper unavailable
Cho, H. S., Hallfors, D. D., Sanchez, V., Evaluation of a high school peer group intervention for at-risk youth, Journal of abnormal child psychology, 33, 363-374, 2005	Not all participants fall into a target group of interest
Chou, C. P., Montgomery, S., Pentz, M. A., Rohrbach, L. A., Johnson, C. A., Flay, B. R., MacKinnon, D. P., Effects of a community-based prevention program on decreasing drug use in high-risk adolescents, American Journal of Public Health, 88, 944-948, 1998	Not targeted at a group of interest (subgroup analysis of a universal intervention)
Cisler, A. M., Assessing the methods of identification, the availability of school-based support, and the perceived barriers to providing support for children of substance abusing parents, Dissertation Abstracts International Section A: Humanities and Social Sciences, 74, No-Specified, 2014	Paper unavailable
Clark, H. K., Ringwalt, C. L., Hanley, S., Shamblen, S. R., Flewelling, R. L., Hano, M. C., Project SUCCESS' effects on the substance use of alternative high school students, Addictive Behaviors, 35, 209-17, 2010	Universal school intervention (alternative/continuation high schools)

Clark, H., Ringwalt, C., Shamblen, S., Hanley, S., Project success' effects on substance use-related attitudes and behaviors: A randomized controlled trial in alternative high schools, Journal of Drug Education, 41, 17-44, 2011	Universal school intervention (alternative/continuation high schools)
Clark, R. J., Adolescent high risk factors for drug use, and development toward a school drug prevention program, Dissertation Abstracts International: Section B: The Sciences and Engineering, 55, 5562, 1995	Dissertation abstract
Clarke, A. M., Morreale, S., Field, C. A., Hussein, Y., Barry, M. M., What works in enhancing social and emotional skills development during childhood and adolescence? A review of the evidence on the effectiveness of school based and out-of-school programmes in the UK, 236pp., 2015	Systematic review but only 2% of included studies meet our eligibility criteria
Clettenberg, S. M., Lau, J., Bonsu, P., SAFE4Kids: promoting child well-being through interagency collaboration, Protecting children, 25, 37-49, 2010	Paper unavailable
Clutterbuck, O. L., A case study of an effective substance abuse prevention program for adolescent males with emotional/behavioral disorders, Dissertation Abstracts International Section A: Humanities and Social Sciences, 62, 88, 2001	Paper unavailable
Collier, C., Effects of comprehensive, multiple high-risk behaviors prevention program on high school students, Dissertation Abstracts International Section A: Humanities and Social Sciences, 75, No-Specified, 2014	Not targeted at a group of interest
Coman, E. N., Lin, C. A., Suggs, S. L., Iordache, E., McArdle, J. J., Barbour, R., Altering dynamic pathways to reduce substance use among youth: Changes achieved by dynamic coupling, Addiction Research & Theory, 22, 505-514, 2014	Not targeted at a group of interest
Compton, P., Boyd, C. J., Gourlay, W., Prescription medication abuse: What do we do?, Journal of Addictions Nursing, 22, 5-7, 2011	Not primary research (editorial)
Conrod, P. J., Castellanos-Ryan, N., Strang, J., Brief, personality-targeted coping skills interventions and survival as a non-drug user over a 2-year period during adolescence, Archives of General Psychiatry, 67, 85-93, 2010	Not targeted at a group of interest
Copeland, J., Application of technology in the prevention and treatment of substance use disorders and related problems: opportunities and challenges, Substance Use & Misuse, 46, 112-3, 2011	Not primary research (editorial)
Coren, E., Hossain, R., Pardo Pardo, J., Veras, M. M. S., Chakraborty, K., Harris, H., Martin, A. J., Interventions for promoting reintegration and reducing harmful behaviour and lifestyles in street-connected children and young people, Cochrane Database of Systematic Reviews, 2013	Systematic review but only 45% included studies meet our eligibility criteria
Coser, L. R., Tozer, K., Van Borek, N., Tzemis, D., Taylor, D., Saewyc, E., Buxton, J. A., Finding a voice: participatory research with street-involved youth in the youth injection prevention project, Health promotion practice, 15, 732-8, 2014	No relevant outcome data reported
Couzin-Frankel, J., Public health. U.S. panel favors wider use of preventive drug treatment, Science (New York, N.Y.), 327, 130-1, 2010	Not primary research (news article)
Crowley, D. M., Evaluating the cost-effectivness of real-world prevention: Approaches for estimating the efficiency of evidence-based programming, Dissertation Abstracts International: Section B: The Sciences and Engineering, 74, No-Specified, 2013	Paper unavailable
Cuijpers, P., Effective ingredients of school-based drug prevention programs - A systematic review, Addictive Behaviors, 27, 1009-1023, 2002	Review of universal school interventions
Cuijpers, P., Peer-led and adult-led school drug prevention: a meta-analytic comparison (Structured abstract), Journal of Drug Education, 32, 107-119, 2002	Meta-analysis of universal school interventions
Cummings, M., Whitlock, A., Draper, M., Renschler, L., Bastian, K., Cox, C. C., Visker, J. D., "All Stars" for at-risk middle school students in an afterschool setting: A pilot program, Journal of Substance Use, 19, 444-447, 2014	Not clear if intervention is targeted at a group of interest
Cunningham, P. B., Henggeler, S. W., Implementation of an empirically based drug and violence prevention and intervention program in public school settings, Journal of Clinical Child PsychologyJ. Clin. Child Psychol., 30, 221-32, 2001	No relevant outcome data reported
Cushing, C. C., Jensen, C. D., Miller, M. B., Leffingwell, T. R., Meta-analysis of motivational interviewing for adolescent health behavior: efficacy beyond substance use, Journal of Consulting and Clinical Psychology, 82, 1212-1218, 2014	Not related to drug misuse

Dale, H., Brassington, L., King, K., The impact of healthy lifestyle interventions on mental health and wellbeing: a systematic review, Mental Health Review Journal, 19(1), 1-26, 2014	Systematic review but only 3% of included studies meet our eligibility criteria
Dallery, J., Jarvis, B., Marsch, L., Xie, H., Mechanisms of change associated with technology-based interventions for substance use Drug and Alcohol Dependence, 150, 14-23, 2015	Treatment rather than prevention
D'Amico, E. J., Fromme, K., Brief prevention for adolescent risk-taking behavior, Addiction, 97, 563-574, 2002	Systematic review but only 4% of included studies meet our eligibility criteria
D'Amico, E. J., Fromme, K., Implementation of the Risk Skills Training Program: A brief intervention targeting adolescent participation in risk behaviors, Cognitive and Behavioral Practice, 7, 101-117, 2000	Not targeted at a group of interest
D'Amico, E., Miles, J. N. V., Stern, S. A., Meredith, L. S., Brief motivational interviewing for teens at risk of substance use consequences: A randomized pilot study in a primary care clinic, Journal of Substance Abuse Treatment, 35, 53-61, 2008	Intervention includes universal screening
Davidson, C., Neighbors, C., Hall, G., Hogue, A., Cho, R., Kutner, B., Morgenstern, J., Association of housing first implementation and key outcomes among homeless persons with problematic substance use, Psychiatric services (Washington, D.C.), 65, 1318-24, 2014	Housing First study - unclear if intervention contains any drug misuse prevention elements
Davoudi, M., Rawson, R. A., Screening, brief intervention, and referral to treatment (SBIRT) initiatives in California: notable trends, challenges, and recommendations, Journal of psychoactive drugs, Suppl 6, 239-48, 2010	SBIRT study - includes universal screening
Dawe, S., The Focus on Families intervention may reduce the risk of substance use among male but not female offspring of substance users, Evidence-based mental health, 12, 84, 2009	Not primary research (commentary)
Dawson Rose, C., Cuca, Y. P., Kamitani, E., Eng, S., Zepf, R., Draughon, J., Lum, P., Using Interactive Web-Based Screening, Brie Intervention and Referral to Treatment in an Urban, Safety-Net HIV Clinic, AIDS and Behavior, 19 Suppl 2, 186-93, 2015	SBIRT study - includes universal screening
Daykin, N., Orme, J., Evans, D., Salmon, D., McEachran, M., Brain, S., The impact of participation in performing arts on adolescent health and behaviour: a systematic review of the literature, Journal of Health Psychology, 13(2), 251-264, 2008	Systematic review but only 14% of included studies meet our eligibility criteria
de Vet, R., van Luijtelaar, M. J. Brilleslijper-Kater S. N. Vanderplasschen W. Be, Effectiveness of case management for homeless persons: a systematic review, American Journal of Public Health, 103(10), e13-e26, 2013	Outcome data inadequately reported
Deady, M., Teesson, M., Kay-Lambkin, F. J., Treatments for co-occurring depression and substance use in young people: a systematic review (Provisional abstract), Database of Abstracts of Reviews of Effects, 3-17, 2014	Paper unavailable
DeGarmo, D. S., Reid, J. B., Fetrow, B. A., Fisher, P. A., Antoine, K. D., Ahart, B., Preventing child behavior problems and substance use: The pathways home foster care reunification intervention, Journal of Child & Adolescent Substance Abuse, 22, 388-406, 2013	No relevant outcome data reported
DeGuire, C. A., Thyrum, E., Evaluating a community-based drug and alcohol prevention program for at-risk youth, Journal of Offender Rehabilitation, 29, 143-155, 1999	Not targeted at a group of interest
Dell, C. A., Duncan, C. R., DesRoches, A., Bendig, M., Steeves, M., Turner, H., Quaife, T., McCann, C., Enns, B., Back to the basics: identifying positive youth development as the theoretical framework for a youth drug prevention program in rural Saskatchewan, Canada amidst a program evaluation, Substance Abuse Treatment, Prevention, and Policy, 8, 36, 2013	No relevant outcome data reported
Dembo, R., Cervenka, K. A., Hunter, B., Wang, W., Engaging high risk families in community based intervention services, Aggression and Violent Behavior, 4, 41-58, 1999	No relevant outcome data reported
Demers, J., French, D. C., Moore, D., The preliminary evaluation of a program to help educators address the substance use/prevention needs of special students, Journal of Alcohol and Drug Education, 46, 14, 2000	Not targeted at a group of interest
D'Emidio-Caston, M., Brown, J. H., The other side of the story. Student narratives on the California Drug, Alcohol, and Tobacco Education Programs, Evaluation Review, 22, 95-117, 1998	Not targeted at a group of interest

Does not meet systematic review criteria
Universal school intervention (alternative/continuation high schools)
Not clear if intervention is targeted at a group of interest
Treatment rather than prevention
Not all participants fall into a target group of interest
Not targeted at a group of interest
Includes universal screening
No relevant outcome data reported
Systematic review but only 41% of included studies meet our eligibility criteria
Review of universal school interventions
Universal school intervention
SBIRT study - includes universal screening
Does not meet systematic review criteria
Does not meet systematic review criteria
Systematic review but only 29% of included studies meet our eligibility criteria
Does not meet systematic review criteria
Study design (not primary research or a systematic review)
Not clear if intervention is targeted at a group of interest

Espad, J. P., Gonzalvez, M. T., Orgiles, M., Lloret, D., Guillen-Riquelme, A., Meta-analysis of the effectiveness of school substance abuse prevention programs in Spain, Psicothema, 27, 2015	Review of universal school interventions
Estee, S., Wickizer, T., He, L., Shah, M. F., Mancuso, D., Evaluation of the Washington state screening, brief intervention, and referral to treatment project: cost outcomes for Medicaid patients screened in hospital emergency departments, Medical care, 48, 18-24, 2010	SBIRT study - includes universal screening
Evans, R., Parents involvement in drug prevention and education: A comparative study of programme effectiveness in the UK and USA, Early Child Development and Care, 150, 69-95, 1999	Does not meet systematic review criteria
Evans-Whipp, T., Beyers, J. M., Lloyd, S., Lafazia, A. N., Toumbourou, J. W., Arthur, M. W., Catalano, R. F., A review of school drug policies and their impact on youth substance use, Health Promotion International, 19, 227 - 234, 2004	Review of universal school interventions
Everson-Hock, E., Jones, R., Guillaume, L., Duenas, A., Goyder, L., Chilcott, J., Payne, N., The effect of support services for transition to adulthood/leaving care on the adult outcomes of looked after young people, 2011	No drug misuse prevention interventions included
Fagan, A. A., Hanson, K., Briney, J. S., Hawkins, J. D., Sustaining the utilization and high quality implementation of tested and effective prevention programs using the communities that care prevention system, American journal of community psychology, 49, 365-77, 2012	Not targeted at a group of interest
Fagan, A. A., Hawkins, J. D., Enacting preventive interventions at the community level: The Communities that Care Prevention System, Handbook of adolescent drug use prevention: Research, intervention strategies, and practice., 343-360, 2015	Paper unavailable
Fagan, A. A., Hawkins, J. D., Preventing substance use, delinquency, violence, and other problem behaviors over the life-course using the Communities That Care system, Handbook of life-course criminology: Emerging trends and directions for future research., 277-296, 2013	Paper unavailable
Fagan, A. A., Mihalic, S., Strategies for enhancing the adoption of school-based prevention of programs: Lessons learned from the blueprints for violence of prevention replications of the life skills training program, Journal of Community Psychology, 31, 235-253, 2003	Not targeted at a group of interest
Faggiano, F., Galanti, M. R., Bohrn, K., Burkhart, G., Vigna-Taglianti, F., Cuomo, L., Fabiani, L., Panella, M., Perez, T., Siliquini, R., van der Kreeft, P., Vassara, M., Wiborg, G., Eu-Dap Study, Grp, The effectiveness of a school-based substance abuse prevention program: EU-Dap cluster randomised controlled trial, Preventive Medicine, 47, 537-543, 2008	Universal school intervention
Faggiano, F., Minozzi, S., Versino, E., Buscemi, D., Universal school-based prevention for illicit drug use, Cochrane Database of Systematic Reviews, 2014, Art. No.: CD003020, 2014	Review of universal school interventions
Faggiano, F., Vigna-Taglianti, F. D., Versino, E., Zambon, A., Borraccino, A., Lemma, P., School-based prevention for illicit drugs use: A systematic review, Preventive Medicine, 46, 385-396, 2008	Review of universal school interventions
Faggiano, F., Vigna-Taglianti, F., Burkhart, G.r, Bohrn, K., Cuomo, L., Gregori, D., Panella, M., Scatigna, M., Siliquini, R., Varona, L., van der Kreeft, P., Vassara, M., Wiborg, G., Galanti, M. R., E. U-Dap Study Grp, The effectiveness of a school-based substance abuse prevention program: 18-Month follow-up of the EU-Dap cluster randomized controlled trial, Drug and Alcohol Dependence, 108, 56-64, 2010	Universal school intervention
Falck R., Carlson R., Wang J et al. (2004) Sources of information about MDMA (3,4-methylenedioxymethamphetamine): perceived accuracy, importance, and implications for prevention among young adult users. Drug and Alcohol Dependence 74: 45-54	No relevant outcome data reported
Fals-Stewart, W., Fincham, F. D., Kelley, M. L., Substance-abusing parents' attitudes toward allowing their custodial children to participate in treatment: A comparison of mothers versus fathers, Journal of Family Psychology, 18, 666-671, 2004	No relevant outcome data reported
Faulkner, N., McCambridge, J., Slym, R. L., Rollnick, S., It ain't what you do, it's the way that you do it: a qualitative study of advice for young cannabis users, Drug and Alcohol Review, 28, 129-134, 2009	Study design (content/thematic analysis of advice sessions deemed to be most effective at engaging participants - no outcome data relating to effectiveness or acceptability of intervention itself)

Ferri, M., Bo, A., EMCDDA Best Practice Promotion in Europe: an internet based dissemination tool, Adicciones, 25, 3-6, 2013	Not primary research (narrative piece describing the development of a tool for disseminating best practice on drug misuse prevention)
Ficaro, R. C., Webb, N. B., The many losses of children in substance-disordered families: Individual and group interventions, Play therapy with children in crisis: Individual, group, and family treatment (2nd ed.)., 294-317, 1999	No relevant outcome data reported
Fischer, B., Gooch, J., Goldman, B., Kurdyak, P., Rehm, J., Nonmedical prescription opioid use and mental health and pain comorbidities: a narrative review, Canadian journal of psychiatry. Revue canadienne de psychiatrie, 56, 495-502, 2011	Not primary research (overview/discussion paper)
Fitzpatrick-Lewis, D., Ganann, R., Krishnaratne, S., Ciliska, D., Kouyoumdjian, F., Hwang, S. W., Effectiveness of interventions to improve the health and housing status of homeless people: A rapid systematic review, BMC Public Health, 11, 638, 2011	Systematic review but only a maximum of 50% of included studies meet our eligibility criteria
Flay, B. R., Approaches to substance use prevention utilizing school curriculum plus social environment change, Addictive Behaviors, 25, 861-885, 2000	Does not meet systematic review criteria
Fletcher, A., Bonell, C., Hargreaves, J., School effects on young people's drug use: A systematic review of intervention and observational studies, Journal of Adolescent Health, 42, 209-220, 2008	Review of universal school interventions
Forman, S. G., Kalafat, J., Substance Abuse and Suicide: Promoting Resilience against Self-Destructive Behavior in Youth, School Psychology Review, 27, 398-406, 1998	Does not meet systematic review criteria
Fosco, G. M., Frank, J. L., Stormshak, E. A., Dishion, T. J., Opening the "Black Box": family check-up intervention effects on self-regulation that prevents growth in problem behavior and substance use, Journal of school psychology, 51, 455-68, 2013	Not targeted at a group of interest
France, A., Crow, I., CTC: the story so far; an interim evaluation of Communities That Care, 44p., bibliog., 2001	Not targeted at a group of interest
France, A., Involving communities in the evaluation of programmes with 'at risk' children and young people, Children & SocietyChild. Soc., 15, pp39, 2001	Not targeted at a group of interest
FRANK, FRANK action update: vulnerable young people: making the difference, 44pp., 2006	No relevant outcome data reported
Frankel, A. J., The Case for Drug Prevention in Early Childhood, Alcoholism Treatment Quarterly, 16, 13-23, 1998	Does not meet systematic review criteria
Fraser, J., Vitaro, F., Les programmes de prevention des toxicomanies chez les jeunes: une recension critique des ecrits/(Programs of drug abuse prevention among young people: A critical review.), Science et Comportement, 24, 1-30, 1995	French language paper
Freudenberg, N., Ramaswamy, M., Daniels, J., Crum, M., Ompad, D. C., Vlahov, D., Reducing Drug Use, Human Immunodeficiency Virus Risk, and Recidivism Among Young Men Leaving Jail: Evaluation of the REAL MEN Re-entry Program, Journal of Adolescent Health, 47, 448-455, 2010	Out of scope (participants recruited while in prison)
Friedman, A. S., Terras, A., Glassman, K., Multimodel substance use intervention program for male delinquents, Journal of Child & Adolescent Substance Abuse, 11, 43-65, 2002	Out of scope (participants in a custodial setting)
Froeschle, J. G., Smith, R. L., Ricard, R., The efficacy of a systematic substance abuse program for adolescent females, Professional School Counseling, 10, 498-505, 2007	Not targeted at a group of interest
Gance-Cleveland, B., Mays, M. Z., School-based support groups for adolescents with a substance-abusing parent, Journal of the American Psychiatric Nurses Association, 14, 297-309, 2008	Not all participants fall into a target group of interest
Gance-Cleveland, B., Qualitative evaluation of a school-based support group for adolescents with an addicted parent, Nursing research, 53, 379-386, 2004	Not all participants fall into a target group of interest
Gates, P. J., Norberg, M. M., Copeland, J., Digiusto, E., Randomized controlled trial of a novel cannabis use intervention delivered by telephone, Addiction (Abingdon, England), 107, 2149-58, 2012	Treatment rather than prevention

Systematic review but only up to 35% of included studies meet our eligibility criteria
No drug misuse prevention interventions described
Treatment rather than prevention
Paper unavailable
Not clear if all participants fall into a target group of interest
Review of universal school intervention (including alterntiave/continuation high schools)
Universal schools paper
Not targeted at a group of interest
Universal schools paper
Dissertation abstract
Not all participants fall into a target group of interest
Not all participants fall into a target group of interest
Paper unavailable
Not all participants fall into a target group of interest
Treatment rather than prevention
Does not meet systematic review criteria
Universal school intervention (alternative/continuation high schools)
No drug misuse prevention intervention described

Griffin, K. W., Botvin, G. J., Evidence-based interventions for preventing substance use disorders in adolescents, Child and adolescent psychiatric clinics of North America, 19, 505-26, 2010	Does not meet systematic review criteria
Griffin, K. W., Botvin, G. J., Nichols, T. R., Doyle, M. M., Effectiveness of a universal drug abuse prevention approach for youth at high risk for substance use initiation, Preventive Medicine, 36, 1-7, 2003	Not targeted at a group of interest (subgroup analysis of a universal intervention)
Griffin, K. W., Botvin, G. J., Nichols, T. R., Effects of a school-based drug abuse prevention program for adolescents on HIV risk behavior in young adulthood, Prevention Science, 7, 103-112, 2006	Not targeted at a group of interest (subgroup analysis of a universal intervention)
Griffin, K. W., Samuolis, J., Williams, C., Efficacy of a self-administered home-based parent intervention on parenting behaviors for preventing adolescent substance use, Journal of Child and Family Studies, 20, 319-325, 2011	Not targeted at a group of interest
Griffith, K. N., Scheier, L. M., Did we get our money's worth? Bridging economic and behavioral measures of program success in adolescent drug prevention, International journal of environmental research and public health, 10, 5908-35, 2013	Study design (methods paper describing approaches to economic evaluations of schools programmes; no actual effectiveness or costeffectiveness data presented)
Grover, P. L., Preventing Substance Abuse among Children and Adolescents: Family-Centered Approaches. Reference Guide. Prevention Enhancement Protocols System (PEPS) Series, 1998	No drug misuse prevention interventions described
Gryczynski, J., Mitchell, S. G., Peterson, T. R., Gonzales, A., Moseley, A., Schwartz, R. P., The relationship between services delivered and substance use outcomes in New Mexico's Screening, Brief Intervention, Referral and Treatment (SBIRT) Initiative, Drug and Alcohol Dependence, 118, 152-7, 2011	SBIRT study - includes universal screening
Gulliver, A., Farrer, L., Chan, J. K. Y., Tait, R. J., Bennett, K., Calear, A. L., Griffiths, K. M., Technology-based interventions for tobacco and other drug use in university and college students: a systematic review and meta-analysis, Addiction science & clinical practice, 10, 5, 2015	Systematic review but only 25% of included studies meet eligibility criteria
Gurganus, K. M., Butt, A. L., Kirchenbauer, C. M., Melkvik, C., Piatt, J., Hawkins, J., U'Ren, S., Onuorah, Y., Implementing the Regional Epidemiological Outcomes Workgroup (REOW) in the State of Oklahoma for Substance Abuse Prevention: An ODMHSAS Project, Community mental health journal, 51, 535-9, 2015	No relevant outcome data reported
Guyll, M., Spoth, R., Cornish, M. A., Substance misuse prevention and economic analysis: challenges and opportunities regarding international utility, Substance Use & Misuse, 47, 877-88, 2012	Study design (methods paper describing approaches to economic evaluation in substance misuse filed; no actual effectiveness or costeffectiveness data presented)
Gwin Mitchell, S., Gryczynski, J. O'Grady K. E. Schwartz R. P., SBIRT for adolescent drug and alcohol use: current status and future directions, Journal of Substance Abuse Treatment, 44(5), 463-472, 2013	SBIRT study - includes universal screening
Haggerty, K. and, Kosterman, R., Helping parents prevent problem behaviour, Better: Evidence-based Education, pp22, 2012	Paper unavailable
Haggerty, K. P., Fleming, C. B., Catalano, R. F., Petrie, R. S., Rubin, R. J., Grassley, M. H., Ten years later: Locating and interviewing children of drug abusers, Evaluation and program planning, 31, 1-9, 2008	No relevant outcome data reported
Haggerty, K. P., Long-term effects of staying connected with your teen: Exploring race differences and biological mechanisms of family preventive interventions, Dissertation Abstracts International Section A: Humanities and Social Sciences, 73, No-Specified, 2013	Paper unavailable
Haggerty, Kevin P., Shapiro, Valerie B., Science-based prevention through communities that care: a model of social work practice for public health, Social work in public health, 28, 349-65, 2013	Study design (not primary research or a systematic review)

Haggerty, Kevin P., Skinner, Martie L., Catalano, Richard F., Abbott, Robert D., Crutchfield, Robert D., Long-term effects of staying connected with your teen on drug use frequency at age 20, Prevention science: the official journal of the Society for Prevention Research, 16, 538-49, 2015	Not targeted at a group of interest
Hahn, E. J., Hall, L. A., Rayens, M. K., Myers, A. V., Bonnel, G., A School- and home-based drug prevention: Environmental, parent, and child risk reduction, Drugs: Education, Prevention & Policy, 14, 319-331, 2007	Universal school intervention
Hahn, E. J., Hall, L. A., Simpson, M. R., Drug prevention with high risk families and young children, Journal of Drug Education, 28, 327-45, 1998	Not targeted at a group of interest
Haighton, C. A., Newbury-Birch, D., Kaner, E. F. S., Screening and interventions in medical settings including brief feedback-focused interventions, Comprehensive addictive behaviors and disorders, Vol. 3: Interventions for addiction., 287-298, 2013	Not primary research (editorial/discussion piece)
Hale, D., Fitzgerald-Yau, N., Viner, M. R., A systematic review of effective interventions for reducing multiple health risk behaviors in adolescence, American Journal of Public Health, 104, e19-e41, 2014	Review of universal school interventions
Hall, B., BaCon, T., Ferron, J., Randomized controlled evaluation of the too good for drugs prevention program: Impact on adolescents at different risk levels for drug use, Journal of Drug Education, 43, 277-300, 2013	Universal school intervention
Hall, N. W., Zigler, E., Drug-abuse prevention efforts for young children: A review and critique of existing programs, American Journal of Orthopsychiatry, 67, 134-143, 1997	Does not meet systematic review criteria
Haller, D. M., Meynard, A., Lefebvre, D., Tylee, A., Narring, F., Broers, B., Brief intervention addressing excessive cannabis use in young people consulting their GP: a pilot study, The British journal of general practice: the journal of the Royal College of General Practitioners, 59, 166-72, 2009	Includes universal screening
Haller, D. M., Meynard, A., Lefebvre, D., Ukoumunne, O. C., Narring, F., Broers, B., Effectiveness of training family physicians to deliver a brief intervention to address excessive substance use among young patients: A cluster randomized controlled trial, Canadian Medical Association Journal, 186, E263-E272, 2014	Includes universal screening
Hallfors, D., Cho, H., Sanchez, V., Khatapoush, S., Kim, H. M., Bauer, D., Efficacy vs effectiveness trial results of an indicated "model" substance abuse program: Implications for public health, American Journal of Public Health, 96, 2254-2259, 2006	Not targeted at a group of interest
Hallfors, D., Van Dorn, R. A., Strengthening the role of two key institutions in the prevention of adolescent substance abuse, 30, 17 - 28, 2002	Does not meet systematic review criteria
Halmi, A., Golik-Gruber, V., The prevention and reduction of the consumption of alcohol and any other drugs among a high-risk group of youths through improving family resilience, Alcoholism, 38, 41-55, 2002	Paper unavailable
Hankin, A., Haley, L., Baugher, A., Colbert, K., Houry, D., Kiosk versus in-person screening for alcohol and drug use in the emergency department: patient preferences and disclosure, The western journal of emergency medicine, 16, 220-8, 2015	Includes universal screening
Hanlon, T. E., Bateman, R. W., Simon, B. D., O'Grady, K. E., Carswell, S. B., An early community-based intervention for the prevention of substance abuse and other delinquent behavior, Journal of youth and adolescence, 31, 459-471, 2002	Not all participants fall into a target group of interest
Hansen, W. B., Derzon, J., Dusenbury, L., Bishop, D., Campbell, Karren, Alford, A., Operating characteristics of prevention programs: Connections to drug use etiology, Handbook of drug use etiology: Theory, methods, and empirical findings., 597-616, 2010	Book - no relevant data to extract
Harden, A., Weston, R., Oakley, A., A review of the effectiveness and appropriateness of peer delivered health promotion interventions for young people, 1999	Systematic review but 0 included studies meet our eligibility criteria
Harris, S. K., Louis-Jacques, J., Knight, J. R., Screening and brief intervention for alcohol and other abuse, Adolescent Medicine: State of the Art Reviews, 25, 126-56, 2014	Paper unavailable
Harris, W. W., Ryan, J., Indicated prevention: bridging the gap, one person at a time, Journal of psychoactive drugs, Suppl 6, 277-85, 2010	No relevant outcome data reported

Hawkins, J. D., Brown, E. C., Oesterle, S., Arthur, M.I W., Abbott, R. D., Catalano, R. F., Early effects of Communities That Care on targeted risks and initiation of delinquent behavior and substance use, The Journal of adolescent health: official publication of the Society for Adolescent Medicine, 43, 15-22, 2008	Not targeted at a group of interest
Hawkins, J. D., Catalano, R. F., Kuklinski, M. R., Communities that care: Bridging science and community practice to prevent adolescent health and behavior problems including violence, Social and economic costs of violence: Workshop summary., 121-139, 2012	No drug misuse prevention interventions described
Hawkins, J. D., Oesterle, S., Brown, E. C., Abbott, R. D., Catalano, R. F., Youth problem behaviors 8 years after implementing the communities that care prevention system: a community-randomized trial, JAMA pediatrics, 168, 122-9, 2014	Not targeted at a group of interest
Hawkins, J. D., Oesterle, S., Brown, E. C., Monahan, K. C., Abbott, R. D., Arthur, M. W., Sustained decreases in risk exposure and youth problem behaviors after installation of the communities that care prevention system in a randomized trial, Archives of Pediatrics and Adolescent Medicine, 166, 141-8, 2012	Not targeted at a group of interest
Hawks, D, Scott, K, McBride, N, Prevention of psychoactive substance use: a selected review of what works in the area of prevention, 2002	Systematic review but 0 included studies meet our eligibility criteria
Hawks, D., Lenton, S., Harm reduction in Australia: has it worked? a review, Drug and Alcohol Review, 14, 291-304, 1995	Does not meet systematic review criteria
Hawthorne, G., Drug education: myth and reality, Drug and Alcohol Review, 20, 111-119, 2001	Does not meet systematic review criteria
Henderson, C. E., Rowe, C. L., Dakof, G. A., Hawes, S. W., Liddle, H. A., Parenting Practices as Mediators of Treatment Effects in an Early-Intervention Trial of Multidimensional Family Therapy, American Journal of Drug and Alcohol Abuse, 35, 220-226, 2009	Treatment rather than prevention
Herman, P. M., Mahrer, N. E., Wolchik, S. A., Porter, M. M., Jones, S., Sandler, I. N., Cost-benefit analysis of a preventive intervention for divorced families: reduction in mental health and justice system service use costs 15 years later, Prevention science: the official journal of the Society for Prevention Research, 16, 586-96, 2015	Not primarily a drug misuse prevention intervention
Hermann, J., Sambrano, S., Springer, J. F., et al, The National Cross-Site Evaluation of High-Risk Youth Programs: Findings on Designing and Implementing Effective Prevention Programs for Youth at High Risk. Monograph Series., 2002	Not clear if all interventions included in the evaluation were targeted at groups of interest
Hernan, G. M., Ramos, M. M., Fernandez, A. A., [Review of published works on Spanish youth health promotion], Revista Espanola de Salud Publica, 75, 491-503, 2001	Spanish language paper
Hernandez, L. P., Lucero, E., Days La Familia community drug and alcohol prevention program: Family-centered model for working with inner-city Hispanic families, The journal of primary prevention, 16, 255-72, 1996	Not all participants fall into a target group of interest
Hettema, J., Steele, J., Miller, W. R., Motivational interviewing, Annual Review of Clinical Psychology, 1, 91 - 111, 2005	Does not meet systematic review criteria
Hides, L., Carroll, S., Scott, R., Cotton, S., Baker, A., Lubman, D. I., Quik Fix: A Randomized Controlled Trial of an Enhanced Brief Motivational Interviewing Intervention for Alcohol/Cannabis and Psychological Distress in Young People, Psychotherapy and Psychosomatics, 82, 122-124, 2013	Not all participants fall into a target group of interest
Hides, L., Samet, S., Lubman, D. I., Cognitive behaviour therapy (CBT) for the treatment of co-occurring depression and substance use: current evidence and directions for future research (Structured abstract), Drug and Alcohol Review, 29, 508-517, 2010	Systematic review but only a maximum of 58% included studies meet our eligibility
Hill, N. L., Adolescent substance use prevention interventions outside of classroom settings, Child & Adolescent Social Work Journal, 25, 451-467, 2008	Does not meet systematic review criteria
Hodge, D. R., Jackson, K. F., Vaughn, M. G., Culturally sensitive interventions and health and behavioral health youth outcomes: A meta-analytic review, Social Work in Health Care, 49, 401-423, 2010	Systematic review but only 5% of included studies meet our eligibility criteria

Hogue, A., Liddle, H. A., Family-based preventive intervention: an approach to preventing substance use and antisocial behavior, American Journal of Orthopsychiatry, 69, 278-293, 1999	Does not meet systematic review criteria
Holleran Steiker, L. K., Hopson, L. M., Goldbach, J. T., Robinson, C., Evidence for site-specific, systematic adaptation of substance prevention curriculum with high-risk youths in community and alternative school settings, Journal of Child & Adolescent Substance Abuse, 23, 307-317, 2014	Not all participants fall into a target group of interest
Hooven, C., Pike, K., Walsh, E., Parents of older at-risk youth: a retention challenge for preventive intervention, The journal of primary prevention, 34, 423-38, 2013	Not all participants fall into a target group of interest
Hooven, C., Walsh, E., Willgerodt, M., Salazar, A., Increasing participation in prevention research: strategies for youths, parents, and schools, Journal of child and adolescent psychiatric nursing: official publication of the Association of Child and Adolescent Psychiatric Nurses, Inc, 24, 137-49, 2011	Not all participants fall into a target group of interest
Hopson, L. M., Effectiveness of culturally grounded adaptations of an evidence-based substance abuse prevention program with alternative school students, Dissertation Abstracts International Section A: Humanities and Social Sciences, 68, 4478, 2008	Universal school intervention (alternative/continuation high schools)
Hopson, L. M., Steiker, L. K. H., Methodology for evaluating an adaptation of evidence-based drug abuse prevention in alternative schools, Children & Schools, 30, 116-127, 2008	Not targeted at a group of interest
Hopson, L., Wodarski, J. S., Tang, N., The effectiveness of electronic approaches to substance abuse prevention for adolescents, E-therapy for substance abuse and co-morbidity., 35-51, 2015	Systematic review but 0 included studies meet our eligibility criteria
Horn, M. L., Fagan, A. A., Hawkins, J. D., Oesterle, S., Effects of the communities that care system on cross-sectional profiles of adolescent substance use and delinquency, American Journal of Preventive Medicine, 47, 188-97, 2014	Not targeted at a group of interest
Hossain, R., Coren, E., Service Engagement in Interventions for Street-Connected Children and Young People: A Summary of Evidence Supplementing a Recent Cochrane-Campbell Review, Child & Youth Care Forum, 44, 451-470, 2015	Systematic review but only a maximum of 24% of included studies meet our eligibility criteria
Hostetler, M., Fisher, K., Project CARE substance abuse prevention program for high-risk youth: A longitudinal evaluation of program effectiveness, Journal of Community Psychology, 25, 397-419, 1997	Not all participants fall into a target group of interest
Hunt, G. E., Siegfried, N., Morley, K., Sitharthan, T., Cleary, M., Psychosocial interventions for people with both severe mental illness and substance misuse, Cochrane Database of Systematic Reviews, 2013, Art. No.: CD001088, 2013	Treatment rather than prevention
Hunt, N., Stillwell, G., Taylor, C., Griffiths, P., Evaluation of a brief intervention to prevent initiation into injecting, Drugs-Education Prevention and PolicyDrug-Educ. Prev. Policy, 5, 185-194, 1998	No relevant outcome data reported
Hunter, G., Ward, J., Power, R., Research and devlopment focusing on peer intervention for drug users, Drugs: Education, Prevention & Policy, 4, 259-270, 1997	No relevant outcome data reported
Husler, G., Werlen, E., Rehm, J., The Action Plana new instrument to collect data on interventions in secondary prevention in adolescents, Substance Use & Misuse, 40, 761-77, 2005	Not all participants fall into a target group of interest
Illegal drug use in the United Kingdom: prevention, treatment and enforcement, 264p.,tables,bibliogs., 1999	No drug misuse prevention intervention described
Inman, D. D., van Bakergem, K. M., LaRosa, A. C., Garr, D. R., Evidence-Based Health Promotion Programs for Schools and Communities, American Journal of Preventive Medicine, 40, 207-219, 2011	Review of universal school interventions
InSight Project Research, Group, SBIRT outcomes in Houston: final report on InSight, a hospital district-based program for patients at risk for alcohol or drug use problems, Alcoholism, clinical and experimental research, 33, 1374-81, 2009	SBIRT study - includes universal screening
Jackson, C., Geddes, R. Haw S. Frank J., Interventions to prevent substance use and risky sexual behaviour in young people: a systematic review, Addiction, 107(4), 733-747, 2012	Systematic review but only a maximum of 33% of included studies meet our eligibility criteria
Jarvinen, M., Ravn, S., From recreational to regular drug use: qualitative interviews with young clubbers, Sociology of health & illness, 33, 554-69, 2011	No data related to drug misuse prevention interventions

Jenkins, J. A., Gordon, A. J., Substance use disorder prevention and treatment in stigmatized patient populations: ripe for innovation, Substance Abuse, 36, 1-2, 2015	Not primary research (editorial)
Jensen, C. D., Cushing, C. C., Aylward, B. S., Craig, J. T., Sorell, D. M., Steele, R. G., Effectiveness of motivational interviewing interventions for adolescent substance use behavior change: A meta-analytic review, Journal of Consulting and Clinical Psychology, 79, 433-440, 2011	Does not meet systematic review criteria
Jepson, R., Harris, F., Platt, S., Tannahill, C., The effectiveness of interventions to change six health behaviours: A review of reviews, BMC Public Health, 10, 538, 2010	Systematic review but only a maximum of 4% of included studies meet our eligibility criteria
Jhanjee, S., Evidence based psychosocial interventions in substance use (Provisional abstract), Database of Abstracts of Reviews of Effects, 112-118, 2014	Does not meet systematic review criteria
Johnson, K., Bryant, D. D., Collins, D. A., Noe, T. D., Strader, T. N., Berbaum, M., Preventing and reducing alcohol and other drug use among high-risk youths by increasing family resilience, Social work, 43, 297-308, 1998	Not targeted at a group of interest
Johnson, K., Strader, T., Berbaum, M., Bryant, D., Bucholtz, G., Collins, D., Noe, T., Reducing alcohol and other drug use by strengthening community, family, and youth resiliency: An evaluation of the Creating Lasting Connections Program, Special Issue: Preventing adolescent substance abuse, 11, 36-67, 1996	Not targeted at a group of interest
Jonas, B., Tossmann, P., Tensil, M., Leuschner, F., Struber, E., Efficacy of a single-session online-intervention on problematic substance use. [German], Sucht, 58, 173-82, 2012	German language paper
Jones, L., Sumnall, H., Witty, K., Wareing, M., McVeigh, J., Bellis, M. A., A review of community-based interventions to reduce substance misuse among vulnerable and disadvantaged young people, PHIAC 5.3a, 2006	Systematic review but only up to 16% of included studies meet our eligibility criteria
Kaner, E. F. S., Brown, N., Jackson, K., A systematic review of the impact of brief interventions on substance use and co-morbid physical and mental health conditions, Mental Health and Substance Use: dual diagnosis, 4, 38-61, 2011	Systematic review but only a maximum of 29% of included studies meet our eligibility criteria
Kanouse, D. E., Bluthenthal, R. N., Bogart, L., Iguchi, M. Y., Perry, S., Sand, K., Shoptaw, S., Recruiting drug-using men who have sex with men into behavioral interventions: a two-stage approach, Journal of urban health: bulletin of the New York Academy of Medicine, 82, i109-19, 2005	No drug misuse prevention intervention described
Kao, T. S., Gibbs, M., Clemen-Stone, S., Duffy, S., A comparison of family interventions to address adolescent risky behaviors: A literature review, Western Journal of Nursing Research, 35, 611-637, 2013	Does not meet systematic review criteria
Karki, S., Pietila, A. M., Lansimies-Antikainen, H., Varjoranta, P., Pirskanen, M., Laukkanen, E., The effects of interventions to prevent substance use among adolescents: a systematic review (Provisional abstract), Journal of Child and Adolescent Substance Abuse, 21, 383-413, 2012	Does not meet systematic review criteria
Kavanagh, D. J., Young, R., White, A., Saunders, J. B., Wallis, J., Shockley, N., Jenner, L., Clair, A., A brief motivational intervention for substance misuse in recent-onset psychosis, Drug and Alcohol Review, 23, 151-155, 2004	Treatment rather than prevention
Kim, H. K., Pears, K. C., Leve, L. D., Chamberlain, P., Smith, D. K., Intervention effects on health-risking sexual behavior among girls in foster care: The role of placement disruption and tobacco and marijuana use, Journal of Child & Adolescent Substance Abuse, 22, 370-387, 2013	No relevant outcome data reported
Kirst, M., Zerger, S., Misir, V., Hwang, S., Stergiopoulos, V., The impact of a Housing First randomized controlled trial on substance use problems among homeless individuals with mental illness, Drug and Alcohol Dependence, 146, 24-9, 2015	Housing First study - unclear if intervention included a drug misuse prevention element
Klein, J. D., Matos, A. M., Improving adolescent health outcomes, 54, 25-39, 2002	Does not meet systematic review criteria

	tematic review but 0 included lies meet our eligibility criteria
Knight, J. R., Sherritt, L., Van Hook, S., Gates, E. C., Levy, S., Chang, G., Motivational interviewing for adolescent substance use: A pilot study, Journal of Adolescent Health, 37, 167-169, 2005	all participants fall into a target ip of interest
North America, 49, 415-33, 2002 descr	drug misuse prevention intervention cribed
Pharmaceutical Design, 18, 542-9, 2012 criteri	s not meet systematic review ria
	drug misuse prevention intervention cribed
Kresina, T. F., Bruce, R. D., Mulvey, K. P., Evidence-based prevention interventions for people who use illicit drugs, Advances in preventive medicine, 2013, 360957, 2013	primary research (editorial)
	RT study - includes universal ening
criteri	s not meet systematic review ria
Use & Misuse, 38, 1759-1787, 2003 criteri	s not meet systematic review ria
Kumpfer, K. L., Johnson, J. L., Strengthening family interventions for the prevention of substance abuse in children of addicted parents, Adicciones, 19, 13-25, 2007	dy design (narrative overview)
Irish families, Child and Youth Care Forum, 42, 173-195, 2013	clear if intervention is targeted at a up of interest
R., The WHO Health Promoting School framework for improving the health and well-being of students and their academic achievement, Cochrane Database of Systematic Reviews, CD008958, 2014	drug misuse prevention ventions described
Journal of Drug Issues J. Drug Issues, 35, 431-455, 2005	s not meet systematic review ria
	all participants fall into a target ip of interest
	dy design (theoretical paper; no ctiveness or acceptability data)
Lemstra, M., Bennett, N., Nannapaneni, U., Neudorf, C., Warren, L., Kershaw, T., Scott, C., A systematic review of school-based marijuana and alcohol prevention programs targeting adolescents aged 10â — "15, Addiction Research & Theory, 18, 84-96, 2010"	iew of universal school interventions
Leve, L. D., Fisher, P. A., Chamberlain, P., Multidimensional treatment foster care as a preventive intervention to promote resiliency Study	dy design (not primary research or a ematic review)
Lewis, A. J., Holmes, N., Watkins, B., Mathers, D., Children Impacted by Parental Substance Abuse: An Evaluation of the	all participants fall into a target
Li, Y., Zhang, W., Liu, J., Arbeit, M. R., Schwartz, S. J., Bowers, E. P., Lerner, R. M., The role of school engagement in preventing No dr	drug misuse prevention intervention cribed

Treatment rather than prevention
Universal school intervention (alternative/continuation high schools)
Not targeted at a group of interest
Not primarily a drug misuse prevention intervention
Does not meet systematic review criteria
Not targeted at a group of interest
Not targeted at a group of interest
Not targeted at a group of interest
Not targeted at a group of interest
Dissertation abstract
Systematic review but only a maximum of 32% of included studies meet our eligibility criteria
SBIRT study - includes universal screening
Treatment rather than prevention
SBIRT study - includes universal screening
Not targeted at a group of interest
Not targeted at a group of interest
Does not meet systematic review criteria
Meta-analysis but 0 included studies meet our eligibility criteria

Mason, W. A., Haggerty, K. P., Fleming, A. P., Casey-Goldstein, M., Family intervention to prevent depression and substance use among adolescents of depressed parents, Journal of Child and Family Studies, 21, 891-905, 2012 Matsumoto, T., Ozaki, S., Kobayash, O., Wada, K., Current situation and clinical characteristics of sedative-related disorder patients in Japan: Companison with methamphetamine-related disorder patients, and companison with methamphetamine-related disorder patients in Japan: Companison with methamphetamine-related disorder patients of the patients of th		
Matsumoto, T., Ozaki, S., Kobayashi, O., Wada, K., Current situation and clinical characteristics of sedative-related disorder patients. Activities Nervosa Superior, 57, 12-28, 2015 McCambridge, J., Day, M., Thomas, B. A., Strang, J., Fidelity to Motivational Interviewing and subsequent cannabis cessation among adolescents. Addictive Behaviors, 36, 749-754, 2011 McCambridge, J., Strang, J., Deterioration over time in effect of Motivational Interviewing in reducing drug consumption and related risk among young people. Addictions, 100, 470-478, 2005 McCambridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people. Addictions 100, 470-478, 2005 McCambridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people. Addictions 100, 470-478, 2005 McCambridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people. Addictions 100, 470-478, 2005 McCambridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people additions. 9, 39-52, 2004 McDonald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care. 82, 362-98. McDonald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care. 82, 362-98. McConald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance abuses, 23, 362-98. McConald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance abuses, 23, 362-98. McConald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance abuses, 23, 362-36, 2000 McConald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance abuses, 23, 2013 McLellan, J., Dale, H. Can technology be effective in intervention a		Not targeted at a group of interest
among adolescents, Addictive Behaviors, 36, 749-754, 2011 McCarnbridge, J., Strang, J., Deterioration over time in effect of Motivational Interviewing in reducing drug consumption and related risk among young people, Addiction, 100, 470-478, 2005 McCarnbridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people: results from a multi-site cluster randomized trial, Addiction, 99, 39-52, 2004 McDonald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care: Results from the communities that care normative database, Journal of Child & Adolescent Substance Abuse, 23, 262-288, 2014 McKenna, Chris, Gaines, Barbara, Hatfield, Crystal, Helman, Stephanie, Meyer, Lisa, Rennick, Cassi, Schenkel, Kathleen, Zaremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions targeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Melianby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative descarch, Health Education Research, 15, 635-545, 2000 Melirose, M., Fixing It; young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Melirose, M., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J. Bandstra, E. S., Jackson, W., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of Drug Education, 32, 363-388, 2002 Midford, R., Nolder, H., Nolder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Abu	Matsumoto, T., Ozaki, S., Kobayashi, O., Wada, K., Current situation and clinical characteristics of sedative-related disorder patients	Not targeted at a group of interest
risk among young people, Addiction, 100, 470-478, 2005 McCambridge, J., Strang, J., The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people: results from a multi-site cluster randomized trial, Addiction, 99, 39-52, 2004 McDonald, L., Sayer, T.V., Impact of a family and school based prevention program on protective factors for high risk youth, Drugs 8, Society, 12, 61-85, 1998 McDonald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care: Results from the communities that care normative database, Journal of Child & Adolescent Substance Abuse, 23, 262-268, 2014 McKenna, Chris, Gaines, Barbara, Hatfield, Crystal, Hellman, Stephanie, Meyer, Lisa, Rennick, Cassi, Schenkel, Kathleen, Caremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program in sing the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions targeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Melinaby, A. R., Reses, J. B., Tipp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, Health Education Research, 15, 533-545, 2000 Melrose, M., Fixing it, young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Melrose, M., Fixing it, young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Melrose, M., River, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackstra, E. S., Jackstra		No relevant outcome data reported
of drug-related risk and harm among young people: results from a multi-site cluster randomized trial, Addiction, 99, 39-52, 2004 McDonald, T. P., Mariscai, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care: Results from the communities that care normative database, Journal of Child & Addelscent Substance Abuse, 23, 252-268, 2014 McKenna, Chris, Gaines, Barbara, Hattfield, Crystal, Helman, Stephanie, Meyer, Lisa, Rennick, Cassi, Schenkel, Kathleen, Zaremski, Jamile, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions trargeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, Health Education Research, 15, 533-545, 2000 Melrose, M., Fixing it: young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Mersa, T. W., Colfax, G., Shoptaw, S., Filerning, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a described studies meet our eligibility criteria McKon, Chingdon, England), 105, 1688-95, 2010 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Substance Use, 14, 19-38, 2009 Millieg, B. A., Holder, H. D., Yoas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Millieg, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of		Not targeted at a group of interest.
R. Society, 12, 61-85, 1998 McDonald, T. P., Mariscal, E. S., Yan, Y., Brook, J., Substance use and abuse for youths in foster care: Results from the communities that care normative database, Journal of Child & Adolescent Substance Abuse, 23, 262-268, 2014 McKenna, Chris, Gaines, Barbara, Hatfield, Crystal, Helman, Stephanie, Meyer, Lisa, Rennick, Cassi, Schenkel, Kathleen, Zaremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions targeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, Health Education Research, 15, 533-545, 2000 Menza, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse reventing, Duran of Prevention, and Policy, 52:12, 2010 Miller, B. A., Holder, H. D., Voas, R. B., Envi		Not targeted at a group of interest.
communities that care normative database, Journal of Child & Adolescent Substance Abuse, 23, 262-268, 2014 McKenna, Chris, Gaines, Barbara, Hatfield, Crystal, Helman, Stephanie, Meyer, Lisa, Rennick, Cassi, Schenkel, Kathleen, Zaremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions targeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, Health Education Research, 15, 533-545, 2000 Melraz, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmers for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Nicrols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for su		Not targeted at a group of interest
Zaremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of frauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013 McLellan, J., Dale, H., Can technology be effective in interventions targeting sexual health and substance use in young people; A systematic review, Health and Technology, 3, 195-203, 2013 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, 15, 533-545, 2000 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative research, Health Education Research, 15, 533-545, 2000 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative critical studies meet our eligibility criteria studies meet our eligibilit	communities that care normative database, Journal of Child & Adolescent Substance Abuse, 23, 262-268, 2014	described
systematic review, Health and Technology, 3, 195-203, 2013 Mellanby, A. R., Rees, J. B., Tripp, J. H., Peer-led and adult-led school health education: A critical review of available comparative studies meet our eligibility criteria Melrose, M., Fixing it: young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Menza, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Michell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, 55-13, 2012 Montoya, I. D., Atkinson, J.,	Zaremski, Jamie, Implementation of a screening, brief intervention, and referral to treatment program using the electronic medical record in a pediatric trauma center, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 20, 16-23, 2013	,
research, Health Education Research, 15, 533-545, 2000 Melrose, M., Fixing it: young people, drugs and disadvantage, 128p., tables, bibliog., 2000 Menza, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of criteria		
Menza, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Criteria		
Menza, T. W., Colfax, G., Shoptaw, S., Fleming, M., Guzman, R., Klausner, J. D., Gorbach, P., Golden, M. R., Interest in a methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007 Metsch, L. R., Rivers, J. E., Miller, M., Bohs, R., McCoy, C. B., Morrow, C. J., Bandstra, E. S., Jackson, V., Gissen, M., Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Criteria	Melrose, M., Fixing it: young people, drugs and disadvantage, 128p.,tables,bibliog., 2000	No relevant outcome data reported
Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions, Journal of psychoactive drugs, 27, 73-83, 1995 Midford, R., Drug prevention programmes for young people: where have we been and where should we be going?, Addiction (Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Millign, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Criteria	methamphetamine intervention among men who have sex with men, Sexually transmitted diseases, 34, 209-14, 2007	described
(Abingdon, England), 105, 1688-95, 2010 Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Addictions Nursing, 14, 75 - 83, 2003 criteria Universal schools paper Study design (not primary research or a systematic review) No relevant child outcomes reported SBIRT study - includes universal screening SBIRT study - includes universal screening Does not meet systematic review criteria	Implementation of a family-centered treatment program for substance-abusing women and their children: barriers and resolutions,	Treatment rather than prevention
Midford, R., Munro, G., McBride, N., Snow, P., Ladzinski, U., Principles that underpin effective school-based drug education, Journal of Drug Education, 32, 363-386, 2002 Miller, B. A., Holder, H. D., Voas, R. B., Environmental strategies for prevention of drug use and risks in clubs, Journal of Substance Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Addictions Nursing, 14, 75 - 83, 2003 Universal schools paper Study design (not primary research or a systematic review) No relevant child outcomes reported SBIRT study - includes universal screening SBIRT study - includes universal screening Does not meet systematic review criteria		
Use, 14, 19-38, 2009 Milligan, K., Niccols, A., Sword, W., Thabane, L., Henderson, J., Smith, A., Liu, J., Maternal substance use and integrated treatment programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Addictions Nursing, 14, 75 - 83, 2003 Systematic review) No relevant child outcomes reported SBIRT study - includes universal screening SBIRT study - includes universal screening Does not meet systematic review criteria	of Drug Education, 32, 363-386, 2002	Universal schools paper
programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010 Mitchell, S. G., Gryczynski, J., Gonzales, A., Moseley, A., Peterson, T., O'Grady, K. E., Schwartz, R. P., Screening, brief intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Addictions Nursing, 14, 75 - 83, 2003 Does not meet systematic review criteria	Use, 14, 19-38, 2009	systematic review)
intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012 Montoya, I. D., Atkinson, J., McFaden, W. C., Best characteristics of adolescent gateway drug prevention programmes, Journal of Addictions Nursing, 14, 75 - 83, 2003 Does not meet systematic review criteria	programs for women with substance abuse issues and their children: a meta-analysis (Structured abstract), Substance Abuse Treatment, Prevention, and Policy, 5:21, 2010	No relevant child outcomes reported
Addictions Nursing, 14, 75 - 83, 2003 criteria	intervention, and referral to treatment (SBIRT) for substance use in a school-based program: services and outcomes, The American journal on addictions / American Academy of Psychiatrists in Alcoholism and Addictions, 21 Suppl 1, S5-13, 2012	screening
Moon, K. T., Targeted interventions for adolescents to prevent drug use, American family physician, 81, 1369-1374, 2010 Not targeted at a group of interest		<u>-</u>
	Moon, K. T., Targeted interventions for adolescents to prevent drug use, American family physician, 81, 1369-1374, 2010	Not targeted at a group of interest

Morrison, G. M., Storino, M. H., Robertson, L. M., Weissglass, T., Dondero, A., The protective function of after-school programming	Not targeted at a group of interest
and parent education and support for students at risk for substance abuse, Evaluation and program planning, 23, 365-371, 2000	5 5 1
Moskalewicz, J., Swiatkiewicz, G., Malczyce, Poland: A multifaceted community action project in eastern Europe in a time of rapid	Not targeted at a group of interest
economic change, Substance Use and Misuse, 35, 189-202, 2000	
Moyer, V. A., U. S. Preventive Services Task Force, Primary care behavioral interventions to reduce illicit drug and nonmedical pharmaceutical use in children and adolescents: U.S. Preventive Services Task Force recommendation statement, Annals of Internal Medicine, 160, 634-9, 2014	Not primary research (clinical guideline)
Mukoma, W., Flisher, A. J., Evaluations of health promoting schools: a review of nine studies, Health Promotion International, 19(3),	Review of universal school interventions
357-368, 2004	review of universal school interventions
Munton, T., Wedlock, E., Gomersall, A., The efficacy and effectiveness of drug and alcohol abuse prevention programmes delivered	Systematic review but 0 included
outside of school settings, 72, 2014	studies meet our eligibility criteria
Neale, J., Stevenson, C., The use of computer-assisted therapy by homeless drug users living in hostels: An explorative qualitative study, Drugs: Education, Prevention & Policy, 21, 80-87, 2014	Treatment rather than prevention
Nelson, A., Arthur, B., Storytelling for Empowerment: Decreasing At-Risk Youth's Alcohol and Marijuana Use, Journal of Primary Prevention, 24, 169-180, 2003	Not targeted at a group of interest
Nemes, H., Collaboration of school social workers and drug prevention staff in the schools, Dissertation Abstracts International Section A: Humanities and Social Sciences, 70, 4876, 2010	Dissertation abstract
Newburn, T., Elliott, J., Risks and responses: drug prevention and youth justice, 1999	Paper unavailable
Newton, A., Dong, K., Mabood, N., Ata, N., Ali, S., Gokiert, R., Vandermeer, B., Tjosvold, L., Hartling, L., Wild, T. C., Brief	Systematic review but only a maximum
emergency department interventions for youth who use alcohol and other drugs: A systematic review, Pediatric Emergency Care,	of 22% of included studies meet our
29, 673-684, 2013	eligibility criteria
Niccols, A., Milligan, K., Smith, A., Sword, W., Thabane, L., Henderson, J., Integrated programs for mothers with substance abuse	Treatment rather than prevention
issues and their children: a systematic review of studies reporting on child outcomes (Structured abstract), Child Abuse and Neglect,	•
36, 308-322, 2012	
Noffsinger, D. L., Cooley, J., Screening, brief intervention, and referral to treatment in the adolescent trauma population: examining	SBIRT study - includes universal
barriers to implementation, Journal of trauma nursing: the official journal of the Society of Trauma Nurses, 19, 148-3, 2012	screening
Norberg, M. M., Kezelman, S., Lim-Howe, N., Primary prevention of cannabis use: A systematic review of randomized controlled	Systematic review but 0 included
trials, PLoS ONE, 8, e53187, 2013	studies meet our eligibility criteria
Norrgard, E., Wikstrom, E., Pickering, C., Gripenberg, J., Spak, F., Environmental and capacity requirements are critical for	Out of scope (intervention aimed at
implementing and sustaining a drug prevention program: a multiple case study of "Clubs against drugs", Substance Abuse	decreasing availability of drugs in
Treatment, Prevention, and Policy, 9, 6, 2014	licensed premises)
Oesterle, S., Hawkins, J. D., Fagan, A. A., Abbott, R. D., Catalano, R. F., Testing the universality of the effects of the communities	Not targeted at a group of interest
that care prevention system for preventing adolescent drug use and delinquency, Prevention science : the official journal of the	(subgroup analysis of a universal
Society for Prevention Research, 11, 411-23, 2010	intervention)
Oesterle, S., Hawkins, J. D., Fagan, A. A., Abbott, R. D., Catalano, R. F., Variation in the sustained effects of the communities that	Not related to drug misuse
care prevention system on adolescent smoking, delinquency, and violence, Prevention science : the official journal of the Society for	
Prevention Research, 15, 138-45, 2014	Ctuality decision (next maintagen, next ====================================
Oklahoma State Department Mental, Health, Substance Abuse Services, Transformation State Incentive Grant Sbirt Initiative,	Study design (not primary research or a
Screening brief intervention and referral to treatment (SBIRT) saves lives and improves health, The Journal of the Oklahoma State Medical Association, 103, 266-8, 2010	systematic review)
INIGUICAL ASSOCIATION, 103, 200-0, 2010	

Ozer, E. M., Adams, S. H., Orrell-Valente, J. K., Wibbelsman, C. J., Lustig, J. L., Millstein, S. G., Garber, A. K., Irwin, C. E., Jr., Does delivering preventive services in primary care reduce adolescent risky behavior?, The Journal of adolescent health: official publication of the Society for Adolescent Medicine, 49, 476-82, 2011	Intervention includes universal screening
Padgett, D. et al., Substance use outcomes among homeless clients with serious mental illness: comparing Housing First with Treatment First programs, Community mental health journal, 47, 227-232, 2011	Study design (not an effectiveness or acceptability study)
Patnode, C. D., O'Connor, E., Rowland, M., Burda, B. U., Perdue, L. A., Whitlock, E. P., Primary care behavioral interventions to prevent or reduce illicit drug use and nonmedical pharmaceutical use in children and adolescents: A systematic evidence review for the U.S. Preventive Services Task Force, Annals of Internal Medicine, 160, 612-620, 2014	Systematic review but only 17% of included studies meet our eligibility criteria
Pedersen, E. R., Kilmer, J. R., Lee, C. M., Walker, D. D., Etiology and prevention of marijuana use among college students, Comprehensive addictive behaviors and disorders, Vol. 3: Interventions for addiction., 823-832, 2013	Not primary research (overview/discussion paper)
Perez, J. M.I E., Diaz, S. A., Villa, Roberto S., Fernandez-Hermida, J. R., Carballo, J. L., Garcia-Rodriguez, O., Family-based drug use prevention: The "Familias que Funcionan" program, Psychology in Spain, 14, 1-7, 2010	Spanish language paper
Perkins, D. F., Feinberg, M. E., Greenberg, M. T., Johnson, L. E., Chilenski, S. M., Mincemoyer, C. C., Spoth, R. L., Team factors that predict to sustainability indicators for community-based prevention teams, Evaluation and program planning, 34, 283-91, 2011	Not targeted at a group of interest
Perry, A. E., Neilson, M., Martyn-St James, M., Glanville, J., M., Woodhouse, R., Godfrey, C., Hewitt, C., Interventions for drugusing offenders with co-occurring mental illness, Cochrane Database of Systematic Reviews, 2015	Systematic review but 0 included studies meet our eligibility criteria
Perry, A. E., Neilson, M., Martyn-St James, M., Glanville, J.M., Woodhouse, R., Hewitt, C., Interventions for female drug-using offenders, Cochrane Database of Systematic Reviews, 2015	Systematic review but 0 studies meet our eligibility criteria
Perry, A., Coulton, S., Glanville, J., Godfrey, C., Lunn, J., McDougall, C., Neale, Z., Interventions for drug-using offenders in the courts, secure establishments and the community, 2006	Review withdrawn
Peters, L. W., Kok, G., Ten Dam, G. T., Buijs, G. J., Paulussen, T. G., Effective elements of school health promotion across behavioral domains: A systematic review of reviews, BMC Public Health, 9, 182, 2009	Review of universal school interventions
Peterson, J., A qualitative comparison of parent and adolescent views regarding substance use, The Journal of school nursing: the official publication of the National Association of School Nurses, 26, 53-64, 2010	Not targeted at a group of interest
Petrie, J., Bunn, F., Byrne, G., Parenting programmes for preventing tobacco, alcohol or drugs misuse in children <18: A systematic review, Health Education Research, 22, 177-191, 2007	Systematic review but only a maximum of 45% of included studies meet our eligibility criteria
Phillips, L., Smith, R., Martin, K., Mehta, P., Durbin, B., National Foundation for Educational, Research, Evaluation of the Youth Justice Board Pilot Resettlement Support Panel Scheme, 145, 2012	Not primarily a drug misuse prevention intervention
Pilowsky, D., Wu, L. T., Screening instruments for substance use and brief interventions targeting adolescents in primary care: A literature review, Addictive Behaviors, 38, 2146-2153., 2013	Includes universal screening
Pirskanen, M., Laukkanen, E., Pietila, A., A formative evaluation to develop a school health nursing early intervention model for adolescent substance use, Public health nursing (Boston, Mass.), 24, 256-64, 2007	Intervention includes universal screening
Pirskanen, M., Pietila, A., Halonen, P., Laukkanen, E., School health nurses and substance use among adolescents - towards individual identification and early intervention, Scandinavian Journal of Caring Sciences, 20, 439-447, 2006	No relevant outcome data reported
Popovici, I., French, M. T., Economic evaluation of substance abuse interventions: Overview of recent research findings and policy implications, Addictions: A comprehensive guidebook (2nd ed.)., 882-899, 2013	No data on interventions targeted at groups of interest
Porath-Waller, A. J., Beasley, E., Beirness, D. J., A meta-analytic review of school-based prevention for cannabis use, Health Education & Behavior, 37, 709-723, 2010	Review of universal school interventions
Portnoy, D. B., Scott-Sheldon, L. A. J., Johnson, B. T., Carey, M. P., Computer-delivered interventions for health promotion and behavioral risk reduction: A meta-analysis of 75 randomized controlled trials, 1988-2007, Preventive Medicine, 47, 3-16, 2008	Systematic review but only a maximum of 15% of included studies meet our eligibility criteria

Poulin, F., Dishion, T. J., Burraston, B., 3-year iatrogenic effects associated with aggregating high-risk adolescents in cognitive-behavioral preventive interventions, Applied developmental science, 5, 214-224, 2001	Not targeted at a group of interest
Powell, K. G., Empowerment and effectiveness: A mixed methods study of coalition building within a statewide substance abuse prevention context, Dissertation Abstracts International Section A: Humanities and Social Sciences, 75, No-Specified, 2014	Not targeted at a group of interest
Prado, G., Huang, S., Cordova, D., Malcolm, S., Estrada, Y., Cano, N., Maldonado-Molina, M., Bacio, G., Rosen, A., Pantin, H., Brown, C. H., Ecodevelopmental and intrapersonal moderators of a family based preventive intervention for Hispanic youth: a latent profile analysis, Prevention Science, 14, 290-9, 2013	Not targeted at a group of interest
Pringle, J. L., Melczak, M., Johnjulio, W., Campopiano, M., Gordon, A. J., Costlow, M., Pennsylvania SBIRT Medical and Residency Training: developing, implementing, and evaluating an evidenced-based program, Substance abuse: official publication of the Association for Medical Education and Research in Substance Abuse, 33, 292-7, 2012	SBIRT study - includes universal screening
Prinz, R. J., A population approach to parenting and family intervention, Handbook of adolescent drug use prevention: Research, intervention strategies, and practice., 237-247, 2015	Paper unavailable
Promoting men's mental health, 266p., 2010	Book - no relevant data to extract
Public Health England, The international evidence on the prevention of drug and alcohol use. Summary and examples of implementation in England. PHE, 2015	Not primary research (briefing paper)
Raynal, M. E., Chen, W. W., Evaluation of a drug prevention program for young high risk students, International quarterly of community health education, 16, 187-95, 1996	Not targeted at a group of interest
Reback, Cathy J., Shoptaw, Steven, Development of an evidence-based, gay-specific cognitive behavioral therapy intervention for methamphetamine-abusing gay and bisexual men, Addictive Behaviors, 39, 1286-91, 2014	Treatment rather than prevention
Reed, K., Cheadle, A., Thompson, B., Evaluating prevention programs with the Results Mapping evaluation tool: a case study of a youth substance abuse prevention program, Health Education Research, 15, 73-84, 2000	Not targeted at a group of interest
Rentschler, D. M., A longitudinal study to determine the long-term effects of prevention and intervention substance abuse strategies on at-risk fourth grade students and their families, Dissertation Abstracts International Section A: Humanities and Social Sciences, 57, 3406, 1997	Not clear if intervention is targeted at a group of interest
Rhew, I. C., Brown, E. C., Hawkins, J. D., Briney, J. S., Sustained effects of the Communities That Care system on prevention service system transformation, American Journal of Public Health, 103, 529-35, 2013	Not targeted at a group of interest
Rice, E., Milburn, N. G., Monro, W., Social networking technology, social network composition, and reductions in substance use among homeless adolescents, Prevention science: the official journal of the Society for Prevention Research, 12, 80-8, 2011	No drug misuse prevention intervention described
Rice, E., Rhoades, H., How should network-based prevention for homeless youth be implemented?, Addiction, 108, 1625-1626, 2013	Not primary research (commentary)
Rivera, E. T., Hendricks, W. A., Peace, P., Substance abuse counseling with college students, Group work and outreach plans for college counselors., 171-177, 2011	Paper unavailable
Rodriguez, D. M., Teesson, M., Newton, N. C., A systematic review of computerised serious educational games about alcohol and other drugs for adolescents, Drug and Alcohol Review, 33, 129-135, 2014	Systematic review but 0 included studies meet our eligibility criteria
Roe, S., Becker, J., Drug prevention with vulnerable young people: a review (Provisional abstract), Alcohol, Drugs and Driving, 12, 85-99, 2005	Systematic review but only a maximum of 50% of included studies meet our eligibility criteria
Rohde, P., Stice, E., Gau, J. M., Marti, C. N., Reduced substance use as a secondary benefit of an indicated cognitive-behavioral adolescent depression prevention program, Psychology of addictive behaviors: journal of the Society of Psychologists in Addictive Behaviors, 26, 599-608, 2012	Not primarily a drug misuse prevention intervention

Study design (overview/discussion of how to disseminate prevention programmes)
Treatment rather than prevention
Includes universal screening
Systematic review but only a maximum of 50% of included studies meet our eligibility criteria
Not clear if intervention is targeted at a group of interest
Review of meta-analyses but only 13% of included meta-analyses potentially meet our eligibility criteria
Study design (not primary research or a systematic review)
Paper unavailable
Dissertation abstract
Protocol
Paper unavailable
Book - no relevant data to extract
Not primary research (legal counsel/letter)
Study design (correlational study)
Universal schools paper

Sharp, R. N., McLaughlin, R. J., McClanahan, K. M., Psychology in school-based prevention, early intervention, treatment and abstinence maintenance - Some responses to marijuana use in the schools, School psychology international, 20, 87-103, 1999	Universal schools paper
Shek, D.T. L., Yu, L., A review of validated youth prevention and positive youth development programs in Asia, International Journal of Adolescent Medicine and Health, 23, 317-24, 2011	Reviews literature from countries not in scope
Shetgiri, R., Kataoka, S., Lin, H., Flores, G., A randomized, controlled trial of a school-based intervention to reduce violence and substance use in predominantly Latino high school students, Journal of the National Medical Association, 103, 932-40, 2011	Not all participants fall into a target group of interest
Shetty, V., Murphy, D. A., Zigler, C., Yamashita, D. R., Belin, T. R., Randomized controlled trial of personalized motivational interventions in substance using patients with facial injuries, Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons, 69, 2396-411, 2011	Not all participants fall into a target group of interest
Skara, S., Sussman, S., A review of 25 long-term adolescent tobacco and other drug use prevention program evaluations (Structured abstract), Preventive Medicine, 37, 451-474, 2003	Does not meet systematic review criteria
Skiba, D., Monroe, J., Wodarski, J. S., Adolescent substance use: reviewing the effectiveness of prevention strategies, 49, 343 - 353, 2004	Does not meet systematic review criteria
Slesnick, N., Dashora, P., Letcher, A., Erdem, G., Serovich, J., A review of services and interventions for runaway and homeless youth: Moving forward, Children and Youth Services Review, 31, 732-742, 2009	Does not meet systematic review criteria
Slesnick, N., Guo, X., Brakenhoff, B., Bantchevska, D., A comparison of three interventions for homeless youth evidencing substance use disorders: results of a randomized clinical trial, Journal of Substance Abuse Treatment, 54, 1-13, 2015	Treatment rather than prevention
Smith, D., Leve, L., Chamberlain, P., Preventing internalizing and externalizing problems in girls in foster care as they enter middle school: immediate impact of an intervention, Prevention Science, 12 (3), 269-277	No drug misuse prevention intervention described
Smyth, N. J., Saulnier, C. F., Substance abuse prevention among high risk youth, Journal of Prevention & Intervention Community, 14, 61-79, 1996	Does not meet systematic review criteria
Sohn, A., The evaluation of a comprehensive substance use prevention and reduction program implemented in an alternative high school setting, 2000	Paper unavailable
Solomon, D., Grewal, P., Taylor, C., Solomon, B., Managing misuse of novel psychoactive substances, Nursing times, 110, 12-5, 2014	Not primary research (narrative overview/discussion paper)
Soole, D. W., Mazerolle, L., Rombouts, S., School-based drug prevention programs: A review of what works, Australian & New Zealand Journal of Criminology, 41, 259-286, 2008	Review of universal school interventions
Speirs, V., Johnson, M., Jirojwong, S., A systematic review of interventions for homeless women, Journal of clinical nursing, 22, 1080-1093, 2013	Systematic review but only 33% of included studies meet our eligibility criteria
Spoth, R., Trudeau, L., Redmond, C., Shin, C., Replication RCT of early universal prevention effects on young adult substance misuse, Journal of Consulting and Clinical Psychology, 82, 949-63, 2014	Not targeted at a group of interest
Spoth, R., Trudeau, L., Shin, C.I, Ralston, E., Redmond, C., Greenberg, M., F., Mark, Longitudinal effects of universal preventive intervention on prescription drug misuse: three randomized controlled trials with late adolescents and young adults, American Journal of Public Health, 103, 665-72, 2013	Not targeted at a group of interest
Spoth, Ri., Redmond, C., Shin, C.I, Greenberg, M., Feinberg, M., Schainker, L., PROSPER community-university partnership delivery system effects on substance misuse through 6 1/2 years past baseline from a cluster randomized controlled intervention trial, Preventive Medicine, 56, 190-6, 2013	Not targeted at a group of interest
Springer, J. F., Sale, E., Hermann, J., Sambrano, S., Kasim, R., Nistler, M., Characteristics of effective substance abuse prevention programs for high-risk youth, The Journal of Primary Prevention, 25, 171-194, 2004	Not clear if all interventions included in the evaluation were targeted at groups of interest

Springer, J. F., Sambrano, S., Sale, E., Kasim, R., Herman, J., The National Cross-Site Evaluation of High-Risk Youth Programs. Preventing Substance Abuse: Major Findings from the National Cross-Site Evaluation of High-Risk Youth Programs. Monograph Series, 2002	Not clear if all interventions included in the evaluation were targeted at groups of interest
Springer, J. F., Wright, L. S., McCall, G. J., Family interventions and adolescent resiliency: The Southwest Texas State High-Risk Youth Program, Journal of Community Psychology, 25, 435-452, 1997	Not targeted at a group of interest
St Pierre, T. L, Mark, M. M., Kaltreider, D L., Campbell, B., Boys & girls clubs and school collaborations: A longitudinal study of a multicomponent substance abuse prevention program for high― risk elementary school children, Journal of Community Psychology, 29, 87-106, 2001	Not targeted at a group of interest
St. Pierre, T. L., Kaltreider, D. L., Reflections on implementing a community agency-school prevention program, Journal of Community Psychology, 29, 107-116, 2001	Not clear if intervention is targeted at a group of interest
Stead, M., Angus, K., Literature review into the effectiveness of school drug education, 2004	Review of universal school interventions
Steiker, L. K. H., Goldbach, J., Hopson, L. M., Powell, T., The value of cultural adaptation processes: Older youth participants as substance abuse preventionists, Child & Adolescent Social Work Journal, 28, 495-509, 2011	Not targeted at a group of interest
Stein, M. D., Hagerty, C. E., Herman, D. S., Phipps, M. G., Anderson, B. J., A brief marijuana intervention for non-treatment-seeking young adult women, Journal of Substance Abuse Treatment, 40, 189-198, 2011	Not all participants fall into a target group of interest
Stein, Michael D., Herman, Debra S., Anderson, Bradley J., A motivational intervention trial to reduce cocaine use, Journal of Substance Abuse Treatment, 36, 118-25, 2009	Treatment rather than prevention
Sterling, S., Valkanoff, T., Hinman, A., Weisner, C., Integrating substance use treatment into adolescent health care, Current psychiatry reports, 14, 453-61, 2012	SBIRT study - includes universal screening
Stevenson, J. F., Community-Level Collaboration for Substance Abuse Prevention, Journal of Primary Prevention, 23, Spr-404, 2003	Book - no relevant data to extract
Stoil, M. J., Hill, G. A., Jansen, M. A., Sambrano, S., Winn, F. J., Benefits of community-based demonstration efforts: Knowledge gained in substance abuse prevention, Journal of Community Psychology, 28, 375-389, 2000	Does not meet systematic review criteria
Strand, P. S., Treating antisocial behavior: a context for substance abuse prevention, 22, 707 - 728, 2002	Does not meet systematic review criteria
Strang, J., McCambridge, J., Can the practitioner correctly predict outcome in motivational interviewing?, Journal of Substance Abuse Treatment, 27, 83-88, 2004	Relevant outcomes already extracted from McCambridge & Strang 2004
Straussner, S. L. A., Fewell, C. H., Children of substance-abusing parents: Dynamics and treatment, Children of substance-abusing parents: Dynamics and treatment., 2011	Book - no relevant data to extract
Strike, C., Rotondi, M., Kolla, G., Roy, E., Rotondi, N. K., Rudzinski, K., Balian, R., Guimond, T., Penn, R., Silver, R. B., Millson, M., Sirois, K., Altenberg, J., Hunt, N., Interrupting the social processes linked with initiation of injection drug use: results from a pilot study, Drug and Alcohol Dependence, 137, 48-54, 2014	Not targeted at a group of interest
Strout, M., Evidence-based practices for substance abuse prevention: Reports from the front line, Dissertation Abstracts International Section A: Humanities and Social Sciences, 68, 1184, 2007	Dissertation abstract
Substance misuse: the implications of research, policy and practice, 240p., 2010	No relevant outcome data reported
Sun, W., Skara, S., Sun, P., Dent, C. W., Sussman, S., Project Towards No Drug Abuse: long-term substance use outcomes evaluation, Preventive Medicine, 42, 188-92, 2006	Universal school intervention (alternative/continuation high schools)
Sussman, S. Y., Evaluating the efficacy of Project TND: Evidence from seven research trials, Handbook of adolescent drug use prevention: Research, intervention strategies, and practice., 159-176, 2015	Paper unavailable
Sussman, S., Arriaza, B., Grigsby, T. J., Alcohol, tobacco, and other drug misuse prevention and cessation programming for alternative high school youth: a review, The Journal of school health, 84, 748-58, 2014	Does not meet systematic review criteria

Sussman, S., Dent, C. W., Craig, S., Ritt-Olsen, A., McCuller, W. J., Development and immediate impact of a self-instruction	Universal school intervention
curriculum for an adolescent indicated drug abuse prevention trial, Journal of Drug Education, 32, 121-37, 2002	(alternative/continuation high schools)
Sussman, S., Dent, C. W., Simon, T. R., Stacy, A.W., Galaif, E. R., Moss, M. A., Craig, S., Johnson, C. A., Immediate impact of social influence-oriented substance abuse prevention curricula in traditional and continuation high schools, Drugs & Society, 8, 65-	Universal school intervention
81, 1995	(alternative/continuation high schools)
Sussman, S., Dent, C. W., Stacy, A.W., Project towards no drug abuse: a review of the findings and future directions, American	Dogo not most systematic review
	Does not meet systematic review criteria
Journal of Health Behavior, 26, 354-65, 2002 Sussman, S., Dent, C.e W., Stacy, A. W., Craig, S., One-year outcomes of Project Towards No Drug Abuse, Preventive Medicine:	Universal school intervention
An International Journal Devoted to Practice and Theory, 27, 632-642, 1998	(alternative/continuation high schools)
Sussman, S., Earleywine, M., Wills, T., Cody, C., Biglan, T., Dent, C. W., Newcomb, M. D., The motivation, skills, and decision-	· · · · · · · · · · · · · · · · · · ·
	Study design (not primary research or a
making model of "drug abuse" prevention, Substance Use & Misuse, 39, 1971-2016, 2004	systematic review)
Sussman, S., Galaif, E. R., Newman, T., Hennesy, M., Pentz, M. A., Dent, C. W., Stacy, A. W., Moss, M. A., Craig, S., Simon, T. R.,	Universal school intervention
Implementation and process evaluation of a student "school-as-community" group. A component of a school-based drug abuse prevention program, Evaluation Review, 21, 94-123, 1997	(alternative/continuation high schools)
Sussman, S., Rohrbach, L. A., Patel, R., Holiday, K., A look at an interactive classroom-based drug abuse prevention program:	Study design (content analysis)
interactive contents and suggestions for research, Journal of Drug Education, 33, 355-68, 2003	,
Sussman, S., Simon, T. R., Dent, C. W., Stacy, A. W., Galaif, E. R., Moss, M. A., Craig, S., Johnson, C. A., Immediate impact of	Universal school intervention
thirty-two drug use prevention activities among students at continuation high schools, Substance Use & Misuse, 32, 265-81, 1997	(alternative/continuation high schools)
Sussman, S., Skara, S., Pumpuang, P., Project Towards No Drug Abuse (TND): needs assessment of a social service referral	Not targeted at a group of interest
telephone program for high risk youth, Substance Use & Misuse, 43, 2066-73, 2008	
Sussman, S., Sun, P., McCuller, W. J., Dent, C. W., Project Towards No Drug Abuse: two-year outcomes of a trial that compares	Universal school intervention
health educator delivery to self-instruction, Preventive Medicine, 37, 155-62, 2003	(alternative/continuation high schools)
Sussman, S., Sun, P., Rohrbach, L. A., Spruijt-Metz, D., One-year outcomes of a drug abuse prevention program for older teens	Universal school intervention
and emerging adults: evaluating a motivational interviewing booster component, Health psychology: official journal of the Division of Health Psychology, American Psychological Association, 31, 476-85, 2012	(alternative/continuation high schools)
Suydam, L., Garcia, A., School nurses connect schools and parents from home to homeroom to prevent teen medicine abuse,	Does not meet systematic review
NASN school nurse (Print), 25, 170-1, 2010	criteria
Tait, R. J., Hulse, G. K., A systematic review of the effectiveness of brief interventions with substance using adolescents by type of	Does not meet systematic review
drug, Drug and Alcohol Review, 22, 337-346, 2003	criteria
Tait, R. J., Spijkerman, R., Riper, H., Internet and computer based interventions for cannabis use: A meta-analysis, Drug and	Systematic review but only 40% of
Alcohol Dependence, 133, 295-304, 2013	included studies potentially meet our
Alcohol Dependence, 155, 255-564, 2015	eligibility criteria
Teesson, M., Newton, N. C., Barrett, E. L., Australian school-based prevention programs for alcohol and other drugs: A systematic	Review of universal school interventions
review, Drug & Alcohol Review, 31, 731-736, 2012	Treview of universal school interventions
Teesson, M., Newton, N., Slade, T., Conrod, P., An integrated approach to substance use prevention for high-and lowrisk youth:	Conference abstract
The cap intervention, Alcoholism: Clinical and Experimental Research, 37, 148a, 2013	
Thomas Roger, E., Lorenzetti, Diane, Spragins, Wendy, Mentoring adolescents to prevent drug and alcohol use, Cochrane	Not targeted at a group of interest
Database of Systematic Reviews, 2011	Thou largeted at a group of interest
Thomas, R. E., Lorenzetti, D. L., Spragins, W., Systematic review of mentoring to prevent or reduce alcohol and drug use by	Systematic review but only 67% of
adolescents, Academic Pediatrics, 13, 292-299, 2013	included studies meet our eligbility
adologoonio, noadonio i Galdinos, 10, 232-233, 2010	criteria
	Uniona

Thompson Sanna, J., Pomeroy Elizabeth, C., Gober, Kelly, Family-Based Treatment Models Targeting Substance Use and High-Risk Behaviors among Adolescents: A Review, Journal of Evidence-Based Social Work, 2, 207-233, 2005	Does not meet systematic review criteria
Thompson, E. A., Horn, M., Herting, J. R., Eggert, L. L., Enhancing outcomes in an indicated drug prevention program for high-risk youth, Journal of Drug Education, 27, 19-41, 1997	Not clear if all participants fall into a target group of interest
Tiderington, E., Stanhope, V., Henwood, B. F., A qualitative analysis of case managers' use of harm reduction in practice, Journal of Substance Abuse Treatment, 44, 71-7, 2013	Housing First study - unclear if intervention includes drug misuse prevention elements
Tidey, J. W., Using incentives to reduce substance use and other health risk behaviors among people with serious mental illness, Preventive Medicine, 55 Suppl, S54-60, 2012	Does not meet systematic review criteria
Tobler, N. S., Lessard, T., Marshall, D., Ochshorn, P., Roona, M., Effectiveness of school-based drug prevention programs for marijuana use, School psychology international, 20, 105-137, 1999	Review of universal school interventions
Tobler, N. S., Lessons learned, Journal of Primary Prevention, 20, 261-274., 2000	Study design (not primary research or a systematic review)
Tobler, N. S., Roona, M. R., Ochshorn, P., Marshall, D. G., Streke, A. V., Stackpole, K. M., School-based adolescent drug prevention programs: 1998 Meta-analysis, Journal of Primary Prevention, 20, 275-336, 2000	Meta-analysis of universal school interventions
Tobler, N. S., Stratton, H. H., Effectiveness of school-based drug prevention programs: A meta-analysis of the research, Journal of Primary Prevention, 18, 71-128, 1997	Meta-analysis of universal school interventions
Tolan, P., Henry, D., Schoeny, M., Bass, A., Lovegrove, P., Nichols, E., Mentoring Interventions to Affect Juvenile Delinquency and Associated Problems: A Systematic Review, 2013	Systematic review but only 9% of included studies meet our eligibility criteria
Tossmann, H. P., Jonas, B., Tensil, M. D., Lang, P., Strüber, E., A controlled trial of an internet-based intervention program for cannabis users, Cyberpsychology, behavior and social networking, 14, 673-9, 2011	Treatment rather than prevention
Toumbourou, J. W., Stockwell, T., Neighbors, C., Marlatt, G. A., Sturge, J., Rehm, J., Interventions to reduce harm associated with adolescent substance use, Lancet (London, England), 369, 1391-401, 2007	Does not meet systematic review criteria
Tozer, K., Tzemis, D., Amlani, A., Coser, L., Taylor, D., Van Borek, N., Saewyc, E., Buxton, J. A., Reorienting risk to resilience: street-involved youth perspectives on preventing the transition to injection drug use, BMC Public Health, 15, 800, 2015	No drug misuse prevention intervention described
Tunnard, J., Parental drug misuse: a review of impact and intervention studies, 2002	Does not meet systematic review criteria
Uk Drug Policy Commission, Drugs and diversity: lesbian, gay, bisexual and transgender (LGBT) communities: learning from the evidence, 4p., 2010	Does not meet systematic review criteria
United Nations Office on Drugs and Crime (UNDOC), International Standards on Drug Prevention: Appendix II Annex V, UN, 2015	Systematic review but 0 included studies meet our eligibility criteria
Valentine, J., Gottlieb, B., Keel, S., Griffith, J., Ruthazer, R., Measuring the effectiveness of the Urban Youth Connection: the case for dose-response modeling to demonstrate the impact of an adolescent substance abuse prevention program, Journal of Primary Prevention, 18, 363-87, 1998	Not clear if participants fall into a target group of interest
Van Hout, M. C., Foley, M., McCormack, A., Tardif, E., Teachers' perspectives on their role in school-based alcohol and cannabis prevention, International Journal of Health Promotion and Education, 50, 328-341, 2012	Universal schools paper
Vander Laenen, F., How drug policy should (not) be: Institutionalised young people's perspectives, International Journal of Drug Policy, 22, 491-497, 2011	Not targeted at a group of interest
Watson, D. P., Wagner, D. E., Rivers, M., Understanding the critical ingredients for facilitating consumer change in housing first programming: a case study approach, The journal of behavioral health services & research, 40, 169-79, 2013	Housing First study - unclear if intervention includes drug misuse prevention elements

Webster-Stratton, C., Rinaldi, J. and, Reid, J. M., Long-term outcomes of Incredible Years Parenting Program: predictors of adolescent adjustment, Child and Adolescent Mental Health, 16, pp38, 2011	Treatment rather than prevention
Webster-Stratton, C., Taylor, T., Nipping early risk factors in the bud: preventing substance abuse, delinquency, and violence in adolescence through interventions targeted at young children (0-8 years), 2, 165 - 192, 2001	Study design (not primary research or a systematic review)
Weiler, L. M., Prevention of substance abuse in juvenile delinquents: Identification of important mentoring processes, Dissertation Abstracts International: Section B: The Sciences and Engineering, 74, No-Specified, 2014	Not clear if intervention is targeted at a group of interest
Weinberg, N. Z., Rahdert, E., Colliver, J. D., Glantz, M. D., Adolescent substance abuse: A review of the past 10 years, Journal of the American Academy of Child and Adolescent Psychiatry, 37, 252-261, 1998	Does not meet systematic review criteria
Weir, E., Raves: a review of the culture, the drugs and the prevention of harm, Canadian Medical Association Journal, 162, 1843-1848, 2000	Study design (not primary research or a systematic review)
Weiss, F. L., Nicholson, H. J., Friendly PEERsuasion(sm) against substance use: The Girls Incorporated(sm) model and evaluation, Drugs and Society, 12, 7-22, 1998	Not clear if all participants fall into a target group of interest
Werb, D., Buxton, J., Shoveller, J., Richardson, C., Rowell, G., Wood, E., Interventions to prevent the initiation of injection drug use: a systematic review (Provisional abstract), Drug and Alcohol Dependence, 133, 669-676, 2013	Systematic review but only 13% of included studies meet our eligibility criteria
Werch, C. E., Owen, D. M., latrogenic effects of alcohol and drug prevention programs, Journal of Studies on Alcohol, 63, 581-590, 2002	Does not meet systematic review criteria
West, S. L., O'Neal, K. K., Project D.A.R.E. outcome effectiveness revisited, American Journal of Public Health, 94, 1027-1029, 2004	Not clear if intervention is targeted at a group of interest
White, D., Pitts, M., Educating young people about drugs: A systematic review, Addiction, 93, 1475-1487, 1998	Systematic review but only a maximum of 23% of included studies meet our eligibility criteria
White, D., Pitts, M., Health promotion with young people for the prevention of substance misuse, 1997	Not primary research (review summary)
Wilson, D. B., Gottfredson, D. C., Najaka, S. S., School-based prevention of problem behaviors: a meta-analysis, Journal of Quantitative Criminology, 17, 247-272, 2001	Meta-analysis of universal school interventions
Windle, M., Windle, R. C., Adolescent tobacco, alcohol and drug use: current findings, Adolescent Medicine: State of the Art Reviews, 10, 153-63, 1999	Does not meet systematic review criteria
Winters, K. C., Fahnhorst, T., Botzet, A., Lee, S., Lalone, B., Brief intervention for drug-abusing adolescents in a school setting: Outcomes and mediating factors, Journal of Substance Abuse Treatment, 42, 279-288, 2012	Not all participants fall into a target group of interest
Winters, K. C., Fawkes, T., Fahnhorst, T., Botzet, A., August, G., A synthesis review of exemplary drug abuse prevention programs in the United States, Journal of Substance Abuse Treatment, 32, 2007	Does not meet systematic review criteria
Winters, K. C., Lee, S., Botzet, A., Fahnhorst, T., Nicholson, A., One-Year Outcomes and Mediators of a Brief Intervention for Drug Abusing Adolescents, Psychology of Addictive Behaviors, 28, 464-474, 2014	Not all participants fall into a target group of interest
Wood, S. K., Eckley, L., Hughes, K., Hardcastle, K. A., Bellis, M. A., Schrooten, J., Demetrovics, Z., Voorham, L., Computer-based programmes for the prevention and management of illicit recreational drug use: A systematic review, Addictive Behaviors, 39, 30-38, 2014	Systematic review but only a maximum of 40% of included studies meet our eligibility criteria
Woodruff, S. I., Eisenberg, K., McCabe, C. T., Clapp, J. D., Hohman, M., Evaluation of California's Alcohol and Drug Screening and Brief Intervention Project for Emergency Department Patients, The western journal of emergency medicine, 14, 263-70, 2013	SBIRT study - includes universal screening
Woolderink, M., Smit, F., van der Zanden, R., Beecham, J., Knapp, M., Paulus, A., Evers, S., Design of an internet-based health economic evaluation of a preventive group-intervention for children of parents with mental illness or substance use disorders, BMC Public Health, 10, 470, 2010	Not all participants fall into a target group of interest

Drug misuse prevention: Appendix 2 to Evidence Review 2Excluded studies

Workman, J. W., Huber, M. J., Ford, J., Mayer, T., Moore, D., Wilson, J. F., Kinzeler, N., The PALS prevention program and its long-term impact on student intentions to use alcohol, tobacco, and marijuana, Journal of Drug Education, 42, 469-85, 2012	Not clear if intervention is targeted at a group of interest
World Health Organisation, Outcome Evaluation Summary Report: WHO/UNODC Global Initiative on Primary Prevention of Substance Abuse. 2007	All countries included in report are out of scope
Xiang, X., A Review of Interventions for Substance Use Among Homeless Youth, Research on Social Work Practice, 23, 34-45, 2013	Systematic review but only up to 40% of included studies meet our eligibility criteria
Yacoubian, G.S., Miller, S., Pianim, S., Kunz, M.I, Orrick, E., Link, T., Palacios, W. R., Peters, R. J., Toward an ecstasy and other club drug (EOCD) prevention intervention for rave attendees, Journal of Drug Education, 34, 41-59, 2004	No drug misuse prevention intervention described
Young, M. M., Stevens, A., Galipeau, J., Pirie, T., Garritty, C., Singh, K., Yazdi, F., Golfam, M., Pratt, M., Turner, L., Porath-Waller, A., Arratoon, C., Haley, N., Leslie, K., Reardon, R., Sproule, B., Grimshaw, J., Moher, D., Effectiveness of brief interventions as part of the Screening, Brief Intervention and Referral to Treatment (SBIRT) model for reducing the nonmedical use of psychoactive substances: a systematic review, Systematic Reviews, 3, 50, 2014	SBIRT study - includes universal screening
Yuen, E. Y. N., Toumbourou, J. W., Does family intervention for adolescent substance use impact parental mental health? A systematic review, Australian e-Journal for the Advancement of Mental Health, 7, 14p, 2008	No relevant outcome data reported
Zatzick, D., Russo, J., Lord, S. P., Varley, C., Wang, J., Berliner, L., Jurkovich, G., Whiteside, L. K., O'Connor, S., Rivara, F. P., Collaborative care intervention targeting violence risk behaviors, substance use, and posttraumatic stress and depressive symptoms in injured adolescents a randomized clinical trial, JAMA pediatrics, 168, 532-9, 2014	Not targeted at a group of interest