



Quality standard

Published: 12 September 2017

www.nice.org.uk/guidance/qs159

Contents

Q	uality statements	4
Q	uality statement 1: Access to independent advocacy services	5
	Quality statement	5
	Rationale	5
	Quality measures	5
	What the quality statement means for different audiences	6
	Source guidance	7
	Definitions of terms used in this quality statement	7
	Equality and diversity considerations	7
Q	uality statement 2: Out-of-area admissions	8
	Quality statement	8
	Rationale	8
	Quality measures	8
	What the quality statement means for different audiences	9
	Source guidance	10
	Definitions of terms used in this quality statement	10
Q	uality statement 3: Communication on discharge	12
	Quality statement	12
	Rationale	12
	Quality measures	12
	What the quality statement means for different audiences	13
	Source guidance	14
	Definitions of terms used in this quality statement	14
	Equality and diversity considerations	15
Q	uality statement 4: Suicide risk	17
	Quality statement	17
	Rationale	17

	Quality measures	17
	What the quality statement means for different audiences	18
	Source guidance	19
	Definitions of terms used in this quality statement	19
	Equality and diversity considerations	19
L	pdate information	20
Δ	bout this quality standard	21
	Diversity, equality and language	21

This standard is based on NG53.

This standard should be read in conjunction with QS142, QS136, QS34, QS182, QS188 and QS189.

Quality statements

<u>Statement 1</u> People admitted to an inpatient mental health setting have access to independent advocacy services.

<u>Statement 2</u> People admitted to specialist inpatient mental health settings outside the area in which they live have a review of their placement at least every 3 months.

<u>Statement 3</u> People discharged from an inpatient mental health setting have their care plan sent within 24 hours to everyone identified in the plan as involved in their ongoing care.

<u>Statement 4</u> People who have a risk of suicide identified at preparation for discharge from an inpatient mental health setting are followed up within 48 hours of being discharged.

Quality statement 1: Access to independent advocacy services

Quality statement

People admitted to an inpatient mental health setting have access to independent advocacy services.

Rationale

Having an advocate helps people to make their views and wishes heard. It is important that people are told about independent advocacy services on admission to an inpatient mental health setting, and can access them throughout their stay, so that they can be involved in decisions about their care.

Quality measures

The following measures can be used to assess the quality of care or service provision specified in the statement. They are examples of how the statement can be measured and can be adapted and used flexibly.

Structure

a) Evidence of local arrangements to provide independent advocacy services for people admitted to an inpatient mental health setting.

Data source: Local data collection, for example, service level agreements with local advocacy service providers and hospital admission checklists.

b) Evidence of local arrangements to promote independent advocacy services to people admitted to an inpatient mental health setting.

Data source: Local data collection, for example, admission checklists.

Process

Proportion of admissions to an inpatient mental health setting for which information is provided on admission about support available from independent advocacy services.

Numerator – the number in the denominator for which information is provided on admission about support available from independent advocacy services.

Denominator – the number of admissions to an inpatient mental health setting.

Data source: Local data collection, for example, an audit of case notes.

Outcome

Level of satisfaction with access to independent advocacy services for people using inpatient mental health settings.

Data source: Local data collection, for example, local patient surveys.

What the quality statement means for different audiences

Service providers (inpatient mental health services) ensure that independent advocacy services are available to people on admission. Staff know how to signpost people to independent advocacy services at admission or at any point during their stay in a way that takes account of individual needs and preferences.

Health and social care practitioners (the admitting team) discuss independent advocacy services with people on admission to an inpatient mental health setting and tell them how to access services if and when they want to.

Commissioners (local authorities) ensure that they commission adequate independent advocacy services and that access to independent advocacy is set out in contracting arrangements with providers so that people admitted to an inpatient mental health setting have access to independent advocacy services on admission and during their stay.

People who are admitted to hospital for a mental health problem are told how they can

get support from an independent advocacy service, if they want to. An independent advocate can help people get the information they need to make choices about their care and can help them to get their views across.

Source guidance

<u>Transition between inpatient mental health settings and community or care home settings.</u>
<u>NICE guideline NG53</u> (2016), recommendation 1.3.4

Definitions of terms used in this quality statement

Independent advocacy services

Advocacy is taking action to help people say what they want, secure their rights, represent their interests and obtain services they need. Advocates and advocacy schemes work in partnership with the people they support and take their side. Advocacy promotes social inclusion, equality and social justice.

Independent advocacy services include, but are not limited to:

- independent mental health advocates provided under the Mental Health Act 1983
- independent mental capacity advocates provided under the Mental Capacity Act 2005
- relevant local user groups
- charitable organisations.

[Adapted from Action for Advocacy, About Advocacy and the Mental Health Act 1983 Section 130A Independent mental health advocates]

Equality and diversity considerations

Independent advocacy services, and information provided about them, should take into account people's language and communication needs, cultural and social needs, and other protected characteristics.

Quality statement 2: Out-of-area admissions

Quality statement

People admitted to specialist inpatient mental health settings outside the area in which they live have a review of their placement at least every 3 months.

Rationale

People should be treated for a mental health problem in a location that helps them to retain the contact they want with family, carers and friends, and to feel as familiar as possible with the local environment. If people with a non-acute mental health problem are admitted to a specialist inpatient mental health setting outside the area in which they live, they are particularly vulnerable to delayed discharges because case management and assessment of readiness for discharge is more difficult to deliver. When people are placed outside of the area in which they live, named practitioners from the person's home area and the inpatient ward can work together to ensure the placement is reviewed regularly, so that it does not last longer than necessary.

Quality measures

The following measures can be used to assess the quality of care or service provision specified in the statement. They are examples of how the statement can be measured and can be adapted and used flexibly.

Structure

a) Evidence of local arrangements to monitor the length of placements of people admitted to a specialist inpatient mental health setting outside the area in which they live.

Data source: Local data collection, for example, identification systems.

b) Evidence of local arrangements to review placements at least every 3 months for

people in an out-of-area placement in a specialist inpatient mental health setting.

Data source: Local data collection, for example, review protocols.

Process

Proportion of out-of-area placements in specialist inpatient mental health settings for which there is a review of the placement at least every 3 months.

Numerator – the number in the denominator for which there is a review of the placement at least every 3 months.

Denominator – the number of out-of-area placements in specialist inpatient mental health settings lasting longer than 3 months.

Data source: Local data collection, for example, from hospital patient records.

Outcome

a) Number of active out-of-area placements in specialist inpatient mental health settings.

Data source: Local data collection.

b) Length of stay in out-of-area placements in specialist inpatient mental health settings.

Data source: Local data collection.

What the quality statement means for different audiences

Service providers (specialist inpatient mental health services, such as those in high-dependence units or specialised rehabilitation units within the NHS or independent services) ensure that they work together to monitor the length of placements for people in an out-of-area placement in an inpatient mental health setting, so that named practitioners from the inpatient ward and the person's home area can review the placement at least every 3 months.

Health and social care practitioners (a named practitioner from the person's home area and a named practitioner from the ward) work together to monitor the length of placements of people admitted to specialist inpatient mental health settings outside the area in which they live and review these at least every 3 months.

Commissioners (clinical commissioning groups) ensure that placements are monitored and reviewed at least every 3 months when people are admitted to specialist inpatient mental health settings outside the area.

People who are admitted to a specialist mental health hospital outside the area where they live have a review of how their placement is going at least once every 3 months, to make sure they are not kept in hospital for longer than they need to be. This is carried out jointly by a person from the hospital ward and someone from their home area involved in their care.

Source guidance

<u>Transition between inpatient mental health settings and community or care home settings.</u>

NICE guideline NG53 (2016), recommendation 1.3.11

Definitions of terms used in this quality statement

Placement review

Named practitioners from the person's home area and the inpatient ward should work together to ensure that the person's current placement lasts no longer than required. Review should be carried out either in person or by audio or videoconference. [NICE's guideline on transition between inpatient mental health settings and community or care home settings, recommendation 1.3.11]

Specialist inpatient mental health setting outside the area in which the person lives

In this quality statement, a specialist mental health inpatient setting refers to an inpatient unit that provides non-acute complex care and does not form part of the usual local network of services. This means that it does not usually admit people living in the

catchment of the person's local community mental health service and is somewhere the person cannot be visited regularly by their care coordinator to ensure continuity of care and effective discharge planning. Sending providers are to determine if a placement is classed as an out-of-area placement.

Examples of specialist mental health inpatient settings include high-dependence units or specialised rehabilitation units within the NHS or independent services. People admitted to specialist inpatient settings will often have multiple mental health problems. [Adapted from NHS England's definition of out of area placements in mental health services for adults in acute inpatient care]

Quality statement 3: Communication on discharge

Quality statement

People discharged from an inpatient mental health setting have their care plan sent within 24 hours to everyone identified in the plan as involved in their ongoing care.

Rationale

Sharing a person's care plan with people who will be involved in their ongoing care (as agreed by the person and their families or carers, and identified in their care plan) at the point at which they are discharged from inpatient mental health settings helps to make sure agreed plans are received as early as possible, so that they can be carried out and treatment continued. This reduces the risk of avoidable harm to the person, as well as avoidable readmissions.

Quality measures

The following measures can be used to assess the quality of care or service provision specified in the statement. They are examples of how the statement can be measured and can be adapted and used flexibly.

Structure

a) Evidence of local arrangements to develop care plans that detail who will be involved in providing ongoing care to people discharged from an inpatient mental health setting.

Data source: Local data collection, for example, care planning protocols.

b) Evidence of local arrangements to send within 24 hours, the care plans of people discharged from an inpatient mental health setting to everyone identified in it as involved in their ongoing care.

Data source: Local data collection, for example, hospital discharge protocols.

Process

Proportion of discharges from an inpatient mental health setting where the person's care plan is sent within 24 hours to everyone identified in it as involved in their ongoing care.

Numerator – the number in the denominator in which the person's care plan is sent within 24 hours to everyone identified in it as involved in their ongoing care.

Denominator – the number of discharges from an inpatient mental health setting.

Data source: Local data collection, for example, a review of patient notes.

Outcome

a) Level of satisfaction with support following discharge from inpatient mental health settings.

Data source: Local data collection, for example, local patient surveys.

b) Readmissions to inpatient mental health services within 30 days of discharge.

Data source: Data on unplanned readmissions to mental health services within 30 days of a mental health inpatient discharge in people aged 17 and over are available from the <u>NHS</u> <u>Digital Indicator Portal</u> as part of the clinical commissioning group outcomes indicator set – indicator 3.16.

What the quality statement means for different audiences

Service providers (inpatient mental health services) ensure that staff receive training on how to develop care plans, and how to share them so that people involved in care receive them as early as possible. They have protocols in place to ensure that plans are developed at the earliest opportunity after admission, and shared in a way that allows quickest receipt following discharge, including for people whose admission lasts less than 7 days.

Healthcare practitioners (mental health practitioners) work with people admitted to an inpatient mental health setting to identify people who will be involved in the person's care and send a copy of the care plan to them within 24 hours of their discharge, using the method of sharing that allows the plan to be received as early as possible. It is important that plans are developed at the earliest opportunity after admission, and shared following discharge, including for people whose admission lasts less than 7 days.

Commissioners (clinical commissioning groups and local authorities) ensure that care plans can be shared within and across health and social care services within 24 hours of people being discharged from an inpatient mental health setting.

People leaving hospital after inpatient treatment for a mental health problem have a care plan for staying as well as possible in future, that they have helped to put together. The plan includes their recovery goals, how to cope with symptoms, what to do in a crisis, their medicines and treatment, and any work, training, learning or social activities. Their mental health practitioner should make sure a copy of this plan is sent within 24 hours of their discharge to everyone who will be involved in supporting them.

Source guidance

<u>Transition between inpatient mental health settings and community or care home settings.</u>
NICE guideline NG53 (2016), recommendation 1.6.3

Definitions of terms used in this quality statement

Care plan

A care plan for discharge from an inpatient mental health setting is based on the principles of recovery and describes the support arrangements for the person after they are discharged. It should include:

- discharge address
- possible relapse signs
- recovery goals
- who to contact

- where to go in a crisis
- budgeting and benefits
- handling personal budgets (if applicable)
- social networks
- · educational, work-related and social activities
- details of medication
- details of treatment and support plan
- physical health needs including health promotion and information about contraception
- date of review of the care plan
- follow-up requirements following discharge, including method of communication for follow-up.

It is important that the process of care planning is person-centred and that people are involved in developing their own care plan (see <u>quality statement 6 in NICE's quality standard on service user experience in adult mental health services</u>). [NICE's <u>guideline on transition between inpatient mental health settings and community or care home settings</u>, recommendation 1.5.20 and expert opinion]

Everyone involved in a person's care

People involved in providing support to the person at discharge from an inpatient mental health setting and afterwards should be listed in the care plan. This is likely to include the person's GP, community mental health teams (including crisis teams), social workers and other local authority services, and carers. [Adapted from NICE's guideline on transition between inpatient mental health settings and community or care home settings, recommendation 1.5.20 and expert opinion]

Equality and diversity considerations

In some cases, it might not be appropriate to fully involve people in developing their own care plan, or to share the plan with them, for example when a person lacks capacity. Independent advocates can represent people's interests and support them to obtain the

(QS159)							
services they need.							

Quality statement 4: Suicide risk

Quality statement

People who have a risk of suicide identified at preparation for discharge from an inpatient mental health setting are followed up within 48 hours of being discharged.

Rationale

Mental health practitioners should assess people's risk of suicide when preparing for discharge. This will take into account the person's risk on admission to the unit, throughout their stay and when discharged into the community. Everyone discharged from an inpatient mental health setting should receive follow-up, which should be within 48 hours for people who have a suicide risk identified. Follow-up can help to identify any further support they may need, such as access to a crisis service or other community support.

Quality measures

The following measures can be used to assess the quality of care or service provision specified in the statement. They are examples of how the statement can be measured and can be adapted and used flexibly.

Structure

- a) Evidence of local arrangements to identify people at risk of suicide at preparation for discharge from an inpatient mental health setting and to record the risk for 48-hour follow-up.
- b) Evidence of local arrangements to follow-up within 48 hours of discharge people who are identified as being at risk of suicide.

Data source: Local data collection, for example, hospital discharge protocols.

Process

Proportion of discharges from an inpatient mental health setting in which people are followed up within 48 hours of discharge if they are identified as being at risk of suicide.

Numerator – the number in the denominator followed up within 48 hours of discharge.

Denominator – the number of discharges from an inpatient mental health setting of people identified as being at risk of suicide.

Data source: Local data collection, for example, an audit of case notes or care plans.

Outcome

Number of suicides of people recently discharged from inpatient mental health settings.

Data source: National numbers of suicides within 3 months of inpatient discharge are published in the <u>University of Manchester's National confidential inquiry into suicide and homicide by people with mental illness reports.</u>

What the quality statement means for different audiences

Service providers (inpatient mental health settings) ensure that staff are trained to assess and monitor people's risk of suicide on admission to the unit, throughout their stay and when they are preparing for discharge into the community. They also ensure that staff are trained to follow-up people who are identified as being at risk of suicide within 48 hours of discharge, and that this follow up takes place.

Healthcare practitioners (mental health practitioners) work together to assess and monitor people's risk of suicide on admission to the unit, throughout their stay and when they are preparing for discharge into the community. They follow-up people within 48 hours of discharge from an inpatient mental health setting if they are identified as being at risk of suicide when preparing for discharge.

Commissioners (clinical commissioning groups) ensure that the services they commission have protocols in places to identify suicide risk throughout an admission and prior to

discharge, and follow-up people at risk of suicide within 48 hours of discharge.

People leaving hospital after inpatient treatment for a mental health problem are contacted by someone from their care team to check how they are doing within 48 hours of their discharge, if the team are worried that they may be at risk of harming themselves.

Source guidance

<u>Transition between inpatient mental health settings and community or care home settings.</u>
<u>NICE guideline NG53</u> (2016), recommendation 1.6.8

Definitions of terms used in this quality statement

Follow-up

The communication method used for follow-up should be agreed in the person's care plan.

Equality and diversity considerations

Follow-up may be more difficult for people who are experiencing homelessness. This should be taken into account when considering discharge into the community. Housing needs should be discussed and arrangements for follow-up made before the person is discharged. This support may be available from the homelessness multidisciplinary team (for more information see NICE's guideline on integrated health and social care for people experiencing homelessness, recommendation 1.3.4).

Update information

Minor changes since publication

March 2022: The equality and diversity considerations section for statement 4 was updated in line with NICE's guideline on integrated health and social care for people experiencing homelessness.

About this quality standard

NICE quality standards describe high-priority areas for quality improvement in a defined care or service area. Each standard consists of a prioritised set of specific, concise and measurable statements. NICE quality standards draw on existing NICE or NICE-accredited guidance that provides an underpinning, comprehensive set of recommendations, and are designed to support the measurement of improvement.

Expected levels of achievement for quality measures are not specified. Quality standards are intended to drive up the quality of care, and so achievement levels of 100% should be aspired to (or 0% if the quality statement states that something should not be done). However, this may not always be appropriate in practice. Taking account of safety, shared decision making, choice, and professional judgement, desired levels of achievement should be defined locally.

Information about <u>how NICE quality standards are developed</u> is available from the NICE website.

See our <u>webpage on quality standard advisory committees</u> for details of standing committee 1 members who advised on this quality standard. Information about the topic experts invited to join the standing members is available on the <u>webpage for this quality standard</u>.

NICE has produced a <u>quality standard service improvement template</u> to help providers make an initial assessment of their service compared with a selection of quality statements. This tool is updated monthly to include new quality standards.

NICE guidance and quality standards apply in England and Wales. Decisions on how they apply in Scotland and Northern Ireland are made by the Scottish government and Northern Ireland Executive. NICE quality standards may include references to organisations or people responsible for commissioning or providing care that may be relevant only to England.

Diversity, equality and language

Equality issues were considered during development and equality assessments are

available. Any specific issues identified during development of the quality statements are highlighted in each statement.

Commissioners and providers should aim to achieve the quality standard in their local context, in light of their duties to have due regard to the need to eliminate unlawful discrimination, advance equality of opportunity and foster good relations. Nothing in this quality standard should be interpreted in a way that would be inconsistent with compliance with those duties.

ISBN: 978-1-4731-2631-2

Endorsing organisation

This quality standard has been endorsed by Department of Health and Social Care, as required by the Health and Social Care Act (2012)

Supporting organisations

Many organisations share NICE's commitment to quality improvement using evidence-based guidance. The following supporting organisations have recognised the benefit of the quality standard in improving care for patients, carers, service users and members of the public. They have agreed to work with NICE to ensure that those commissioning or providing services are made aware of and encouraged to use the quality standard.

- Royal College of Nursing (RCN)
- Mind
- Care England
- British Geriatrics Society
- Royal College of General Practitioners (RCGP)
- British Dietetic Association
- Royal College of Paediatrics and Child Health