Page	Comment
	A raised baseline serum is an indication that a future reaction may well be worse but it is also an indication potentially of other immune
	disease such as mastocytosis. In that context it is potentially more
3 - 1.1	dangerous to use venom immunotherapy and so high baseline
	tryptase could be regarded by some practitioners as a contraindication
	for treatment due to the potential risk of anaphylaxis during the course of treatment.
2 4 2	It is also very important that the specialist centre is located near to an
3 - 1.2	ED
	The definition of "anaphylactic shock" as per the Resus Council would
4 - 2.2	include Mueller II and III. The August 2011 BSACI venom allergy
	guideline simply uses the term "systemic reaction" and avoids the
	thorny problem of the definition of "anaphylactic shock". I would suggest excluding the final sentence of 2.2.
	suggest excluding the final sentence of 2.2.
	The emergency kit would typically only include the adrenaline injector
5- 2.5	so I think the "one or more" could be replaced by "on occasion" or
	some similar phrase. I think Pam Ewan confirmed this in the meeting - in fact to my knowledge the prescription of anything other than an
	adrenaline injector is rare.
16 - 4.3.3	I do not think this was an accurate reflection of what the clinical
22 C	specialist said about the content of the emergency kit.
33 - C	My name is spelt David Glaser!