



Diabetes: thyroid disease screening (children T1DM)

NICE indicator

Published: 16 April 2025

www.nice.org.uk/indicators/ind312

This other replaces IND56.

Indicator

Proportion of children and young people aged under 18 years with type 1 diabetes who have been screened for thyroid disease in the previous 12 months.

Indicator type

Network / system level indicator. The indicator would be appropriate to understand and report on the performance of networks or systems of providers.

This document does not represent formal NICE guidance. For a full list of NICE indicators, see our [menu of indicators](#).

To find out how to use indicators and how we develop them, see our [NICE indicator process guide](#).

Rationale

Children and young people with type 1 diabetes have a higher prevalence of autoimmune disorders such as thyroid disease compared with children and young people without type 1 diabetes. Screening for thyroid disease in children and young people allows early detection and appropriate management to improve health outcomes.

Source guidance

[Diabetes \(type 1 and type 2\) in children and young people: diagnosis and management. NICE guideline NG18 \(2015, updated 2023\), recommendation 1.2.119](#)

Specification

Numerator: The number of people in the denominator who were screened for thyroid disease in the previous 12 months.

Denominator: The number of children and young people aged under 18 years with type 1 diabetes.

Calculation: Numerator divided by the denominator, multiplied by 100.

Exclusions: None.

Personalised care adjustments or exception reporting should be considered to account for situations where the patient declines, does not attend or if screening for thyroid disease is not appropriate.

Data source: [National Paediatrics Diabetes Audit](#).

Expected population size: The National Paediatric Diabetes Audit for 2023 to 2024 shows that 0.04% of people in England are aged under 18 years with type 1 diabetes: 4 per 10,000 patients served by a network. There is no minimum number of patients required for network level indicators. However, consideration should be given to whether the majority of results would require suppression because of small numbers.

ISBN: 978-1-4731-6963-0